

A11102 146404

NAT'L INST OF STANDARDS & TECH R.I.C.



A11102146404

/Ion energetics measurements : part 1. 1
QC100 .U573 V66;1;1980 C.2 NBS-PUB-C 198



NSRDS-NBS 66, Part I

U.S. DEPARTMENT OF COMMERCE / National Bureau of Standards



Ion Energetics Measurements Part I. 1971-1973

QC
100
.U573
No.66-1
1980
c. 2

NATIONAL BUREAU OF STANDARDS

The National Bureau of Standards¹ was established by an act of Congress on March 3, 1901. The Bureau's overall goal is to strengthen and advance the Nation's science and technology and facilitate their effective application for public benefit. To this end, the Bureau conducts research and provides: (1) a basis for the Nation's physical measurement system, (2) scientific and technological services for industry and government, (3) a technical basis for equity in trade, and (4) technical services to promote public safety. The Bureau's technical work is performed by the National Measurement Laboratory, the National Engineering Laboratory, and the Institute for Computer Sciences and Technology.

THE NATIONAL MEASUREMENT LABORATORY provides the national system of physical and chemical and materials measurement; coordinates the system with measurement systems of other nations and furnishes essential services leading to accurate and uniform physical and chemical measurement throughout the Nation's scientific community, industry, and commerce; conducts materials research leading to improved methods of measurement, standards, and data on the properties of materials needed by industry, commerce, educational institutions, and Government; provides advisory and research services to other Government agencies; develops, produces, and distributes Standard Reference Materials; and provides calibration services. The Laboratory consists of the following centers:

Absolute Physical Quantities² — Radiation Research — Thermodynamics and Molecular Science — Analytical Chemistry — Materials Science.

THE NATIONAL ENGINEERING LABORATORY provides technology and technical services to the public and private sectors to address national needs and to solve national problems; conducts research in engineering and applied science in support of these efforts; builds and maintains competence in the necessary disciplines required to carry out this research and technical service; develops engineering data and measurement capabilities; provides engineering measurement traceability services; develops test methods and proposes engineering standards and code changes; develops and proposes new engineering practices; and develops and improves mechanisms to transfer results of its research to the ultimate user. The Laboratory consists of the following centers:

Applied Mathematics — Electronics and Electrical Engineering² — Mechanical Engineering and Process Technology² — Building Technology — Fire Research — Consumer Product Technology — Field Methods.

THE INSTITUTE FOR COMPUTER SCIENCES AND TECHNOLOGY conducts research and provides scientific and technical services to aid Federal agencies in the selection, acquisition, application, and use of computer technology to improve effectiveness and economy in Government operations in accordance with Public Law 89-306 (40 U.S.C. 759), relevant Executive Orders, and other directives; carries out this mission by managing the Federal Information Processing Standards Program, developing Federal ADP standards guidelines, and managing Federal participation in ADP voluntary standardization activities; provides scientific and technological advisory services and assistance to Federal agencies; and provides the technical foundation for computer-related policies of the Federal Government. The Institute consists of the following centers:

Programming Science and Technology — Computer Systems Engineering.

Headquarters and Laboratories at Gaithersburg, MD, unless otherwise noted; mailing address Washington, DC 20234.

¹Some divisions within the center are located at Boulder, CO 80303.

National Bureau of Standards
Library, E-01 Admin. Bldg.

FEB 16 1981

not acc - Circ.

QC100

.U573

no. 66

Pt. 1

1980

C.2

Ion Energetics Measurements

Part I. 1971-1973

H. M. Rosenstock, D. Sims,
S. S. Schroyer, and W. J. Webb

Ion Energetics Data Center
National Measurement Laboratory
National Bureau of Standards
Washington, D.C. 20234



† National Standard Reference Series

U.S. DEPARTMENT OF COMMERCE, Philip M. Klutznick, Secretary

Luther H. Hodges, Jr., Deputy Secretary

Jordan J. Baruch, Assistant Secretary for Productivity, Technology and Innovation

NATIONAL BUREAU OF STANDARDS, Ernest Ambler, Director

U.S.
...
Issued September 1980

Library of Congress Cataloging in Publication Data

Main entry under title:

Ion Energetics measurements.

(Nat. stand. ref. data ser. ; NSRDS-NBS 66, pt. 1-)

"Issued February 1980."

Bibliography: p.

Includes indexes.

CONTENTS: pt. 1. 1971-1973.

Supt. of Docs. no.: C 13.48:66/pt. 1

1. Ions--Tables. I. Rosenstock, Henry M. II. National Measurement Laboratory (U.S.). Ion Energetics Data Center. III. Series: United States. National Bureau of Standards. National standard reference data series ; NSRDS-NBS 66, pt. 1

QC100.U573 no. 66, pt. 1, etc. [QD561] 602'.18s

[541.3'72] 80-607942

NSRDS-NBS 66, Part I

Nat. Stand. Ref. Data Ser., Nat. Bur. Stand. (U.S.), 66, Part I, 379 pages (Sept. 1980)

CODEN: NSRDAP

© 1980 by the Secretary of Commerce on Behalf of the United States Government

U.S. GOVERNMENT PRINTING OFFICE

WASHINGTON: 1980

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402

Price \$8.50

(Add 25 percent for other than U.S. mailing)

Foreword


The National Standard Reference Data System provides access to the quantitative data of physical science, critically evaluated and compiled for convenience and readily accessible through a variety of distribution channels. The System was established in 1963 by action of the President's Office of Science and Technology and the Federal Council for Science and Technology, and responsibility to administer it was assigned to the National Bureau of Standards.

NSRDS receives advice and planning assistance from a Review Committee of the National Research Council of the National Academy of Sciences-National Academy of Engineering. A number of Advisory Panels, each concerned with a single technical area, meet regularly to examine major portions of the program, assign relative priorities, and identify specific key problems in need of further attention. For selected specific topics, the Advisory Panels sponsor subpanels which make detailed studies of users' needs, the present state of knowledge, and existing data resources as a basis for recommending one or more data compilation activities. This assembly of advisory services contributes greatly to the guidance of NSRDS activities.

The System now includes a complex of data centers and other activities in academic institutions and other laboratories. Components of the NSRDS produce compilations of critically evaluated data, reviews of the state of quantitative knowledge in specialized areas, and computations of useful functions derived from standard reference data. The centers and projects also establish criteria for evaluation and compilation of data and recommend improvements in experimental techniques. They are normally associated with research in the relevant field.

The technical scope of NSRDS is indicated by the categories of projects active or being planned: nuclear properties, atomic and molecular properties, solid state properties, thermodynamic and transport properties, chemical kinetics, and colloid and surface properties.

Reliable data on the properties of matter and materials are a major foundation of scientific and technical progress. Such important activities as basic scientific research, industrial quality control, development of new materials for building and other technologies, measuring and correcting environmental pollution depend on quality reference data. In NSRDS, the Bureau's responsibility to support American science, industry, and commerce is vitally fulfilled.

A handwritten signature in black ink, reading "E. Ambler." The signature is fluid and cursive, with a large initial "E" and a trailing period.

ERNEST AMBLER, *Director*

Contents

	Page
1. Introduction	1
2. Acknowledgements	2
3. Index of Ions	3
4. Table of Ion Energetics Measurements	24
5. Bibliography	343
6. Author Index	363

Ion Energetics Measurements

Part I. 1971-1973

H. M. Rosenstock, D. Sims, S. S. Schroyer, and W. J. Webb

Ion Energetics Data Center, National Measurement Laboratory, National Bureau of Standards, Washington, D.C. 20234

The present publication tabulates measurement information on energetics of gaseous positive ions published in 1972 and 1973 along with some information from 1971. It is intended to supplement the information previously compiled and evaluated in "Energetics of Gaseous Ions." Approximately five thousand measurements are tabulated, drawn from over six hundred published papers.

Key words: Appearance potential; electron impact; electron spectroscopy; gaseous ion; ionization potential; photoionization; spectroscopy.

1. Introduction

The present supplement is the first of a series intended to update the measurement information which was presented and critically evaluated in the compilation "Energetics of Gaseous Ions"[1].¹

This supplement includes measurement information on gaseous positive ions which was published in 1972 and 1973, together with additional information which appeared in 1971 but was not included in the ion energetics compilation.

The format and the ordering of ions is similar to the previously published compilation. The notation (V) after an ionization potential indicates a vertical ionization potential which is higher than the adiabatic value [1,2]. The methods, along with their abbreviations, are given in table 1. The methods are discussed in detail in references 1 and 2. In addition, the abstracted measurement information is occasionally annotated with one or more comments which will be useful in evaluating the quality of the information. A list of the comments is given in table 2. They should be self-explanatory, with the possible exception of the comment on metastable transitions. For complex fragmentation processes the observation of metastable transitions provides useful corroborative information on the neutral products of the fragmentation process. Hence where given in the publication presenting fragment appearance potentials, this additional information has been noted in a comment. We are aware that there is much additional useful information on metastable transitions in other publications. However, no attempt was made to incorporate this material at this stage of the project. Evidently, it will have to be taken into account in the critical evaluations which are planned for the future.

We have inserted two asterisks in the other products column to indicate that no fragmentation takes place. Hence, a blank space in that column indicates a fragmentation process in which the neutral fragments are not specified in the journal article.

As before, names are given for all compounds where chemical structure cannot be adequately represented by a one-line semistructural formula, i.e., ring compounds. In a departure from the previously published compilation, we have decided to adopt the systematic nomenclature used by Chemical Abstracts Services. In some instances this leads to extremely long and involved names. To ease the pain, in these instances we also give a short name, if available. Unfortunately this is not so for some complex organometallic compounds. In all cases, name or no name, we give the Chemical Abstracts Services Registry Number to facilitate access of other data bases and to retain an identifier for the compound which is more permanent than the name.

We emphasize the interim nature of the present supplement. It is probable that additional measurements published during this period will be identified. They will be given in the next supplement, along with those measurements published in 1974 and 1975. Further, the intent of the supplement is to present as accurately as possible the measurement information as given in the papers themselves. This will, of course lead to occasional inconsistencies in the tabulated information, reflecting the inconsistencies in the literature itself. They will (hopefully) be removed in the critical evaluation planned for later. Also, the reader should be cautioned that information given in this supplement is not necessarily more accurate than that presented in the earlier compilation.

¹ Figures in brackets indicate literature references.

TABLE 1. Methods for ion energetics measurements in order of sort preference

Abbreviation	Technique
S	Spectroscopic
PI	Photoionization
TPE	Threshold Photoelectron Spectroscopy
PE	Photoelectron Spectroscopy
AUG	Auger Electron Spectroscopy
PEN	Penning Ionization
EM	Electron Monochromator Studies
RPD	Retarding Potential Difference
EDD	Energy Distribution Difference
NRE	N th Root Extrapolation
SRP	Square Root Plot
FD	First Derivative
SD	Second Derivative
DC	Deconvolution
SEQ	Sequential Ionization
EI	Other Electron Impact
SI	Surface Ionization
CTS	Charge Transfer Spectrum
BH	Born-Haber Cycle
D	Derived Value
OTH	Other

References for the Introduction

- [1] Rosenstock, H. M., Draxl, K., Steiner, B. W., and Herron, J. T., "Energetics of Gaseous Ions," J. Phys. Chem. Ref. Data **6**, Supplement 1 (1977).
- [2] Rosenstock, H. M., "The Measurement of Ionization and Appearance Potentials," Int. J. Mass Spectrom. Ion Phys. **20**, 139 (1976).

TABLE 2. List of comments and coding acronyms

RN	CAS Registry Number xxxxxx-xx-x
RD	Radical
TV	Threshold value approximately corrected to 0 K
HB	Threshold value approximately corrected for hot bands (implies vibrational hot bands)
ZK	Threshold value for zero kinetic energy ions (used only where threshold dependence on KE is measured)
ZT	Zero average translational energy of decomposition at threshold (used where KE is shown to be approximately 0 but no threshold dependence is measured)
AD	____ eV average translational energy of decomposition at threshold
HE	High kinetic energy ion
CD	Metastable transition indicates ____ eV kinetic energy release
UN	Metastable transitions indicate ____ eV kinetic energy release (applies to successive metastables)
PC	Appearance potential of the corresponding metastable transition
MT	Metastable transition(s) observed (used also if there is possibility of collision contribution)
RS	Average of ____ Rydberg series limits (use words)
AV	Average of ____ values (use words)
FI	Fragment from electron impact induced decomposition of ____
PA	Appearance potential of negative ion
NI	Negative ion detected
PM	Position of peak maximum
TR	Other product(s) thermochemically reasonable
SC	Mean value of spin-orbit components
JC	Mean value of Jahn-Teller components

2. Acknowledgements

This project was supported by the National Institute of General Medical Sciences, National Institutes of Health (NIGMS) and by the Office of Standard Reference Data, National Bureau of Standards (OSRD). We would like to thank Dr. R. S. Melville of NIGMS and Dr. D. R. Lide, Jr. and Dr. L. H. Gevantman of OSRD for their continued support and encouragement. We are especially grateful for the considerable assistance given us by Mr. R. W. Thompson and Mrs. C. Messina of OSRD in the computer production of this publication. The participation of Mrs. C. Schmidt in the early phases of this project is gratefully acknowledged.

3. Index of Ions

H^+	24	$C_5H_4^+$	36
D^+	24	$C_5H_5^+$	37
H_2^+	24	$C_5H_6^+$	37
HD^+	24	$C_5H_7^+$	38
H_3^+	24	$C_5H_8^+$	39
Li^+	24	$C_5H_9^+$	39
Li_2^+	24	$C_5H_{10}^+$	40
B^+	24	$C_5H_{11}^+$	40
BH_2^+	25	$C_5H_{12}^+$	40
BH_3^+	25	$C_6H_2^+$	41
$B_3H_5^+$	25	$C_6H_4^+$	41
$B_3H_6^+$	25	$C_6H_5^+$	41
$B_4H_8^+$	25	$C_6H_3D_2^+$	43
$B_5H_8^+$	25	$C_6H_6^+$	43
$B_5H_9^+$	25	$C_6H_4D_2^+$	44
C^+	25	$C_6H_7^+$	44
C^{+2}	26	$C_6H_8^+$	44
C^{+3}	26	$C_6H_9^+$	45
C_2^+	26	$C_6H_{10}^+$	45
C_3^+	26	$C_6H_{11}^+$	46
CH^+	26	$C_6H_{12}^+$	46
CH_2^+	26	$C_6D_{12}^+$	47
CH_3^+	26	$C_6H_{14}^+$	47
CH_4^+	28	$C_7H_6^+$	47
C_2H^+	28	$C_7H_7^+$	47
C_2D^+	28	$C_7H_8^+$	49
$C_2H_2^+$	28	$C_7H_9^+$	50
$C_2D_2^+$	29	$C_7H_{10}^+$	50
$C_2H_3^+$	29	$C_7H_{11}^+$	51
$C_2D_3^+$	29	$C_7H_{12}^+$	51
$C_2H_4^+$	29	$C_7H_{13}^+$	52
$C_2H_5^+$	30	$C_7H_{14}^+$	52
$C_2H_6^+$	30	$C_8H_6^+$	52
C_3H^+	30	$C_8H_8^+$	52
$C_3H_2^+$	30	$C_8H_9^+$	53
$C_3H_3^+$	30	$C_8H_{10}^+$	54
$C_3H_4^+$	30	$C_8H_{11}^+$	55
$C_3H_5^+$	31	$C_8H_{12}^+$	55
$C_3H_6^+$	32	$C_8H_{13}^+$	56
$C_3H_7^+$	33	$C_8H_{14}^+$	56
$C_3H_8^+$	33	$C_8H_{16}^+$	57
$C_4H_2^+$	33	$C_9H_7^+$	57
$C_4H_3^+$	33	$C_9H_8^+$	58
$C_4H_4^+$	34	$C_9H_{10}^+$	59
$C_4H_6^+$	34	$C_9H_{12}^+$	60
$C_4H_7^+$	35	$C_9H_{13}^+$	61
$C_4H_8^+$	35	$C_9H_{14}^+$	61
$C_4H_9^+$	36	$C_9H_{16}^+$	61
$C_4H_{10}^+$	36	$C_9H_{18}^+$	62

$C_{10}H_8^+$	62
$C_{10}H_{10}^+$	62
$C_{10}H_{12}^+$	63
$C_{10}H_{14}^+$	64
$C_{10}H_{15}^+$	64
$C_{10}H_{16}^+$	64
$C_{10}H_{20}^+$	65
$C_{11}H_9^+$	66
$C_{11}H_{10}^+$	66
$C_{11}H_{12}^+$	66
$C_{11}H_{14}^+$	66
$C_{11}H_{16}^+$	67
$C_{11}H_{17}^+$	67
$C_{11}H_{18}^+$	67
$C_{11}H_{20}^+$	68
$C_{11}H_{22}^+$	68
$C_{12}H_8^+$	68
$C_{12}H_{10}^+$	68
$C_{12}H_{12}^+$	68
$C_{12}H_{14}^+$	68
$C_{12}H_{16}^+$	68
$C_{12}H_{18}^+$	69
$C_{12}H_{20}^+$	69
$C_{12}H_{24}^+$	69
$C_{13}H_9^+$	69
$C_{13}H_{10}^+$	70
$C_{13}H_{11}^+$	70
$C_{13}H_{12}^+$	70
$C_{13}H_{14}^+$	70
$C_{13}H_{16}^+$	70
$C_{13}H_{26}^+$	70
$C_{14}H_{10}^+$	71
$C_{14}H_{12}^+$	73
$C_{14}H_{14}^+$	74
$C_{14}H_{16}^+$	74
$C_{14}H_{28}^+$	74
$C_{15}H_9^+$	74
$C_{15}H_{11}^+$	75
$C_{15}H_{12}^+$	75
$C_{15}H_{13}^+$	75
$C_{15}H_{14}^+$	76
$C_{15}H_{16}^+$	76
$C_{16}H_{10}^+$	76
$C_{16}H_{11}^+$	77
$C_{16}H_{12}^+$	77
$C_{16}H_{13}^+$	77
$C_{16}H_{14}^+$	77
$C_{16}H_{16}^+$	78
$C_{16}H_{18}^+$	78
$C_{17}H_{12}^+$	78
$C_{17}H_{15}^+$	78
$C_{18}H_{12}^+$	78
$C_{18}H_{14}^+$	79

$C_{18}H_{16}^+$	80
$C_{18}H_{18}^+$	80
$C_{18}H_{20}^+$	80
$C_{19}H_{16}^+$	80
$C_{19}H_{20}^+$	80
$C_{19}H_{22}^+$	80
$C_{20}H_{12}^+$	80
$C_{20}H_{14}^+$	81
$C_{21}H_{15}^+$	81
$C_{22}H_{12}^+$	81
$C_{22}H_{14}^+$	81
$C_{22}H_{18}^+$	81
$C_{23}H_{26}^+$	82
$C_{24}H_{12}^+$	82
$C_{24}H_{22}^+$	82
$C_{25}H_{16}^+$	82
$C_{32}H_{14}^+$	82
$C_6H_5Be^+$	82
$C_{12}H_{10}Be^+$	82
$C_{12}H_{10}B^+$	82
$C_{18}H_{15}B^+$	82
N^+	82
N^{+2}	82
N^{+3}	83
N_2^+	83
N_2^{+2}	83
NH^+	84
NH_2^+	84
NH_3^+	84
ND_3^+	84
NH_4^+	84
$N_2H_4^+$	84
N_3H^+	85
BH_6N^+	85
$B_3H_6N_3^+$	85
CHN^+	85
CH_4N^+	85
CH_5N^+	85
$C_2H_2N^+$	86
$C_2H_4N^+$	86
$C_2H_6N^+$	86
$C_2H_7N^+$	86
C_3HN^+	86
$C_3H_6N^+$	86
$C_3H_7N^+$	86
$C_3H_9N^+$	86
$C_4H_3N^+$	87
$C_4H_5N^+$	87
$C_4H_{10}N^+$	87
$C_4H_{11}N^+$	87
$C_5H_4N^+$	87
$C_5H_5N^+$	87
$C_5H_6N^+$	88

$C_5H_7N^+$	88
$C_5H_{12}N^+$	88
$C_6H_5N^+$	88
$C_6H_6N^+$	89
$C_6H_7N^+$	89
$C_6H_8N^+$	90
$C_6H_9N^+$	90
$C_6H_{15}N^+$	90
$C_7H_4N^+$	90
$C_7H_5N^+$	90
$C_7H_8N^+$	91
$C_7H_9N^+$	91
$C_7H_{10}N^+$	92
$C_7H_{11}N^+$	93
$C_8H_6N^+$	93
$C_8H_7N^+$	93
$C_8H_9N^+$	93
$C_8H_{10}N^+$	93
$C_8H_{11}N^+$	93
$C_8H_{12}N^+$	94
$C_8H_{13}N^+$	94
$C_9H_7N^+$	94
$C_9H_{11}N^+$	95
$C_9H_{13}N^+$	95
$C_9H_{17}N^+$	95
$C_{10}H_9N^+$	95
$C_{10}H_{15}N^+$	95
$C_{11}H_{13}N^+$	96
$C_{11}H_{17}N^+$	96
$C_{12}H_{11}N^+$	96
$C_{12}H_{15}N^+$	96
$C_{13}H_9N^+$	96
$C_{13}H_{12}N^+$	96
$C_{13}H_{13}N^+$	96
$C_{14}H_{11}N^+$	97
$C_{14}H_{15}N^+$	97
$C_{15}H_{11}N^+$	97
$C_{16}H_{13}N^+$	97
$C_{17}H_{29}N^+$	97
$C_{18}H_{15}N^+$	97
$C_{19}H_{13}N^+$	97
$C_{20}H_{23}N^+$	97
$CH_2N_2^+$	97
$CH_3N_2^+$	98
$C_2H_6N_2^+$	98
$C_2H_8N_2^+$	98
$C_3H_2N_2^+$	98
$C_3H_3N_2^+$	98
$C_3H_4N_2^+$	98
$C_3H_6N_2^+$	98
$C_3H_8N_2^+$	98
$C_4H_2N_2^+$	99
$C_4H_4N_2^+$	99

$C_4H_8N_2^+$	101
$C_4H_{10}N_2^+$	101
$C_4H_{12}N_2^+$	101
$C_5H_4N_2^+$	102
$C_5H_6N_2^+$	102
$C_5H_8N_2^+$	102
$C_5H_{10}N_2^+$	102
$C_5H_{12}N_2^+$	102
$C_6H_4N_2^+$	102
$C_6H_7N_2^+$	102
$C_6H_8N_2^+$	103
$C_6H_{10}N_2^+$	103
$C_6H_{12}N_2^+$	103
$C_6H_{14}N_2^+$	104
$C_6H_{16}N_2^+$	104
$C_7H_8N_2^+$	104
$C_7H_{10}N_2^+$	104
$C_7H_{12}N_2^+$	104
$C_7H_{14}N_2^+$	104
$C_7H_{16}N_2^+$	104
$C_8H_6N_2^+$	104
$C_8H_{14}N_2^+$	105
$C_8H_{16}N_2^+$	105
$C_8H_{18}N_2^+$	105
$C_8H_{20}N_2^+$	106
$C_9H_{20}N_2^+$	106
$C_{10}H_8N_2^+$	106
$C_{10}H_{16}N_2^+$	106
$C_{10}H_{20}N_2^+$	106
$C_{11}H_8N_2^+$	106
$C_{12}H_{20}N_2^+$	106
$C_{13}H_{14}N_2^+$	106
$C_{14}H_{12}N_2^+$	106
$C_{14}H_{16}N_2^+$	106
$C_{17}H_{22}N_2^+$	106
$C_{18}H_{18}N_2^+$	107
$C_{19}H_{20}N_2^+$	107
$C_{19}H_{24}N_2^+$	107
$CH_3N_3^+$	107
$C_2H_3N_3^+$	107
$C_3H_3N_3^+$	107
$C_{12}H_{11}N_3^+$	108
$CH_2N_4^+$	108
$C_2H_2N_4^+$	108
$C_4H_6N_4^+$	109
$C_{10}H_{20}N_4^+$	109
$C_{10}H_{24}N_4^+$	109
$C_{11}H_{15}N_5^+$	109
$C_{32}H_{18}N_8^+$	109
CH_8BN^+	109
$C_2H_8BN^+$	109
$C_2H_9BN^+$	109
$C_3H_{12}BN^+$	109

$C_4H_{12}BN^+$	109
$C_6H_{12}BN^+$	109
$C_4H_{13}BN_2^+$	109
$C_5H_{15}BN_2^+$	109
$C_3H_{12}B_3N_3^+$	109
$C_6H_{14}BN_3^+$	110
$C_6H_{18}BN_3^+$	110
$C_6H_{18}B_3N_3^+$	110
$C_8H_{24}B_2N_4^+$	110
O^+	110
O^{+2}	110
O^{+3}	110
O^{+6}	111
O_2^+	111
OH^+	111
H_2O^+	111
D_2O^+	112
H_3O^+	112
LiO^+	112
Li_2O^+	112
BO^+	112
BO_2^+	112
BHO_2^+	112
CO^+	112
CO_2^+	113
$C_3O_2^+$	113
CHO^+	114
CDO^+	114
CH_2O^+	114
CH_3O^+	114
CHD_2O^+	114
CH_4O^+	114
$C_2H_2O^+$	115
$C_2H_3O^+$	115
$C_2H_4O^+$	119
$C_2H_5O^+$	119
$C_2H_3D_2O^+$	119
$C_2H_2D_3O^+$	119
$C_2H_6O^+$	119
$C_2H_3D_3O^+$	119
$C_3H_4O^+$	119
$C_3H_6O^+$	119
$C_3D_6O^+$	120
$C_3H_7O^+$	120
$C_3H_4D_3O^+$	120
$C_3H_8O^+$	120
$C_3H_5D_3O^+$	120
$C_4H_4O^+$	120
$C_4H_5O^+$	120
$C_4H_6O^+$	121
$C_4H_8O^+$	121
$C_4H_{10}O^+$	121
$C_5H_4O^+$	121

$C_5H_6O^+$	121
$C_5H_8O^+$	121
$C_5H_9O^+$	122
$C_5H_{10}O^+$	122
$C_6H_4O^+$	122
$C_6H_5O^+$	122
$C_6H_6O^+$	122
$C_6H_8O^+$	122
$C_6H_{10}O^+$	123
$C_6H_{12}O^+$	123
$C_7H_5O^+$	124
$C_7H_6O^+$	124
$C_7H_7O^+$	125
$C_7H_8O^+$	126
$C_7H_{12}O^+$	127
$C_7H_{14}O^+$	127
$C_8H_7O^+$	127
$C_8H_8O^+$	128
$C_8H_9O^+$	128
$C_8H_{10}O^+$	128
$C_8H_{12}O^+$	129
$C_8H_{14}O^+$	129
$C_8H_{16}O^+$	129
$C_9H_9O^+$	130
$C_9H_8DO^+$	130
$C_9H_{10}O^+$	130
$C_9H_{12}O^+$	130
$C_9H_{18}O^+$	130
$C_{10}H_{11}DO^+$	130
$C_{10}H_{14}O^+$	130
$C_{10}H_{16}O^+$	131
$C_{11}H_{10}O^+$	131
$C_{11}H_{12}O^+$	131
$C_{11}H_{13}O^+$	131
$C_{11}H_{12}DO^+$	131
$C_{11}H_{16}O^+$	131
$C_{12}H_{10}O^+$	132
$C_{12}H_{15}DO^+$	132
$C_{12}H_{18}O^+$	132
$C_{13}H_8O^+$	132
$C_{13}H_{10}O^+$	132
$C_{13}H_{11}O^+$	132
$C_{13}H_{12}O^+$	132
$C_{14}H_{10}O^+$	132
$C_{14}H_{14}O^+$	132
$C_{14}H_{22}O^+$	132
$C_{15}H_{15}O^+$	133
$C_{16}H_{10}O^+$	133
$C_{16}H_{16}O^+$	133
$C_{18}H_{18}O^+$	133
$C_{19}H_{20}O^+$	133
$C_{19}H_{22}O^+$	133
$C_{23}H_{24}O^+$	133

CH_2O_2^+	133
$\text{C}_2\text{H}_4\text{O}_2^+$	134
$\text{C}_3\text{H}_4\text{O}_2^+$	134
$\text{C}_3\text{H}_6\text{O}_2^+$	134
$\text{C}_4\text{H}_2\text{O}_2^+$	134
$\text{C}_4\text{H}_4\text{O}_2^+$	134
$\text{C}_4\text{H}_6\text{O}_2^+$	134
$\text{C}_4\text{H}_8\text{O}_2^+$	134
$\text{C}_5\text{H}_4\text{O}_2^+$	135
$\text{C}_5\text{H}_6\text{O}_2^+$	135
$\text{C}_5\text{H}_8\text{O}_2^+$	135
$\text{C}_5\text{H}_{10}\text{O}_2^+$	135
$\text{C}_6\text{H}_4\text{O}_2^+$	136
$\text{C}_6\text{H}_5\text{O}_2^+$	136
$\text{C}_6\text{H}_6\text{O}_2^+$	136
$\text{C}_6\text{H}_8\text{O}_2^+$	136
$\text{C}_6\text{H}_{10}\text{O}_2^+$	137
$\text{C}_6\text{H}_{11}\text{O}_2^+$	137
$\text{C}_6\text{H}_{12}\text{O}_2^+$	137
$\text{C}_7\text{H}_5\text{O}_2^+$	137
$\text{C}_7\text{H}_6\text{O}_2^+$	137
$\text{C}_7\text{H}_7\text{O}_2^+$	138
$\text{C}_7\text{H}_8\text{O}_2^+$	138
$\text{C}_7\text{H}_{10}\text{O}_2^+$	138
$\text{C}_7\text{H}_{13}\text{O}_2^+$	138
$\text{C}_8\text{H}_7\text{O}_2^+$	138
$\text{C}_8\text{H}_8\text{O}_2^+$	139
$\text{C}_8\text{H}_{10}\text{O}_2^+$	139
$\text{C}_8\text{H}_{12}\text{O}_2^+$	139
$\text{C}_9\text{H}_{10}\text{O}_2^+$	140
$\text{C}_9\text{H}_{14}\text{O}_2^+$	140
$\text{C}_{10}\text{H}_6\text{O}_2^+$	140
$\text{C}_{10}\text{H}_{12}\text{O}_2^+$	140
$\text{C}_{10}\text{H}_{14}\text{O}_2^+$	140
$\text{C}_{10}\text{H}_{16}\text{O}_2^+$	141
$\text{C}_{11}\text{H}_{16}\text{O}_2^+$	141
$\text{C}_{11}\text{H}_{20}\text{O}_2^+$	141
$\text{C}_{12}\text{H}_{18}\text{O}_2^+$	141
$\text{C}_{13}\text{H}_{10}\text{O}_2^+$	141
$\text{C}_{14}\text{H}_8\text{O}_2^+$	141
$\text{C}_{14}\text{H}_{10}\text{O}_2^+$	142
$\text{C}_{15}\text{H}_{12}\text{O}_2^+$	142
$\text{C}_{20}\text{H}_{22}\text{O}_2^+$	142
$\text{C}_{20}\text{H}_{26}\text{O}_2^+$	142
$\text{C}_{22}\text{H}_{12}\text{O}_2^+$	142
$\text{C}_3\text{H}_2\text{O}_3^+$	142
$\text{C}_3\text{H}_4\text{O}_3^+$	142
$\text{C}_3\text{H}_6\text{O}_3^+$	142
$\text{C}_4\text{H}_2\text{O}_3^+$	142
$\text{C}_6\text{H}_6\text{O}_3^+$	143
$\text{C}_7\text{H}_6\text{O}_3^+$	143
$\text{C}_8\text{H}_5\text{O}_3^+$	143
$\text{C}_8\text{H}_8\text{O}_3^+$	143

$\text{C}_9\text{H}_7\text{O}_3^+$	143
$\text{C}_9\text{H}_{10}\text{O}_3^+$	143
$\text{C}_{10}\text{H}_6\text{O}_3^+$	144
$\text{C}_{14}\text{H}_8\text{O}_3^+$	144
$\text{C}_{14}\text{H}_{12}\text{O}_3^+$	144
$\text{C}_2\text{H}_4\text{O}_4^+$	144
$\text{C}_4\text{H}_8\text{O}_4^+$	144
$\text{C}_5\text{H}_{10}\text{O}_4^+$	144
$\text{C}_6\text{H}_6\text{O}_4^+$	144
$\text{C}_6\text{H}_8\text{O}_4^+$	144
$\text{C}_6\text{H}_{12}\text{O}_4^+$	144
$\text{C}_8\text{H}_6\text{O}_4^+$	144
$\text{C}_9\text{H}_8\text{O}_4^+$	144
$\text{C}_{10}\text{H}_6\text{O}_4^+$	144
$\text{C}_{14}\text{H}_8\text{O}_4^+$	145
$\text{C}_{22}\text{H}_{10}\text{O}_4^+$	145
$\text{C}_{14}\text{H}_8\text{O}_6^+$	145
$\text{C}_{10}\text{H}_{14}\text{O}_4\text{Be}^+$	145
CH_3BO^+	145
$\text{C}_3\text{H}_9\text{BO}^+$	145
$\text{C}_3\text{H}_9\text{BO}_2^+$	145
$\text{C}_3\text{H}_9\text{BO}_3^+$	145
NO^+	145
N_2O^+	146
NO_2^+	146
$\text{C}_3\text{N}_2\text{O}^+$	146
$\text{C}_6\text{H}_5\text{NO}_3$	146
CHNO^+	147
CH_3NO^+	147
$\text{C}_2\text{H}_3\text{NO}^+$	147
$\text{C}_2\text{H}_5\text{NO}^+$	147
$\text{C}_2\text{H}_7\text{NO}^+$	147
$\text{C}_3\text{H}_7\text{NO}^+$	147
$\text{C}_3\text{H}_9\text{NO}^+$	147
$\text{C}_4\text{H}_9\text{NO}^+$	147
$\text{C}_4\text{H}_{11}\text{NO}^+$	147
$\text{C}_5\text{H}_3\text{NO}^+$	147
$\text{C}_5\text{H}_5\text{NO}^+$	147
$\text{C}_5\text{H}_8\text{NO}^+$	148
$\text{C}_5\text{H}_{13}\text{NO}^+$	148
$\text{C}_6\text{H}_5\text{NO}^+$	148
$\text{C}_6\text{H}_6\text{NO}^+$	148
$\text{C}_6\text{H}_7\text{NO}^+$	148
$\text{C}_6\text{H}_{11}\text{NO}^+$	149
$\text{C}_6\text{H}_{15}\text{NO}^+$	149
$\text{C}_7\text{H}_4\text{NO}^+$	149
$\text{C}_7\text{H}_6\text{NO}^+$	149
$\text{C}_7\text{H}_7\text{NO}^+$	150
$\text{C}_7\text{H}_9\text{NO}^+$	150
$\text{C}_7\text{H}_{10}\text{NO}^+$	150
$\text{C}_7\text{H}_{11}\text{NO}^+$	150
$\text{C}_7\text{H}_{13}\text{NO}^+$	150
$\text{C}_7\text{H}_{17}\text{NO}^+$	150

$C_8H_4NO^+$	150
$C_8H_7NO^+$	150
$C_8H_8NO^+$	151
$C_8H_9NO^+$	151
$C_8H_{12}NO^+$	151
$C_8H_{13}NO^+$	151
$C_8H_{18}NO^+$	151
$C_9H_8NO^+$	151
$C_9H_{11}NO^+$	151
$C_9H_{13}NO^+$	151
$C_9H_{15}NO^+$	152
$C_9H_{17}NO^+$	152
$C_9H_{18}NO^+$	152
$C_{10}H_{10}NO^+$	152
$C_{10}H_{11}NO^+$	152
$C_{11}H_{13}NO^+$	152
$C_{12}H_{13}NO^+$	152
$C_{12}H_{15}NO^+$	152
$C_6H_4N_2O^+$	152
$C_8H_{10}N_2O^+$	152
$C_{10}H_{22}N_2O^+$	152
$C_{17}H_{20}N_2O^+$	153
$CH_3NO_2^+$	153
$CD_3NO_2^+$	153
$C_2H_5NO_2^+$	153
$C_6H_4NO_2^+$	153
$C_6H_5NO_2^+$	153
$C_6H_7NO_2^+$	154
$C_7H_6NO_2^+$	154
$C_7H_7NO_2^+$	154
$C_7H_{10}NO_2^+$	155
$C_8H_5NO_2^+$	155
$C_8H_9NO_2^+$	155
$C_8H_{13}NO_2^+$	155
$C_9H_{11}NO_2^+$	155
$C_9H_{13}NO_2^+$	155
$C_9H_{16}NO_2^+$	156
$C_9H_{17}NO_2^+$	156
$C_{10}H_{13}NO_2^+$	156
$C_{13}H_{10}NO_2^+$	156
$C_{13}H_{11}NO_2^+$	156
$C_{14}H_{13}NO_2^+$	156
$C_4H_4N_2O_2^+$	156
$C_6H_6N_2O_2^+$	156
$C_7H_4N_2O_2^+$	157
$C_7H_8N_2O_2^+$	157
$C_8H_{10}N_2O_2^+$	157
$C_9H_{12}N_2O_2^+$	157
$C_9H_{15}N_2O_2^+$	157
$C_9H_{17}N_2O_2^+$	157
$C_{11}H_{12}N_2O_2^+$	157
$C_{11}H_{21}N_2O_2^+$	158
$C_{12}H_{20}N_2O_2^+$	158

$C_{13}H_{12}N_2O_2^+$	158
$C_{14}H_{14}N_2O_2^+$	158
$C_{16}H_{10}N_2O_2^+$	158
$C_{16}H_{12}N_2O_2^+$	158
$C_{18}H_{17}N_3O_2^+$	158
$C_4H_3NO_3^+$	158
$C_6H_5NO_3^+$	158
$C_7H_4NO_3^+$	158
$C_7H_7NO_3^+$	159
$C_9H_{11}NO_3^+$	159
$C_9H_7N_2O_3^+$	159
$C_{10}H_{10}N_2O_3^+$	159
$C_7H_5NO_4^+$	159
$C_8H_7NO_4^+$	159
$C_{13}H_9NO_4^+$	159
$C_{17}H_9NO_4^+$	159
$C_6H_4N_2O_4^+$	159
$C_{13}H_{10}N_2O_4^+$	160
$C_{14}H_{12}N_2O_4^+$	160
$C_{18}H_{30}N_2O_4^+$	160
$C_{16}H_{11}N_3O_4^+$	160
F^+	160
F_2^+	160
HF^+	160
DF^+	160
BF^+	160
BF_2^+	160
BF_3^+	160
$B_2F_4^+$	161
CF^+	161
CF_2^+	161
CF_3^+	161
$C_2F_3^+$	162
CF_4^+	162
$C_2F_4^+$	162
$C_3F_6^+$	162
$C_4F_6^+$	162
$C_6F_6^+$	162
$C_4F_8^+$	163
$C_{10}F_8^+$	163
$C_{12}F_{10}^+$	163
$C_6F_{12}^+$	163
CH_2F^+	163
C_2HF^+	163
$C_2H_2F^+$	163
$C_2H_3F^+$	164
$C_2H_4F^+$	164
$C_2H_5F^+$	164
C_3HF^+	164
$C_3H_2F^+$	164
$C_3H_3F^+$	164
$C_3H_7F^+$	164
$C_6H_4F^+$	164

$C_6H_5F^+$	164
$C_7H_6F^+$	165
$C_7H_7F^+$	165
$C_{10}H_{13}F^+$	165
$C_{10}H_{15}F^+$	165
$C_{12}H_9F^+$	165
CHF_2^+	166
$C_2HF_2^+$	166
$C_2H_2F_2^+$	166
$C_2H_3F_2^+$	166
$C_3HF_2^+$	166
$C_3H_2F_2^+$	166
$C_6H_4F_2^+$	166
$C_{12}H_8F_2^+$	167
$C_2HF_3^+$	167
$C_2H_3F_3^+$	167
$C_3HF_3^+$	167
$C_6H_3F_3^+$	167
$C_6H_2F_4^+$	167
$C_6HF_5^+$	168
$C_8H_3F_5^+$	168
NF^+	168
N_2F^+	168
NF_2^+	168
$N_2F_2^+$	169
NF_3^+	169
$N_2F_4^+$	170
$B_3H_3N_3F_3^+$	170
$CN_2F_2^+$	170
$C_3N_3F_3^+$	170
$C_5NF_5^+$	170
$C_2N_2F_6^+$	170
$C_8N_2F_6^+$	170
$C_9NF_7^+$	171
CH_2NF^+	171
$C_2H_3NF^+$	171
$C_3H_6NF^+$	171
$C_6H_6NF^+$	171
$CHNF_2^+$	171
$CH_2NF_2^+$	171
$C_2H_6NF_2^+$	171
$C_6H_5NF_2^+$	172
$C_8H_4N_2F_2^+$	172
$C_8H_2N_2F_4^+$	172
$C_6H_2NF_5^+$	172
$C_6H_7NF_6^+$	172
$C_4H_{12}BN_2F^+$	172
$C_2H_6BNF_2^+$	172
$C_3H_9B_3N_3F_3^+$	172
OF^+	172
OF_2^+	172
HOF^+	173
BOF^+	173

BOF_2^+	173
COF_2^+	173
$C_2OF_3^+$	174
CF_4O^+	174
$C_3OF_5^+$	174
$C_3F_6O^+$	174
$C_6H_4OF^+$	174
$C_6H_5OF^+$	174
$C_7H_4OF^+$	174
$C_7H_7OF^+$	175
$C_7H_5O_2F^+$	175
$C_8H_7O_2F^+$	175
$C_6H_4OF_2^+$	175
$C_8H_6O_2F_2^+$	175
$C_2H_3OF_3^+$	175
$C_2HO_2F_3^+$	175
$C_3H_3O_2F_3^+$	175
$C_4H_5O_2F_3^+$	176
$C_5H_5O_2F_3^+$	176
$C_6H_3O_2F_3^+$	176
$C_8H_{11}O_2F_3^+$	176
$C_4H_5O_4F_3^+$	176
$C_5H_7O_4F_3^+$	176
$C_6H_9O_4F_3^+$	176
$C_3H_3OF_5^+$	176
$C_6HOF_5^+$	176
$C_7H_3OF_5^+$	176
$C_3H_2OF_6^+$	176
$C_5H_2O_2F_6^+$	176
$C_{10}H_2O_4F_{12}Be^+$	176
NOF_3^+	176
$C_2NOF_6^+$	177
$C_8H_8NOF^+$	177
$C_6H_4NO_2F^+$	177
$C_8H_7NOF_2^+$	177
$C_6H_4NOF_3^+$	177
Ne^+	177
Na^+	177
Na_2^+	177
Mg^+	177
$C_5H_5Mg^+$	178
$C_{10}H_{10}Mg^+$	178
$C_{12}H_{14}Mg^+$	178
Al^+	178
Al_2^+	178
AlC^+	178
AlC_2^+	178
$Al_2C_2^+$	178
$C_{18}H_{15}Al^+$	178
AlO^+	178
AlO_2^+	179
Al_2O^+	179
$Al_2O_2^+$	179

AlF ⁺	179	C ₁₄ H ₂₄ Si ₂ ⁺	186
AlF ₂ ⁺	179	C ₁₅ H ₂₂ Si ₂ ⁺	186
AlOF ⁺	179	C ₁₅ H ₂₄ Si ₂ ⁺	186
AlOF ₂ ⁺	179	C ₁₆ H ₂₂ Si ₂ ⁺	186
C ₁₅ H ₁₂ O ₆ F ₉ Al ⁺	179	C ₂₁ H ₂₄ Si ₂ ⁺	187
C ₁₅ H ₃ O ₆ F ₁₈ Al ⁺	179	C ₂₄ H ₂₆ Si ₂ ⁺	187
Si ⁺	179	C ₂₆ H ₂₆ Si ₂ ⁺	187
SiH ⁺	179	C ₃₆ H ₃₀ Si ₂ ⁺	187
SiH ₂ ⁺	180	C ₈ H ₂₄ Si ₃ ⁺	187
SiH ₃ ⁺	180	C ₁₇ H ₂₈ Si ₃ ⁺	187
SiH ₄ ⁺	180	C ₂₆ H ₃₂ Si ₃ ⁺	187
Si ₂ H ₆ Te ⁺	180	C ₆ H ₁₆ Si ₄ ⁺	187
SiC ₂ ⁺	180	C ₁₀ H ₂₄ Si ₄ ⁺	187
Si ₂ C ⁺	180	C ₁₀ H ₃₀ Si ₄ ⁺	187
CH ₃ Si ⁺	180	C ₁₀ H ₃₀ Si ₅ ⁺	187
CH ₅ Si ⁺	180	C ₁₂ H ₃₆ Si ₅ ⁺	188
C ₂ H ₆ Si ⁺	180	C ₁₂ H ₃₆ Si ₆ ⁺	188
C ₂ H ₇ Si ⁺	180	C ₁₆ H ₃₆ Si ₇ ⁺	188
C ₃ H ₈ Si ⁺	180	Si ₂ N ⁺	188
C ₃ H ₉ Si ⁺	181	SiH ₃ N ₃ ⁺	188
C ₄ H ₉ Si ⁺	181	Si ₃ H ₉ N ⁺	188
C ₄ H ₁₂ Si ⁺	181	C ₂ H ₉ NSi ⁺	188
C ₅ H ₁₀ Si ⁺	181	C ₈ H ₁₃ NSi ⁺	188
C ₅ H ₁₂ Si ⁺	182	C ₃ H ₉ N ₃ Si ⁺	188
C ₆ H ₈ Si ⁺	182	C ₈ H ₂₄ N ₄ Si ⁺	188
C ₆ H ₁₂ Si ⁺	182	CH ₉ NSi ₂ ⁺	188
C ₆ H ₁₄ Si ⁺	182	C ₁₁ H ₂₁ NSi ₂ ⁺	188
C ₈ H ₁₁ Si ⁺	182	SiO ⁺	188
C ₈ H ₁₂ Si ⁺	183	Si ₂ H ₆ O ⁺	189
C ₉ H ₁₄ Si ⁺	183	CH ₆ OSi ⁺	189
C ₁₀ H ₁₀ Si ⁺	183	C ₃ H ₉ SiO ⁺	189
C ₁₀ H ₁₄ Si ⁺	183	C ₁₀ H ₁₆ OSi ⁺	189
C ₁₀ H ₁₆ Si ⁺	183	C ₁₃ H ₁₈ OSi ⁺	189
C ₁₁ H ₁₆ Si ⁺	183	C ₁₃ H ₂₀ OSi ⁺	189
C ₁₂ H ₁₆ Si ⁺	183	C ₅ H ₁₂ O ₂ Si ⁺	189
C ₁₂ H ₁₈ Si ⁺	184	C ₈ H ₂₀ O ₄ Si ⁺	189
C ₁₃ H ₁₃ Si ⁺	184	C ₁₂ H ₂₂ OSi ₂ ⁺	189
C ₁₃ H ₁₄ Si ⁺	184	Si ₂ NO ⁺	189
C ₁₃ H ₁₆ Si ⁺	184	CH ₃ NOSi ⁺	189
C ₁₄ H ₁₄ Si ⁺	184	C ₄ H ₉ NOSi ⁺	190
C ₁₄ H ₁₈ Si ⁺	184	SiF ₄ ⁺	190
C ₁₇ H ₁₈ Si ⁺	185	Si ₂ F ₆ ⁺	190
C ₁₇ H ₂₀ Si ⁺	185	SiH ₃ F ⁺	190
C ₁₈ H ₁₅ Si ⁺	185	SiH ₂ F ₂ ⁺	190
C ₁₈ H ₁₆ Si ⁺	185	SiHF ₃ ⁺	191
C ₂₂ H ₂₀ Si ⁺	185	SiF ₃ C ⁺	191
C ₂₄ H ₁₆ Si ⁺	185	C ₅ H ₉ SiF ⁺	191
C ₂₄ H ₂₀ Si ⁺	185	CH ₃ F ₃ Si ⁺	191
C ₆ H ₁₈ Si ₂ ⁺	186	C ₇ H ₁₀ F ₆ Si ⁺	191
C ₁₁ H ₂₀ Si ₂ ⁺	186	C ₆ H ₁₂ F ₄ Si ₄ ⁺	191
C ₁₂ H ₁₀ Si ₂ ⁺	186	SiAl ⁺	191
C ₁₂ H ₂₂ Si ₂ ⁺	186	SiAlO ⁺	191
C ₁₃ H ₂₂ Si ₂ ⁺	186	P ⁺	192

P_2^+	192	$C_4H_{12}N_2PF^+$	197
P_4^+	192	$C_2H_6NPF_2^+$	197
PH^+	192	$C_6H_{18}N_3F_2P^+$	197
PH_2^+	193	$C_4H_{12}N_2F_3P^+$	197
PH_3^+	193	$C_2H_6NF_4P^+$	197
BP^+	193	$C_2H_9BNF_2P^+$	197
PC^+	193	$C_2H_{11}B_3NF_2P^+$	197
C_2P^+	193	$C_2H_{12}B_3NF_2P^+$	197
CP_2^+	193	$C_2H_{12}B_4NF_2P^+$	198
CHP^+	193	$C_2H_{14}B_4NF_2P^+$	198
CH_5P^+	193	POF_3^+	198
$C_3H_9P^+$	193	$P_2OF_4^+$	198
$C_4H_{11}P^+$	193	$CNOF_2P^+$	198
$C_5H_5P^+$	193	$NaPO_2^+$	198
$C_{10}H_9P^+$	193	PSi^+	198
$C_{10}H_{13}P^+$	194	PSi_2^+	198
$C_{12}H_{13}P^+$	194	P_2Si^+	198
$C_{12}H_{17}P^+$	194	SiH_5P^+	198
$C_{15}H_{11}P^+$	194	$Si_3H_9P^+$	198
$C_{17}H_{29}P^+$	194	$CSiP^+$	198
$C_{19}H_{13}P^+$	194	$C_7H_{19}SiP^+$	199
$C_{29}H_{25}P^+$	194	$C_9H_{25}Si_2P^+$	199
$C_6H_{18}N_3P^+$	194	S^+	199
$C_8H_{18}N_3P^+$	194	S_2^+	199
PO^+	194	S_8^+	199
PO_2^+	194	HS^+	199
$P_2O_3^+$	195	H_2S^+	199
$P_2O_4^+$	195	H_3S^+	200
$P_2O_5^+$	195	BHS^+	200
$P_3O_6^+$	195	CS^+	200
$P_3O_7^+$	195	CS_2^+	201
$P_4O_7^+$	195	CHS^+	202
$P_4O_8^+$	195	CH_2S^+	202
$P_4O_9^+$	195	CH_3S^+	202
$P_4O_{10}^+$	195	CH_4S^+	202
CH_4OP^+	195	$C_2H_3S^+$	203
$CH_4O_2P^+$	195	$C_2H_4S^+$	203
$CH_5O_2P^+$	195	$C_2H_5S^+$	204
$C_2H_6O_2P^+$	196	$C_2H_6S^+$	204
$C_{19}H_{35}O_2P^+$	196	$C_3H_5S^+$	205
$CH_4O_3P^+$	196	$C_3H_6S^+$	205
$C_2H_6O_3P^+$	196	$C_3H_7S^+$	205
$C_2H_7O_3P^+$	196	$C_3H_8S^+$	205
$C_3H_8O_4P^+$	196	$C_4H_4S^+$	205
$C_3H_9O_4P^+$	196	$C_4D_4S^+$	205
PF_3^+	196	$C_4H_6S^+$	205
PF_5^+	197	$C_4H_8S^+$	205
$P_2F_4^+$	197	$C_4H_9S^+$	206
PHF_2^+	197	$C_4H_{10}S^+$	206
$BH_3F_3P^+$	197	$C_5H_6S^+$	206
$B_3H_5F_3P^+$	197	$C_5H_{10}S^+$	206
$PH_2NF_2^+$	197	$C_6H_6S^+$	206
CNF_2P^+	197	$C_6H_8S^+$	206

$C_6H_{10}S^+$	207	$C_{17}H_{20}N_2S^+$	213
$C_6H_{14}S^+$	207	$C_{18}H_{22}N_2S^+$	213
$C_7H_8S^+$	207	$C_{20}H_{25}N_3S^+$	213
$C_8H_6S^+$	207	SO^+	213
$C_8H_{10}S^+$	207	SO_2^+	214
$C_8H_{12}S^+$	207	S_2O^+	214
$C_8H_{18}S^+$	207	COS^+	215
$C_9H_{10}S^+$	207	CH_2OS^+	215
$C_{11}H_{10}S^+$	208	$C_2H_4OS^+$	216
$C_{12}H_8S^+$	208	$C_2H_6OS^+$	216
$C_{12}H_{10}S^+$	208	$C_3H_5OS^+$	216
$CH_2S_2^+$	208	$C_3H_6OS^+$	216
$C_2H_6S_2^+$	208	$C_4H_8OS^+$	216
$C_3H_5S_2^+$	208	$C_4H_{10}OS^+$	216
$C_3H_6S_2^+$	209	$C_5H_4OS^+$	216
$C_3H_8S_2^+$	209	$C_5H_6OS^+$	216
$C_4H_8S_2^+$	209	$C_6H_6OS^+$	216
$C_4H_{10}S_2^+$	209	$C_6H_{11}OS^+$	217
$C_5H_6S_2^+$	209	$C_6H_{12}OS^+$	217
$C_6H_4S_2^+$	209	$C_6H_{14}OS^+$	217
$C_6H_{10}S_2^+$	209	$C_7H_{13}OS^+$	217
$C_6H_{14}S_2^+$	209	$C_7H_{14}OS^+$	217
$C_8H_{10}S_2^+$	210	$C_8H_{16}OS^+$	217
$C_8H_{18}S_2^+$	210	$C_8H_{18}OS^+$	217
$C_3H_6S_3^+$	210	$C_{12}H_{10}OS^+$	218
$C_5H_4S_3^+$	210	$C_2H_6O_2S^+$	218
$C_6H_6S_3^+$	210	$C_3H_6SO_2^+$	218
$C_7H_8S_3^+$	210	$C_4H_6SO_2^+$	218
$C_{10}H_{12}S_3^+$	210	$C_5H_4O_2S^+$	218
$C_{12}H_{16}S_3^+$	210	$C_5H_{10}O_2S^+$	218
$C_{14}H_{20}S_3^+$	210	$C_6H_6O_2S^+$	218
$C_{17}H_{12}S_3^+$	210	$C_{14}H_9O_2S^+$	218
$C_6H_4S_4^+$	210	$C_{15}H_{11}O_2S^+$	218
$C_{10}H_{18}S_6^+$	211	$C_2H_4O_3S^+$	218
$C_3H_9BS^+$	211	$C_2H_6O_3S^+$	218
$C_3H_9BS_2^+$	211	$C_4H_3NSO^+$	219
$C_3H_9BS_3^+$	211	$C_4H_9NOS^+$	219
$CHNS^+$	211	$C_6H_7NOS^+$	219
$C_2H_3NS^+$	211	$C_6H_{11}NOS^+$	219
$C_3H_3NS^+$	211	$C_7H_5NOS^+$	219
$C_4H_5NS^+$	211	$C_7H_9NOS^+$	219
$C_5H_3NS^+$	212	$C_8H_7NOS^+$	219
$C_5H_5NS^+$	212	$C_8H_9NOS^+$	219
$C_6H_7NS^+$	212	$C_8H_{11}NOS^+$	219
$C_{10}H_9NS^+$	212	$C_{13}H_9NOS^+$	219
$C_{12}H_9NS^+$	212	$C_3H_2N_2OS^+$	220
$C_{13}H_{11}NS^+$	212	$C_4H_{12}N_2OS^+$	220
$C_3H_6N_2S^+$	213	$C_{17}H_{18}N_2OS^+$	220
$C_4H_2N_2S^+$	213	$C_{18}H_{22}N_2OS^+$	220
$C_4H_8N_2S^+$	213	$C_{19}H_{22}N_2OS^+$	220
$C_6H_4N_2S^+$	213	$C_{20}H_{24}N_2OS^+$	220
$C_8H_{18}N_2S^+$	213	$C_{19}H_{23}N_3OS^+$	220
$C_{16}H_{18}N_2S^+$	213	$C_{22}H_{27}N_3OS^+$	220

$C_{23}H_{29}N_3OS^+$	220	$C_3H_9O_3PS^+$	228
$C_3H_7NO_2S^+$	220	$C_2H_6OPS_2^+$	228
$C_4H_3NO_2S^+$	220	$C_2H_7OPS_2^+$	228
$C_5H_{11}NO_2S^+$	220	$C_2H_6O_2PS_2^+$	228
$C_7H_5NO_2S^+$	220	$C_3H_9O_2PS_2^+$	228
$C_8H_7NO_2S^+$	221	CNF_2PS^+	228
$C_8H_9NO_2S^+$	221	Cl^+	228
$C_{13}H_9NO_2S^+$	221	Cl^{+2}	229
$C_3H_2N_2O_2S^+$	221	Cl_2^+	229
$C_{15}H_{11}NO_3S^+$	221	BCl^+	229
$C_{22}H_{30}N_4O_2S_2^+$	221	BCl_2^+	229
SF^+	221	BCl_3^+	229
SF_2^+	221	$B_2Cl_4^+$	229
SF_3^+	221	CCl^+	230
SF_4^+	221	CCl_2^+	230
SF_5^+	222	CCl_3^+	230
S_2F^+	222	$C_6Cl_4^+$	230
$S_2F_2^+$	222	$C_6Cl_6^+$	230
CF_2S^+	222	CH_2Cl^+	230
NSF^+	222	CH_3Cl^+	230
NSF_3^+	223	C_2HCl^+	231
$C_{21}H_{24}N_3F_3S^+$	223	$C_2H_2Cl^+$	231
SO_3F^+	224	$C_2H_3Cl^+$	231
SOF_2^+	224	$C_2H_5Cl^+$	231
$SO_2F_2^+$	225	$C_3H_5Cl^+$	231
$CH_3O_2FS^+$	226	$C_3H_7Cl^+$	231
$C_6H_3OF_3S^+$	226	$C_4H_9Cl^+$	231
$C_{20}H_{21}N_2OF_3S^+$	226	$C_6H_4Cl^+$	231
$C_{22}H_{26}N_3OF_3S^+$	226	$C_6H_5Cl^+$	231
$C_{20}H_{19}N_2O_2F_3S^+$	226	$C_6H_{11}Cl^+$	232
$C_{22}H_{24}N_3O_2F_3S^+$	226	$C_7H_6Cl^+$	232
SiH_4S^+	226	$C_7H_7Cl^+$	232
$Si_2H_6S^+$	226	$C_8H_7Cl^+$	232
CH_6SiS^+	226	$C_{10}H_{15}Cl^+$	232
CH_3NSiS^+	226	$C_{12}H_9Cl^+$	232
$C_4H_9NSiS^+$	227	$CHCl_2^+$	232
PS^+	227	$CH_2Cl_2^+$	233
P_4S^+	227	$C_2H_2Cl_2^+$	233
$P_4S_2^+$	227	$C_6H_2Cl_2^+$	233
$P_4S_3^+$	227	$C_6H_4Cl_2^+$	234
$P_4S_4^+$	227	$C_8H_6Cl_2^+$	234
$P_4S_5^+$	227	$CHCl_3^+$	234
$P_4S_6^+$	227	$C_6H_3Cl_3^+$	234
$P_4S_7^+$	227	$C_6H_2Cl_4^+$	234
$P_4S_8^+$	227	$C_6HCl_5^+$	234
$P_4S_9^+$	227	$B_3H_3N_3Cl_3^+$	234
$P_4S_{10}^+$	227	$C_6H_6NCl^+$	234
CH_2PS^+	227	$C_{16}H_{12}NCl^+$	235
$C_6H_{18}N_3PS^+$	227	$C_6H_5NCl_2^+$	235
$C_2H_6OPS^+$	227	$C_4H_{12}BN_2Cl^+$	235
$C_2H_6O_2PS^+$	227	$C_2H_6BNCl_2^+$	235
$C_2H_7O_2PS^+$	228	$C_3H_9B_3N_3Cl_3^+$	235
$C_2H_6O_3PS^+$	228	ClO_2^+	235

Cl_2O^+	236	$\text{C}_4\text{H}_{12}\text{N}_2\text{SiCl}_2^+$	244
COCl_2^+	236	$\text{C}_2\text{H}_6\text{NSiCl}_3^+$	244
C_2OCl_3^+	237	$\text{C}_6\text{H}_{15}\text{O}_3\text{SiCl}^+$	244
$\text{C}_8\text{O}_3\text{Cl}_4^+$	237	$\text{C}_4\text{H}_{10}\text{O}_2\text{SiCl}_2^+$	244
$\text{C}_3\text{H}_5\text{OCl}^+$	237	$\text{C}_2\text{H}_5\text{OSiCl}_3^+$	244
$\text{C}_6\text{H}_4\text{OCl}^+$	237	SiF_3Cl^+	244
$\text{C}_6\text{H}_5\text{OCl}^+$	237	PCl^+	245
$\text{C}_7\text{H}_5\text{OCl}^+$	237	PCl_2^+	245
$\text{C}_7\text{H}_7\text{OCl}^+$	237	PCl_3^+	245
$\text{C}_2\text{H}_3\text{O}_2\text{Cl}^+$	238	PCl_5^+	245
$\text{C}_8\text{H}_7\text{O}_2\text{Cl}^+$	238	POCl^+	245
$\text{C}_6\text{H}_4\text{OCl}_2^+$	238	POCl_3^+	246
$\text{C}_8\text{H}_6\text{O}_2\text{Cl}_2^+$	238	PF_2Cl^+	247
$\text{C}_8\text{H}_7\text{NOCl}^+$	238	CSCl_2^+	247
$\text{C}_8\text{H}_8\text{NOCl}^+$	238	$\text{C}_2\text{S}_2\text{Cl}_4^+$	247
$\text{C}_{17}\text{H}_{14}\text{NOCl}^+$	239	$\text{C}_4\text{H}_3\text{SCl}^+$	248
$\text{C}_6\text{H}_4\text{NO}_2\text{Cl}^+$	239	NSCl^+	248
$\text{C}_8\text{H}_7\text{NOCl}_2^+$	239	$\text{C}_{17}\text{H}_{19}\text{N}_2\text{SCl}^+$	248
ClF^+	239	$\text{C}_{20}\text{H}_{24}\text{N}_3\text{SCl}^+$	248
ClF_3^+	239	SOCl_2^+	248
BClF^+	240	SO_2Cl_2^+	249
BClF_2^+	240	SOCl_3^+	250
BCl_2F^+	240	$\text{CH}_3\text{O}_2\text{SCl}^+$	250
CFCl^+	240	$\text{C}_{17}\text{H}_{17}\text{N}_2\text{OSCl}^+$	250
CF_2Cl^+	240	$\text{C}_{19}\text{H}_{21}\text{N}_2\text{OSCl}^+$	250
$\text{C}_2\text{F}_2\text{Cl}^+$	240	$\text{C}_{21}\text{H}_{26}\text{N}_3\text{OSCl}^+$	250
CF_3Cl^+	240	SF_5Cl^+	250
$\text{C}_2\text{F}_3\text{Cl}^+$	241	CFSCl^+	250
CFCl_2^+	241	SO_2FCl^+	250
C_2FCl_2^+	241	PSCl_3^+	251
CF_2Cl_2^+	241	$\text{C}_4\text{H}_{12}\text{N}_2\text{PSCl}^+$	252
$\text{CF}_2\text{CCl}_2^+$	241	$\text{C}_2\text{H}_6\text{NPSCl}_2^+$	252
CFCl_3^+	241	Ar^+	252
CH_2FCl^+	241	Ar^{+2}	252
C_2HFCl^+	241	Ar^{+3}	252
$\text{C}_2\text{H}_2\text{FCl}^+$	241	Ar^{+4}	252
CHF_2Cl^+	241	Ca^+	252
$\text{C}_2\text{HF}_2\text{Cl}^+$	241	Ca^{+2}	252
CHFC_2^+	241	Ca^{+3}	252
ClO_3F^+	242	Sc^+	252
AlOCl^+	242	Sc^{+3}	253
SiCl^+	242	Sc^{+4}	253
SiCl_4^+	242	ScC_2^+	253
SiH_3Cl^+	242	$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Sc}^+$	253
$\text{SiH}_2\text{Cl}_2^+$	242	Ti^+	253
SiHCl_3^+	243	TiC_2^+	253
$\text{C}_3\text{H}_9\text{SiCl}^+$	243	TiO^+	253
$\text{C}_4\text{H}_9\text{SiCl}^+$	244	TiO_2^+	253
$\text{C}_4\text{H}_{11}\text{SiCl}^+$	244	$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Ti}^+$	253
$\text{C}_5\text{H}_9\text{SiCl}^+$	244	TiS^+	254
$\text{C}_2\text{H}_6\text{SiCl}_2^+$	244	V^+	254
$\text{C}_3\text{H}_6\text{SiCl}_2^+$	244	VN^+	254
$\text{C}_6\text{H}_{12}\text{Si}_4\text{Cl}_4^+$	244	VO^+	254

VO_2^+	254	$\text{C}_6\text{H}_{18}\text{N}_3\text{PCr}^+$	261
V_4O_8^+	254	$\text{C}_7\text{H}_{18}\text{N}_3\text{OPCr}^+$	261
$\text{V}_4\text{O}_{10}^+$	254	$\text{C}_9\text{H}_{18}\text{N}_3\text{O}_3\text{PCr}^+$	261
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{V}^+$	254	$\text{C}_{10}\text{H}_{18}\text{N}_3\text{O}_4\text{PCr}^+$	261
Cr^+	254	$\text{C}_{11}\text{H}_{18}\text{N}_3\text{O}_5\text{PCr}^+$	261
$\text{C}_6\text{H}_6\text{Cr}^+$	255	$\text{C}_{15}\text{H}_{36}\text{N}_6\text{O}_3\text{P}_2\text{Cr}^+$	261
$\text{C}_7\text{H}_8\text{Cr}^+$	255	$\text{C}_{16}\text{H}_{36}\text{N}_6\text{O}_4\text{P}_2\text{Cr}^+$	261
$\text{C}_8\text{H}_{10}\text{Cr}^+$	255	$\text{CrP}_6\text{F}_{18}^+$	261
$\text{C}_9\text{H}_{12}\text{Cr}^+$	256	$\text{C}_9\text{H}_8\text{O}_5\text{SCr}^+$	261
$\text{C}_{10}\text{H}_{10}\text{Cr}^+$	256	$\text{C}_7\text{H}_6\text{O}_6\text{SCr}^+$	261
$\text{C}_{11}\text{H}_{11}\text{Cr}^+$	256	$\text{C}_7\text{H}_4\text{O}_8\text{SCr}^+$	261
$\text{C}_{12}\text{H}_{12}\text{Cr}^+$	256	$\text{C}_6\text{H}_5\text{ClCr}^+$	261
$\text{C}_{12}\text{H}_{18}\text{Cr}^+$	256	$\text{C}_7\text{H}_5\text{OClCr}^+$	261
$\text{C}_{14}\text{H}_{16}\text{Cr}^+$	256	$\text{C}_8\text{H}_5\text{O}_2\text{ClCr}^+$	262
$\text{C}_{20}\text{H}_{44}\text{Cr}^+$	256	$\text{C}_9\text{H}_5\text{O}_3\text{ClCr}^+$	262
$\text{C}_6\text{H}_7\text{NCr}^+$	256	$\text{C}_{13}\text{H}_7\text{O}_6\text{ClCr}^+$	262
CrCO^{+2}	256	Mn^+	262
$\text{C}_6\text{O}_6\text{Cr}^+$	256	MnH^+	262
$\text{C}_7\text{H}_6\text{OCr}^+$	256	$\text{C}_{10}\text{H}_{10}\text{Mn}^+$	262
$\text{C}_7\text{H}_8\text{OCr}^+$	257	$\text{C}_{11}\text{H}_{11}\text{Mn}^+$	262
$\text{C}_8\text{H}_8\text{OCr}^+$	257	$\text{C}_{32}\text{H}_{16}\text{N}_8\text{Mn}^+$	262
$\text{C}_9\text{H}_{10}\text{OCr}^+$	257	MnCO^+	262
$\text{C}_{10}\text{H}_{12}\text{OCr}^+$	257	MnC_2O_2^+	262
$\text{C}_{13}\text{H}_{18}\text{OCr}^+$	257	MnC_3O_3^+	262
$\text{C}_8\text{H}_6\text{O}_2\text{Cr}^+$	257	MnC_4O_4^+	262
$\text{C}_8\text{H}_8\text{O}_2\text{Cr}^+$	257	CHOMn^+	262
$\text{C}_9\text{H}_8\text{O}_2\text{Cr}^+$	258	$\text{C}_2\text{HO}_2\text{Mn}^+$	263
$\text{C}_{10}\text{H}_{10}\text{O}_2\text{Cr}^+$	258	$\text{C}_3\text{HO}_3\text{Mn}^+$	263
$\text{C}_{11}\text{H}_{12}\text{O}_2\text{Cr}^+$	258	$\text{C}_8\text{H}_5\text{O}_3\text{Mn}^+$	263
$\text{C}_{14}\text{H}_{18}\text{O}_2\text{Cr}^+$	258	$\text{C}_4\text{HO}_4\text{Mn}^+$	263
$\text{C}_9\text{H}_6\text{O}_3\text{Cr}^+$	258	$\text{C}_5\text{HO}_5\text{Mn}^+$	263
$\text{C}_9\text{H}_8\text{O}_3\text{Cr}^+$	258	$\text{C}_{15}\text{H}_{21}\text{O}_6\text{Mn}^+$	263
$\text{C}_{10}\text{H}_8\text{O}_3\text{Cr}^+$	258	MnF^+	263
$\text{C}_{11}\text{H}_{10}\text{O}_3\text{Cr}^+$	259	MnF_2^+	263
$\text{C}_{12}\text{H}_{12}\text{O}_3\text{Cr}^+$	259	MnF_3^+	263
$\text{C}_{15}\text{H}_{18}\text{O}_3\text{Cr}^+$	259	MnF_4^+	263
$\text{C}_{10}\text{H}_8\text{O}_4\text{Cr}^+$	259	$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Mn}^+$	263
$\text{C}_{11}\text{H}_8\text{O}_5\text{Cr}^+$	259	$\text{C}_{19}\text{H}_3\text{O}_{10}\text{F}_{18}\text{Mn}^+$	264
$\text{C}_8\text{H}_6\text{O}_6\text{Cr}^+$	259	$\text{C}_3\text{H}_9\text{SiMn}^+$	264
$\text{C}_{13}\text{H}_8\text{O}_6\text{Cr}^+$	259	$\text{C}_4\text{H}_9\text{OSiMn}^+$	264
$\text{C}_{14}\text{H}_{10}\text{O}_6\text{Cr}^+$	259	$\text{C}_5\text{H}_9\text{O}_2\text{SiMn}^+$	264
$\text{C}_{15}\text{H}_{21}\text{O}_6\text{Cr}^+$	260	$\text{C}_6\text{H}_9\text{O}_3\text{SiMn}^+$	264
$\text{C}_{14}\text{H}_{10}\text{O}_7\text{Cr}^+$	260	$\text{C}_7\text{H}_9\text{O}_4\text{SiMn}^+$	264
$\text{C}_7\text{H}_7\text{NOCr}^+$	260	$\text{C}_5\text{H}_3\text{O}_5\text{SiMn}^+$	264
$\text{C}_8\text{H}_7\text{NO}_2\text{Cr}^+$	260	$\text{C}_8\text{H}_9\text{O}_5\text{SiMn}^+$	264
$\text{C}_7\text{H}_5\text{NO}_3\text{Cr}^+$	260	$\text{C}_7\text{H}_9\text{O}_4\text{F}_3\text{SiPMn}^+$	264
$\text{C}_9\text{H}_7\text{NO}_3\text{Cr}^+$	260	$\text{C}_6\text{H}_9\text{O}_3\text{F}_6\text{SiP}_2\text{Mn}^+$	264
$\text{C}_{11}\text{H}_{11}\text{NO}_3\text{Cr}^+$	260	$\text{C}_5\text{H}_9\text{O}_2\text{F}_9\text{SiP}_3\text{Mn}^+$	264
$\text{C}_{13}\text{H}_7\text{O}_6\text{FCr}^+$	260	$\text{C}_{10}\text{H}_{15}\text{SMn}^+$	264
$\text{C}_{14}\text{H}_7\text{O}_6\text{F}_3\text{Cr}^+$	260	$\text{C}_{18}\text{H}_{17}\text{SMn}^+$	264
$\text{C}_{15}\text{H}_{12}\text{O}_6\text{F}_9\text{Cr}^+$	260	$\text{C}_8\text{H}_{13}\text{OSMn}^+$	265
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Cr}^+$	260	$\text{C}_{10}\text{H}_{15}\text{OSMn}^+$	265
$\text{C}_{16}\text{H}_{44}\text{Si}_4\text{Cr}^+$	261	$\text{C}_{18}\text{H}_{17}\text{OSMn}^+$	265

$C_{12}H_{15}O_2SMn^+$	265	$C_2O_2SiCl_3Co^+$	270
$C_{20}H_{17}O_2SMn^+$	265	$C_3O_3SiCl_3Co^+$	270
$C_8H_{11}O_3SMn^+$	265	$F_3SiPCL_3Co^+$	270
$C_{10}H_{13}O_3SMn^+$	265	$C_3O_3F_3SiPCL_2Co^+$	271
$C_{12}H_{15}O_3SMn^+$	265	$COF_3SiPCL_3Co^+$	271
$C_{20}H_{17}O_3SMn^+$	265	$C_3O_3F_3SiPCL_3Co^+$	271
$C_{10}H_{11}O_5SMn^+$	265	$COF_6SiP_2Cl_3Co^+$	271
$C_5O_5ClMn^+$	266	$C_2O_2F_6SiP_2Cl_3Co^+$	271
Fe^+	266	Ni^+	271
$C_3H_3Fe^+$	266	$C_3H_3Ni^+$	271
$C_5H_5Fe^+$	266	$C_5H_5Ni^+$	271
$C_{10}H_{10}Fe^+$	266	$C_6H_{10}Ni^+$	272
$C_{12}H_{12}Fe^+$	267	$C_8H_8Ni^+$	272
$C_{12}H_{14}Fe^+$	267	$C_{10}H_{10}Ni^+$	272
$C_{32}H_{16}N_8Fe^+$	267	$C_{32}H_{16}N_8Ni^+$	272
$C_{15}H_{21}O_6Fe^+$	267	$C_5H_5NONi^+$	272
$C_{33}H_{57}O_6Fe^+$	267	$C_{12}H_{18}N_2O_2Ni^+$	272
$C_{15}H_{12}O_6F_9Fe^+$	267	Cu^+	272
$C_{15}H_3O_6F_{18}Fe^+$	267	Cu_2^+	273
$C_{13}H_{18}SiFe^+$	268	Cu_3^+	273
$C_6H_{18}N_3PFe^+$	268	$C_{32}H_{16}N_8Cu^+$	273
$C_{12}H_{36}N_6P_2Fe^+$	268	$C_{12}H_{18}N_2O_2Cu^+$	273
$C_7H_{18}N_3OPFe^+$	268	$CuCl^+$	273
$C_8H_{18}N_3O_2PFe^+$	268	Cu_2Cl^+	273
$C_9H_{18}N_3O_3PFe^+$	268	$Cu_2Cl_2^+$	273
$C_{10}H_{18}N_3O_4PFe^+$	268	$Cu_3Cl_2^+$	273
$C_{13}H_{36}N_6OP_2Fe^+$	268	$Cu_3Cl_3^+$	273
$C_{14}H_{36}N_6O_2P_2Fe^+$	268	$Cu_4Cl_3^+$	273
$C_{15}H_{36}N_6O_3P_2Fe^+$	268	$Cu_4Cl_4^+$	273
$FeP_5F_{15}^+$	268	$Cu_5Cl_4^+$	273
$C_{10}H_9ClFe^+$	268	$Cu_5Cl_5^+$	274
$C_{10}H_8Cl_2Fe^+$	268	Zn^+	274
Co^+	268	$C_{32}H_{16}N_8Zn^+$	274
$C_3H_3Co^+$	269	$ZnCl_2^+$	274
$C_5H_5Co^+$	269	Ga^+	274
$C_{10}H_{10}Co^+$	269	CH_3Ga^+	274
$C_{11}H_{13}BCo^+$	269	$C_2H_3Ga^+$	274
$C_{12}H_{16}B_2Co^+$	269	$C_2H_4Ga^+$	274
$C_{16}H_{15}BCo^+$	269	$C_2H_6Ga^+$	275
$C_{22}H_{20}B_2Co^+$	269	$C_3H_9Ga^+$	275
$C_{32}H_{16}N_8Co^+$	269	$C_4H_6Ga^+$	275
$COCo^+$	269	$C_6H_9Ga^+$	275
$C_2O_2Co^+$	269	$C_{12}H_{10}Ga^+$	275
$C_4HO_4Co^+$	269	$C_{18}H_{15}Ga^+$	275
$C_{15}H_{21}O_6Co^+$	270	GaF^+	275
$C_{12}H_{16}B_2O_2Co^+$	270	GaF_2^+	275
$C_{15}H_3O_6F_{18}Co^+$	270	$Ga_2F_5^+$	275
$C_4H_3O_4SiCo^+$	270	$C_{15}H_3O_6F_{18}Ga^+$	275
F_3PCo^+	270	GaP^+	275
$ClCo^+$	270	Ge^+	275
$SiCl_2Co^+$	270	Ge_2^+	275
$SiCl_3Co^+$	270	GeH_4^+	275
$COSiCl_3Co^+$	270	$C_3H_9Ge^+$	276

$C_4H_{12}Ge^+$	276	AsF_3^+	280
$C_7H_{18}Ge^+$	276	$C_6H_7F_6As^+$	280
$C_8H_{18}Ge^+$	276	$C_8H_{11}F_6As^+$	280
$C_8H_{20}Ge^+$	276	$Si_3H_9As^+$	280
$C_9H_{14}Ge^+$	276	AsP^+	281
$C_9H_{20}Ge^+$	276	AsP_3^+	281
$C_{10}H_{14}Ge^+$	276	$As_2P_2^+$	281
$C_{10}H_{16}Ge^+$	276	As_3P^+	281
$C_{12}H_{18}Ge^+$	277	AsS^+	281
$C_{13}H_{15}Ge^+$	277	$As_2S_2^+$	281
$C_{14}H_{18}Ge^+$	277	$As_3S_2^+$	281
$C_6H_{18}Ge_2^+$	277	$As_3S_3^+$	281
$GeH_3N_3^+$	277	$As_4S_3^+$	281
$Ge_3H_9N^+$	277	$As_4S_4^+$	281
GeO^+	277	$AsCl_3^+$	281
$Ge_2H_6O^+$	277	Se^+	281
CH_3NOGe^+	277	Se^{+4}	281
GeF_2^+	277	SeH^+	281
GeF_4^+	277	H_2Se^+	281
$Ge_2F_4^+$	278	CSe_2^+	282
GeH_3F^+	278	$C_2H_5Se^+$	282
$GeH_2F_2^+$	278	$C_2H_6Se^+$	282
$GeOF_2^+$	278	$C_3H_7Se^+$	282
$C_6H_{18}SiGe^+$	278	$C_4H_4Se^+$	282
GeH_5P^+	278	$C_5H_6Se^+$	282
$Ge_3H_9P^+$	278	$C_3H_6NSe^+$	282
GeH_4S^+	278	$C_4H_{10}NSe^+$	282
$Ge_2H_6S^+$	278	$COSe^+$	283
CH_3NSGe^+	278	$C_5H_4OSe^+$	283
Cl_3Ge^+	278	$C_6H_6OSe^+$	283
Cl_4Ge^+	278	$C_5H_4O_2Se^+$	283
GeH_3Cl^+	278	$C_4H_6NOSe^+$	283
$GeH_2Cl_2^+$	279	$C_5H_9NOSe^+$	283
$C_2H_6ClGe^+$	279	$C_4H_8NO_2Se^+$	283
$C_3H_9ClGe^+$	279	$C_5H_{11}NO_2Se^+$	283
$CH_3Cl_2Ge^+$	279	$C_6H_3OF_3Se^+$	283
$C_2H_6Cl_2Ge^+$	279	$Si_2H_6Se^+$	283
$CH_3Cl_3Ge^+$	279	SeP^+	284
$C_8H_{14}CrGe^+$	279	$CSSe^+$	284
$C_9H_{14}OCrGe^+$	279	$ScSe^+$	284
$C_{10}H_{14}O_2CrGe^+$	279	$Ge_2H_6Se^+$	284
$C_{11}H_{14}O_3CrGe^+$	279	Br^+	284
$C_5H_3O_5MnGe^+$	279	Br^{+4}	284
$C_4H_3O_4GeCo^+$	279	Br^{+5}	284
$GeCu^+$	280	HBr^+	284
As^+	280	DBr^+	284
As_2^+	280	C_2HBr^+	285
As_4^+	280	$C_2H_3Br^+$	285
AsH_3^+	280	$C_2H_5Br^+$	285
$C_2H_7As^+$	280	$C_3H_5Br^+$	285
$C_5H_5As^+$	280	$C_3H_7Br^+$	285
$C_{12}H_{13}As^+$	280	$C_4H_7Br^+$	286
$C_{19}H_{13}As^+$	280	$C_4H_9Br^+$	286

$C_5H_9Br^+$	286	PF_2Br^+	296
$C_5H_{11}Br^+$	286	$C_4H_3SBr^+$	296
$C_6H_4Br^+$	286	$SOSBr_2^+$	296
$C_6H_5Br^+$	286	$SOBr_3^+$	297
$C_6H_{11}Br^+$	286	$PSBr_3^+$	297
$C_7H_7Br^+$	287	$C_5H_8ClBr^+$	298
$C_7H_9Br^+$	287	$C_6H_{10}ClBr^+$	298
$C_{10}H_{15}Br^+$	287	$PClBr^+$	298
$C_{12}H_9Br^+$	287	PCl_2Br^+	298
$C_2H_2Br_2^+$	287	$PClBr_2^+$	298
$C_5H_8Br_2^+$	288	$C_5O_5BrMn^+$	298
$C_6H_4Br_2^+$	288	$C_6H_3NO_4MnBr^+$	298
$C_6H_{10}Br_2^+$	288	$Cu_3Br_3^+$	298
$C_{12}H_8Br_2^+$	289	$Cu_4Br_3^+$	298
$C_6H_3Br_3^+$	289	$Cu_4Br_4^+$	298
$C_6H_6NBr^+$	289	$ZnBr_2^+$	298
$C_{18}H_{17}N_2Br^+$	289	GeH_3Br^+	299
$C_6H_5NBr_2^+$	289	$GeH_2Br_2^+$	299
$C_4H_{12}BN_2Br^+$	289	Kr^+	299
$C_2H_6BNBr_2^+$	289	KrF_2^+	299
$COBr_2^+$	289	Rb^+	300
$C_5H_9OBr^+$	290	Rb^{+2}	300
$C_6H_4OBr^+$	290	$RbCl^+$	300
$C_6H_5OBr^+$	290	$RbBr^+$	300
$C_7H_4OBr^+$	290	Rb_2Br^+	300
$C_7H_7OBr^+$	290	Sr^+	300
$C_2H_3O_2Br^+$	291	Sr^{+2}	301
$C_7H_5O_2Br^+$	291	Sr^{+3}	301
$C_7H_{11}O_2Br^+$	291	$SrCl^+$	301
$C_8H_7O_2Br^+$	291	Y^+	301
$C_6H_4OBr_2^+$	291	Y^{+6}	301
$C_8H_6O_2Br_2^+$	291	YS^+	301
$C_8H_7NOBr^+$	291	YSe^+	301
$C_8H_8NOBr^+$	292	Zr^{+5}	301
$C_6H_4NO_2Br^+$	292	Zr^{+6}	301
$C_8H_7NOBr_2^+$	292	$ZrCl^+$	301
BrF^+	292	$ZrCl_2^+$	301
BrF_3^+	292	$ZrCl_3^+$	301
BrF_5^+	292	$ZrCl_4^+$	301
CF_3Br^+	292	Nb^{+6}	301
$C_2F_3Br^+$	293	Nb^{+7}	302
$C_5H_8FBr^+$	293	NbF_3^+	302
$C_6H_{10}FBr^+$	293	NbF_4^+	302
$C_{12}H_8FBr^+$	293	$Nb_2F_9^+$	302
$SiBr^+$	293	$Nb_3F_{14}^+$	302
SiH_3Br^+	293	$NbCl^+$	302
$SiH_2Br_2^+$	294	$NbCl_2^+$	302
$C_5H_9SiBr^+$	294	$NbCl_3^+$	302
SiF_3Br^+	294	$NbCl_4^+$	302
PBr^+	294	Mo^+	302
PBr_2^+	294	Mo^{+7}	302
PBr_3^+	294	Mo^{+8}	302
$POBr_3^+$	295	$C_6O_6Mo^+$	302

$C_6H_{18}N_3PMo^+$	302	Ag_3Cl^+	307
$C_{12}H_{36}N_6P_2Mo^+$	303	$Ag_3Cl_2^+$	307
$C_7H_{18}N_3OPMo^+$	303	$Ag_3Cl_3^+$	307
$C_8H_{18}N_3O_2PMo^+$	303	$Ag_4Cl_3^+$	307
$C_9H_{18}N_3O_3PMo^+$	303	$Ag_4Cl_4^+$	308
$C_{10}H_{18}N_3O_4PMo^+$	303	$Ag_5Cl_4^+$	308
$C_{11}H_{18}N_3O_5PMo^+$	303	$AgBr^+$	308
$C_{13}H_{36}N_6OP_2Mo^+$	303	Ag_2Br^+	308
$C_{14}H_{36}N_6O_2P_2Mo^+$	303	$Ag_3Br_2^+$	308
$C_{15}H_{36}N_6O_3P_2Mo^+$	303	$Ag_3Br_3^+$	308
$C_{16}H_{36}N_6O_4P_2Mo^+$	303	Cd^+	308
$MoCl^+$	303	$CdCl_2^+$	308
$MoCl_2^+$	303	$CdBr_2^+$	309
$MoCl_3^+$	303	In^+	309
$MoCl_4^+$	303	In_2^+	309
$MoCl_5^+$	303	InO^+	309
$MoO_2Cl_2^+$	303	In_2O^+	309
$MoOCl_3^+$	304	$InCl^+$	309
$MoOCl_4^+$	304	$InBr^+$	309
$MoO_2Br_2^+$	304	Sn^+	309
MoO_2ClBr^+	304	SnH_4^+	310
Ru^+	304	$C_3H_9Sn^+$	310
$C_3H_3Ru^+$	304	$C_4H_{12}Sn^+$	310
$C_5H_5Ru^+$	304	$C_7H_{18}Sn^+$	310
$C_8H_8Ru^+$	304	$C_9H_{14}Sn^+$	310
$C_{10}H_{10}Ru^+$	304	$C_{10}H_{16}Sn^+$	310
$C_{12}H_{14}Ru^+$	305	$C_{12}H_{16}Sn^+$	310
RuO_4^+	305	$C_{12}H_{18}Sn^+$	310
$C_{15}H_3O_6F_{18}Ru^+$	305	$C_{13}H_{16}Sn^+$	311
RhC^+	305	$C_{14}H_{18}Sn^+$	311
RhC_2^+	305	$C_{14}H_{30}Sn^+$	311
$C_7H_7O_4Rh^+$	305	$C_{15}H_{32}Sn^+$	311
$C_{12}H_9O_4Rh^+$	305	$C_{16}H_{36}Sn^+$	311
$C_{17}H_{11}O_4Rh^+$	305	$C_{24}H_{20}Sn^+$	311
$C_{15}H_{21}O_6Rh^+$	305	$C_6H_{18}Sn_2^+$	311
$C_{15}H_{20}NO_8Rh^+$	305	SnO^+	311
$C_{15}H_{19}N_2O_{10}Rh^+$	306	$C_6H_{18}SiSn^+$	311
$C_{15}H_{18}N_3O_{12}Rh^+$	306	$C_{16}H_{44}Si_4Sn^+$	311
$C_7H_4O_4F_3Rh^+$	306	$C_6H_{18}GeSn^+$	311
$C_7HO_4F_6Rh^+$	306	$SnBrCl^+$	311
$RhP_4F_{12}H^+$	306	$SnBr_2Cl^+$	311
Pd^+	306	$SnBr_3Cl^+$	311
$C_6H_{10}Pd^+$	306	Sb^+	311
$C_{12}H_{18}N_2O_2Pd^+$	306	Sb_2^+	311
Ag^+	306	Sb_3^+	312
Ag_2^+	306	Sb_4^+	312
Ag_3^+	307	SbH_3^+	312
$NaAg^+$	307	$C_5H_5Sb^+$	312
$AgAl^+$	307	SbF_3^+	312
$AgPO_2^+$	307	SbP^+	312
$AgCl^+$	307	TeH^+	312
Ag_2Cl^+	307	H_2Te^+	312
$Ag_2Cl_2^+$	307	$C_2H_6Te^+$	313

$C_4H_4Te^+$	313	$Cu_3I_2^+$	319
$C_5H_6Te^+$	313	$Cu_2I_3^+$	319
$C_5H_4OTe^+$	313	$Cu_3I_3^+$	319
$C_6H_6OTe^+$	313	$Cu_4I_3^+$	319
$C_5H_4O_2Te^+$	313	$Cu_4I_4^+$	320
$C_6H_6O_2Te^+$	313	ZnI_2	320
TeP^+	313	ZnI_2^+	320
$C_5H_6STe^+$	313	GeH_3I^+	320
$Ge_2H_6Te^+$	313	$GeH_2I_2^+$	320
I^+	314	IBr^+	320
I_2^+	314	RbI^+	320
I_2^{+2}	314	Rb_2I^+	321
CH_3I^+	314	AgI^+	321
C_2HI^+	314	CdI_2^+	321
$C_2H_3I^+$	314	InI^+	321
$C_2H_5I^+$	314	Xe^+	321
$C_3H_5I^+$	315	$XeOF_4^+$	321
$C_3H_7I^+$	315	Cs^+	322
$C_4H_9I^+$	315	Cs^{+3}	322
$C_5H_{11}I^+$	316	Cs^{+4}	322
$C_6H_{13}I^+$	316	Cs^{+5}	322
$C_7H_7I^+$	316	Cs^{+6}	322
$C_{12}H_9I^+$	316	Cs^{+7}	322
$C_2H_2I_2^+$	316	Cs^{+8}	322
$C_6H_6NI^+$	316	Cs^{+9}	322
$C_{25}H_{25}N_2I^+$	317	Cs^{+10}	322
$C_{29}H_{35}N_2I^+$	317	Cs_2^+	322
$C_4H_{12}BN_2I^+$	317	$Cs_2NO_3^+$	322
$C_2H_6BNI_2^+$	317	CsF^+	322
$C_2H_5OI^+$	317	$CsCl^+$	322
$C_3H_7OI^+$	317	$CsBr^+$	323
$C_6H_5OI^+$	317	CsI^+	323
$C_2H_3O_2I^+$	317	Ba^+	323
$C_8H_7O_2I^+$	317	Ba^{+2}	323
$C_6H_4OI_2^+$	317	Ba^{+3}	323
$C_8H_6O_2I_2^+$	317	Ba^{+4}	323
$C_8H_8NOI^+$	318	Ba^{+5}	323
IF_5^+	318	Ba^{+6}	323
NaI^+	318	Ba^{+7}	323
MgI_2^+	318	Ba^{+8}	323
SiH_3I^+	318	Ba^{+9}	323
$SiH_2I_2^+$	318	Ba^{+10}	323
$C_5H_9SiI^+$	318	BaO^+	323
PI_3^+	318	La^+	323
PF_2I^+	319	LaC^+	324
$C_4H_2SI_2^+$	319	LaC_2^+	324
ICl^+	319	LaC_3^+	324
$C_5O_5IMn^+$	319	LaC_4^+	324
CuI^+	319	LaF^+	324
Cu_2I^+	319	LaF_2^+	324
Cu_3I^+	319	$La_2F_5^+$	324
CuI_2^+	319	$LaSe^+$	324
$Cu_2I_2^+$	319	$LaRh^+$	324

Ce ⁺	324
Ce ⁺²	325
Ce ⁺³	325
Ce ⁺⁴	325
Ce ₂ ⁺	325
C ₂ Ce ⁺	325
CeN ⁺	325
CeO ⁺	325
CeO ₂ ⁺	325
Ce ₂ O ₂ ⁺	325
CeF ⁺	325
CeF ₂ ⁺	325
CeF ₃ ⁺	325
Ce ₂ F ₅ ⁺	326
CSiCe ⁺	326
CeS ⁺	326
CeS ₂ ⁺	326
CePd ⁺	326
CeI ⁺	326
CeI ⁺²	326
CeI ₂ ⁺	326
CeI ₃ ⁺	326
Pr ⁺	326
Pr ⁺³	326
Pr ⁺⁴	326
Pr ⁺⁵	326
PrI ⁺	326
PrI ₂ ⁺	326
PrI ₃ ⁺	326
Nd ⁺	326
Nd ⁺³	327
Nd ⁺⁴	327
NdCl ⁺	327
NdCl ₂ ⁺	327
NdCl ₃ ⁺	327
NdBr ₂ ⁺	327
NdI ⁺	327
NdI ₂ ⁺	327
NdI ₃ ⁺	327
Pm ⁺³	327
Pm ⁺⁴	327
Sm ⁺	327
Sm ⁺³	327
Sm ⁺⁴	327
SmI ⁺	327
SmI ₂ ⁺	328
Eu ⁺	328
Eu ⁺³	328
Eu ⁺⁴	328
Eu ₂ ⁺	328
EuC ₂ ⁺	328
EuCN ⁺	328
EuAg ⁺	328

EuI ⁺	328
EuI ₂ ⁺	328
Gd ⁺	328
Gd ⁺³	328
Gd ⁺⁴	328
GdCl ⁺	328
GdCl ₂ ⁺	328
NaGdCl ₃ ⁺	329
GdI ⁺	329
GdI ₂ ⁺	329
GdI ₃ ⁺	329
Tb ⁺	329
Tb ⁺³	329
Tb ⁺⁴	329
TbI ⁺	329
TbI ₂ ⁺	329
TbI ₃ ⁺	329
Dy ⁺	329
Dy ⁺³	329
Dy ⁺⁴	329
DyI ⁺	329
DyI ₂ ⁺	329
DyI ₃ ⁺	329
Ho ⁺	329
Ho ⁺³	330
Ho ⁺⁴	330
Ho ₂ ⁺	330
HoAg ⁺	330
HoI ⁺	330
HoI ₂ ⁺	330
HoI ₃ ⁺	330
Er ⁺	330
Er ⁺³	330
Er ⁺⁴	330
ErI ⁺	330
ErI ₂ ⁺	330
ErI ₃ ⁺	330
Tm ⁺	330
Tm ⁺³	330
Tm ⁺⁴	331
TmBr ₂ ⁺	331
TmBr ₃ ⁺	331
Yb ⁺	331
Yb ⁺²	331
Yb ⁺³	331
Yb ⁺⁴	331
Yb ₂ ⁺	331
YbCl ⁺	331
YbCl ₂ ⁺	331
YbBr ⁺	331
YbBr ₂ ⁺	331
Lu ⁺	331
Lu ⁺⁴	331

LuC ₂ ⁺	331	C ₅ H ₃ O ₅ SiRe ⁺	335
LuC ₄ ⁺	332	ReCl ₄ ⁺	335
Hf ⁴⁺	332	ReO ₂ Cl ⁺	335
Ta ⁵⁺	332	ReOCl ₃ ⁺	335
TaF ₃ ⁺	332	ReOCl ₄ ⁺	335
TaF ₄ ⁺	332	C ₅ H ₃ O ₅ GeRe ⁺	335
Ta ₂ F ₉ ⁺	332	ReO ₃ I ⁺	335
Ta ₃ F ₁₄ ⁺	332	BaReO ₄ ⁺	335
TaCl ₂ ⁺	332	C ₁₂ H ₁₄ Os ⁺	335
TaCl ₃ ⁺	332	OsO ₄ ⁺	336
TaCl ₄ ⁺	332	OsOCl ₃ ⁺	336
C ₆ H ₁₈ W ⁺	332	OsOCl ₄ ⁺	336
C ₆ O ₆ W ⁺	332	C ₇ H ₇ O ₄ Ir ⁺	336
C ₁₀ H ₅ NO ₅ W ⁺	332	C ₇ HO ₄ F ₆ Ir ⁺	336
C ₁₁ H ₇ NO ₅ W ⁺	332	Au ⁺	336
C ₁₂ H ₉ NO ₅ W ⁺	332	Au ₂ ⁺	336
C ₁₁ H ₄ N ₂ O ₅ W ⁺	332	AuB ⁺	336
C ₁₂ H ₃₆ N ₆ P ₂ W ⁺	333	AuBO ⁺	336
C ₁₄ H ₃₆ N ₆ O ₂ P ₂ W ⁺	333	AuAl ⁺	336
C ₁₅ H ₃₆ N ₆ O ₃ P ₂ W ⁺	333	AuAl ₂ ⁺	337
C ₁₆ H ₃₆ N ₆ O ₄ P ₂ W ⁺	333	Au ₂ Al ⁺	337
WCl ⁺	333	AuGe ⁺	337
WCl ₂ ⁺	333	AuCe ⁺	337
WCl ₃ ⁺	333	AuHo ⁺	337
WCl ₄ ⁺	333	Hg ⁺	337
WCl ₅ ⁺	333	C ₁₂ H ₁₀ Hg.....	337
WCl ₆ ⁺	333	HgCl ₂ ⁺	337
WOCl ₃ ⁺	333	C ₃ H ₅ ClHg ⁺	337
WOCl ₄ ⁺	333	Tl ⁺	337
WS ₂ Cl ⁺	333	Tl ³⁺	338
WS ₂ Cl ₂ ⁺	333	Tl ₂ ⁺	338
WScI ₃ ⁺	333	TlO ⁺	338
WScI ₄ ⁺	333	Tl ₂ O ⁺	338
WOSCl ⁺	334	TlBO ⁺	338
WOSCl ₂ ⁺	334	TlBO ₂ ⁺	338
WBr ₂ ⁺	334	Tl ₂ BO ₂ ⁺	338
WBr ₃ ⁺	334	TlF ⁺	338
WBr ⁺	334	Tl ₂ F ⁺	338
WO ₂ Br ⁺	334	Tl ₂ F ₂ ⁺	338
WBr ₂ ⁺	334	TlCl ⁺	338
WO ₂ Br ₂ ⁺	334	TlAs ⁺	339
WBr ₃ ⁺	334	TlBr ⁺	339
WBr ₄ ⁺	334	TlI ⁺	339
WO ₂ I ⁺	334	Pb ⁴⁺	339
WO ₂ I ₂ ⁺	334	C ₃ H ₉ Pb ⁺	339
ReO ⁺	334	C ₄ H ₁₂ Pb ⁺	339
ReO ₂ ⁺	334	C ₇ H ₁₈ Pb ⁺	339
ReO ₃ ⁺	335	C ₆ H ₁₈ Pb ₂ ⁺	339
Re ₂ O ₅ ⁺	335	C ₁₆ H ₄₄ Si ₄ Pb ⁺	339
Re ₂ O ₆ ⁺	335	PbCl ₂ ⁺	340
Re ₂ O ₇ ⁺	335	PbI ₂ ⁺	340
C ₅ HO ₅ Re ⁺	335	Bi ₃ ⁺	340
ReF ₆ ⁺	335	Bi ₄ ⁺	340

BiF_3^+	340
BiF_4^+	340
Bi_2F_9^+	340
GaBi^+	340
BiTl^+	340
Ac^+	340
Th^+	340
ThO^+	340
ThO_2^+	340
ThCl_4^+	340
ThPt^+	340
Pa^+	340
U^+	341
U^{+2}	341
UO^+	341
UO_2^+	341

UO_3^+	341
US^+	341
UOS^+	341
UCl_3^+	341
UCl_4^+	341
Np^+	341
Pu^+	341
Am^+	342
Cm^+	342
Bk^+	342
Cf^+	342
Es^+	342
Fm^+	342
Md^+	342
No^+	342

Table of Ion Energetics Measurements

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
H ⁺	H ₂ (² Σ _g ⁺) (RN-CAS Registry Number 1333-74-0)	H	18.0±0.2	EI	3799
H ⁺	CH ₄ (RN-CAS Registry Number 74-82-8)		24.0±0.5	EI	3521
	(AD- 1.8-3.2 eV average translational energy of decomposition at threshold)				
H ⁺	H ₂ O (RN-CAS Registry Number 7732-18-5)	OH(X ² Π)	18.7±0.05	EI	3906
	(ZK-Threshold value for zero kinetic energy ions)				
H ⁺	HCHO (RN-CAS Registry Number 50-00-0)	HCO	17.41±0.07	PI	3554
	(TR-Other product(s) thermochemically reasonable)				
H ⁺	HF (RN-CAS Registry Number 7664-39-3)	F	19.444	PI	3928
	(TV-Threshold value approximately corrected to 0°K)				
D ⁺	D ₂ O (RN-CAS Registry Number 7789-20-0)	OD(X ² Π)	18.7±0.05	EI	3906
	(ZK-Threshold value for zero kinetic energy ions)				
H ₂ ⁺	H ₂ (RN-CAS Registry Number 1333-74-0)	**	15.42589±0.00005 S		3770
H ₂ ⁺	H ₂ (RN-CAS Registry Number 1333-74-0)	**	15.38186±0.00031 PE		3531
	(Rotational transitions resolved)				
H ₂ ⁺	HCHO (RN-CAS Registry Number 50-00-0)	CO	15.42±0.06	PI	3554
	(TR-Other product(s) thermochemically reasonable)				
HD ⁺	HD (RN-CAS Registry Number 13983-20-5)	**	15.44477±0.00007 S		3763
H ₃ ⁺	C ₂ H ₆ (RN-CAS Registry Number 74-84-0)		32.2±1	EI	3904
	(AD-3.93 eV average translational energy of decomposition at threshold)				
H ₃ ⁺	C ₃ H ₈ (RN-CAS Registry Number 74-98-6)		31.6±1	EI	3904
	(AD-3.46 eV average translational energy of decomposition at threshold)				
H ₃ ⁺	n-C ₄ H ₁₀ (RN-CAS Registry Number 106-97-8)		30.5±1	EI	3904
	(AD-3.03 eV average translational energy of decomposition at threshold)				
Li ⁺	LiF (RN-CAS Registry Number 7789-24-4)		~12	EI	3464
Li ₂ ⁺	Li ₂ (RN-CAS Registry Number 14452-59-6)	**	4.96±0.1	S	3768
B ⁺	B (RN-CAS Registry Number 24389-64-8)	**	8.6±0.4	EI	3468

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
BH_2^+	$\text{BH}_3?$ (RN-CAS Registry Number 13283-31-3)	H?	11-12	EI	3441
BH_3^+	BH_3 (RN-CAS Registry Number 13283-31-3)	**	11-12	EI	3441
B_3H_5^+	B_3H_7 (RN-CAS Registry Number 12429-70-8)		11.5 ± 0.3	EI	3652
B_3H_6^+	B_3H_7 (RN-CAS Registry Number 12429-70-8)	H	11.2 ± 0.3	EI	3652
B_4H_8^+	B_4H_8 (RN-CAS Registry Number 12007-71-5)	**	10.9 ± 0.3	EI	3652
B_5H_8^+	B_5H_9 (RN-CAS Registry Number 19624-22-7)	H	11.84 ± 0.01	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{CH}_3$ (RN-CAS Registry Number 19495-55-7)	CH_3	10.45 ± 0.02	RPD	3547
B_5H_8^+	2- $\text{B}_5\text{H}_8\text{CH}_3$ (RN-CAS Registry Number 23753-74-4)	CH_3	10.61 ± 0.05	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{C}_2\text{H}_5$ (RN-CAS Registry Number 23753-61-9)	C_2H_5	10.33 ± 0.05	RPD	3547
B_5H_8^+	2- $\text{B}_5\text{H}_8\text{C}_2\text{H}_5$ (RN-CAS Registry Number 23753-62-0)	C_2H_5	10.31 ± 0.01	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{C}_3\text{H}_7$ (RN-CAS Registry Number 34692-67-6)	C_3H_7	10.98 ± 0.01	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{Cl}$ (RN-CAS Registry Number 19469-13-7)	Cl	11.75 ± 0.05	RPD	3547
B_5H_8^+	2- $\text{B}_5\text{H}_8\text{Cl}$ (RN-CAS Registry Number 19469-14-8)	Cl	12.20 ± 0.10	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{Br}$ (RN-CAS Registry Number 23753-67-5)	Br	11.38 ± 0.05	RPD	3547
B_5H_8^+	2- $\text{B}_5\text{H}_8\text{Br}$ (RN-CAS Registry Number 23753-64-2)	Br	11.75 ± 0.05	RPD	3547
B_5H_8^+	1- $\text{B}_5\text{H}_8\text{I}$ (RN-CAS Registry Number 30624-33-0)	I	10.70 ± 0.05	RPD	3547
B_5H_8^+	2- $\text{B}_5\text{H}_8\text{I}$ (RN-CAS Registry Number 20199-87-5)	I	10.72 ± 0.05	RPD	3547
B_5H_9^+	B_5H_9 (RN-CAS Registry Number 19624-22-7)	**	9.90	PE	3869
C^+	C (RN-CAS Registry Number 7440-44-0)	**	10.5 ± 1.0	EI	3597
C^+	C (RN-CAS Registry Number 7440-44-0)	**	10.8 ± 0.4	EI	3902
C^+	C (RN-CAS Registry Number 7440-44-0)	**	11.4 ± 1.5	EI	3978
C^+	CH_4 (RN-CAS Registry Number 74-82-8)		≤ 25.2	DC	3813

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C^{+2}(^3P)$	C^+ (RN-CAS Registry Number 14067-05-1)	**	31.0	SEQ	3489
$C^{+2}(^1P)$	C^+ (RN-CAS Registry Number 14067-05-1)	**	37.3	SEQ	3489
C^{+3}	C^+ (RN-CAS Registry Number 14067-05-1)	**	75	SEQ	3489
$C^{+3}(^2P)$	$C^{+2}(^3P^0)$ (RN-CAS Registry Number 16092-61-8)	**	49.5	SEQ	3489
$C^{+3}(^2P)$	C^{+2} (RN-CAS Registry Number 16092-61-8)	**	55.5	SEQ	3489
C_2^+	C_2 (RN-CAS Registry Number 12070-15-4)	**	11.1 ± 1.0	EI	3597
C_3^+	C_3 (RN-CAS Registry Number 12075-35-3)	**	12.1 ± 0.2	EI	3601
CH^+	CH_4 (RN-CAS Registry Number 74-82-8)	$H_2 + H?$	22.4	DC	3813
CH_2^+	CH_4 (RN-CAS Registry Number 74-82-8)	H_2	15.3	DC	3813
CH_2^+	CH_3OH (RN-CAS Registry Number 67-56-1)	H_2O	14.05 ± 0.05	PI	3554
(TR-Other product(s) thermochemically reasonable)	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	CF_2	16.99 ± 0.02	PI	3930
CH_2^+	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	CF_2	17.2 ± 0.1	EI	3539
CH_3^+	CH_3 (RN-CAS Registry Number 2229-07-4)	**	9.81 ± 0.02	PE	3717
(RD-Radical)	CH_3 (RN-CAS Registry Number 2229-07-4)	**	9.837 ± 0.005	PE	3942
(RD-Radical)	CH_3 (RN-CAS Registry Number 2229-07-4)	**	9.86 ± 0.04 (V)	PE	3695
(RD-Radical)	CH_3 (RN-CAS Registry Number 2229-07-4)	**	9.86 ± 0.04	PE	3700
(RD-Radical)	CH_4 (RN-CAS Registry Number 74-82-8)	H	14.4	DC	3813
CH_3^+	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	C_2H	14.6 ± 0.1	EI	3769
(TR-Other product(s) thermochemically reasonable)	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	C_2H	16.0	EI	3808
CH_3^+	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	C_2H	16.0	EI	3808
(AD-0.16 eV average translational energy of decomposition at threshold)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CH_3^+	C_3H_8 (RN-CAS Registry Number 74-98-6) (AD-2.7 eV average translational energy of decomposition at threshold)	C_2H_5^+	30.2 ± 1	EI	3904
CH_3^+	$\text{C}_2\text{H}_5\text{C}\equiv\text{CH}$ (RN-CAS Registry Number 107-00-6) (AD-0.19 eV average translational energy of decomposition at threshold)	C_3H_3	15.1	EI	3808
CH_3^+	$(\text{CH}_3)_2\text{C}=\text{CH}_2$ (RN-CAS Registry Number 115-11-7) (AD-0.20 eV average translational energy of decomposition at threshold)	C_3H_5	16.4	EI	3808
CH_3^+	$1-\text{C}_4\text{H}_8$ (RN-CAS Registry Number 106-98-9) (AD-0.09 eV average translational energy of decomposition at threshold)	C_3H_5	14.1	EI	3808
CH_3^+	$(\text{CH}_3)_3\text{CC}\equiv\text{CH}$ (RN-CAS Registry Number 917-92-0) (AD-0.11 eV average translational energy of decomposition at threshold)	C_5H_7	14.7	EI	3808
CH_3^+	$(\text{CH}_3)_3\text{CCH}=\text{CH}_2$ (RN-CAS Registry Number 558-37-2) (AD-0.13 eV average translational energy of decomposition at threshold)	C_5H_9	15.4	EI	3808
CH_3^+	CH_3NH_2 (RN-CAS Registry Number 74-89-5) (AD-0.13 eV average translational energy of decomposition at threshold)	NH_2	14.5	EI	3808
CH_3^+	$\text{C}_2\text{H}_5\text{NH}_2$ (RN-CAS Registry Number 75-04-7) (AD-0.19 eV average translational energy of decomposition at threshold)	CH_2NH_2	15.6	EI	3808
CH_3^+	$(\text{CH}_3)_2\text{NH}$ (RN-CAS Registry Number 124-40-3) (AD-0.13 eV average translational energy of decomposition at threshold)	CH_3NH	14.8	EI	3808
CH_3^+	$(\text{CH}_3)_3\text{N}$ (RN-CAS Registry Number 75-50-3) (AD-0.11 eV average translational energy of decomposition at threshold)	$(\text{CH}_3)_2\text{N}$	14.9	EI	3808
CH_3^+	$(\text{C}_2\text{H}_5)_2\text{NH}$ (RN-CAS Registry Number 109-89-7) (AD-0.09 eV average translational energy of decomposition at threshold)	$\text{C}_2\text{H}_5\text{NHCH}_2$	15.4	EI	3808
CH_3^+	$(\text{C}_2\text{H}_5)_3\text{N}$ (RN-CAS Registry Number 121-44-8) (AD-0.13 eV average translational energy of decomposition at threshold)	$(\text{C}_2\text{H}_5)_2\text{NCH}_2$	16.7	EI	3808
CH_3^+	CH_3OH (RN-CAS Registry Number 67-56-1) (TR-Other product(s) thermochemically reasonable)	OH	13.82 ± 0.04	PI	3554
CH_3^+	$(\text{CH}_3)_2\text{CO}$ (RN-CAS Registry Number 67-64-1)		15.2	EI	3550
CH_3^+	$(\text{CH}_2\text{NF}_2)\text{CH}_2$ (RN-CAS Registry Number 21298-22-6)		14.6 ± 0.3	EI	3634
CH_3^+	$\text{CH}_2(\text{NF}_2)\text{CH}(\text{NF}_2)\text{CH}_3$ (RN-CAS Registry Number 15403-25-5)		16.4 ± 0.4	EI	3634
CH_3^+	$(\text{CH}_3)_2\text{C}(\text{NF}_2)_2$ (RN-CAS Registry Number 19309-63-8)		14.7 ± 0.2	EI	3634
CH_3^+	$(\text{CH}_3\text{O})_3\text{PO}$ (RN-CAS Registry Number 512-56-1)		17.90 ± 0.40	EI	3989
CH_3^+	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$ (RN-CAS Registry Number 152-20-5)		15.20 ± 0.30	EI	3989
CH_3^+	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$ (RN-CAS Registry Number 2953-29-9)		14.50 ± 0.40	EI	3989

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CH_3^+	CH_3I (RN-CAS Registry Number 74-88-4) (TR-Other product(s) thermochemically reasonable)	I	12.260 ± 0.013	PI	3524
CH_3^+	CH_3I (RN-CAS Registry Number 74-88-4)	I	12.07 ± 0.07	EDD	3626
$\text{CH}_4^+(\text{}^2\text{B}_2)$	CH_4 (RN-CAS Registry Number 74-82-8)	**	12.51	PE	3645
$\text{CH}_4^+(\text{}^2\text{B}_2)$	CH_4 (RN-CAS Registry Number 74-82-8)	**	~12.51	PE	3529
$\text{CH}_4^+(\text{}^2\text{B}_2)$	CH_4 (RN-CAS Registry Number 74-82-8)	**	12.64	PE	3716
$\text{CH}_4^+(\text{}^2\text{A}_1)$	CH_4 (RN-CAS Registry Number 74-82-8)	**	22.39	PE	3716
CH_4^+	CH_4 (RN-CAS Registry Number 74-82-8)	**	12.8	DC	3813
C_2H^+	C_2H (RN-CAS Registry Number 2122-48-7)	**	11.6 ± 0.5	EI	3601
(RD-Radical) C_2H^+	C_2H (RN-CAS Registry Number 2122-48-7)	**	11.96 ± 0.05	D	3931
(RD-Radical) C_2H^+	C_2H (RN-CAS Registry Number 2122-48-7)	**	11.96 ± 0.05	D	3929
(RD-Radical) C_2H^+	C_2H_2 (RN-CAS Registry Number 74-86-2)	H	17.36 ± 0.01	PI	3931
C_2H^+	$\text{CH} \equiv \text{CCN}$ (RN-CAS Registry Number 1070-71-9)	CN	18.19 ± 0.04	PI	3929
C_2H^+	$\text{CHF}_2\text{C} \equiv \text{CH}$ (RN-CAS Registry Number 18371-25-0)	CHF_2	16.19 ± 0.02	EI	3769
(TR-Other product(s) thermochemically reasonable)					
C_2D^+	C_2D_2 (RN-CAS Registry Number 1070-74-2)	D	17.44 ± 0.01	PI	3931
(TV-Threshold value approximately corrected to 0°K)					
$\text{C}_2\text{H}_2^+(\text{}^2\Pi_u)$	C_2H_2 (RN-CAS-Registry Number 74-86-2)	**	11.394 ± 0.005	PI	4069
$\text{C}_2\text{H}_2^+(\text{}^2\Pi_u)$	C_2H_2 (RN-CAS Registry Number 74-86-2)	**	11.398 ± 0.005	PI	3921
C_2H_2^+	C_2H_2 (RN-CAS Registry Number 74-86-2)	**	11.40	PE	4048
C_2H_2^+	$\text{CH}_3\text{C} \equiv \text{CH}$ (RN-CAS Registry Number 74-99-7)	CH_2	15.2 ± 0.1	EI	3769
(TR-Other product(s) thermochemically reasonable)					
C_2H_2^+	$\text{C}_2\text{H}_3\text{F}$ (RN-CAS Registry Number 75-02-5)	HF	13.51 ± 0.02	PI	3930
(TR-Other product(s) thermochemically reasonable)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_2^+$	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	2F	19.08 ± 0.03	PI	3930
$C_2H_2^+$	C_2H_3Cl (RN-CAS Registry Number 75-01-4)	HCl	12.47 ± 0.1	PI	3930
(TR—Other product(s) thermochemically reasonable)					
$C_2D_2(^2\Pi_u)$	C_2D_2 (RN-CAS Registry Number 1070-74-2)	**	11.404 ± 0.005	PI	3921
$C_2D_2^+$	C_2D_6 (RN-CAS Registry Number 1632-99-1)	2D ₂	14.8	TPE	3919
$C_2H_3^+$	C_2H_3 (RN-CAS Registry Number 2669-89-8)	**	8.7 ± 0.1	D	3930
(RD—Radical)					
$C_2H_3^+$	C_2H_3F (RN-CAS Registry Number 75-02-5)	F	13.84 ± 0.04	PI	3930
$C_2H_3^+$	C_2H_3Cl (RN-CAS Registry Number 75-01-4)	Cl	12.48 ± 0.04	PI	3930
(TR—Other product(s) thermochemically reasonable)					
$C_2D_3^+$	C_2D_6 (RN-CAS Registry Number 1632-99-1)	D ₂ +D	14.8	TPE	3919
$C_2H_4(^2B_{2u})$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	10.51	PE	3649
$C_2H_4^+$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	10.51	PE	3739
$C_2H_4^+$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	10.51	PE	3847
$C_2H_4^+$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	10.515 ± 0.003	PE	3957
$C_2H_4^+$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	10.56	PE	3533
$C_2H_4^*$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	12.38	PE	3739
$C_2H_4(^2B_{2g})$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	12.45	PE	3649
$C_2H_4^*$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	12.56	PE	3533
$C_2H_4^*$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	14.4	PE	3739
$C_2H_4(^2A_g)$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	14.43	PE	3649
$C_2H_4^*$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	14.46	PE	3533
$C_2H_4(^2B_{1u})$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	15.74	PE	3649
$C_2H_4^*$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	15.96	PE	3533
$C_2H_4(^2B_{3u})$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	~ 18.8	PE	3649

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4^{+*}$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	18.91	PE	3533
$C_2H_4^+(^2A_g)$	C_2H_4 (RN-CAS Registry Number 74-85-1)	**	~ 22.8	PE	3649
$C_2H_4^+$	C_3H_8 (RN-CAS Registry Number 74-98-6) (PC-Appearence potential of the corresponding metastable transition)	CH_4	11.55	EI	3488
$C_2H_4^+$	C_3H_8 (RN-CAS Registry Number 74-98-6) (MT-Metastable transition(s) observed)	CH_4	11.9	EI	3488
$C_2H_5^+$	C_2H_5Br (RN-CAS Registry Number 74-96-4)	Br	10.72 ± 0.08	EDD	3626
$C_2H_6^+$	C_2H_6 (RN-CAS Registry Number 74-84-0)	**	11.76 ± 0.05	DC	3791
$C_2H_6^+$	$(CH_3)_2C(NF_2)_2$ (RN-CAS Registry Number 19309-63-8)	$NF_3 + CNF?$	13.1 ± 0.2	EI	3634
C_3H^+	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	$H_2 + H$	14.0 ± 0.1	EI	3769
$C_3H_2^+$	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	H_2	13.8 ± 0.1	EI	3769
$C_3H_3^+$	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	H	11.9 ± 0.1	EI	3769
$C_3H_3^+$	(TR-Other product(s) thermochemically reasonable)				
$C_3H_3^+$	$C_2H_5C \equiv CH$ (RN-CAS Registry Number 107-00-6)	CH_3	11.7	EI	3808
$C_3H_3^+$	(AD-0.06 eV average translational energy of decomposition at threshold)				
$C_3H_3^+$	C_6H_6 (Benzene) (RN-CAS-Registry Number 71-43-2)	C_3H_3	13.79	PI	4075
$C_3H_3^+$	(Corrected for kinetic shift)				
$C_3H_3^+$	$(CH_3)_2NCH = CHC \equiv CH$ (RN-CAS Registry Number 2206-24-8)	$C_2H_4 + HCN + H$	15.2	EI	3674
$C_3H_3^+$	(TR-Other product(s) thermochemically reasonable)				
$C_3H_3^+$	$(C_2H_5)_2NCH = CHC \equiv CH$ (RN-CAS Registry Number 1809-53-6)		18.6	EI	3674
$C_3H_3^+$	(TR-Other product(s) thermochemically reasonable)				
$C_3H_3^+$	(OP-the other product(s) is(are): $2C_2H_2 + HCN + 3H_2$)				
$C_3H_4^+$	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	**	10.37	PE	4048
$C_3H_4^+$	$CH_3C \equiv CH$ (RN-CAS Registry Number 74-99-7)	**	10.5 ± 0.1	EI	3769
$C_3H_4^+$	(TR-Other product(s) thermochemically reasonable)				
$C_3H_4^+$	$CH_2 = C = CH_2$ (RN-CAS Registry Number 463-49-0)	**	10.017 ± 0.003	S	3774
$C_3H_4^+$	(RS-Average of two Rydberg series limits)				

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_4^+$	$CH_2=C=CH_2$ (RN-CAS Registry Number 463-49-0)	**	10.07 (V)	PE	4019
$C_3H_4(^2B_2)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	9.67	PE	3727
$C_3H_4(^2B_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	9.86 (V)	PE	3505
$C_3H_4(^2B_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	10.57	PE	3727
$C_3H_4(^2B_2)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	11.02 (V)	PE	3505
$C_3H_4(^2A_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	12.38	PE	3727
$C_3H_4(^2A_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	12.7 (V)	PE	3505
$C_3H_4(^2B_2)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	14.5	PE	3727
$C_3H_4(^2A_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	16.2	PE	3727
$C_3H_4(^2B_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	17.8	PE	3727
$C_3H_4(^2A_1)$	C_3H_4 (Cyclopropene) (RN-CAS Registry Number 2781-85-3)	**	19.2	PE	3727
$C_3H_5^+$	$(CH_3)_2C=CH_2$ (RN-CAS Registry Number 115-11-7) (AD-0.05 eV average translational energy of decomposition at threshold)	CH_3	11.8	EI	3808
$C_3H_5^+$	$1-C_4H_8$ (RN-CAS Registry Number 106-98-9) (AD-0.07 eV average translational energy of decomposition at threshold)	CH_3	11.8	EI	3808
$C_3H_5^+$	C_4H_8 (Cyclopropane, methyl-) (RN-CAS Registry Number 594-11-6)	CH_3	10.9	SD	3493
$C_3H_5^+$	$CH\equiv C(CH_2)_3CH_3$ (RN-CAS Registry Number 693-02-7)		14.09 ± 0.05	EI	3585
$C_3H_5^+$	$CH_3C\equiv CCH_2CH_2CH_3$ (RN-CAS Registry Number 764-35-2)		13.9 ± 0.01	EI	3585
$C_3H_5^+$	C_6H_{10} (Cyclohexene) (RN-CAS Registry Number 110-83-8)		13.68 ± 0.05	EI	3585
$C_3H_5^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)		14.05 ± 0.05	EI	3585

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_5^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)		14.90 ± 0.1	EI	3585
$C_3H_5^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	$CH_3SH + H$	12.41 ± 0.05	PI	4025
$C_3H_5^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	S_2H	10.8 ± 0.2	EI	3598
$C_3H_5^+$	$CH_2=CHCH_2CH_2Br$ (RN-CAS Registry Number 5162-44-7)	CH_2Br	12.6	EI	3900
$C_3H_5^+$	$CH_2=CH(CH_2)_3Br$ (RN-CAS Registry Number 1119-51-3)		12.2	EI	3900
$C_3H_5^+$	$C_6H_{11}Br$ (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)		12.52 ± 0.05	PI	4078
$C_3H_6^+$	C_3H_6 (RN-CAS Registry Number 115-07-1)	**	9.72	PE	3864
$C_3H_6^+$	C_3H_6 (RN-CAS Registry Number 115-07-1)	**	9.74	PE	3533
$C_3H_6^+$	C_3H_6 (RN-CAS Registry Number 115-07-1)	**	9.744 ± 0.003	PE	3957
$C_3H_6^+$	C_3H_6 (RN-CAS Registry Number 115-07-1)	**	9.86 (V)	PE	3950
$C_3H_6^+$	C_3H_6 (RN-CAS Registry Number 115-07-1)	**	9.9 (V)	PE	3940
$C_3H_6^+$	$n-C_4H_{10}$ (RN-CAS Registry Number 106-97-8)	CH_4	11.06	EI	3538
(PC-Appearance potential of the corresponding metastable transition)					
$C_3H_6^+$	$n-C_4H_{10}$ (RN-CAS Registry Number 106-97-8)	CH_4	11.56	EI	3538
(MT-Metastable transition(s) observed)					
$C_3H_6^+$	$(CH_3)_2C=CHCH_2$ (RN-CAS Registry Number 513-35-9)	C_2H_4	11.70 ± 0.11	EI	3544
(TR-Other product(s) thermochemically reasonable)					
$C_3H_6^+$	$CH_3CH_2CH_2CH=CH_2$ (RN-CAS Registry Number 109-67-1)	C_2H_4	11.61 ± 0.08	EI	3544
(TR-Other product(s) thermochemically reasonable)					
$C_3H_6^+$	$(CH_3)_2CHCH=CH_2$ (RN-CAS Registry Number 563-45-1)	C_2H_4	11.54 ± 0.10	EI	3544
(TR-Other product(s) thermochemically reasonable)					
$C_3H_6^+$	$C_2H_5C(CH_3)=CH_2$ (RN-CAS Registry Number 563-46-2)	C_2H_4	11.66 ± 0.06	EI	3544
(TR-Other product(s) thermochemically reasonable)					
$C_3H_6^+$	$cis-C_2H_5CH=CHCH_3$ (RN-CAS Registry Number 627-20-3)	C_2H_4	11.54 ± 0.02	EI	3544
(TR-Other product(s) thermochemically reasonable)					
$C_3H_6^+$	$trans-C_2H_5CH=CHCH_3$ (RN-CAS Registry Number 646-04-8)	C_2H_4	11.73 ± 0.11	EI	3544
(TR-Other product(s) thermochemically reasonable)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6^+$	C_5H_{10} (Cyclopentane) (RN-CAS Registry Number 287-92-3) (TR-Other product(s) thermochemically reasonable)	C_2H_4	11.74 ± 0.07	EI	3544
$C_3H_6^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	C_3H_6	11.23 ± 0.04	PI	4078
$C_3H_6^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	H_2O	10.33 ± 0.03	EDD	3626
$C_3H_6^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	H_2O	10.3	EI	3916
$C_3H_6^+$	C_4H_6O (Cyclobutanone) (RN-CAS Registry Number 1191-95-3) (TR-Other product(s) thermochemically reasonable)	CO	9.85 ± 0.15	EDD	3794
$C_3H_6^+$	$iso-C_3H_7NO$ (RN-CAS Registry Number 920-40-1)	HNO	10.8 ± 0.1	EI	3602
$C_3H_6^+$	$iso-C_3H_7NO$ (RN-CAS Registry Number 920-40-1)		10.8 ± 0.1	EI	3654
$C_3H_7^+$	$n-C_4H_{10}$ (RN-CAS Registry Number 106-97-8) (PC-Appearance potential of the corresponding metastable transition)	CH_3	11.09	EI	3538
$C_3H_7^+$	$n-C_4H_{10}$ (RN-CAS Registry Number 106-97-8) (MT-Metastable transition(s) observed)	CH_3	11.53	EI	3538
$C_3H_7^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	C_3H_5	11.49 ± 0.03	PI	4078
$C_3H_7^+$	$iso-C_3H_7Cl$ (RN-CAS Registry Number 75-29-6)	$Cl?$	$11.3 \pm < 0.1$	EI	3735
$C_3H_7^+$	$iso-C_3H_7Br$ (RN-CAS Registry Number 75-26-3)	$Br?$	$10.7 \pm < 0.1$	EI	3735
$C_3H_7^+$	$iso-C_3H_7I$ (RN-CAS Registry Number 75-30-9)	$I?$	$10.0 \pm < 0.1$	EI	3735
$C_3H_8^+$	C_3H_8 (RN-CAS Registry Number 74-98-6)	**	11.5 (V)	PE	3710
$C_3H_8^+$	C_3H_8 (RN-CAS Registry Number 74-98-6)	**	11.27 ± 0.05	DC	3791
$C_4H_2^+$	$HC \equiv CC \equiv CH$ (RN-CAS Registry Number 460-12-8)	**	10.17	PE	4048
$C_4H_3^+$	$(CH_3)_2NCH=CHC \equiv CH$ (RN-CAS Registry Number 2206-24-8) (TR-Other product(s) thermochemically reasonable) (OP-the other product(s) is(are): <i>cyclo</i> -(CH_2) ₂ N + H_2)		14.4	EI	3674

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_3^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3) (TR-Other product(s) thermochemically reasonable) (OP-the other product(s) is(are): $cyclo-(CH_2)_2N + C_2H_4$)		15.2	EI	3674
$C_4H_3^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6) (TR-Other product(s) thermochemically reasonable) (OP-the other product(s) is(are): $CH_2=NH + C_2H_4 + CH_3$)		15.0	EI	3674
$C_4H_4^+$	$CH_2=CHC\equiv CH$ (RN-CAS Registry Number 689-97-4)	**	9.63	PE	3997
$C_4H_4^+$	$CH_2=CHC\equiv CH$ (RN-CAS Registry Number 689-97-4)	**	9.9	EI	3767
$C_4H_4^+$	C_6H_6 (Benzene) (RN-CAS-Registry Number 71-43-2) (Corrected for kinetic shift)	C_2H_2	13.85	PI	4075
$C_4H_4^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2) (PC-Appearance potential of the corresponding metastable transition)	C_2H_2	14.1	EI	3488
$C_4H_4^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8) (TR-Other product(s) thermochemically reasonable)	$CH_2=NH + CH_3$	13.4	EI	3674
$C_4H_4^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3) (TR-Other product(s) thermochemically reasonable) (OP-the other product(s) is(are): $CH_2N=CH_2 + C_2H_2 + H$)		13.7	EI	3674
$C_4H_6^+$	$CH_2=CHCH=CH_2$ (RN-CAS Registry Number 106-99-0) (<i>trans</i> -conformer)	**	9.03	PE	3847
$C_4H_6^+$	$CH_3C\equiv CCH_3$ (RN-CAS Registry Number 503-17-3)	**	9.59	PE	4048
$C_4H_6^+$	$CH_2=C=CHCH_3$ (RN-CAS Registry Number 590-19-2)	**	9.33 (V)	PE	4019
$C_4H_6^+$	$CH\equiv C(CH_2)_3CH_3$ (RN-CAS Registry Number 693-02-7)	C_2H_4	11.08 ± 0.05	EI	3585
$C_4H_6^+$	$CH_3C\equiv CCH_2CH_2CH_3$ (RN-CAS Registry Number 764-35-2)	C_2H_4	11.02 ± 0.05	EI	3585
$C_4H_6^+$	C_6H_{10} (Cyclohexene) (RN-CAS Registry Number 110-83-8)	C_2H_4	11.91 ± 0.05	EI	3585
$C_4H_6^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)	C_2H_4	12.32 ± 0.05	EI	3585
$C_4H_6^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)	C_2H_4	12.33 ± 0.05	EI	3585

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_6^+$	C ₆ H ₁₁ Cl (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		11.07±0.03	PI	4078
$C_4H_7^+$	CH ₃ CH ₂ CH ₂ CH=CH ₂ (RN-CAS Registry Number 109-67-1) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.35±0.07	EI	3544
$C_4H_7^+$	(CH ₃) ₂ C=CHCH ₃ (RN-CAS Registry Number 513-35-9) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.33±0.12	EI	3544
$C_4H_7^+$	(CH ₃) ₂ CHCH=CH ₂ (RN-CAS Registry Number 563-45-1) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.15±0.12	EI	3544
$C_4H_7^+$	C ₂ H ₅ C(CH ₃)=CH ₂ (RN-CAS Registry Number 563-46-2) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.34±0.07	EI	3544
$C_4H_7^+$	<i>cis</i> -C ₂ H ₅ CH=CHCH ₃ (RN-CAS Registry Number 627-20-3) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.24±0.02	EI	3544
$C_4H_7^+$	<i>trans</i> -C ₂ H ₅ CH=CHCH ₃ (RN-CAS Registry Number 646-04-8) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.35±0.03	EI	3544
$C_4H_7^+$	C ₅ H ₁₀ (Cyclopentane) (RN-CAS Registry Number 287-92-3) (TR-Other product(s) thermochemically reasonable)	CH ₃	11.36±0.08	EI	3544
$C_4H_7^+$	C ₆ H ₁₂ (Cyclohexane) (RN-CAS Registry Number 110-82-7)	C ₂ H ₅	11.21±0.04	PI	4078
$C_4H_7^+$	C ₆ H ₁₁ Cl (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		11.52±0.05	PI	4078
$C_4H_7^+$	CH ₂ =CHCH ₂ CH ₂ Br (RN-CAS Registry Number 5162-44-7)	Br	10.6	EI	3900
$C_4H_7^+$	C ₆ H ₁₁ Br (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)		11.54±0.02	PI	4078
$C_4H_8^+$	1-C ₄ H ₈ (RN-CAS Registry Number 106-98-9)	**	9.72 (V)	PE	3950
$C_4H_8^+$	1-C ₄ H ₈ (RN-CAS Registry Number 106-98-9)	**	9.625±0.003	PE	3957
$C_4H_8^+$	<i>iso</i> -C ₄ H ₈ (RN-CAS Registry Number 115-11-7)	**	9.21	PE	3533
$C_4H_8^+$	<i>iso</i> -C ₄ H ₈ (RN-CAS Registry Number 115-11-7)	**	9.239±0.003	PE	3957
$C_4H_8^+$	<i>cis</i> -2-C ₄ H ₈ (RN-CAS Registry Number 590-18-1)	**	9.07	PE	3533
$C_4H_8^+$	<i>cis</i> -2-C ₄ H ₈ (RN-CAS Registry Number 590-18-1)	**	9.124±0.005	PE	3957
$C_4H_8^+$	<i>cis</i> -2-C ₄ H ₈ (RN-CAS Registry Number 590-18-1)	**	9.29 (V)	PE	4084

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_8^+$	<i>trans</i> -2- C_4H_8 (RN-CAS Registry Number 624-64-6)	**	9.11 (V)	PE	3649
$C_4H_8^+$	<i>trans</i> -2- C_4H_8 (RN-CAS Registry Number 624-64-6)	**	9.09	PE	3533
$C_4H_8^+$	<i>trans</i> -2- C_4H_8 (RN-CAS Registry Number 624-64-6)	**	9.122±0.005	PE	3957
$C_4H_8^+$	<i>trans</i> -2- C_4H_8 (RN-CAS Registry Number 624-64-6)	**	9.32 (V)	PE	4084
$C_4H_8^+$	C_4H_8 (Cyclobutane) (RN-CAS Registry Number 287-23-0)	**	9.92±0.05	PE	3757
$C_4H_8^+$	C_4H_8 (Cyclobutane) (RN-CAS Registry Number 287-23-0)	**	10.7±0.1 (V)	PE	4037
$C_4H_8^+$	C_4H_8 (Cyclopropane, methyl-) (RN-CAS Registry Number 594-11-6)	**	9.9±0.2	SD	3493
$C_4H_8^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	C_2H_4	11.08±0.01	PI	4078
$C_4H_8^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.2±0.01	PI	4078
$C_4H_9^+$	<i>tert</i> - C_4H_9NO (RN-CAS Registry Number 917-95-3)	NO	8.9±0.1	EI	3602
$C_4H_9^+$	<i>tert</i> - C_4H_9NO (RN-CAS Registry Number 917-95-3)		8.9±0.1	EI	3654
$C_4H_9^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.56±0.02	PI	4078
$C_4H_9^+$	$(CH_3)_3CGe(CH_3)_3$ (RN-CAS Registry Number 1184-91-4)	$(CH_3)_3Ge$	10.19±0.27	EI	3548
$C_4H_9^+$	$(CH_3)_3CSn(CH_3)_3$ (RN-CAS Registry Number 3531-47-3)	$(CH_3)_3Sn$	10.03±0.23	EI	3548
$C_4H_9^+$	$(CH_3)_3CPb(CH_3)_3$ (RN-CAS Registry Number 32997-03-8)	$(CH_3)_3Pb$	9.45±0.15	EI	3548
$C_4H_{10}^+$	<i>n</i> - C_4H_{10} (RN-CAS Registry Number 106-97-8)	**	10.87±0.05	DC	3791
$C_4H_{10}^+$	<i>n</i> - C_4H_{10} (RN-CAS Registry Number 106-97-8)	**	10.89	EI	3538
$C_4H_{10}^+$	<i>iso</i> - C_4H_{10} (RN-CAS Registry Number 75-28-5)	**	11.4 (V)	PE	3710
$C_4H_{10}^+$	<i>iso</i> - C_4H_{10} (RN-CAS Registry Number 75-28-5)	**	10.74±0.05	DC	3791
$C_5H_4^+$	$CH_3C\equiv CC\equiv CH$ (RN-CAS Registry Number 4911-55-1)	**	9.51	PE	4048

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_5^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-2-methyl-) (RN-CAS Registry Number 95-49-8)		15.67 ± 0.015	EI	3777
$C_5H_5^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-3-methyl-) (RN-CAS Registry Number 108-41-8)		15.71 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-4-methyl-) (RN-CAS Registry Number 106-43-4)		15.66 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-2-methyl-) (RN-CAS Registry Number 95-46-5)		15.19 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-3-methyl-) (RN-CAS Registry Number 591-17-3)		15.20 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-4-methyl-) (RN-CAS Registry Number 106-38-7)		15.23 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4ICH_3$ (Benzene, 1-iodo-2-methyl-) (RN-CAS Registry Number 615-37-2)		14.34 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4ICH_3$ (Benzene, 1-iodo-3-methyl-) (RN-CAS Registry Number 625-95-6)		14.47 ± 0.15	EI	3777
$C_5H_5^+$	$C_6H_4ICH_3$ (Benzene, 1-iodo-4-methyl-) (RN-CAS Registry Number 624-31-7)		14.66 ± 0.15	EI	3777
$C_5H_6^+$	$CH_2=C(CH_3)C \equiv CH$ (RN-CAS Registry Number 78-80-8)	**	10.1	EI	3767
$C_5H_6^+$	$CH_2=CHC \equiv CCH_3$ (RN-CAS Registry Number 646-05-9)	**	9.4	EI	3767
$C_5H_6^+$	$CH_3CH=CHC \equiv CH$ (RN-CAS Registry Number 2206-23-7)	**	8.5	EI	3767
$C_5H_6^+$	C_5H_6 (Cyclopentadiene) (RN-CAS Registry Number 26912-33-4)	**	8.56 ± 0.01	EM	3535
$C_5H_6^+$	C_5H_6 (1,3-Cyclopentadiene) (RN-CAS Registry Number 542-92-7)	**	9.0	EI	3476
$C_5H_6^+$	$C_3H_5C \equiv CH$ (Cyclopropane, ethynyl-) (RN-CAS Registry Number 6746-94-7)	**	9.58 (V)	PE	3997
$C_5H_6^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8) (ON-Other name: 2-Norbornene)	C_2H_4	9.22 ± 0.01	EM	3535

(MT—Metastable transition(s) observed)

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_6^+$	C_7H_{10} (Tricyclo[2.2.1.0 ^{2,6}]heptane (RN-CAS Registry Number 279-19-6) (ON-Other name: Nortricyclene)	C_2H_4	9.44 ± 0.01	EM	3535
(MT-Metastable transition(s) observed)					
$C_5H_6^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	HCN	12.13 ± 0.06	EDD	3784
(MT-Metastable transition(s) observed)					
$C_5H_6^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)		$12.04 \pm <0.1$	EI	3735
$C_5H_6^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	CO	12.45 ± 0.1	EI	3817
$C_5H_6^+$	C_6H_5SH (Benzenethiol) (RN-CAS Registry Number 108-98-5)	CS	12.18 ± 0.1	EI	3817
$C_5H_6^+$	C_7H_9Br (bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -) (RN-CAS Registry Number 5810-82-2)	C_2H_3Br	10.0	EI	3900
$C_5H_6^+$	C_7H_9Br (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -) (RN-CAS Registry Number 5810-82-2)	C_2H_3Br	10.0	EI	3900
$C_5H_7^+$	$CH \equiv C(CH_2)_3CH_3$ (RN-CAS Registry Number 693-02-7)	CH_3	10.87 ± 0.05	EI	3585
$C_5H_7^+$	$CH_3C \equiv CCH_2CH_2CH_3$ (RN-CAS Registry Number 764-35-2)	CH_3	10.63 ± 0.05	EI	3585
(MT-Metastable transition(s) observed)					
$C_5H_7^+$	C_6H_{10} (Cyclohexene) (RN-CAS Registry Number 110-83-8)	CH_3	11.22 ± 0.05	EI	3585
(MT-Metastable transition(s) observed)					
$C_5H_7^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)	CH_3	11.71 ± 0.05	EI	3585
(MT-Metastable transition(s) observed)					
$C_5H_7^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)	CH_3	11.59 ± 0.05	EI	3585
(MT-Metastable transition(s) observed)					
$C_5H_7^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)		10.0 ± 0.1	PI	3918
$C_5H_7^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$\leq 10.2 \pm 0.1$	PI	3918

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_7^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl, (2 α ,3 $\alpha\beta$,4 α ,7 α ,7 $\alpha\beta$)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$> 10.2 \pm 0.1$	PI	3918
$C_5H_7^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$> 10.5 \pm 0.1$	PI	3918
$C_5H_7^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 $\alpha\alpha$,4 β ,5 α ,7 β ,7 $\alpha\alpha$)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$> 10.2 \pm 0.1$	PI	3918
$C_5H_7^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.67 ± 0.05	PI	4078
$C_5H_8^+$	$CH_2=C(CH_3)CH=CH_2$ (RN-CAS Registry Number 78-79-5)	**	8.89	PE	3847
$C_5H_8^+$	$CH_2=C(CH_3)CH+CH_2$ (RN-CAS Registry Number 78-79-5)	**	9.04 (V)	PE	3892
$C_5H_8^+$	$CH_2=CHCH_2CH=CH_2$ (RN-CAS Registry Number 591-93-5)	**	9.62 ± 0.02	PE	4010
$C_5H_8^+$	$CH_3CH=C=CHCH_3$ (RN-CAS Registry Number 591-96-8)	**	9.13 (V)	PE	4019
$C_5H_8^+$	$(CH_3)_2C=C=CH_2$ (RN-CAS Registry Number 598-25-4)	**	8.95 (V)	PE	4019
$C_5H_8^+$	<i>trans</i> - $CH_2=CHCH=CHCH_3$ (RN-CAS Registry Number 2004-70-8)	**	8.61	PE	3847
$C_5H_8^+$	C_5H_8 (Cyclopropane, ethenyl-) (RN-CAS Registry Number 693-86-7)	**	9.1 (V)	PE	4034
$C_5H_8(^2A')$	$C_3H_5C_2H_3$ (Cyclopropane, ethenyl-) (RN-CAS Registry Number 693-86-7)	**	9.2	PE	3576
$C_5H_8(^2A')$	$C_3H_5C_2H_3$ (Cyclopropane, ethenyl-) (RN-CAS Registry Number 693-86-7)	**	10.7	PE	3576
$C_5H_8(^2A')$	$C_3H_5C_2H_3$ (Cyclopropane, ethenyl-) (RN-CAS Registry Number 693-86-7)	**	11.7	PE	3576
$C_5H_9^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	CH ₃	11.07 ± 0.04	PI	4078
$C_5H_9^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 $\alpha\alpha$,4 β ,7 β ,7 $\alpha\alpha$)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)		10.5 ± 0.1	PI	3918
$C_5H_9^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		11.01 ± 0.02	PI	4078

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_5^+$	$CH_2=CH(CH_2)_3Br$ (RN-CAS Registry Number 1119-51-3)	Br	10.2	EI	3900
$C_3H_{10}^+$	$(CH_3)_2C=CHCH_3$ (RN-CAS Registry Number 513-35-9)	**	8.682 ± 0.003	PE	3957
$C_3H_{10}^+$	$(CH_3)_2C=CHCH_3$ (RN-CAS Registry Number 513-35-9)	**	8.72	PE	3533
$C_3H_{10}^+$	$(CH_3)_2C=CHCH_3$ (RN-CAS Registry Number 513-35-9)	**	8.83 ± 0.11	EI	3544
$C_3H_{10}^+$	$(CH_3)_2CHCH=CH_2$ (RN-CAS Registry Number 563-45-1)	**	9.533 ± 0.003	PE	3957
$C_3H_{10}^+$	$(CH_3)_2CHCH=CH_2$ (RN-CAS Registry Number 563-45-1)	**	9.60 ± 0.03	EI	3544
$C_3H_{10}^+$	$C_2H_5C(CH_3)=CH_2$ (RN-CAS Registry Number 563-46-2)	**	9.148 ± 0.003	PE	3957
$C_3H_{10}^+$	$C_2H_5C(CH_3)=CH_2$ (RN-CAS Registry Number 563-46-2)	**	9.35 ± 0.08	EI	3544
$C_3H_{10}^+$	$1-C_5H_{10}$ (RN-CAS Registry Number 109-67-1)	**	9.54 ± 0.02 (V)	PE	4010
$C_3H_{10}^+$	$1-C_5H_{10}$ (RN-CAS Registry Number 109-67-1)	**	9.82 ± 0.06	EI	3544
$C_3H_{10}^+$	$1-C_5H_{10}$ (RN-CAS Registry Number 109-67-1)	**	9.524 ± 0.003	PE	3957
$C_3H_{10}^+$	<i>cis</i> -2- C_5H_{10} (RN-CAS Registry Number 627-20-3)	**	9.23 ± 0.02	EI	3544
$C_3H_{10}^+$	<i>cis</i> -2- C_5H_{10} (RN-CAS Registry Number 627-20-3)	**	9.036 ± 0.005	PE	3957
$C_3H_{10}^+$	<i>trans</i> -2- C_5H_{10} (RN-CAS Registry Number 646-04-8)	**	9.32 ± 0.03	EI	3544
$C_3H_{10}^+$	<i>trans</i> -2- C_5H_{10} (RN-CAS Registry Number 646-04-8)	**	9.036 ± 0.005	PE	3957
$C_3H_{10}^+$	C_5H_{10} (Cyclopentane) (RN-CAS-Registry Number 287-92-3)	**	10.40	PE	4056
$C_3H_{10}^+$	C_5H_{10} (Cyclopentane) (RN-CAS Registry Number 287-92-3)	**	10.91 ± 0.07	EI	3544
$C_3H_{11}^+$	<i>tert</i> - $C_5H_{11}NO$ (RN-CAS Registry Number 34946-78-6)	NO	8.7 ± 0.1	EI	3602
$C_3H_{11}^+$	<i>tert</i> - $C_5H_{11}NO$ (RN-CAS Registry Number 34946-78-6)		8.7 ± 0.1	EI	3654
$C_3H_{12}^+$	<i>n</i> - C_5H_{12} (RN-CAS-Registry Number 109-66-0)	**	10.36	PE	4056
$C_3H_{12}^+$	<i>n</i> - C_5H_{12} (RN-CAS Registry Number 109-66-0)	**	10.59 ± 0.05	DC	3791
$C_3H_{12}^+$	<i>iso</i> - C_5H_{12} (RN-CAS Registry Number 78-78-4)	**	10.50 ± 0.05	DC	3791
$C_3H_{12}^+$	<i>neo</i> - C_5H_{12} (RN-CAS Registry Number 463-82-1)	**	10.25 ± 0.1	PE	3677

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_{12}^+$	<i>neo</i> - C_5H_{12} (RN-CAS Registry Number 463-82-1)	**	10.21 ± 0.04	PE	3880
$C_3H_{12}^+$	<i>neo</i> - C_5H_{12} (RN-CAS Registry Number 463-82-1)	**	11.3 (V)	PE	3710
$C_3H_{12}^+$	<i>neo</i> - C_5H_{12} (RN-CAS Registry Number 463-82-1)	**	~ 11.3 (V)	PE	4050
(JC-Mean value of Jahn-Teller components)					
$C_6H_2^+$	$HC \equiv CC \equiv CC \equiv CH$ (RN-CAS Registry Number 3161-99-7)	**	9.50	PE	4048
$C_6H_4^+$	C_6H_4 (1,3-Cyclohexadien-5-yne) (RN-CAS Registry Number 462-80-6)	**	9.75 ± 0.2	RPD	3583
$C_6H_4^+$	C_6H_6 (Benzene) (RN-CAS-Registry Number 71-43-2)	H_2	12.94	PI	4075
(Corrected for kinetic shift)					
$C_6H_4^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	H_2	14.04 ± 0.06	EDD	3784
(MT-Metastable transition(s) observed)					
$C_6H_4^+$	C_6H_5CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)	HCN	13.80 ± 0.06	EDD	3784
(MT-Metastable transition(s) observed)					
$C_6H_4^+$	C_6H_5CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)		$13.92 \pm < 0.1$	EI	3735
$C_6H_5^+$	C_6H_5 (Phenyl) (RN-CAS Registry Number 2396-01-2)	**	8.1 ± 0.1	PI	3752
(RD-Radical)					
$C_6H_5^+$	$CH \equiv CCH_2CH_2C \equiv CH$ (RN-CAS Registry Number 628-16-0)	H	10.21 ± 0.03	EI	3790
$C_6H_5^+$	C_6H_6 (Benzene) (RN-CAS-Registry Number 71-43-2)	H	12.94	PI	4075
(Corrected for kinetic shift)					
$C_6H_5^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	H	13.97 ± 0.06	EDD	3784
$C_6H_5^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	H	$14.05 \pm < 0.1$	EI	3735
$C_6H_5^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	$CO + H$	14.11	EI	3792
(TR-Other product(s) thermochemically reasonable)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2) (TR-Other product(s) thermochemically reasonable)	$CO + CH_3$	13.28	EDD	3626
$C_6H_5^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2) (TR-Other product(s) thermochemically reasonable)	$CO + CH_3$	13.97	EI	3792
$C_6H_5^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS Registry Number 119-61-9) (TR-Other product(s) thermochemically reasonable)	$C_6H_5 + CO$	15.67	EI	3792
$C_6H_5^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0) (MT-Metastable transition(s) observed)	$CO + OH$	15.08 ± 0.2	EI	3973
$C_6H_5^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0) (TR-Other product(s) thermochemically reasonable)	$CO + OH$	15.08	EI	3792
$C_6H_5^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3) (TR-Other product(s) thermochemically reasonable)	$CH_3O + CO$	13.82	EDD	3626
$C_6H_5^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3) (TR-Other product(s) thermochemically reasonable)	$CH_3O + CO$	14.74	EI	3792
$C_6H_5^+$	C_6H_5NO (Benzene, nitroso-) (RN-CAS Registry Number 586-96-9)	NO	11.0 ± 0.1	EI	3602
$C_6H_5^+$	C_6H_5NO (Benzene, nitroso-) (RN-CAS Registry Number 586-96-9)		11.0 ± 0.1	EI	3654
$C_6H_5^+$	$C_6H_5CONH_2$ (Benzamide) (RN-CAS Registry Number 55-21-0) (TR-Other product(s) thermochemically reasonable)	$NH_2 + CO$	14.21	EI	3792
$C_6H_5^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	NO_2	11.93 ± 0.1	EI	3447
$C_6H_5^+$	C_6H_5Cl (Benzene, chloro-) (RN-CAS Registry Number 108-90-7)	Cl	12.81	EDD	3626
$C_6H_5^+$	C_6H_5COCl (Benzoyl chloride) (RN-CAS Registry Number 98-88-4) (TR-Other product(s) thermochemically reasonable)	$Cl + CO$	13.81	EI	3792
$C_6H_5^+$	C_6H_5Br (Benzene, bromo-) (RN-CAS Registry Number 108-86-1)	Br	11.82	EDD	3626

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5^+$	C_6H_5I (Benzene, iodo-) (RN-CAS Registry Number 591-50-4)	I	11.34	EDD	3626
$C_6H_3D_2^+$	$CD\equiv CCH_2CH_2C\equiv CD$ (RN-CAS Registry Number XXXXX-XX-X)	H	10.18 ± 0.03	EI	3790
$C_6H_6^+$	$CH\equiv CCH_2CH_2C\equiv CH$ (RN-CAS Registry Number 628-16-0)	**	9.87 ± 0.03	EI	3790
$C_6H_6^+$	$CH_3C\equiv CC\equiv CCH_3$ (RN-CAS Registry Number 2809-69-0)	**	8.91	PE	4048
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.2	PI	3586
$C_6H_6(^2E_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.2 (V)	PE	3528
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.24	PE	3519
$C_6H_6(^2E_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.24 (V)	PE	3513
$C_6H_6(^2E_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.24 (V)	PE	3673
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.24 (V)	PE	3898
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.25 ± 0.03 (V)	PE	3713
$C_6H_6(^2E_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.25	PE	3520
$C_6H_6(^2E_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.27	PE	3658
$C_6H_6(^2E_{2g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	11.7 (V)	PE	3673
$C_6H_6(^2A_{2u})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	12.35 (V)	PE	3673
$C_6H_6(^2E_{1u})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	13.9 (V)	PE	3673
$C_6H_6(^2B_{2u})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	14.7 (V)	PE	3673

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6(^2B_{1u})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	15.4 (V)	PE	3673
$C_6H_6(^2A_{1g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	16.84 (V)	PE	3673
$C_6H_6(^2E_{2g})$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	19.0 (V)	PE	3673
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.20 ± 0.1	EDD	3624
$C_6H_6^+$	C_6H_6 (Benzene) (RN-CAS Registry Number 71-43-2)	**	9.25	CTS	3922
$C_6H_6^+$	C_8H_8 (Pentacyclo[4.2.0.0 ^{2,5} .0 ^{3,8} .0 ^{4,7}]octane) (RN-CAS Registry Number 277-10-1)		$9.2 \pm < 0.1$	EI	3735
$C_6H_6^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	CH_2O	11.27 ± 0.1	EI	3446
$C_6H_6^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	$HCHO$	11.50	EI	3845
$C_6H_6^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)		$11.55 \pm < 0.1$	EI	3735
$C_6H_6^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)		9.49 ± 0.1	EI	3788
$C_6H_4D_2^+$	$CD \equiv CCH_2CH_2C \equiv CD$ (RN-CAS Registry Number XXXXX-XX-X)	**	9.97 ± 0.06	EI	3790
$C_6H_7^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8) (ON-Other name: 2-Norbornene)	CH_3	10.46 ± 0.01	EM	3535
$C_6H_7^+$	C_7H_{10} (Tricyclo[2.2.1.0 ^{2,6}]heptane) (RN-CAS Registry Number 279-19-6) (ON-Other name: Nortricyclene)	CH_3	10.17 ± 0.01	EM	3535
$C_6H_8^+$	<i>cis</i> - $CH_2=CHCH=CHCH=CH_2$ (RN-CAS Registry Number 2612-46-6)	**	8.32	PE	3847
$C_6H_8^+$	<i>trans</i> - $CH_2=CHCH=CHCH=CH_2$ (RN-CAS Registry Number 821-07-8)	**	8.29	PE	3847

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8^+$	$C_4H_7C\equiv CH$ (Cyclobutane, ethynyl-) (RN-CAS Registry Number 50786-62-4)	**	10.02 (V)	PE	3997
$C_6H_8^+$	$C_5H_5CH_3$ (1,3-Cyclopentadiene, methyl-) (RN-CAS Registry Number 26519-91-5)	**	8.28 ± 0.05 (V)	PE	3688
$C_6H_8^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)		9.9 ± 0.1	PI	3918
$C_6H_9^+$	$CH\equiv C(CH_2)_3CH_3$ (RN-CAS Registry Number 693-02-7)	H	10.75 ± 0.05	EI	3585
$C_6H_9^+$	$CH_3C\equiv CCH_2CH_2CH_3$ (RN-CAS Registry Number 764-35-2)	H	10.81 ± 0.05	EI	3585
$C_6H_9^+$	C_6H_{10} (Cyclohexene) (RN-CAS Registry Number 110-83-8)	H	11.8 ± 0.05	EI	3585
$C_6H_9^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)	H	12.13 ± 0.05	EI	3585
$C_6H_9^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)	H	11.97 ± 0.05	EI	3585
$C_6H_9^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.5 ± 0.1	PI	3918
$C_6H_9^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$\leq 10.2 \pm 0.1$	PI	3918
$C_6H_9^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.40 ± 0.02	PI	4078
$C_6H_{10}^+$	$CH_2=C(CH_3)C(CH_3)=CH_2$ (RN-CAS Registry Number 513-81-5)	**	8.62	PE	3847
$C_6H_{10}^+$	$CH_2=C(CH_3)C(CH_3)=CH_2$ (RN-CAS Registry Number 513-81-5)	**	8.76 (V)	PE	3892
$C_6H_{10}^+$	$CH_2=CHCH_2CH_2CH=CH_2$ (RN-CAS Registry Number 592-42-7)	**	9.59 ± 0.02 (V)	PE	4010
$C_6H_{10}^+$	$CH\equiv C(CH_2)_3CH_3$ (RN-CAS Registry Number 693-02-7)	**	10.52 ± 0.05	EI	3585
$C_6H_{10}^+$	$CH_3C\equiv CCH_2CH_2CH_3$ (RN-CAS Registry Number 764-35-2)	**	9.97 ± 0.05	EI	3585
$C_6H_{10}^+$	$(CH_3)_2C=C=CHCH_3$ (RN-CAS Registry Number 3043-33-2)	**	8.69 (V)	PE	4019
$C_6H_{10}^+$	<i>trans,trans</i> - $CH_3CH=CHCH=CHCH_3$ (RN-CAS Registry Number 5194-51-4)		8.09	PE	3847
$C_6H_{10}^+$	<i>trans,trans</i> - $CH_3CH=CHCH=CHCH_3$ (RN-CAS Registry Number 5194-51-4)		8.93 (V)	PE	3892

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{10}^+$	C_6H_{10} (Cyclohexene) (RN-CAS Registry Number 110-83-8)	**	9.57 ± 0.05	EI	3585
$C_6H_{10}^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)	**	8.55 ± 0.01	PI	3585
$C_6H_{10}^+$	$C_5H_8=CH_2$ (Cyclopentane, methylene-) (RN-CAS Registry Number 1528-30-9)	**	9.26 ± 0.05	EI	3585
$C_6H_{10}^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)	**	8.55 ± 0.01	PI	3585
$C_6H_{10}^+$	$C_5H_7CH_3$ (Cyclopentene, 1-methyl-) (RN-CAS Registry Number 693-89-0)	**	9.12 ± 0.05	EI	3585
$C_6H_{10}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -) (RN-CAS Registry Number 2207-01-4)	$2CH_3$	10.46 ± 0.1	EDD	3581
$C_6H_{10}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 6876-23-9)	$2CH_3$	10.63 ± 0.1	EDD	3581
$C_6H_{10}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.8 ± 0.1	PI	3918
$C_6H_{10}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 α ,3 $\alpha\beta$,4 α ,7 α ,7 $\alpha\beta$)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		10.0 ± 0.1	PI	3918
$C_6H_{10}^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.10 ± 0.05	PI	4078
$C_6H_{11}^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	H	11.32 ± 0.05	PI	4078
$C_6H_{11}^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)		10.20 ± 0.05	PI	4078
$C_6H_{11}^+$	$C_6H_{11}Br$ (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)		9.85 ± 0.05	PI	4078
$C_6H_{12}^+$	$(CH_3)_3CCH=CH_2$ (RN-CAS Registry Number 558-37-2)	**	9.450 ± 0.005	PE	3957
$C_6H_{12}^+$	$(CH_3)_3CCH=CH_2$ (RN-CAS Registry Number 558-37-2)	**	9.7 (V)	PE	3940
$C_6H_{12}^+$	$(CH_3)_2CHC(CH_3)=CH_2$ (RN-CAS Registry Number 563-78-0)	**	9.072 ± 0.005	PE	3957
$C_6H_{12}^+$	$(CH_3)_2C=C(CH_3)_2$ (RN-CAS Registry Number 563-79-1)	**	8.26	PE	3533
$C_6H_{12}^+$	$(CH_3)_2C=C(CH_3)_2$ (RN-CAS Registry Number 563-79-1)	**	8.271 ± 0.005	PE	3957

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{12}^+$	$(CH_3)_2CHCH_2CH=CH_2$ (RN-CAS Registry Number 691-37-2)	**	9.452 ± 0.003	PE	3957
$C_6H_{12}^+$	$(C_2H_5)_2C=CH_2$ (RN-CAS Registry Number 760-21-4)	**	9.061 ± 0.005	PE	3957
$C_6H_{12}^+$	$C_2H_5CH_2C(CH_3)=CH_2$ (RN-CAS Registry Number 763-29-1)	**	9.076 ± 0.005	PE	3957
$C_6H_{12}^+$	$1-C_6H_{12}$ (RN-CAS Registry Number 592-41-6)	**	9.31	PE	4033
$C_6H_{12}^+$	$1-C_6H_{12}$ (RN-CAS Registry Number 592-41-6)	**	9.478 ± 0.003	PE	3957
$C_6H_{12}^+$	$1-C_6H_{12}$ (RN-CAS Registry Number 592-41-6)	**	9.33	EDD	4033
$C_6H_{12}^+$	$cis-(CH_3)_2CHCH=CHCH_3$ (RN-CAS Registry Number 691-38-3)	**	8.976 ± 0.005	PE	3957
$C_6H_{12}^+$	$cis-2-C_6H_{12}$ (RN-CAS Registry Number 7688-21-3)	**	8.969 ± 0.005	PE	3957
$C_6H_{12}^+$	$cis-3-C_6H_{12}$ (RN-CAS Registry Number 7642-09-3)	**	8.954 ± 0.005	PE	3957
$C_6H_{12}^+$	$trans-(CH_3)_2CHCH=CHCH_3$ (RN-CAS Registry Number 674-76-0)	**	8.972 ± 0.005	PE	3957
$C_6H_{12}^+$	$trans-2-C_6H_{12}$ (RN-CAS Registry Number 4050-45-7)	**	8.966 ± 0.005	PE	3957
$C_6H_{12}^+$	$trans-3-C_6H_{12}$ (RN-CAS Registry Number 13269-52-8)	**	8.965 ± 0.005	PE	3957
$C_6H_{12}^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	**	9.88 ± 0.01	S	3757
$C_6H_{12}^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	**	9.88 ± 0.01	PI	4078
$C_6H_{12}^+$	C_6H_{12} (Cyclohexane) (RN-CAS-Registry Number 110-82-7)	**	9.87	PE	4056
$C_6H_{12}^+$	C_6H_{12} (Cyclohexane) (RN-CAS Registry Number 110-82-7)	**	10.3 (V)	PE	3997
$C_6D_{12}^+$	C_6D_{12} (Cyclohexane- d_{12}) (RN-CAS Registry Number 1735-17-7)	**	9.91 ± 0.01	S	3757
$C_6H_{14}^+$	$n-C_6H_{14}$ (RN-CAS-Registry Number 110-54-3)	**	10.22	PE	4056
$C_7H_6^+$	C_7H_6 (Bicyclo[4.1.0]hepta-1,3,5-triene) (RN-CAS-Registry Number 4646-69-9)	**	8.82 (V)	PE	4063
$C_7H_7^+$	C_7H_7 (2,4,6-Cycloheptatrien-1-yl) (RN-CAS Registry Number 3551-27-7)	**	6.74 ± 0.05	EI	3789
(RD-Radical)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7^+$	(C ₆ H ₅) ₂ CH ₂ (Benzene, 1,1'-methylenebis-) (RN-CAS Registry Number 101-81-5)	C ₆ H ₅	11.5±0.1	EI	3807
$C_7H_7^+$	C ₆ H ₃ (CH ₃) ₂ CHO (Benzaldehyde, 2,4-dimethyl-) (RN-CAS Registry Number 15764-16-6)		11.2	EI	4051
$C_7H_7^+$	C ₆ H ₃ (CH ₃) ₂ CHO (Benzaldehyde, 2,5-dimethyl-) (RN-CAS Registry Number 5779-94-2)		11.2	EI	4051
$C_7H_7^+$	C ₆ H ₃ (CH ₃) ₂ CHO (Benzaldehyde, 3,4-dimethyl-) (RN-CAS Registry Number 5973-71-7)		11.1	EI	4051
$C_7H_7^+$	C ₆ H ₄ (CH ₃)COOH (Benzoic acid, 3-methyl-) (RN-CAS Registry Number 99-04-7)	COOH	12.48±0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_7^+$	C ₆ H ₄ (CH ₃)COOH (Benzoic acid, 4-methyl-) (RN-CAS Registry Number 99-94-5)	COOH	12.55±0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_7^+$	C ₆ H ₅ CH ₂ CH ₂ OCOCH ₃ (Acetic acid, 2-phenylethyl ester) (RN-CAS Registry Number 103-45-7)		12.50	EI	3590
$C_7H_7^+$	C ₆ H ₄ (NO ₂)CH ₃ (Benzene, 1-methyl-3-nitro-) (RN-CAS Registry Number 99-08-1)	NO ₂	11.58±0.1	EI	3447
$C_7H_7^+$	C ₆ H ₄ (NO ₂)CH ₃ (Benzene, 1-methyl-4-nitro-) (RN-CAS Registry Number 99-99-0)	NO ₂	11.80±0.1	EI	3447
$C_7H_7^+$	C ₆ H ₄ ClCH ₃ (Benzene, 1-chloro-2-methyl-) (RN-CAS Registry Number 95-49-8)		11.21±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ ClCH ₃ (Benzene, 1-chloro-3-methyl-) (RN-CAS Registry Number 108-41-8)		11.34±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ ClCH ₃ (Benzene, 1-chloro-4-methyl-) (RN-CAS Registry Number 106-43-4)		11.42±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ BrCH ₃ (Benzene, 1-bromo-2-methyl-) (RN-CAS Registry Number 95-46-5)		11.14±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ BrCH ₃ (Benzene, 1-bromo-3-methyl-) (RN-CAS Registry Number 591-17-3)		11.22±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ BrCH ₃ (Benzene, 1-bromo-4-methyl-) (RN-CAS Registry Number 106-38-7)		11.22±0.1	EI	3777
$C_7H_7^+$	C ₆ H ₄ ICH ₃ (Benzene, 1-iodo-2-methyl-) (RN-CAS Registry Number 615-37-2)		11.14±0.1	EI	3777

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7^+$	$C_6H_4ICH_3$ (Benzene, 1-iodo-3-methyl-) (RN-CAS Registry Number 625-95-6)		11.26 ± 0.1	EI	3777
$C_7H_7^+$	$C_6H_4ICH_3$ (Benzene, 1-iodo-4-methyl-) (RN-CAS Registry Number 624-31-7)		11.15 ± 0.1	EI	3777
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.82	PI	3753
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.72	PE	3955
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.78 ± 0.02	PE	3854
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.80	PE	3868
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.85 ± 0.015 (V)	PE	4107
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	9.0 ± 0.03 (V)	PE	3713
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.89 ± 0.03	EDD	3626
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.67	EI	3845
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.80 ± 0.1	EI	3788
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.71	CTS	3546
$C_7H_8^+$	$C_6H_5CH_3$ (Benzene, methyl-) (RN-CAS Registry Number 108-88-3)	**	8.91	CTS	4029
(AV—Average of two values)					
$C_7H_8^+$	C_7H_8 (Bicyclo[2.2.1]hepta-2,5-diene) (RN-CAS Registry Number 121-46-0)	**	8.6 (V)	PE	3724
$C_7H_8^+$	C_7H_8 (Bicyclo[2.2.1]hepta-2,5-diene) (RN-CAS Registry Number 121-46-0)	**	8.69 (V)	PE	3687
$C_7H_8^+$	C_7H_8 (Bicyclo[2.2.1]hepta-2,5-diene) (RN-CAS Registry Number 121-46-0)	**	8.70 (V)	PE	3509

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8^+$	C_7H_8 (Bicyclo[2.2.1]hepta-2,5-diene) (RN-CAS Registry Number 121-46-0)	**	8.69 (V)	PE	3824
$C_7H_8(^2A_2)$	C_7H_8 (Spiro[2.4]hepta-4,6-diene) (RN-CAS Registry Number 765-46-8)	**	8.14	PE	3576
$C_7H_8(^2B_1)$	C_7H_8 (Spiro[2.4]hepta-4,6-diene) (RN-CAS Registry Number 765-46-8)	**	9.46	PE	3576
$C_7H_8(^2A_1)$	C_7H_8 (Spiro[2.4]hepta-4,6-diene) (RN-CAS Registry Number 765-46-8)	**	10.9	PE	3576
$C_7H_8(^2B_2)$	C_7H_8 (Spiro[2.4]hepta-4,6-diene) (RN-CAS Registry Number 765-46-8)	**	11.89	PE	3576
$C_7H_8(^2B_1)$	C_7H_8 (Spiro[2.4]hepta-4,6-diene) (RN-CAS Registry Number 765-46-8)	**	12.7	PE	3576
$C_7H_8^+$	$C_6H_5C_4H_9$ (Benzene, butyl-) (RN-CAS Registry Number 104-51-8)	$CH_2=CHCH_3$	10.10 ± 0.1	EI	3629
$C_7H_8^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-3-methyl-) (RN-CAS Registry Number 100-84-5)	CH_2O	11.22 ± 0.1	EI	3446
$C_7H_8^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	CH_2O	11.11 ± 0.1	EI	3446
$C_7H_8^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	$HCHO$	11.23	EI	3845
(CD-Metastable transition indicates 0.36 eV kinetic energy release)					
$C_7H_8^+$	$C_6H_5CH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8)		8.31 ± 0.1	EI	3788
$C_7H_9^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8)	H	11.0 ± 0.01	EI	3535
$C_7H_9^+$	C_7H_{10} (Tricyclo[2.2.1.0 ^{2,6}]heptane) (RN-CAS Registry Number 279-19-6)	H	11.3 ± 0.01	EM	3535
$C_7H_9^+$	C_7H_9Br (bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -) (RN-CAS Registry Number 5810-82-2)	Br	10.2	EI	3900
$C_7H_9^+$	C_7H_9Br (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -) (RN-CAS Registry Number 5810-82-2)	Br	10.1	EI	3900
$C_7H_{10}^+$	<i>trans,trans</i> - $CH_2=CHCH=CHCH=CHCH_3$ (RN-CAS Registry Number 17679-93-5)		8.07	PE	3847

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{10}^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8)	**	8.95 (V)	PE	3509
$C_7H_{10}^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8)	**	8.97 (V)	PE	3687
$C_7H_{10}^+$	C_7H_{10} (Bicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 498-66-8) (ON-Other name: 2-Norbornene)	**	8.80 ± 0.01	EM	3535
$C_7H_{10}^+$	C_7H_{10} (Bicyclo[4.1.0]hept-2-ene) (RN-CAS Registry Number 2566-57-6)	**	8.69 (V)	PE	3849
$C_7H_{10}^+$	C_7H_{10} (Tricyclo[2.2.1.0 ^{2,6}]heptane) (RN-CAS Registry Number 279-19-6)	**	9.40 (V)	PE	3741
$C_7H_{10}^+$	C_7H_{10} (Tricyclo[2.2.1.0 ^{2,6}]heptane) (RN-CAS Registry Number 279-19-6) (ON-Other name: Nortricyclene)	**	8.92 ± 0.01	EM	3535
$C_7H_{10}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.5 ± 0.1	PI	3918
$C_7H_{11}^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)		9.9 ± 0.1	PI	3918
$C_7H_{11}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$\leq 10.2 \pm 0.1$	PI	3918
$C_7H_{11}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 α ,3 $\alpha\beta$,4 α ,7 α ,7 $\alpha\beta$)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		10.0 ± 0.1	PI	3918
$C_7H_{11}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		$\leq 10.2 \pm 0.1$	PI	3918
$C_7H_{12}^+$	$(CH_3)_2C=C=C(CH_3)_2$ (RN-CAS Registry Number 1000-87-9)	**	8.47 (V)	PE	4019
$C_7H_{12}^+$	$(C_2H_3)_2C(CH_3)_2$ (RN-CAS Registry Number 1112-35-2)	**	9.55 (V)	PE	3994
$C_7H_{12}^+$	$CH_2=CH(CH_2)_3CH=CH_2$ (RN-CAS Registry Number 3070-53-9)	**	9.52 ± 0.02 (V)	PE	4010
$C_7H_{12}^+$	C_7H_{12} (Bicyclo[2.2.1]heptane) (RN-CAS Registry Number 279-23-2)	**	10.15 (V)	PE	3509

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{12}^+$	C_7H_{12} (Bicyclo[2.2.1]heptane) (RN-CAS Registry Number 279-23-2)	**	10.2 (V)	PE	3687
$C_7H_{12}^+$	C_7H_{12} (Bicyclo[4.1.0]heptane) (RN-CAS Registry Number 286-08-8)	**	9.46 (V)	PE	3849
$C_7H_{13}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -) (RN-CAS Registry Number 2207-01-4)	CH_3	10.55 ± 0.05	EDD	3581
$C_7H_{13}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 6876-23-9)	CH_3	10.73 ± 0.05	EDD	3581
$C_7H_{14}^+$	<i>trans</i> -(CH_3) ₃ CCH=CHCH ₂ (RN-CAS Registry Number 690-08-4)	**	8.908 ± 0.008	PE	3957
$C_7H_{14}^+$	$(CH_3)_3CC(CH_3)=CH_2$ (RN-CAS Registry Number 594-56-9)	**	9.016 ± 0.007	PE	3957
$C_7H_{14}^+$	$(CH_3)_3CCH_2CH=CH_2$ (RN-CAS Registry Number 762-62-9)	**	9.399 ± 0.003	PE	3957
$C_7H_{14}^+$	$(CH_3)_3CCH_2CH=CH_2$ (RN-CAS Registry Number 762-62-9)	**	9.6 (V)	PE	3940
$C_7H_{14}^+$	$(CH_3)_2CHCH_2C(CH_3)=CH_2$ (RN-CAS Registry Number 2213-32-3)	**	9.025 ± 0.005	PE	3957
$C_7H_{14}^+$	$CH_3(CH_2)_3C(CH_3)=CH_2$ (RN-CAS Registry Number 6094-02-6)	**	9.039 ± 0.005	PE	3957
$C_7H_{14}^+$	$C_2H_5C(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 10574-37-5)	**	8.213 ± 0.005	PE	3957
$C_7H_{14}^+$	$1-C_7H_{14}$ (RN-CAS Registry Number 592-76-7)	**	9.442 ± 0.003	PE	3957
$C_7H_{14}^+$	<i>cis</i> -(CH_3) ₃ CCH=CHCH ₃ (RN-CAS Registry Number 762-63-0)	**	8.922 ± 0.008	PE	3957
$C_7H_{14}^+$	<i>cis</i> -(CH_3) ₂ CHCH ₂ CH=CHCH ₃ (RN-CAS Registry Number 13151-17-2)	**	8.917 ± 0.005	PE	3957
$C_7H_{14}^+$	<i>trans</i> - $CH_3CH_2C(CH_3)HCH=CHCH_3$ (RN-CAS Registry Number 3683-22-5)	**	8.912 ± 0.005	PE	3957
$C_7H_{14}^+$	<i>trans</i> -(CH_3) ₂ CHCH ₂ CH=CHCH ₃ (RN-CAS Registry Number 7385-82-2)	**	8.919 ± 0.005	PE	3957
$C_8H_6^+$	$CH_3C \equiv CC \equiv CC \equiv CCH_3$ (RN-CAS Registry Number 1072-20-4)	**	8.60	PE	4048
$C_8H_6^+$	$C_6H_5C \equiv CH$ (Benzene, ethynyl-) (RN-CAS Registry Number 536-74-3)	**	8.75	PE	3938
$C_8H_6^+$	$C_6H_5C \equiv CH$ (Benzene, ethynyl-) (RN-CAS Registry Number 536-74-3)	**	8.88 ± 0.02 (V)	PE	3854
$C_8H_8^+$	$C_6H_5CH=CH_2$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.40 ± 0.02	PE	3854

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_8^+$	$C_6H_5CH=CH_2$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.42	PE	3938
$C_8H_8^+$	$C_6H_5CH=CH_2$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.49 (V)	PE	3964
$C_8H_8^+$	$C_6H_5C_2H_3$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.55 (V)	PE	3781
$C_8H_8^+$	$C_6H_5CH=CH_2$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.55 (V)	PE	3898
$C_8H_8^+$	$C_6H_5CH=CH_2$ (Benzene, ethenyl-) (RN-CAS Registry Number 100-42-5)	**	8.28 ± 0.04	RPD	4097
$C_8H_8^+$	C_8H_8 (Bicyclo[2.2.1]hepta-2,5-diene, 7-methylene-) (RN-CAS Registry Number 37846-63-2) (ON-Other name: 7-Methylene-norbornadiene)	**	8.50 (V)	PE	3933
$C_8H_8^+$	C_8H_8 (Bicyclo[4.2.0]octa-1,3,5-triene) (RN-CAS-Registry Number 694-87-1)	**	8.66 (V)	PE	4063
$C_8H_8^+$	C_8H_8 (1,3,5,7-Cyclooctatetraene) (RN-CAS Registry Number 629-20-9)	**	8.0	PE	3999
$C_8H_8^+$	C_8H_8 (Pentacyclo[4.2.0.0 ^{2,5} .0 ^{3,8} .0 ^{4,7}]octane) (RN-CAS Registry Number 277-10-1)	**	$8.4 \pm < 0.1$	EI	3735
$C_8H_8^+$	C_8H_8 (Tricyclo[3.2.1.0 ^{2,8}]octa-2,6-diene) (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: Tetrahydrobullvalene)	**	8.5 (V)	PE	4034
$C_8H_8^+$	C_8H_8 (Tricyclo[4.2.0.0 ^{2,5}]octa-3,7-diene, <i>syn</i> -) (RN-CAS Registry Number 20380-30-7)	**	9.08 (V)	PE	4045
$C_8H_8^+$	C_8H_8 (Tricyclo[4.2.0.0 ^{2,5}]octa-3,7-diene, <i>anti</i> -) (RN-CAS Registry Number 20380-31-8)	**	8.96 (V)	PE	4045
$C_8H_8^+$	$C_6H_5CH_2CH_2OCOCH_3$ (Acetic acid, 2-phenylethyl ester) (RN-CAS Registry Number 103-45-7)		8.90	EI	3590
$C_8H_9^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-) (RN-CAS Registry Number 1595-04-6)		11.43 ± 0.1	EI	3629
$C_8H_9^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-) (RN-CAS Registry Number 1595-05-7)		11.03 ± 0.1	EI	3629
$C_8H_9^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate) (RN-CAS Registry Number 33709-40-9)		12.30	EI	3590

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_9^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate) (RN-CAS Registry Number 22532-47-4)		11.80	EI	3590
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS Registry Number 95-47-6)	**	8.45 ± 0.02	PE	3854
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS-Registry Number 95-47-6)	**	8.57 (V)	PE	4063
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS Registry Number 95-47-6)	**	8.75 ± 0.03 (V)	PE	3713
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS Registry Number 95-47-6)	**	8.55 ± 0.1	EI	3788
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS Registry Number 95-47-6)	**	8.61	CTS	3546
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,2-dimethyl-) (RN-CAS Registry Number 95-47-6)	**	8.70	CTS	4029
(AV—Average of two values)					
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,3-dimethyl-) (RN-CAS Registry Number 108-38-3)	**	8.50 ± 0.02	PE	3854
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,3-dimethyl-) (RN-CAS Registry Number 108-38-3)	**	8.71 ± 0.015 (V)	PE	4107
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,3-dimethyl-) (RN-CAS Registry Number 108-38-3)	**	8.75 ± 0.03 (V)	PE	3713
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,4-dimethyl-) (RN-CAS Registry Number 106-42-3)	**	8.37 ± 0.02	PE	3854
$C_8H_{10}^+$	$C_6H_4(CH_3)_2$ (Benzene, 1,4-dimethyl-) (RN-CAS Registry Number 106-42-3)	**	8.6 ± 0.03 (V)	PE	3713
$C_8H_{10}^+$	C_8H_{10} (Bicyclo[2.2.1]hept-2-ene, 5-methylene-) (RN-CAS Registry Number 694-91-7)	**	8.93 (V)	PE	3824
$C_8H_{10}^+$	C_8H_{10} (1,3,5-Cyclooctatriene) (RN-CAS Registry Number 1871-52-9)	**	7.9	PE	3999
$C_8H_{10}^+$	C_8H_{10} (1,3,6-Cyclooctatriene) (RN-CAS Registry Number 3725-30-2)	**	8.5	PE	3999
$C_8H_{10}^+$	C_8H_{10} (Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 3635-94-7) (ON—Other name: Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, <i>endo</i> -)	**	9.05 (V)	PE	3509

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}^+$	C_8H_{10} (Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, (1 α ,2 β ,4 β ,5 α)-) (RN-CAS Registry Number 3635-95-8) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, <i>exo</i> -)	**	8.90 (V)	PE	3509
$C_8H_{10}^+$	C_8H_{10} (Tricyclo[3.2.1.0 ^{2,8}]oct-6-ene) (RN-CAS Registry Number XXXXX-XX-X)	**	8.5 (V)	PE	4034
$C_8H_{10}^+$	C_8H_{10} (Tricyclo[4.2.0.0 ^{2,5}]oct-3-ene, (1 α ,2 β ,5 β ,6 α)-) (RN-CAS Registry Number 39781-76-5)	**	9.25 (V)	PE	4045
$C_8H_{10}^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-) (RN-CAS Registry Number 1595-04-6)	$CH_2=CHCH_3$	10.33 \pm 0.1	EI	3629
$C_8H_{10}^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-) (RN-CAS Registry Number 1595-05-7)	$CH_2=CHCH_3$	10.14 \pm 0.1	EI	3629
$C_8H_{10}^+$	$C_6H_4(CH_3)_2Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2)		8.51 \pm 0.1	EI	3788
$C_8H_{11}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.9 \pm 0.1	PI	3918
$C_8H_{12}^+$	C_8H_{12} (Bicyclo[2.2.1]heptane, 2-methylene-) (RN-CAS Registry Number 497-35-8)	**	9.02 (V)	PE	3824
$C_8H_{12}^+$	C_8H_{12} (Bicyclo[2.2.1]heptane, 7-methylene-) (RN-CAS Registry Number 31463-35-1) (ON-Other name: 7-Methylene-norbornane)	**	9.40 (V)	PE	3933
$C_8H_{12}^+$	$C_6H_{11}C\equiv CH$ (Cyclohexane, ethynyl-) (RN-CAS Registry Number 931-48-6)	**	9.92 (V)	PE	3997
$C_8H_{12}^+$	C_8H_{12} (1,3-Cyclooctadiene) (RN-CAS Registry Number 1700-10-3)	**	8.4	PE	3999
$C_8H_{12}^+$	C_8H_{12} (1,4-Cyclooctadiene) (RN-CAS Registry Number 1073-07-0)	**	8.5	PE	3999
$C_8H_{12}^+$	C_8H_{12} (1,5-Cyclooctadiene) (RN-CAS Registry Number 111-78-4)	**	8.9	PE	3999
$C_8H_{12}^+$	$C_3H_5CH=CHC_3H_5$ (Cyclopropane, 1,1'-(1,2-ethenediyl)bis- (<i>E</i>)) (RN-CAS Registry Number 10359-44-1)	**	7.72	PI	3759
$C_8H_{12}^+$	$C_3H_5CH=CHC_3H_5$ (Cyclopropane, 1,1'-(1,2-ethenediyl)bis- (<i>Z</i>)) (RN-CAS Registry Number 23510-65-68)	**	7.70	PI	3759

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{12}^+$	(C ₃ H ₅) ₂ C=CH ₂ (Cyclopropane, 1,1'-ethenylidenebis-) (RN-CAS Registry Number 822-93-5)	**	8.08	PI	3759
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[3.2.1.0 ^{2,4}]octane, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 22389-16-8) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, <i>endo</i> -)	**	9.40 (V)	PE	3509
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[3.2.1.0 ^{2,4}]octane, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 22389-16-8) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, <i>endo</i> -)	**	8.8 \pm 0.1	EI	3492
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[3.2.1.0 ^{2,4}]octane, (1 α ,2 β ,4 β ,5 α)-) (RN-CAS Registry Number 13377-46-3) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, <i>exo</i> -)	**	9.40 (V)	PE	3509
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[3.2.1.0 ^{2,4}]octane, (1 α ,2 β ,4 β ,5 α)-) (RN-CAS Registry Number 13377-46-3) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, <i>exo</i> -)	**	9.1 \pm 0.1	EI	3492
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[4.2.0.0 ^{2,5}]octane, <i>syn</i> -) (RN-CAS Registry Number 28636-10-4)	**	9.18 (V)	PE	4045
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[4.2.0.0 ^{2,5}]octane, <i>anti</i> -) (RN-CAS Registry Number 13027-75-3)	**	9.23 (V)	PE	4045
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[5.1.0.0 ^{2,4}]octane, (1 α ,2 α ,4 α ,7 α)-) (RN-CAS Registry Number 50695-42-6)	**	8.95 (V)	PE	3849
$C_8H_{12}^+$	C_8H_{12} (Tricyclo[5.1.0.0 ^{2,4}]octane, (1 α ,2 β ,4 β ,7 α)-) (RN-CAS Registry Number 50895-58-4)	**	9.39 (V)	PE	3849
$C_8H_{12}^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)		10.5 \pm 0.1	PI	3918
$C_8H_{12}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		10.0 \pm 0.1	PI	3918
$C_8H_{13}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl, (2 α ,3 α ,4 α ,7 α ,7 α)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		10.1 \pm 0.1	PI	3918
$C_8H_{13}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.5 \pm 0.1	PI	3918
$C_8H_{14}^+$	(CH ₃) ₂ C=CHCH=C(CH ₃) ₂ (RN-CAS Registry Number 764-13-6)	**	7.65	PE	3847
$C_8H_{14}^+$	CH ₂ =CH(CH ₂) ₄ CH=CH ₂ (RN-CAS Registry Number 3710-30-3)	**	9.52 \pm 0.02 (V)	PE	4010

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{14}^+$	C_8H_{14} (Bicyclo[2.2.2]octane) (RN-CAS Registry Number 280-33-1)	**	9.43	S	3757
$C_8H_{14}^+$	C_8H_{14} (Bicyclo[2.2.2]octane) (RN-CAS Registry Number 280-33-1)	**	9.45 ± 0.02	PE	3757
$C_8H_{14}^+$	C_8H_{14} (Cyclooctene) (RN-CAS Registry Number 931-88-4)	**	8.8	PE	3999
$C_8H_{16}^+$	$(CH_3)_3CCH_2C(CH_3)=CH_2$ (RN-CAS Registry Number 107-39-1)	**	8.909 ± 0.005	PE	3957
$C_8H_{16}^+$	$(CH_3)_2CHC(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 565-77-5)	**	8.165 ± 0.005	PE	3957
$C_8H_{16}^+$	$C_2H_5CH_2C(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 7145-20-2)	**	8.186 ± 0.005	PE	3957
$C_8H_{16}^+$	$(C_2H_5)_2C=CHC_2H_5$ (RN-CAS Registry Number 16789-51-8)	**	8.480 ± 0.004	PE	3957
$C_8H_{16}^+$	$(C_2H_5)_2C=C(CH_3)_2$ (RN-CAS Registry Number 19780-67-7)	**	8.170 ± 0.003	PE	3957
$C_8H_{16}^+$	$cis-(CH_3)_2CHCH=CHCH(CH_3)_2$ (RN-CAS Registry Number 10557-44-5)	**	8.846 ± 0.005	PE	3957
$C_8H_{16}^+$	$cis-C_2H_5C(CH_3)=C(CH_3)C_2H_5$ (RN-CAS Registry Number 19550-87-9)	**	8.172 ± 0.003	PE	3957
$C_8H_{16}^+$	$cis-3-C_8H_{16}$ (RN-CAS Registry Number 14850-22-7)	**	8.849 ± 0.005	PE	3957
$C_8H_{16}^+$	$cis-4-C_8H_{16}$ (RN-CAS Registry Number 7642-15-1)	**	8.841 ± 0.005	PE	3957
$C_8H_{16}^+$	$trans-(CH_3)_2CHCH=CHCH(CH_3)_2$ (RN-CAS Registry Number 692-70-6)	**	8.838 ± 0.005	PE	3957
$C_8H_{16}^+$	$trans-C_2H_5C(CH_3)=C(CH_3)C_2H_5$ (RN-CAS Registry Number 19550-88-0)	**	8.156 ± 0.003	PE	3957
$C_8H_{16}^+$	$trans-4-C_8H_{16}$ (RN-CAS Registry Number 14850-23-8)	**	8.830 ± 0.005	PE	3957
$C_8H_{16}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>cis</i> -) (RN-CAS Registry Number 2207-01-4)	**	9.90 ± 0.07	EDD	3581
$C_8H_{16}^+$	$C_6H_{10}(CH_3)_2$ (Cyclohexane, 1,2-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 6876-23-9)	**	10.03 ± 0.05	EDD	3581
$C_8H_{16}^+$	C_8H_{16} (Cyclooctane) (RN-CAS Registry Number 292-64-8)	**	9.7	PE	3999
$C_9H_7^+$	$C_6H_5C \equiv CCH_3$ (Benzene, 1-propynyl-) (RN-CAS Registry Number 673-32-5)		11.42 ± 0.05	EI	4044
$C_9H_7^+$	C_9H_8 (1 <i>H</i> -Indene) (RN-CAS Registry Number 95-13-6)	H	12.62 ± 0.05	EI	4044

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_7^+$	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-) (RN-CAS Registry Number 31158-25-5)		13.6 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS Registry Number 21113-55-3)		13.3 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS Registry Number 32812-65-0)		13.7 ± 0.4	EI	4018
$C_9H_7^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-50-2)		13.2 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_5C \equiv CCH = CHCH_2OH$ (2-Penten-4-yn-1-ol, 5-phenyl-, (<i>E</i>)-) (RN-CAS Registry Number 40317-08-6)		11.43 ± 0.05	EI	4044
$C_9H_7^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		14.1 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS Registry Number 4528-68-1)		13.5 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS Registry Number 50592-49-9)		13.5 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		13.7 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)		13.7 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-53-5)		13.8 ± 0.4	EI	4018
$C_9H_7^+$	$C_{10}H_{11}(=O)(CH_3)(C_6H_5)_2$ (2(3 <i>H</i>)-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-) (RN-CAS Registry Number 50786-03-3)		13.0 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		13.4 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		14.2 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_6(=O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-) (RN-CAS Registry Number 50592-51-3)		13.7 ± 0.4	EI	4018
$C_9H_7^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		13.7 ± 0.4	EI	4018
$C_9H_8^+$	C_9H_8 (1 <i>H</i> -Indene) (RN-CAS Registry Number 95-13-6)	**	8.33 ± 0.01	EI	3805

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_8^+$	C_9H_8 (Spiro[4.4]nona-1,3,6,8-tetraene) (RN-CAS Registry Number 14867-83-5)	**	7.99 (V)	PE	4049
$C_9H_{10}^+$	$C_6H_4(CH_3)CH=CH_2$ (Benzene, 1-ethenyl-2-methyl-) (RN-CAS Registry Number 611-15-4)	**	8.20 ± 0.02	PE	3854
$C_9H_{10}^+$	$C_6H_4(CH_3)CH=CH_2$ (Benzene, 1-ethenyl-2-methyl-) (RN-CAS Registry Number 611-15-4)	**	8.53 (V)	PE	3964
$C_9H_{10}^+$	$C_6H_4(CH_3)CH=CH_2$ (Benzene, 1-ethenyl-3-methyl-) (RN-CAS Registry Number 100-80-1)	**	8.15 ± 0.02	PE	3854
$C_9H_{10}^+$	$C_6H_4(CH_3)CH=CH_2$ (Benzene, 1-ethenyl-3-methyl-) (RN-CAS Registry Number 100-80-1)	**	8.37 (V)	PE	3964
$C_9H_{10}^+$	$C_6H_4(CH_3)CH=CH_2$ (Benzene, 1-ethenyl-4-methyl-) (RN-CAS Registry Number 622-97-9)	**	8.20 (V)	PE	3964
$C_9H_{10}^+$	$C_6H_5C(CH_3)=CH_2$ (Benzene, (1-methylethenyl)-) (RN-CAS Registry Number 98-83-9)	**	8.52 (V)	PE	3964
$C_9H_{10}^+$	$C_6H_5C(CH_3)=CH_2$ (Benzene, (1-methylethenyl)-) (RN-CAS Registry Number 98-83-9)	**	8.18 ± 0.04	RPD	4097
$C_9H_{10}^+$	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-, (E)-) (RN-CAS Registry Number 873-66-5)	**	8.20 ± 0.02	PE	3854
$C_9H_{10}^+$	$C_6H_5CH=CHCH_3$ (Benzene, 1-propenyl-, (E)-) (RN-CAS Registry Number 873-66-5)	**	7.84 ± 0.04	RPD	4097
$C_9H_{10}^+$	$C_6H_5C(CH_3)=CH_2$ (Benzene, 2-propenyl-) (RN-CAS Registry Number 300-57-2)	**	8.20 ± 0.02	PE	3854
$C_9H_{10}^+$	$C_6H_5CH_2CH=CH_2$ (Benzene, (2-propenyl)-) (RN-CAS Registry Number 300-57-2)	**	8.60	PE	3938
$C_9H_{10}^+$	C_9H_{10} (Bicyclo[3.2.2]nona-2,6,8-triene) (RN-CAS Registry Number 16216-91-4)	**	8.72 (V)	PE	3991
$C_9H_{10}^+$	C_9H_{10} (1 <i>H</i> -Indene, 2,3-dihydro-) (RN-CAS Registry Number 496-11-7)	**	8.45 ± 0.02 (V)	PE	3854
$C_9H_{10}^+$	C_9H_{10} (1 <i>H</i> -Indene, 2,3-dihydro-) (RN-CAS-Registry Number 496-11-7)	**	8.46 (V)	PE	4063
$C_9H_{10}^+$	C_9H_{10} (1 <i>H</i> -Indene, 2,3-dihydro-) (RN-CAS Registry Number 496-11-7)	**	8.60 ± 0.01	EI	3805
$C_9H_{10}^+$	C_9H_{10} (1 <i>H</i> -Indene, 2,3-dihydro-) (RN-CAS Registry Number 496-11-7)	**	8.52	CTS	3546

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{10}^+$	C_9H_{10} (Spiro[bicyclo[2.2.1]hepta-2,5-diene-7,1'-cyclopropane]) (RN-CAS Registry Number 7092-57-1)	**	8.73 (V)	PE	3780
$C_9H_{10}^+$	C_9H_{10} (Tricyclo[3.3.1.0 ^{2,8}]nona-3,6-diene) (RN-CAS Registry Number 14693-11-9)	**	8.4 (V)	PE	4034
$C_9H_{10}^+$	C_9H_{10} (Tricyclo[4.2.1.0 ^{2,5}]nona-3,7-diene) (RN-CAS Registry Number 4932-71-2)	**	8.7 (V)	PE	3853
$C_9H_{10}^+$	C_9H_{10} (Tricyclo[4.2.1.0 ^{2,5}]nona-3,7-diene, (1 α ,2 β ,5 β ,6 α)-) (RN-CAS Registry Number 15564-44-0) (ON-Other name: Tricyclo[4.2.1.0 ^{2,5}]nona-3,7-diene, <i>exo</i> -)	**	8.65 \pm 0.05 (V)	PE	4040
$C_9H_{10}^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate) (RN-CAS Registry Number 33709-40-9)	**	8.75	EI	3590
$C_9H_{10}^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate) (RN-CAS Registry Number 22532-47-4)	**	8.50	EI	3590
$C_9H_{12}^+$	$(C_2H_5)_4C$ (RN-CAS Registry Number 20685-34-1)	**	9.52 (V)	PE	3994
$C_9H_{12}^+$	$C_6H_3(CH_3)_3$ (Benzene, 1,2,3-trimethyl-) (RN-CAS Registry Number 526-73-8)	**	8.6 \pm 0.03 (V)	PE	3713
$C_9H_{12}^+$	$C_6H_3(CH_3)_3$ (Benzene, 1,2,4-trimethyl-) (RN-CAS Registry Number 95-63-6)	**	8.5 \pm 0.03 (V)	PE	3713
$C_9H_{12}^+$	$C_6H_3(CH_3)_3$ (Benzene, 1,3,5-trimethyl-) (RN-CAS Registry Number 108-67-8)	**	8.65 \pm 0.03 (V)	PE	3713
$C_9H_{12}^+$	$C_6H_3(CH_3)_3$ (Benzene, 1,3,5-trimethyl-) (RN-CAS Registry Number 108-67-8)	**	8.21 \pm 0.1	EI	3788
$C_9H_{12}^+$	$C_6H_3(CH_3)_3$ (Benzene, 1,3,5-trimethyl-) (RN-CAS Registry Number 108-67-8)	**	8.46	CTS	4029
(AV—Average of two values)					
$C_9H_{12}^+$	C_9H_{12} (Bicyclo[3.2.2]nona-2,6-diene) (RN-CAS Registry Number 14993-07-8)	**	8.84 (V)	PE	3991
$C_9H_{12}^+$	C_9H_{12} (Bicyclo[3.2.2]nona-6,8-diene) (RN-CAS Registry Number 7164-08-1)	**	9.00 (V)	PE	3991
$C_9H_{12}^+$	C_9H_{12} (Tetracyclo[3.3.1.0 ^{2,8} .0 ^{4,6}]nonane) (RN-CAS Registry Number 3105-29-1)	**	8.67 (V)	PE	3741
$C_9H_{12}^+$	C_9H_{12} (Tricyclo[4.2.1.0 ^{2,5}]non-3-ene) (RN-CAS Registry Number 7078-40-2)	**	9 (V)	PE	3853

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{12}^+$	C_9H_{12} (Tricyclo[4.2.1.0 ^{2,5}]non-3-ene, (1 α ,2 β ,5 β ,6 α)-) (RN-CAS Registry Number 16529-76-3) (ON-Other name: Tricyclo[4.2.1.0 ^{2,5}]non-3-ene, <i>exo</i> -)	**	9.00 \pm 0.05 (V)	PE	4040
$C_9H_{12}^+$	C_9H_{12} (Tricyclo[4.2.1.0 ^{2,5}]non-7-ene) (RN-CAS Registry Number 6827-30-1)	**	8.7 (V)	PE	3853
$C_9H_{12}^+$	C_9H_{12} (Tricyclo[4.2.1.0 ^{2,5}]non-7-ene, <i>exo</i> -) (RN-CAS Registry Number 16529-82-1)	**	8.70 \pm 0.05 (V)	PE	4040
$C_9H_{12}^+$	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8)		8.61 \pm 0.1	EI	3788
$C_9H_{13}^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)	CH_3	9.8 \pm 0.1	PI	3918
$C_9H_{13}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		\leq 10.2 \pm 0.1	PI	3918
$C_9H_{13}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 α ,3 α β ,4 α ,7 α ,7 α β)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		10.1 \pm 0.1	PI	3918
$C_9H_{13}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.5 \pm 0.1	PI	3918
$C_9H_{13}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.9 \pm 0.1	PI	3918
$C_9H_{14}^+$	C_9H_{14} (Bicyclo[3.2.2]non-2-ene) (RN-CAS Registry Number 40319-81-1)	**	8.84 (V)	PE	3991
$C_9H_{14}^+$	C_9H_{14} (Bicyclo[3.2.2]non-6-ene) (RN-CAS Registry Number 7124-86-9)	**	8.95 (V)	PE	3991
$C_9H_{14}^+$	C_9H_{14} (1,2-Cyclononadiene) (RN-CAS Registry Number 1123-11-1)	**	8.87 (V)	PE	4019
$C_9H_{14}^+$	C_9H_{14} (Tricyclo[3.2.2.0 ^{2,4}]nonane) (RN-CAS Registry Number 278-80-8)	**	9.50 (V)	PE	3849
$C_9H_{14}^+$	C_9H_{14} (Tricyclo[4.2.1.0 ^{2,5}]nonane, <i>exo</i> -) (RN-CAS Registry Number 16526-27-5)	**	9.5 \pm 0.05 (V)	PE	4040
$C_9H_{16}^+$	$CH_2=CH(CH_2)_5CH=CH_2$ (RN-CAS Registry Number 4900-30-5)	**	9.51 \pm 0.02 (V)	PE	4010

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{16}^+$	$C_7H_{10}(CH_3)_2$ (Bicyclo[2.2.1]heptane, 7,7-dimethyl-) (RN-CAS Registry Number 2034-53-9)	**	8.30	PE	3687
$C_9H_{16}^+$	C_9H_{16} (Bicyclo[3.2.2]nonane) (RN-CAS Registry Number 283-19-2)	**	9.6 (V)	PE	3991
$C_9H_{16}^+(^2E)$	C_9H_{16} (Bicyclo[6.1.0]nonane) (RN-CAS Registry Number 286-60-2)	**	9.4 (V)	PE	3509
$C_9H_{16}^+$	C_9H_{16} (Bicyclo[6.1.0]nonane, <i>trans</i> -) (RN-CAS Registry Number 39124-79-3)	**	9.36 (V)	PE	3849
$C_9H_{18}^+$	$CH_3(CH_2)_3C(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 3074-64-4)	**	8.145 ± 0.005	PE	3957
$C_9H_{18}^+$	$C_2H_5CH_2C(CH_3)=C(CH_3)C_2H_5$ (RN-CAS Registry Number 3074-67-7)	**	8.077 ± 0.005	PE	3957
$C_9H_{18}^+$	$(C_2H_5)_2C=C(CH_3)C_2H_5$ (RN-CAS Registry Number 50787-13-8)	**	8.128 ± 0.005	PE	3957
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.1	PI	3586
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.13	PE	3637
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS-Registry Number 91-20-3)	**	8.15	PE	4066
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.15	PE	3638
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.15	PE	3668
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.15 (V)	PE	3781
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.15 (V)	PE	3898
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.25 ± 0.01	RPD	3588
$C_{10}H_8^+$	$C_{10}H_8$ (Naphthalene) (RN-CAS Registry Number 91-20-3)	**	8.12	CTS	3922
$C_{10}H_{10}^+$	$C_6H_5CH=CHCH=CH_2$ (Benzene, 1,3-butadienyl-, (E)-) (RN-CAS Registry Number 16939-57-4)	**	7.95	PE	3892

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{10}^+$	CH ₂ =C(C ₆ H ₅)CH=CH ₂ (Benzene, (1-methylene-2-propenyl)-) (RN-CAS Registry Number 2288-18-8)	**	8.57	PE	3892
$C_{10}H_{10}^+$	C ₉ H ₈ =CH ₂ (Bicyclo[4.2.1]nona-2,4,7-triene, 9-methylene-) (RN-CAS Registry Number 38898-39-4)	**	8.25 (V)	PE	4094
$C_{10}H_{10}^+$	C ₁₀ H ₁₀ (Cyclopenta[cd]pentalene, 2a,4a,6a,6b-tetrahydro-) (RN-CAS Registry Number 6053-74-3) (ON-Other name: Triquinacene)	**	9.0 (V)	PE	4004
$C_{10}H_{10}^+$	C ₉ H ₈ (=CH ₂) (1 <i>H</i> -Indene, 2,3-dihydro-1-methylene-) (RN-CAS Registry Number 1194-56-5)	**	8.00±0.02	PE	3854
$C_{10}H_{10}^+$	C ₁₀ H ₁₀ (1,2,3-Metheno-1 <i>H</i> -dicycloprop[cd,hi]indene, octahydro-) (RN-CAS Registry Number 33840-23-2) (ON-Other name: Diademane)	**	8.50 (V)	PE	3849
$C_{10}H_{10}^+$	(C ₅ H ₅) ₂ Fe (Ferrocene) (RN-CAS Registry Number 102-54-5) (PC-Appearance potential of the corresponding metastable transition)	Fe	13.8±0.5	EI	3628
$C_{10}H_{10}^+$	(C ₅ H ₅) ₂ Fe (Ferrocene) (RN-CAS Registry Number 102-54-5) (MT-Metastable transition(s) observed)	Fe	13.96±0.10	EI	3628
$C_{10}H_{10}^+$	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9) (PC-Appearance potential of the corresponding metastable transition)	Ni	13.3±0.5	EI	3628
$C_{10}H_{12}^+$	C ₆ H ₃ (CH ₃) ₂ CH=CH ₂ (Benzene, 1-ethenyl-2,4-dimethyl-) (RN-CAS Registry Number 2234-20-0)	**	8.22 (V)	PE	3964
$C_{10}H_{12}^+$	C ₆ H ₃ (CH ₃) ₂ CH=CH ₂ (Benzene, 2-ethenyl-1,3-dimethyl-) (RN-CAS Registry Number 2039-90-9)	**	8.10±0.02	PE	3854
$C_{10}H_{12}^+$	C ₆ H ₃ (CH ₃) ₂ CH=CH ₂ (Benzene, 2-ethenyl-1,3-dimethyl-) (RN-CAS Registry Number 2039-90-9)	**	8.48 (V)	PE	3964
$C_{10}H_{12}^+$	C ₆ H ₃ (CH ₃) ₂ CH=CH ₂ (Benzene, 2-ethenyl-1,4-dimethyl-) (RN-CAS Registry Number 2039-89-6)	**	8.00±0.02	PE	3854
$C_{10}H_{12}^+$	C ₆ H ₅ CH=C(CH ₃) ₂ (Benzene, (2-methyl-1-propenyl)-) (RN-CAS Registry Number 768-49-0)	**	7.78±0.04	RPD	4097
$C_{10}H_{12}^+$	C ₇ H ₆ =C(CH ₃) ₂ (Bicyclo[2.2.1]hepta-2,5-diene, 7-(1-methylethylidene)-) (RN-CAS Registry Number 36456-22-1)	**	7.97	PE	3687
$C_{10}H_{12}^+$	C ₉ H ₉ CH ₃ (1 <i>H</i> -Indene, 2,3-dihydro-1-methyl-) (RN-CAS Registry Number 767-58-8)	**	8.47	CTS	3546

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{12}^+$	$C_{10}H_{12}$ (Naphthalene, 1,2,3,4-tetrahydro-) (RN-CAS-Registry Number 119-64-2)	**	8.44 (V)	PE	4063
$C_{10}H_{12}^+$	$C_{10}H_{12}$ (Naphthalene, 1,2,3,4-tetrahydro-) (RN-CAS Registry Number 119-64-2)	**	8.45 ± 0.02 (V)	PE	3854
$C_{10}H_{12}^+$	$C_{10}H_{12}$ (Naphthalene, 1,2,3,4-tetrahydro-) (RN-CAS Registry Number 119-64-2)	**	8.47	CTS	3546
$C_{10}H_{12}^+$	$C_{10}H_{12}$ (Tricycloprop[<i>cd,f,hi</i>]indene, decahydro-, (1 α ,1 β ,1 γ ,2 α ,2 β ,2 γ ,2 δ ,2 ϵ)-) (RN-CAS Registry Number 50895-59-5) (ON-Other name: Pentacyclo[3.3.2.0 ^{2,9} .0 ^{4,10} .0 ^{6,8}]decane)	**	8.78 (V)	PE	3849
$C_{10}H_{14}^+$	$C_6H_4(C_2H_5)_2$ (Benzene, 1,2-diethyl-) (RN-CAS-Registry Number 135-01-3)	**	8.51 (V)	PE	4063
$C_{10}H_{14}^+$	$C_6H_4(C_2H_5)_2$ (Benzene, 1,2-diethyl-) (RN-CAS Registry Number 135-01-3)	**	8.51	CTS	3546
$C_{10}H_{14}^+$	$C_6H_5C(CH_3)_3$ (Benzene, (1,1-dimethylethyl-) (RN-CAS Registry Number 98-06-6)	**	8.64	CTS	3922
$C_{10}H_{14}^+$	$C_6H_2(CH_3)_4$ (Benzene, 1,2,3,5-tetramethyl-) (RN-CAS Registry Number 527-53-7)	**	8.3 ± 0.03 (V)	PE	3713
$C_{10}H_{14}^+$	$C_6H_2(CH_3)_4$ (Benzene, 1,2,4,5-tetramethyl-) (RN-CAS Registry Number 95-93-2)	**	8.2	CTS	3543
$C_{10}H_{14}^+$	$C_7H_8=C(CH_3)_2$ (Bicyclo[2.2.1]hept-2-ene, 7-(1-methylethylidene)-) (RN-CAS Registry Number 14995-50-7)	**	8.27	PE	3687
$C_{10}H_{15}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	CH ₃	9.5 ± 0.1	PI	3918
$C_{10}H_{15}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 α ,3 α ,4 α ,7 α ,7 β)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	CH ₃	10.1 ± 0.1	PI	3918
$C_{10}H_{15}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	CH ₃	9.6 ± 0.1	PE	3918
$C_{10}H_{15}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)		9.9 ± 0.1	PI	3918
$C_{10}H_{16}^+$	$C_9H_{14}=CH_2$ (Bicyclo[4.2.1]nonane, 9-methylene-) (RN-CAS Registry Number 40916-48-1)	**	9.0 (V)	PE	4094

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}^+$	$(C_3H_5)_2C=C(CH_3)_2$ (Cyclopropane, 1,1'-(2-methyl-1-propenylidene)bis-) (RN-CAS Registry Number 27720-84-9)	**	7.82	PI	3759
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (4,7-Methano-1 <i>H</i> -indene, octahydro-, (3 α ,4 β ,7 β ,7 α)-) (RN-CAS Registry Number 2825-82-3) (ON-Other name: <i>exo</i> -Tricyclo[5.2.1.0 ^{2,6}]decane)	**	9.35 \pm 0.05	PI	3918
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane (RN-CAS Registry Number 281-23-2)	**	9.30 \pm 0.01	S	3757
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.1 \pm 0.05	PE	3855
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.22	PE	3907
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo [3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.23	PE	3886
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.28 \pm 0.1	PE	3851
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.31 \pm 0.01	PE	3757
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.55 (V)	PE	3990
$C_{10}H_{16}^+$	$C_{10}H_{16}$ (Tricyclo[3.3.1.1 ^{3,7}]decane (RN-CAS Registry Number 281-23-2) (ON-Other name: Adamantane)	**	9.75 (V)	PE	4000
$C_{10}H_{20}^+$	$CH_3(CH_2)_3C(C_2H_5)=C(CH_3)_2$ (RN-CAS Registry Number 19780-61-1)	**	8.101 \pm 0.005	PE	3957
$C_{10}H_{20}^+$	$CH_3(CH_2)_4C(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 19781-18-1)	**	8.132 \pm 0.005	PE	3957
$C_{10}H_{20}^+$	$(CH_3)_3CCH_2C(CH_3)=C(CH_3)_2$ (RN-CAS Registry Number 33175-59-6)	**	8.097 \pm 0.005	PE	3957
$C_{10}H_{20}^+$	(<i>tert</i> -C ₄ H ₉) ₂ C=CH ₂ (RN-CAS Registry Number 5857-68-1)	**	8.795 \pm 0.008	PE	3957
$C_{10}H_{20}^+$	<i>cis</i> -(CH ₃) ₃ CCH=CHC(CH ₃) ₃ (RN-CAS Registry Number 692-47-7)	**	8.695 \pm 0.010	PE	3957
$C_{10}H_{20}^+$	<i>cis</i> -(CH ₃) ₃ CCH=CHC(CH ₃) ₃ (RN-CAS Registry Number 692-47-7)	**	8.95 (V)	PE	4084
$C_{10}H_{20}^+$	<i>cis</i> -5-C ₁₀ H ₂₀ (RN-CAS Registry Number 7433-78-5)	**	8.766 \pm 0.005	PE	3957

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{20}^+$	<i>trans</i> -(CH ₃) ₃ CCH=CHC(CH ₃) ₃ ** (RN-CAS Registry Number 692-48-8)		8.741±0.008	PE	3957
$C_{10}H_{20}^+$	<i>trans</i> -(CH ₃) ₃ CCH=CHC(CH ₃) ₃ ** (RN-CAS Registry Number 692-48-8)		8.89 (V)	PE	4084
$C_{10}H_{20}^+$	<i>trans</i> -5-C ₁₀ H ₂₀ ** (RN-CAS Registry Number 7433-56-9)		8.760±0.005	PE	3957
$C_{11}H_9^+$	C ₆ H ₅ C≡CCH=CHCH ₂ Cl (Benzene, (5-chloro-3-penten-1-ynyl)-, (<i>E</i>)-) (RN-CAS Registry Number 40316-56-1)		8.95±0.05	EI	4044
$C_{11}H_9^+$	C ₁₀ H ₇ CH ₂ Cl (Naphthalene, 1-(chloromethyl)-) (RN-CAS Registry Number 86-52-2)		11.21±0.05	EI	4044
$C_{11}H_9^+$	C ₁₀ H ₇ CH ₂ Cl (Naphthalene, 2-(chloromethyl)-) (RN-CAS Registry Number 2506-41-4)		11.15±0.05	EI	4044
$C_{11}H_{10}^+$	C ₁₁ H ₁₀ ** (Bicyclo[4.4.1]undeca-1,3,5,7,9-pentaene) (RN-CAS Registry Number 2443-46-1)		7.90 (V)	PE	3953
$C_{11}H_{10}^+$	C ₁₀ H ₇ CH ₃ ** (Naphthalene, 1-methyl-) (RN-CAS Registry Number 90-12-0)		7.95 (V)	PE	3685
$C_{11}H_{10}^+$	C ₁₀ H ₇ CH ₃ ** (Naphthalene, 1-methyl-) (RN-CAS Registry Number 90-12-0)		7.80±0.03	RPD	3588
$C_{11}H_{10}^+$	C ₁₀ H ₇ CH ₃ ** (Naphthalene, 1-methyl-) (RN-CAS Registry Number 90-12-0)		7.98	CTS	3758
$C_{11}H_{10}^+$	C ₁₀ H ₇ CH ₃ ** (Naphthalene, 2-methyl-) (RN-CAS Registry Number 91-57-6)		7.93 (V)	PE	3685
$C_{11}H_{10}^+$	C ₁₀ H ₇ CH ₃ ** (Naphthalene, 2-methyl-) (RN-CAS Registry Number 91-57-6)		8.10±0.03	RPD	3588
$C_{11}H_{10}^+$	(C ₆ H ₅) ₂ S (Benzene, 1,1'-thiobis-) (RN-CAS Registry Number 139-66-2)	CS	12.57±0.1	EI	3817
$C_{11}H_{12}^+$	C ₁₀ H ₁₀ (=CH ₂) ** (Naphthalene, 1,2,3,4-tetrahydro-1-methylene-) (RN-CAS Registry Number 25108-63-8)		7.90±0.02 (V)	PE	3854
$C_{11}H_{14}^+$	C ₆ H ₂ (CH ₃) ₃ CH=CH ₂ ** (Benzene, 2-ethenyl-1,3,5-trimethyl-) (RN-CAS Registry Number 769-25-5)		8.33 (V)	PE	3964
$C_{11}H_{14}^+$	C ₁₁ H ₁₄ ** (5 <i>H</i> -Benzocycloheptene, 6,7,8,9-tetrahydro-) (RN-CAS Registry Number 1075-16-7)		8.40±0.02 (V)	PE	3854
$C_{11}H_{14}^+$	C ₁₁ H ₁₄ ** (5 <i>H</i> -Benzocycloheptene, 6,7,8,9-tetrahydro-) (RN-CAS-Registry Number 1075-16-7)		8.44 (V)	PE	4063

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{14}^+$	$C_9H_8(CH_3)_2$ (Indan, 1,1-dimethyl) (RN-CAS Registry Number 4912-92-9)	**	8.47	CTS	3546
$C_{11}H_{14}^+$	$C_9H_8(CH_3)_2$ (1 <i>H</i> -Indene, 2,3-dihydro-2,2-dimethyl-) (RN-CAS Registry Number 20836-11-7)	**	8.47	CTS	3546
$C_{11}H_{14}^+$	$C_8H_8=C(CH_3)_2$ (Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, 8-(1-methylethylidene)-, <i>endo</i> -) (RN-CAS Registry Number XXXXX-XX-X)	**	7.9	PE	3687
$C_{11}H_{16}^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-3-methyl-) (RN-CAS Registry Number 1595-04-6)	**	8.42±0.1	EI	3629
$C_{11}H_{16}^+$	$C_6H_4(CH_3)C_4H_9$ (Benzene, 1-butyl-4-methyl-) (RN-CAS Registry Number 1595-05-7)	**	8.35±0.1	EI	3629
$C_{11}H_{16}^+$	$C_6H(CH_3)_5$ (Benzene, pentamethyl-) (RN-CAS Registry Number 700-12-9)	**	7.9	CTS	3543
$C_{11}H_{16}^+$	$(C_3H_5)_2C=CHC_3H_5$ (Cyclopropane, 1,1',1''-(1-ethenyl-2-ylidene)tris-) (RN-CAS Registry Number 23603-63-6)	**	7.48	PI	3759
$C_{11}H_{16}^+$	$C_{10}H_{14}(=CH_2)$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 2-methylene-) (RN-CAS Registry Number 875-72-9) (ON-Other name: Methyleneadamantane)		8.82	PE	3886
$C_{11}H_{16}^+$	$C_8H_{10}=C(CH_3)_2$ (Tricyclo[3.2.1.0 ^{2,4}]octane, 8-(1-methylethylidene)-, <i>endo</i> -) (RN-CAS Registry Number XXXXX-XX-X)	**	8.18	PE	3687
$C_{11}H_{17}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 <i>α</i> ,4 <i>β</i> ,5 <i>α</i> ,7 <i>β</i> ,7 <i>α</i>)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	CH ₃	10.0±0.1	PI	3918
$C_{11}H_{18}^+$	$C_{10}H_{15}CH_3$ (RN-CAS Registry Number XXXXX-XX-X) (ON-Other name: 2-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	**	9.35±0.05	PI	3918
$C_{11}H_{18}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-2-methyl-, (2 <i>α</i> ,3 <i>αβ</i> ,4 <i>α</i> ,7 <i>α</i> ,7 <i>αβ</i>)-) (RN-CAS Registry Number 50745-90-9) (ON-Other name: <i>cis</i> -4-Methyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	**	9.35±0.05	PI	3918
$C_{11}H_{18}^+$	$C_{10}H_{15}CH_3$ (4,7-Methano-1 <i>H</i> -indene, octahydro-8-methyl-, stereoisomer) (RN-CAS Registry Number 50745-92-1) (ON-Other name: <i>anti</i> -10-Methyl- <i>endo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	**	9.35±0.05	PI	3918
$C_{11}H_{18}^+$	$C_{10}H_{15}CH_3$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 1-methyl-) (RN-CAS Registry Number 768-91-2) (ON-Other name: 1-Methyladamantane)	**	9.17±0.02	PE	3886

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{20}^+$	$(tert-C_4H_9)_2C=C=CH_2$ (RN-CAS Registry Number 22585-31-5)	**	8.55 (V)	PE	4019
$C_{11}H_{22}^+$	$C_2H_5CH_2C(C_2H_5)=C(C_2H_5)_2$ (RN-CAS Registry Number 50787-14-9)	**	8.041 ± 0.020	PE	3957
$C_{12}H_8^+$	$C_{12}H_8$ (Biphenylene) (RN-CAS Registry Number 259-79-0)	**	7.53 ± 0.05	PE	3684
$C_{12}H_8^+$	$C_{12}H_8$ (Biphenylene) (RN-CAS Registry Number 259-79-0)	**	7.60 ± 0.02 (V)	PE	3702
$C_{12}H_{10}^+$	$(C_6H_5)_2$ (1,1'-Biphenyl) (RN-CAS Registry Number 92-52-4)	**	7.95 ± 0.02	PE	3702
$C_{12}H_{10}^+$	$(C_6H_5)_2$ (1,1'-Biphenyl) (RN-CAS Registry Number 92-52-4)	**	8.35	CTS	3577
$C_{12}H_{10}^+$	$C_{12}H_{10}$ (Cyclopent[cd]azulene, 2a, 8b-dihydro-) (RN-CAS Registry Number 38310-40-6)	**	7.46 (V)	PE	4008
$C_{12}H_{10}^+$	$C_{12}H_{10}$ (4a, 8a-Ethenonaphthalene) (RN-CAS Registry Number 19539-78-7)	**	8.1 (V)	PE	4006
$C_{12}H_{12}^+$	$C_{12}H_{12}$ (4a, 8a-Ethenonaphthalene, 1,4-dihydro-) (RN-CAS Registry Number 38310-32-6)	**	8.0 (V)	PE	4006
$C_{12}H_{14}^+$	$C_{11}H_{12}(=CH_2)$ (5H-Benzocycloheptene, 6,7,8,9-tetrahydro-5-methylene-) (RN-CAS Registry Number 40562-09-2)	**	8.45 ± 0.02 (V)	PE	3854
$C_{12}H_{14}^+$	$C_{12}H_{14}$ (4a, 8a-Ethenonaphthalene, 1,2,3,4-tetrahydro-) (RN-CAS Registry Number 24139-33-1)	**	8.0 (V)	PE	4006
$C_{12}H_{14}^+$	$C_{12}H_{14}$ (4a, 8a-Ethenonaphthalene, 1,4,5,8-tetrahydro-) (RN-CAS Registry Number 20295-17-4)	**	8.7 (V)	PE	4006
$C_{12}H_{16}^+$	$C_6H_5CH=CHC(CH_3)_3$ (Benzene, (3,3-dimethyl-1-butenyl)-, (E)-) (RN-CAS Registry Number 3846-66-0)	**	7.80 ± 0.04	RPD	4097
$C_{12}H_{16}^+$	$C_6H_5CH=CHC(CH_3)_3$ (Benzene, (3,3-dimethyl-1-butenyl)-, (Z)-) (RN-CAS Registry Number 3740-05-4)	**	8.29 ± 0.04	RPD	4097
$C_{12}H_{16}^+$	$C_6H_5C(C(CH_3)_3)=CH_2$ (Benzene, (2,2-dimethyl-1-methylenepropyl)-) (RN-CAS Registry Number 5676-29-9)	**	8.25 ± 0.04	RPD	4097
$C_{12}H_{16}^+$	$C_{12}H_{16}$ (Benzocyclooctene, 5,6,7,8,9,10-hexahydro-) (RN-CAS-Registry Number 1076-69-3)	**	8.42 (V)	PE	4063

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{16}^+$	$C_{12}H_{16}$ (4a, 8a-Ethenonaphthalene, 1,2,3,4,5,8-hexahydro-) (RN-CAS Registry Number 24139-32-0)	**	8.9 (V)	PE	4006
$C_{12}H_{18}^+$	$C_6(CH_3)_6$ (Benzene, hexamethyl-) (RN-CAS Registry Number 87-85-4)	**	7.8	CTS	3543
$C_{12}H_{18}^+$	$C_{12}H_{18}$ (4a, 8a-Ethenonaphthalene, 1,2,3,4,5,6,7,8-octahydro-) (RN-CAS Registry Number 38992-78-8)	**	9.05 (V)	PE	4006
$C_{12}H_{18}^+$	$C_6(CH_3)_6Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8)		8.55 ± 0.1	EI	3788
$C_{12}H_{20}^+$	$C_{10}H_{15}C_2H_5$ (4,7-Methano-1 <i>H</i> -indene, 5-ethyloctahydro-, (3 α ,4 β ,5 α ,7 β ,7 α)-) (RN-CAS Registry Number 32787-97-6) (ON-Other name: <i>endo</i> -8-Ethyl- <i>exo</i> -tricyclo[5.2.1.0 ^{2,6}]decane)	**	9.35 ± 0.05	PI	3918
$C_{12}H_{24}^+$	<i>cis</i> -(CH_3) ₃ CCH ₂ C(CH_3)=CHC(CH_3) ₃ ** (RN-CAS Registry Number 27656-50-4)	**	8.346 ± 0.005	PE	3957
$C_{13}H_9^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-) (RN-CAS Registry Number 832-64-4) (MT-Metastable transition(s) observed)	C_2H_3	12.7 ± 0.1	EI	3454
$C_{13}H_9^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)		12.4 ± 0.1	EI	3454
$C_{13}H_9^+$	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-) (RN-CAS Registry Number 31158-25-5)		13.0 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS Registry Number 21113-55-3)		13.3 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_7(CH_3)(C_6H_5)_2$ (Cyclohexene, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-48-8)		13.4 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS Registry Number 32812-65-0)		13.2 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-50-2)		13.4 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)(C_6H_5)_2$ (2-Cyclohexen-1-one, 4,4-diphenyl-) (RN-CAS Registry Number 4528-64-7)		14.4 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		13.8 ± 0.4	EI	4018

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_9^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS Registry Number 4528-68-1)		14.4 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS Registry Number 50592-49-9)		14.0 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		14.1 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)		13.9 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-53-5)		13.4 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		13.6 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		13.6 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-) (RN-CAS Registry Number 50592-51-3)		13.7 ± 0.4	EI	4018
$C_{13}H_9^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		13.3 ± 0.4	EI	4018
$C_{13}H_{10}^+$	$C_{13}H_{10}$ (Fluorene) (RN-CAS Registry Number 86-73-7)	**	7.93 ± 0.02 (V)	PE	3702
$C_{13}H_{11}^+$	$(C_6H_5)_3CH$ (Benzene, 1,1',1''-methylidynetris-) (RN-CAS-Registry Number 519-73-3)	C_6H_5	10.9	PI	4055
$C_{13}H_{11}^+$	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-) (RN-CAS Registry Number 101-53-1)	OH	11.0 ± 0.2	EI	3807
$C_{13}H_{11}^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-) (RN-CAS Registry Number 834-14-0)	OCH_3	11.6 ± 0.1	EI	3807
$C_{13}H_{11}^+$	$C_6H_5CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(phenylmethyl)-) (RN-CAS Registry Number 1817-77-2)	NO_2	10.5 ± 0.1	EI	3807
$C_{13}H_{12}^+$	$(C_6H_5)_2CH_2$ (Benzene, 1,1'-methylenebis-) (RN-CAS Registry Number 101-81-5)	**	8.80 ± 0.02 (V)	PE	3854
$C_{13}H_{12}^+$	$(C_6H_5)_2CH_2$ (Benzene, 1,1'-methylenebis-) (RN-CAS Registry Number 101-81-5)	**	9.00 ± 0.05	EI	3806

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{12}^+$	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 2-methyl-) (RN-CAS Registry Number 643-58-3)	**	8.10 ± 0.02	PE	3702
$C_{13}H_{12}^+$	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 3-methyl-) (RN-CAS Registry Number 643-93-6)	**	7.95 ± 0.02	PE	3702
$C_{13}H_{12}^+$	$C_6H_5C_6H_4CH_3$ (1,1'-Biphenyl, 4-methyl-) (RN-CAS Registry Number 644-08-6)	**	7.80 ± 0.02	PE	3702
$C_{13}H_{14}^+$	$C_{13}H_{14}$ (1,2,4-Ethanylylidene-1 <i>H</i> -cyclobuta[<i>cd</i>]pentalene, octahydro-5,7-bis (methylene)-) (RN-CAS Registry Number 42607-62-5) (ON-Other name: 8,11-Dimethylene-pentacyclo[5.4.0.0 ^{2,6} .0 ^{3,10} .0 ^{5,9}]tridecane)	**	8.50	PE	4036
$C_{13}H_{16}^+$	$C_{13}H_{16}$ (Bicyclo[5.4.2]trideca-7,9,11,12-tetraene) (RN-CAS Registry Number XXXXX-XX-X)	**	8.2 (V)	PE	3999
$C_{13}H_{16}^+$	$C_{13}H_{16}$ (1,2,4-Ethanylylidene-1 <i>H</i> -cyclobuta[<i>cd</i>]pentalene, octahydro-5-methyl-7-methylene-, (1 α ,1 $\alpha\beta$,2 α ,3 $\alpha\beta$,4 α ,5 α ,5 $\alpha\beta$,5 β)-) (RN-CAS Registry Number 42607-64-7)	**	9.10	PE	4036
$C_{13}H_{26}^+$	$((CH_3)_3C)_2C=CHCH(CH_3)_2$ (RN-CAS Registry Number 50787-12-7)	**	8.307 ± 0.008	PE	3957
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7) (RS-Average of two Rydberg series limits)	**	7.47	S	3857
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.4	PI	3586
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.40	PI	3877
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.40	PE	3668
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.40 (V)	PE	3896
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.41 ± 0.05	PE	3684
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.47 ± 0.01	PE	3644
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.47 ± 0.01	PE	3657

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.35	CTS	3577
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Anthracene) (RN-CAS Registry Number 120-12-7)	**	7.4	CTS	3543
$C_{14}H_{10}^+$	$C_6H_5C\equiv CC_6H_5$ (Benzene, 1,1'-(1,2-ethynediyl)bis-) (RN-CAS Registry Number 501-65-5)	**	7.90 ± 0.02	PE	3854
$C_{14}H_{10}^+$	$C_6H_5C\equiv CC_6H_5$ (Benzene, 1,1'-(1-2-ethynediyl)bis-) (RN-CAS Registry Number 501-65-5)	**	8.0 ± 0.05	PE	3684
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Phenanthrene) (RN-CAS Registry Number 85-01-8)	**	7.86 ± 0.01	PE	3644
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Phenanthrene) (RN-CAS Registry Number 85-01-8)	**	7.92 ± 0.02 (V)	PE	3702
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Phenanthrene) (RN-CAS Registry Number 85-01-8)	**	7.92 ± 0.05	PE	3684
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Phenanthrene) (RN-CAS Registry Number 85-01-8)	**	8.03 ± 0.01	RPD	3588
$C_{14}H_{10}^+$	$C_{14}H_{10}$ (Phenanthrene) (RN-CAS Registry Number 85-01-8)	**	8.25	CTS	3577
$C_{14}H_{10}^+$	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-) (RN-CAS Registry Number 31158-25-5)		10.4 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS Registry Number 21113-55-3)		10.8 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS Registry Number 32812-65-0)		10.2 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-50-2)		9.3 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		10.7 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS Registry Number 4528-68-1)		13.2 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS Registry Number 50592-49-9)		9.6 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		10.3 ± 0.4	EI	4018

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{10}^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)		10.5 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		10.2 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		10.0 ± 0.4	EI	4018
$C_{14}H_{10}^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		10.5 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_5CH=CHC_6H_5$ (Benzene, 1,1'-(1,2-ethenediyl)bis-, (E)) (RN-CAS Registry Number 103-30-0)	**	7.70 ± 0.02	PE	3854
$C_{14}H_{12}^+$	$C_6H_5CH=CHC_6H_5$ (Benzene, 1,1'-(1,2-ethenediyl)bis-, (E)-) (RN-CAS Registry Number 103-30-0)	**	7.76	PE	3657
$C_{14}H_{12}^+$	$C_6H_5CH=CHC_6H_5$ (Benzene, 1,1'-(1,2-ethenediyl)bis-, (Z)) (RN-CAS Registry Number 645-49-8)	**	7.80 ± 0.02	PE	3854
$C_{14}H_{12}^+$	$C_{14}H_{12}$ (Benzene, 1,1'-(1,2-ethenediyl)bis-) (RN-CAS Registry Number 588-59-0)	**	7.5	PI	3586
$C_{14}H_{12}^+$	$C_6H_5CH=CHC_6H_5$ (Benzene, 1,1'-(1,2-ethenediyl)bis-) (RN-CAS Registry Number 588-59-0)	**	7.9	CTS	3577
$C_{14}H_{12}^+$	$(C_6H_5)_2C=CH_2$ (Benzene, 1,1'-ethenylidenebis-) (RN-CAS Registry Number 530-48-3)	**	8.00 ± 0.02	PE	3854
$C_{14}H_{12}^+$	$C_{14}H_{12}$ (Phenanthrene, 9,10-dihydro-) (RN-CAS Registry Number 776-35-2)	**	7.55 ± 0.02	PE	3702
$C_{14}H_{12}^+$	$C_6H_8(C_6H_5)_2$ (Benzene, 1,1'-(2-cyclohexen-1-ylidene)bis-) (RN-CAS Registry Number 31158-25-5)		9.8 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS Registry Number 21113-55-3)		9.8 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_7(CH_3)(C_6H_5)_2$ (Cyclohexene, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-48-8)		9.8 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS Registry Number 32812-65-0)		10.1 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-50-2)		9.5 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		9.5 ± 0.4	EI	4018

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{12}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS Registry Number 4528-68-1)		10.0 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS Registry Number 50592-49-9)		10.0 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		10.4 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)		10.1 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-53-5)		9.9 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		10.3 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		10.5 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_6(=O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-) (RN-CAS Registry Number 50592-51-3)		10.1 ± 0.4	EI	4018
$C_{14}H_{12}^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		10.0 ± 0.4	EI	4018
$C_{14}H_{14}^+$	$C_6H_5CH_2CH_2C_6H_5$ (Benzene, 1,1'-(1,2-ethanediyl)bis-) (RN-CAS Registry Number 103-29-7)	**	9.00 ± 0.05	EI	3806
$C_{14}H_{14}^+$	$(C_6H_4CH_3)_2$ (1,1'-Biphenyl, 2,2'-dimethyl-) (RN-CAS Registry Number 605-39-0)	**	8.05 ± 0.02	PE	3702
$C_{14}H_{14}^+$	$(C_6H_4CH_3)_2$ (1,1'-Biphenyl, 3,3'-dimethyl-) (RN-CAS Registry Number 612-75-9)	**	7.85 ± 0.02	PE	3702
$C_{14}H_{14}^+$	$C_6H_5C_6H_4C_2H_5$ (1,1'-Biphenyl, 2-ethyl-) (RN-CAS Registry Number 1812-51-7)	**	8.55 ± 0.02 (V)	PE	3702
$C_{14}H_{16}^+$	$C_{10}H_7(CH_2)_3CH_3$ (Naphthalene, 1-butyl-) (RN-CAS Registry Number 1634-09-0)	**	7.76	PE	3960
$C_{14}H_{28}^+$	$((CH_3)_3C)_2C=CHC(CH_3)_3$ (RN-CAS Registry Number 28923-90-2)	**	8.169 ± 0.012	PE	3957
$C_{15}H_9^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-) (RN-CAS Registry Number 832-64-4)	$H_2 + H$	14.4 ± 0.1	EI	3454

(MT—Metastable transition(s) observed)

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_9^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-) (RN-CAS Registry Number 1576-69-8)		17.6 ± 0.1	EI	3454
$C_{15}H_9^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)		15.1 ± 0.1	EI	3454
$C_{15}H_9^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-) (RN-CAS Registry Number 7396-38-5)	3CH ₃	14.5 ± 0.1	EI	3454
(MT-Metastable transition(s) observed)					
$C_{15}H_9^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-) (RN-CAS Registry Number 7343-06-8)	3CH ₃	16.5 ± 0.1	EI	3454
(MT-Metastable transition(s) observed)					
$C_{15}H_{11}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-) (RN-CAS Registry Number 832-64-4)	H	12.0 ± 0.1	EI	3454
$C_{15}H_{11}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-) (RN-CAS Registry Number 1576-69-8)	CH ₃	13.5 ± 0.1	EI	3454
$C_{15}H_{11}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)	CH ₃	10.8 ± 0.1	EI	3454
(MT-Metastable transition(s) observed)					
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 1-methyl-) (RN-CAS Registry Number 832-69-9)	**	7.7 ± 0.03	RPD	3588
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 2-methyl-) (RN-CAS Registry Number 2531-84-2)	**	7.9 ± 0.04	RPD	3588
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 3-methyl-) (RN-CAS Registry Number 832-71-3)	**	7.68 ± 0.01	RPD	3588
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-) (RN-CAS Registry Number 832-64-4)	**	7.70 ± 0.02	RPD	3588
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 4-methyl-) (RN-CAS Registry Number 832-64-4)	**	7.1 ± 0.1	EI	3454
$C_{15}H_{12}^+$	$C_{14}H_9CH_3$ (Phenanthrene, 9-methyl-) (RN-CAS Registry Number 883-20-5)	**	7.46 ± 0.03	RPD	3588
$C_{15}H_{13}^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS Registry Number 21113-55-3)		10.3 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS Registry Number 32812-65-0)		10.6 ± 0.4	EI	4018

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{13}^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-50-2)		10.3 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		9.7 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS Registry Number 4528-68-1)		10.5 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS Registry Number 50592-49-9)		10.8 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		10.3 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)		10.1 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-53-5)		10.3 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_{10}H_{11}(=O)(CH_3)(C_6H_5)_2$ (2(3 <i>H</i>)-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-) (RN-CAS Registry Number 50786-03-3)		9.9 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		10.5 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		10.6 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_6(=O)(C_6H_5)=CHS(CH_2)_3CH_3$ (Cyclohexanone, 6-[(butylthio)methylene]-2,2-diphenyl-) (RN-CAS Registry Number 50592-51-3)		10.8 ± 0.4	EI	4018
$C_{15}H_{13}^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		10.6 ± 0.4	EI	4018
$C_{15}H_{14}^+$	$C_{13}H_8(CH_3)_2$ (9 <i>H</i> -Fluorene, 9,9-dimethyl-) (RN-CAS Registry Number 4569-45-3)	**	7.8 (V)	PE	4081
$C_{15}H_{16}^+$	$C_6H_5C_6H_4CH(CH_3)_2$ (1,1'-Biphenyl, 2-isopropyl-) (RN-CAS Registry Number 19486-60-3)	**	8.50 ± 0.02 (V)	PE	3702
$C_{15}H_{16}^+$	$C_6H_5C_6H_4C_3H_7$ (1,1'-Biphenyl, 2-propyl-) (RN-CAS Registry Number 20282-28-4)	**	8.50 ± 0.02 (V)	PE	3702
$C_{16}H_{10}^+$	$C_{16}H_{10}$ (Pyrene) (RN-CAS Registry Number 129-00-0)	**	7.41 (V)	PE	3951

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{10}^+$	$C_{16}H_{10}$ (Pyrene) (RN-CAS Registry Number 129-00-0)	**	7.45 ± 0.01	PE	3657
$C_{16}H_{10}^+$	$C_{16}H_{10}$ (Pyrene) (RN-CAS Registry Number 129-00-0)	**	7.45	CTS	3577
$C_{16}H_{10}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-) (RN-CAS Registry Number 1576-69-8)		17.7 ± 0.1	EI	3454
$C_{16}H_{10}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)		> 16	EI	3454
$C_{16}H_{11}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-) (RN-CAS Registry Number 7396-38-5) (MT-Metastable transition(s) observed)	$2CH_3 + H$	15.6 ± 0.1	EI	3454
$C_{16}H_{11}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-) (RN-CAS Registry Number 7343-06-8) (MT-Metastable transition(s) observed)	$2CH_3 + H$	14.3 ± 0.1	EI	3454
$C_{16}H_{12}^+$	$C_{10}H_7C_6H_5$ (Naphthalene, 2-phenyl-) (RN-CAS-Registry Number 612-94-2)	**	7.75	PE	4066
$C_{16}H_{12}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-) (RN-CAS Registry Number 7396-38-5) (MT-Metastable transition(s) observed)	$2CH_3$	14.0 ± 0.1	EI	3454
$C_{16}H_{12}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-) (RN-CAS Registry Number 7343-06-8) (MT-Metastable transition(s) observed)	$2CH_3$	13.5 ± 0.1	EI	3454
$C_{16}H_{13}^+$	$C_{16}H_{14}$ (Phenanthrene, 2,7-dimethyl-) (RN-CAS Registry Number 1576-69-8)	H	13.5 ± 0.1	EI	3454
$C_{16}H_{13}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)	H	12.3 ± 0.1	EI	3454
$C_{16}H_{14}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 2,7-dimethyl-) (RN-CAS Registry Number 1576-69-8)	**	8.0 ± 0.1	EI	3454
$C_{16}H_{14}^+$	$C_{14}H_8(CH_3)_2$ (Phenanthrene, 4,5-dimethyl-) (RN-CAS Registry Number 3674-69-9)	**	7.6 ± 0.1	EI	3454
$C_{16}H_{14}^+$	$C_6H_6(=O)(C_6H_5)_2$ (2-Cyclohexen-1-one, 4,4-diphenyl-) (RN-CAS Registry Number 4528-64-7)		9.3 ± 0.4	EI	4018

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{14}^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 2,2-diphenyl-) (RN-CAS Registry Number 22612-62-0)		9.6 ± 0.4	EI	4018
$C_{16}H_{14}^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 6-methyl-2,2-diphenyl-) (RN-CAS Registry Number 50592-52-4)		9.2 ± 0.4	EI	4018
$C_{16}H_{14}^+$	$C_6H_6(=O)(CH_3)_2(C_6H_5)_2$ (Cyclohexanone, 2,2-dimethyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-53-5)		9.4 ± 0.4	EI	4018
$C_{16}H_{14}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2CHO$ (Cyclohexanepropanal, 1-methyl-2-oxo-3,3-diphenyl-) (RN-CAS Registry Number XXXXX-XX-X)		9.4 ± 0.4	EI	4018
$C_{16}H_{14}^+$	$C_6H_6(=O)(CH_3)(C_6H_5)_2CH_2CH_2COCH_3$ (Cyclohexanone, 2-methyl-2-(3-oxobutyl)-6,6-diphenyl-) (RN-CAS Registry Number 50592-55-7)		9.3 ± 0.4	EI	4018
$C_{16}H_{14}^+$	$C_6H_6(=O)CH_3(C_6H_5)_2CH_2CH=C(CH_3)Cl$ (Cyclohexanone, 2-(3-chloro-2-butenyl)-2-methyl-6,6-diphenyl-) (RN-CAS Registry Number 50592-54-6)		9.1 ± 0.4	EI	4018
$C_{16}H_{16}^+$	$C_{16}H_{16}$ (Tricyclo[8.2.2.2 ^{4,7}]hexadeca-4,6,10,12,13,15-hexaene) (RN-CAS Registry Number 1633-22-2) (ON-Other name: [2.2]Paracyclophane)	**	8.08 (V)	PE	4088
$C_{16}H_{16}^+$	$C_{16}H_{16}$ (Tricyclo[9.3.1.1 ^{4,8}]hexadeca-1(15),4,6,8(16),11,13-hexaene) (RN-CAS Registry Number 2319-97-3) (ON-Other name: [2.2]Metacyclophane)	**	8.24 (V)	PE	4088
$C_{16}H_{18}^+$	$C_6H_5C_6H_4C_4H_9$ (1,1'-Biphenyl, 2-butyl-) (RN-CAS Registry Number XXXXX-XX-X)	**	8.50 ± 0.02 (V)	PE	3702
$C_{17}H_{12}^+$	$C_{17}H_{12}$ (1,1'-Spirobi[1 <i>H</i> -indene]) (RN-CAS Registry Number 165-42-4)	**	7.80 (V)	PE	4083
$C_{17}H_{15}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-) (RN-CAS Registry Number 7396-38-5) (MT-Metastable transition(s) observed)	CH_3	11.5 ± 0.1	EI	3454
$C_{17}H_{15}^+$	$C_{18}H_{18}$ (Phenanthrene, 3,4,5,6-tetramethyl-) (RN-CAS Registry Number 7343-06-8) (MT-Metastable transition(s) observed)	CH_3	11.5 ± 0.1	EI	3454
$C_{18}H_{10}^+$	$C_{18}H_{10}$ (Naphthacene) (RN-CAS Registry Number 92-24-0)	**	6.9	PI	3586
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benz[<i>a</i>]anthracene) (RN-CAS Registry Number 56-55-3)	**	7.42 (V)	PE	4039

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benz[<i>a</i>]anthracene) (RN-CAS Registry Number 56-55-3)	**	7.47 ± 0.01	PE	3644
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benz[<i>a</i>]anthracene) (RN-CAS Registry Number 56-55-3)	**	7.56 ± 0.01	PE	3657
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benz[<i>a</i>]anthracene) (RN-CAS Registry Number 56-55-3)	**	7.5	CTS	3577
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Benzo[<i>c</i>]phenanthrene) (RN-CAS Registry Number 195-19-7)	**	7.62 (V)	PE	4039
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Chrysene) (RN-CAS Registry Number 218-01-9)	**	7.60 ± 0.01	PE	3644
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Chrysene) (RN-CAS Registry Number 218-01-9)	**	7.61 (V)	PE	4039
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Chrysene) (RN-CAS Registry Number 218-01-9)	**	7.75	CTS	3577
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Naphthacene) (RN-CAS Registry Number 92-24-0)	**	7.01	PE	3668
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Naphthacene) (RN-CAS Registry Number 92-24-0)	**	7.01 (V)	PE	4039
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Tetracyclo[6.6.2.1 ^{3,13} .1 ^{6,10}]octadeca-1,3(17),4,6,8,10(18),11,13,15-nonaene) (RN-CAS Registry Number 27313-56-0) (ON-Other name: [2.2.2](1,3,5)cyclophane-1,9,17-triene)	**	8.06 (V)	PE	3647
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Tetracyclo[6.6.2.1 ^{3,13} .1.1 ^{6,10}]octadeca-1,3(17),4,6,8,10(18),11,13,15-nonane) (RN-CAS Registry Number 27313-56-0) (ON-Other name: [2.2.2](1,3,5)Cyclophane-1,9,17-triene)	**	8.06 (V)	PE	4088
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Triphenylene) (RN-CAS Registry Number 217-59-4)	**	7.84 ± 0.01	PE	3657
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Triphenylene) (RN-CAS Registry Number 217-59-4)	**	7.86 (V)	PE	4039
$C_{18}H_{12}^+$	$C_{18}H_{12}$ (Triphenylene) (RN-CAS Registry Number 217-59-4)	**	8.1	CTS	3577
$C_{18}H_{14}^+$	$C_{18}H_{14}$ (1,1':2',1''-Terphenyl) (RN-CAS Registry Number 84-15-1)	**	7.99 ± 0.01	PE	3657
$C_{18}H_{14}^+$	$C_{18}H_{14}$ (1,1':3',1''-Terphenyl) (RN-CAS Registry Number 92-06-8)	**	8.01 ± 0.01	PE	3657

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{14}^+$	$C_{18}H_{14}$ (1,1':4',1''-Terphenyl) (RN-CAS Registry Number 92-94-4)	**	7.78±0.01	PE	3657
$C_{18}H_{16}^+$	$C_{16}H_{10}(CH_3)_2$ (Pyrene, 10b,10c-dihydro-10b,10c-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 956-84-3)	**	6.7	PE	3948
$C_{18}H_{18}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 2,4,5,7-tetramethyl-) (RN-CAS Registry Number 7396-38-5)	**	7.8±0.1	EI	3454
$C_{18}H_{18}^+$	$C_{14}H_6(CH_3)_4$ (Phenanthrene, 3,4,5,6-tetramethyl-) (RN-CAS Registry Number 7343-06-8)	**	7.5±0.1	EI	3454
$C_{18}H_{18}^+$	$C_{18}H_{18}$ (Tetracyclo[6.6.2.1 ^{3,13} .1 ^{6,10}]octadeca-1,3(17),6,8,10(18),13-hexaene) (RN-CAS Registry Number 27165-88-4) (ON-Other name: [2.2.2](1,3,5)Cyclophane)	**	7.70 (V)	PE	4088
$C_{18}H_{18}^+$	$C_{18}H_{18}$ (Tetracyclo[6.6.2.1 ^{3,13} .1 ^{6,10}]octadeca-1,3(17),6,8,10(18),13-hexaene) (RN-CAS Registry Number 27165-88-4) (ON-Other name: [2.2.2](1,3,5)cyclophane)	**	7.70 (V)	PE	3647
$C_{18}H_{20}^+$	$C_6H_{10}(C_6H_5)_2$ (Benzene, 1,1'-cyclohexylidenebis-) (RN-CAS-Registry Number 21113-55-3)	**	8.9±0.2	EI	4074
$C_{19}H_{16}^+$	$(C_6H_5)_3CH$ (Benzene, 1,1',1''-methylidynetris-) (RN-CAS-Registry Number 519-73-3)	**	8.34±0.03	PI	4055
$C_{19}H_{20}^+$	$C_6H_7(CH_3)(C_6H_5)_2$ (Cyclohexene, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-48-8)	**	8.7±0.4	EI	4018
$C_{19}H_{20}^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS Registry Number 50592-47-7)	H ₂ O	9.2±0.4	EI	4018
$C_{19}H_{22}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS-Registry Number 32812-65-0)	**	8.8±0.2	EI	4074
$C_{19}H_{22}^+$	$C_6H_9(CH_3)(C_6H_5)_2$ (Benzene, 1,1'-(4-methylcyclohexylidene)bis-) (RN-CAS-Registry Number 32812-65-0)	**	8.8±0.2	EI	4074
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Benzo[<i>a</i>]pyrene) (RN-CAS Registry Number 50-32-8)	**	7.12±0.01	PE	3644
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Benzo[<i>a</i>]pyrene) (RN-CAS Registry Number 50-32-8)	**	7.39±0.01	PE	3657

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Perylene) (RN-CAS Registry Number 198-55-0)	**	6.90 ± 0.01	PE	3657
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Perylene) (RN-CAS Registry Number 198-55-0)	**	7.00 ± 0.01	PE	3644
$C_{20}H_{12}^+$	$C_{20}H_{12}$ (Perylene) (RN-CAS Registry Number 198-55-0)	**	7.1	CTS	3577
$C_{20}H_{14}^+$	$C_{14}H_9C_6H_5$ (Anthracene, 9-phenyl-) (RN-CAS Registry Number 602-55-1)	**	7.25 (V)	PE	3896
$C_{21}H_{15}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 2,2'-dimethyl-) (RN-CAS Registry Number 32834-84-7)	CH ₃	13.25	EI	3477
$C_{21}H_{15}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 3,3'-dimethyl-) (RN-CAS Registry Number 34042-82-5)	CH ₃	12.25	EI	3477
$C_{21}H_{15}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 7,7'-dimethyl-) (RN-CAS Registry Number 34003-80-0)	CH ₃	12.75	EI	3477
$C_{21}H_{15}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 8,8'-dimethyl-) (RN-CAS Registry Number 32693-05-3)	CH ₃	11.50	EI	3477
$C_{22}H_{12}^+$	$C_{22}H_{12}$ (Benzo[ghi]perylene) (RN-CAS Registry Number 191-24-2)	**	7.19 ± 0.01	PE	3644
$C_{22}H_{14}^+$	$C_{22}H_{14}$ (3,4-Benzotetraphene) (RN-CAS Registry Number XXXXX-XX-X)	**	7.35 ± 0.01	PE	3657
$C_{22}H_{14}^+$	$C_{22}H_{14}$ (Pentacene) (RN-CAS Registry Number 135-48-8)	**	6.64	PE	3668
$C_{22}H_{14}^+$	$C_{22}H_{14}$ (Pentacene) (RN-CAS Registry Number 135-48-8)	**	6.74 ± 0.01	PE	3644
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 2,2'-dimethyl-) (RN-CAS Registry Number 32834-84-7)	**	8.20	EI	3477
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 3,3'-dimethyl-) (RN-CAS Registry Number 34042-82-5)	**	8.00	EI	3477
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 7,7'-dimethyl-) (RN-CAS Registry Number 34003-80-0)	**	8.15	EI	3477

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{22}H_{18}^+$	$C_{10}H_6(CH_3)C_{10}H_6CH_3$ (1,1'-Binaphthyl, 8,8'-dimethyl-) (RN-CAS Registry Number 32693-05-3)	**	8.00	EI	3477
$C_{23}H_{26}^+$	$C_{10}H_{13}(CH_3)(C_6H_5)_2$ (Naphthalene, 1,2,3,4,4a,5,6,7-octahydro-4a-methyl-2,2-diphenyl-) (RN-CAS-Registry Number 50592-50-2)	**	8.9 ± 0.2	EI	4074
$C_{24}H_{12}^+$	$C_{24}H_{12}$ (Coronene) (RN-CAS Registry Number 191-07-1)	**	7.34 (V)	PE	3951
$C_{24}H_{12}^+$	$C_{24}H_{12}$ (Coronene) (RN-CAS Registry Number 191-07-1)	**	7.5	CTS	3577
$C_{24}H_{22}^+$	$C_{10}H_7(CH_2)_4C_{10}H_7$ (Naphthalene, 1,1'-(1,4-butanediyl)bis-) (RN-CAS Registry Number 29571-17-3)	**	7.67	PE	3960
$C_{25}H_{16}^+$	$C_{25}H_{16}$ (9,9'-Spirobi[9H-fluorene]) (RN-CAS Registry Number 159-66-0)	**	7.7 (V)	PE	4081
$C_{32}H_{14}^+$	$C_{32}H_{14}$ (Ovalene) (RN-CAS Registry Number 190-26-1)	**	6.86 ± 0.01	PE	3644
$C_6H_5Be^+$	$(C_6H_5)_2Be$ (Beryllium, diphenyl-) (RN-CAS Registry Number 22300-89-6)	C_6H_5	13.4 ± 0.2	EI	3815
$C_{12}H_{10}Be^+$	$(C_6H_5)_2Be$ (Beryllium, diphenyl-) (RN-CAS Registry Number 22300-89-6)	**	9.20 ± 0.10	EI	3815
$C_{12}H_{10}B^+$	$(C_6H_5)_3B$ (Borane, triphenyl-) (RN-CAS-Registry Number 960-71-4)	C_6H_5	10.2	PI	4055
$C_{18}H_{15}B^+$	$(C_6H_5)_3B$ (Borane, triphenyl-) (RN-CAS-Registry Number 960-71-4)	**	8.60 ± 0.03	PI	4055
N^+	N_2 (RN-CAS Registry Number 7727-37-9)	N	24.4 ± 0.25	EI	3797
N^+	NH_3 (RN-CAS Registry Number 7664-41-7)	$H_2 + H$	< 22.5	DC	3811
N^{+2}	N_2 (RN-CAS Registry Number 7727-37-9)	N	60.3 ± 2	EI	3797

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
N^{+3}	N_2 (RN-CAS Registry Number 7727-37-9) (HE-High kinetic energy ion)	N	~ 100	EI	3452
$N_2^+(X^2\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	15.5812 ± 0.0002	S	3561
$N_2^+(^2\Sigma_g^-)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	15.60 (V)	PE	4022
$N_2^+(X^2\Sigma_g^+)$	N_2 (RN-CAS-Registry Number 7727-37-9)	**	15.61	PE	4073
$N_2^+(A^2\Pi_u)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	16.695 ± 0.002	PE	3935
$N_2^+(A^2\Pi_u)$	N_2 (RN-CAS-Registry Number 7727-37-9)	**	16.73	PE	4073
$N_2^+(^2\Pi_u)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	16.98 (V)	PE	4022
$N_2^+(^2\Sigma_u)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	18.78 (V)	PE	4022
$N_2^+(B^2\Sigma_u^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	18.87 (V)	PE	3714
$N_2^+(C^2\Sigma_u^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	24.6 (V)	PE	3714
N_2^+	N_2 (RN-CAS Registry Number 7727-37-9)	**	28.2	PE	3975
$N_2^+(^2\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	35 (V)	PE	3714
N_2^+	N_2 (RN-CAS Registry Number 7727-37-9)	**	36.5	PE	3975
$N_2^+(^2\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	38.7	PE	3975
$N_2^+(^2\Sigma_u)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	28-29 (V)	PE	3714
$N_2^+(^2\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	32-33 (V)	PE	3714
$N_2^+(^2\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	36-37 (V)	PE	3714
$N_2^{+2}(X^1\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	43.3 ± 0.9	AUG	3542
$N_2^{+2}(A'^2\Sigma_u^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	46.2 ± 1.3	AUG	3542
$N_2^{+2}(A^3\Pi_g)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	47.2 ± 1.3	AUG	3542
$N_2^{+2}(c^1\Pi_g)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	49.7 ± 1.2	AUG	3542
$N_2^{+2}(d^1\Sigma_u^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	51.2 ± 1.15	AUG	3542
$N_2^{+2}(e^1\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	52.8 ± 1.15	AUG	3542
$N_2^{+2}(^1\Sigma_g^+)$	N_2 (RN-CAS Registry Number 7727-37-9)	**	96.3 ± 1.9	AUG	3542

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
N_2^{+2}	N_2 (RN-CAS Registry Number 7727-37-9)	**	43	EI	3452
N_2^{+2}	N_2^+ (RN-CAS Registry Number 13966-04-6)	**	28	EI	3452
NH^+	NH_3 (RN-CAS Registry Number 7664-41-7)	H_2	17.2	DC	3811
NH_2^+	NH_3 (RN-CAS Registry Number 7664-41-7)	H	15.0	DC	3811
NH_2^+	CH_3NH_2 (RN-CAS Registry Number 74-89-5)	CH_3	15.9	EI	3808
$NH_3^+(^2A_1)$	NH_3 (RN-CAS Registry Number 7664-41-7) (HB-Threshold value approximately corrected for hot bands)	**	10.15	PE	3719
$NH_3^+(^2E)$	NH_3 (RN-CAS Registry Number 7664-41-7)	**	14.98 ± 0.02	PE	3719
$NH_3^+(^2A_1)$	NH_3 (RN-CAS Registry Number 7664-41-7)	**	27.0 (V)	PE	3719
NH_3^+	NH_3 (RN-CAS Registry Number 7664-41-7)	**	10.2	DC	3811
$ND_3^+(^2A_1)$	ND_3 (RN-CAS Registry Number 13550-49-7) (HB-Threshold value approximately corrected for hot bands)	**	10.21	PE	3719
$ND_3^+(^2E)$	ND_3 (RN-CAS Registry Number 13550-49-7)	**	15.10 ± 0.03	PE	3719
NH_4^+	$C_2H_5NH_2$ (RN-CAS Registry Number 75-04-7) (MT-Metastable transition(s) observed) (TR-Other product(s) thermochemically reasonable)	$C_2H_2 + H$	12.72 ± 0.02	RPD	3487
NH_4^+	$(CH_3)_2NH$ (RN-CAS Registry Number 124-40-3) (MT-Metastable transition(s) observed)	$C_2H_2 + H$	14.05 ± 0.05	RPD	3487
$N_2H_4^+(^2A)$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	9.91 (V)	PE	3862
$N_2H_4^+$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	10.07	PE	3747
$N_2H_4^+(^2B)$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	10.64 (V)	PE	3862
$N_2H_4^+(^2A)$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	15.61 (V)	PE	3862
$N_2H_4^+(^2B, ^2A)$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	16.66 (V)	PE	3862
$N_2H_4^{+*}$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	24.5	PE	3715
$N_2H_4^{+*}$	N_2H_4 (RN-CAS Registry Number 302-01-2)	**	30.0	PE	3715

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{N}_3\text{H}^+(\text{}^2\text{A}')$	HN_3 (RN-CAS Registry Number 7782-79-8)	**	10.72 ± 0.02	PE	3670
$\text{N}_3\text{H}^+(\text{}^2\text{A}')$	HN_3 (RN-CAS Registry Number 7782-79-8)	**	12.24 ± 0.02 (V)	PE	3670
$\text{N}_3\text{H}^{+\ast}$	HN_3 (RN-CAS Registry Number 7782-79-8)	**	15.37 ± 0.02	PE	3670
$\text{N}_3\text{H}^{+\ast}$	HN_3 (RN-CAS Registry Number 7782-79-8)	**	16.8 ± 0.1 (V)	PE	3670
BH_6N^+	$(\text{BH}_3)(\text{NH}_3)$ (RN-CAS Registry Number xxxx-xx-x)	**	9.44 ± 0.02	PE	3699
$\text{B}_3\text{H}_6\text{N}_3^+$	$\text{B}_3\text{H}_6\text{N}_3$ (Borazine) (RN-CAS Registry Number 6569-51-3)	**	9.88	PE	3637
$\text{B}_3\text{H}_6\text{N}_3^+$	$\text{B}_3\text{H}_6\text{N}_3$ (Borazine) (RN-CAS Registry Number 6569-51-3)	**	10.09 (V)	PE	3673
$\text{B}_3\text{H}_6\text{N}_3(\text{}^2\text{E}')$	$\text{B}_3\text{H}_6\text{N}_3$ (Borazine) (RN-CAS Registry Number 6569-51-3)	**	10.14 ± 0.01	PE	3506
$\text{CHN}^+(\text{X}^2\Pi)$	HCN (RN-CAS Registry Number 74-90-8)	**	13.61 ± 0.01	PE	3840
$\text{CHN}^+(\text{A}^2\Sigma)$	HCN (RN-CAS Registry Number 74-90-8)	**	14.00 ± 0.01	PE	3840
$\text{CHN}^+(\text{B}^2\Sigma)$	HCN (RN-CAS Registry Number 74-90-8)	**	19.06 ± 0.01	PE	3840
CHN^+	HCN (RN-CAS Registry Number 74-90-8)	**	13.71	EDD	3737
CH_4N^+	$\text{C}_2\text{H}_5\text{NO}_2$ (RN-CAS Registry Number 56-40-6)		10.27 ± 0.05	EI	3571
CH_5N^+	CH_3NH_2 (RN-CAS Registry Number 74-89-5)	**	8.80 ± 0.02	PE	3890
$\text{CH}_5\text{N}^+(\text{}^2\text{A}')$	CH_3NH_2 (RN-CAS-Registry Number 74-89-5)	**	9.64 (V)	PE	4068
CH_5N^+	CH_3NH_2 (RN-CAS Registry Number 74-89-5)	**	9.65 (V)	PE	4087
$\text{CH}_5\text{N}^+(\text{}^2\text{A}')$	CH_3NH_2 (RN-CAS-Registry Number 74-89-5)	**	13.22 (V)	PE	4068
$\text{CH}_5\text{N}^+(\text{}^2\text{A}')$	CH_3NH_2 (RN-CAS-Registry Number 74-89-5)	**	14.42 (V)	PE	4068
$\text{CH}_5\text{N}^+(\text{}^2\text{A}')$	CH_3NH_2 (RN-CAS-Registry Number 74-89-5)	**	15.45 (V)	PE	4068
$\text{CH}_5\text{N}^+(\text{}^2\text{A}')$	CH_3NH_2 (RN-CAS-Registry Number 74-89-5)	**	16.85 (V)	PE	4068

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_2N^+$	$C_3H_4N_2$ (1 <i>H</i> -Imidazole) (RN-CAS Registry Number 288-32-4)	HCN	13.2	EI	3910
$C_2H_4N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8)		13.1	EI	3674
$C_2H_4N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6)		13.6	EI	3674
$C_2H_6N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8)	$CH=CHC\equiv CH$	12.7	EI	3674
$C_2H_7N^+$	$C_2H_5NH_2$ (RN-CAS Registry Number 75-04-7)	**	9.44 ± 0.18 (V)	PE	3987
$C_2H_7N^+$	$C_2H_5NH_2$ (RN-CAS Registry Number 75-04-7)	**	9.50 (V)	PE	4032
$C_2H_7N^+$	$CH_3CH_2NH_2$ (RN-CAS-Registry Number 75-04-7)	**	9.50 (V)	PE	4068
$C_2H_7N^+$	$(CH_3)_2NH$ (RN-CAS Registry Number 124-40-3)	**	8.07	PE	3589
$C_2H_7N^+$	$(CH_3)_2NH$ (RN-CAS Registry Number 124-40-3)	**	8.25 ± 0.02	PE	3890
C_3HN^+	$CH\equiv CCN$ (RN-CAS Registry Number 1070-71-9)	**	11.6	S	3755
C_3HN^+	$CH\equiv CCN$ (RN-CAS Registry Number 1070-71-9)	**	11.64 ± 0.01	PI	3929
$C_3H_6N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6) (TR—Other product(s) thermochemically reasonable) (OP—the other product(s) is(are): $CH=CHC\equiv CH + CH_3 + H$)		12.3	EI	3674
$C_3H_6N^+$	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		15.6 ± 0.4	EI	3634
$C_3H_6N^+$	$CH_2(NF_2)CH(NF_2)CH_3$ (RN-CAS Registry Number 15403-25-5)		15.6 ± 0.3	EI	3634
$C_3H_6N^+$	$(CH_3)_2C(NF_2)_2$ (RN-CAS Registry Number 19309-63-8)		15.4 ± 0.3	EI	3634
$C_3H_7N^+$	$CH_2=CHCH_2NH_2$ (RN-CAS Registry Number 107-11-9)	**	8.76	PE	3864
$C_3H_9N^+$	$N(CH_3)_3$ (RN-CAS Registry Number 75-50-3)	**	7.95 ± 0.10	PI	3729
$C_3H_9N^+$	$(CH_3)_3N$ (RN-CAS Registry Number 75-50-3)	**	7.83 ± 0.02	PE	3890
$C_3H_9N^+$	$(CH_3)_3N$ (RN-CAS Registry Number 75-50-3)	**	8.45 ± 0.01 (V)	PE	3699
$C_3H_9N^+$	$(CH_3)_3N$ (RN-CAS Registry Number 75-50-3)	**	8.5 ± 0.1 (V)	PE	3661
$C_3H_9N^+$	$n-C_3H_7NH_2$ (RN-CAS-Registry Number 107-10-8)	**	9.44 (V)	PE	4068

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9N^+$	<i>iso</i> - $C_3H_7NH_2$ (RN-CAS-Registry Number 75-31-0)	**	9.31 (V)	PE	4068
$C_4H_3N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8) (TR-Other product(s) thermochemically reasonable)	$2CH_3$	15.1	EI	3674
$C_4H_3N^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3) (TR-Other product(s) thermochemically reasonable)	C_4H_8	15.3	EI	3674
$C_4H_3N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6) (TR-Other product(s) thermochemically reasonable)	$2C_2H_4 + 2H$	16.5	EI	3674
$C_4H_5N^+$	C_4H_5N (1 <i>H</i> -Pyrrole) (RN-CAS-Registry Number 109-97-7)	**	8.20 ± 0.01	PI	4058
$C_4H_5N^+$	C_4H_5N (1 <i>H</i> -Pyrrole) (RN-CAS Registry Number 109-97-7)	**	8.23 (V)	PE	4009
$C_4H_5N^+$	C_4H_5N (1 <i>H</i> -Pyrrole) (RN-CAS Registry Number 109-97-7)	**	8.40 ± 0.05	EI	3482
$C_4H_{10}N^+$	$(C_2H_5)_3N$ (RN-CAS Registry Number 121-44-8)	C_2H_5	13.14	EI	3674
$C_4H_{11}N^+$	<i>n</i> - $C_4H_9NH_2$ (RN-CAS-Registry Number 109-73-9)	**	9.40 (V)	PE	4068
$C_5H_4N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8) (TR-Other product(s) thermochemically reasonable)	$CH_3 + H_2$	12.4	EI	3674
$C_5H_4N^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3) (TR-Other product(s) thermochemically reasonable)	$C_3H_3 + H$	15.0	EI	3674
$C_5H_5N^+$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.4	PI	3586
$C_5H_5N^+$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1) (HB-Threshold value approximately corrected for hot bands)	**	9.263	PE	3707
$C_5H_5N^+ (^2A_1)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.59 (V)	PE	3513
$C_5H_5N^+$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.60 ± 0.5 (V)	PE	3685

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_5N^+ (^2A_1?)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.7 (V)	PE	3832
$C_5H_5N^+ (^2A_2)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.73 (V)	PE	3513
$C_5H_5N^+ (^2A_2?)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.8 (V)	PE	3832
$C_5H_5N^+ (^2B_1)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	10.5 (V)	PE	3832
$C_5H_5N^+ (^2B_1)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	10.50 (V)	PE	3513
$C_5H_5N^+ (^2B_2)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	12.5 (V)	PE	3832
$C_5H_5N^+ (^2B_1)$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	12.6 (V)	PE	3832
$C_5H_5N^+$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.66 ± 0.03	EDD	3626
$C_5H_5N^+$	C_5H_5N (Pyridine) (RN-CAS Registry Number 110-86-1)	**	9.70 ± 0.05	EI	3498
$C_5H_6N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8)	CH_3	11.2	EI	3674
$C_5H_6N^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3)	$CH_2=CHCH_2$	11.3	EI	3674
$C_5H_6N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6)	$C_2H_4+CH_3$	13.9	EI	3674
	(TR—Other product(s) thermochemically reasonable)				
$C_5H_7N^+$	$C_4H_4N(CH_3)$ (Pyrrole, 1-methyl-) (RN-CAS Registry Number 96-54-8)	**	8.4	EI	3580
$C_5H_7N^+$	$C_4H_4NCH_3$ (Pyrrole, 2-methyl-) (RN-CAS Registry Number 636-41-9)	**	8.01 ± 0.05	EI	3482
$C_5H_{12}N^+$	$(C_2H_5)_3N$ (RN-CAS Registry Number 121-44-8)	CH_3	11.48	EI	3674
$C_6H_5N^+$	C_5H_5CN (Cyclopentadienecarbonitrile) (RN-CAS Registry Number 27659-36-5)	**	9.7	EI	3476

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6N^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 3-amino-) (RN-CAS Registry Number 99-05-8) (MT-Metastable transition(s) observed)	CO + OH	14.26 ± 0.2	EI	3973
$C_6H_6N^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 4-amino-) (RN-CAS Registry Number 150-13-0) (MT-Metastable transition(s) observed)	CO + OH	14.77 ± 0.2	EI	3973
$C_6H_6N^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 3-nitro-) (RN-CAS Registry Number 99-09-2)	NO_2	11.23 ± 0.1	EI	3447
$C_6H_6N^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-) (RN-CAS Registry Number 100-01-6)	NO_2	11.53 ± 0.1	EI	3447
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.7	PI	3586
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.70 ± 0.01	PI	4028
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.65 ± 0.02	PE	3890
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.66	PE	3988
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.71	PE	3955
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	8.05 (V)	PE	4106
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.89 ± 0.03	EDD	3626
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.89	EDD	3485
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.61 ± 0.1	EI	3788
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	7.63	EI	3845
$C_6H_7N^+$	$C_6H_5NH_2$ (Benzenamine) (RN-CAS Registry Number 62-53-3)	**	$8.09 \pm < 0.1$	EI	3735
$C_6H_7N^+$	$C_5H_4NCH_3$ (Pyridine, 2-methyl-) (RN-CAS Registry Number 109-06-8)	**	9.20 ± 0.05 (V)	PE	3685

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_7N^+$	$C_5H_4NCH_3$ (Pyridine, 4-methyl-) (RN-CAS Registry Number 108-89-4)	**	9.50 ± 0.05 (V)	PE	3685
$C_6H_7N^+$	$C_5H_4NCH_3$ (Pyridine, 4-methyl) (RN-CAS Registry Number 108-89-4)	**	9.55 ± 0.05	EI	3498
$C_6H_7N^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 3-methoxy-) (RN-CAS Registry Number 536-90-3)	CH_2O	10.51 ± 0.1	EI	3446
$C_6H_7N^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-) (RN-CAS Registry Number 104-94-9)	$HCHO$	9.58	EI	3845
$C_6H_7N^+$	$C_6H_5NHCOCH_3$ (Acetamide, <i>N</i> -phenyl-) (RN-CAS Registry Number 103-84-4)	$CH_2=C=O$	10.45 ± 0.03	EI	3483
$C_6H_7N^+$	$C_6H_5NH_2Cr(CO)_3$ (Chromium, (η^6 -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1)		7.96 ± 0.1	EI	3788
$C_6H_8N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8)	H	10.1	EI	3674
$C_6H_9N^+$	$(CH_3)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 2206-24-8)	**	7.7	EI	3674
$C_6H_9N^+$	$C_4H_4NC_2H_5$ (Pyrrole, 2-ethyl-) (RN-CAS Registry Number 1551-06-0)	**	7.97 ± 0.05	EI	3482
$C_6H_{15}N^+$	$(C_2H_5)_3N$ (RN-CAS Registry Number 121-44-8)	**	8.19 ± 0.05 (V)	PE	3987
$C_7H_4N^+$	$C_6H_4(CN)COOH$ (Benzoic acid, 4-cyano-) (RN-CAS Registry Number 619-65-8) (MT-Metastable transition(s) observed)	$CO + OH$	15.68 ± 0.2	EI	3973
$C_7H_4N^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 3-nitro-) (RN-CAS Registry Number 619-24-9)	NO_2	12.25 ± 0.1	EI	3447
$C_7H_4N^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 4-nitro-) (RN-CAS Registry Number 619-72-7)	NO_2	12.42 ± 0.1	EI	3447
$C_7H_5N^+$	C_6H_5CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)	**	9.62	PE	3938
$C_7H_5N^+$	C_6H_5CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)	**	9.7	EI	3916
$C_7H_5N^+$	C_6H_5CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)	**	9.77	EI	3845

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_5N^+$	C ₆ H ₅ CN (Benzonitrile) (RN-CAS Registry Number 100-47-0)	**	10.02 ± <0.1	EI	3735
$C_7H_5N^+$	C ₆ H ₄ (CN)OCH ₃ (Benzonitrile, 3-methoxy-) (RN-CAS Registry Number 1527-89-5)	CH ₂ O	12.23 ± 0.1	EI	3446
$C_7H_5N^+$	C ₆ H ₄ (CN)OCH ₃ (Benzonitrile, 4-methoxy-) (RN-CAS Registry Number 874-90-8)	CH ₂ O	12.30 ± 0.1	EI	3446
$C_7H_5N^+$	C ₆ H ₄ (CN)OCH ₃ (Benzonitrile, 4-methoxy-) (RN-CAS Registry Number 874-90-8)	HCHO	12.39	EI	3845
(CD-Metastable transition indicates 0.36 eV kinetic energy release)					
$C_7H_8N^+$	C ₆ H ₄ (NH ₂)CH ₃ (Benzenamine, 2-methyl-) (RN-CAS Registry Number 95-53-4)	H	11.25 ± 0.05	PI	4028
$C_7H_8N^+$	C ₆ H ₄ (NH ₂)CH ₃ (Benzenamine, 4-methyl-) (RN-CAS Registry Number 106-49-0)	H	11.00 ± 0.1	PI	4028
$C_7H_8N^+$	C ₆ H ₄ (NH ₂)C ₄ H ₉ (Benzenamine, 3-butyl-) (RN-CAS Registry Number 5369-17-5)		12.13 ± 0.1	EI	3629
$C_7H_8N^+$	C ₆ H ₄ (NH ₂)C ₄ H ₉ (Benzenamine, 4-butyl-) (RN-CAS Registry Number 104-13-2)		11.10 ± 0.1	EI	3629
$C_7H_8N^+$	C ₆ H ₅ CH ₂ C ₆ H ₄ NH ₂ (Benzenamine, 4-(phenylmethyl)-) (RN-CAS Registry Number 1135-12-2)	C ₆ H ₅	10.6 ± 0.1	EI	3807
$C_7H_8N^+$	(C ₆ H ₄ NH ₂) ₂ CH ₂ (Benzenamine, 4,4'-methylenebis-) (RN-CAS Registry Number 101-77-9)		10.6 ± 0.1	EI	3807
$C_7H_8N^+$	C ₆ H ₄ (CH ₃)NHCOCH ₃ (Acetamide, <i>N</i> -(2-methylphenyl)-) (RN-CAS Registry Number 120-66-1)	CH ₃ CO	13.97 ± 0.02	EI	3631
$C_7H_8N^+$	C ₆ H ₄ (CH ₃)NHCOCH ₃ (Acetamide, <i>N</i> -(4-methylphenyl)-) (RN-CAS Registry Number 103-89-9)	CH ₃ CO	14.21 ± 0.02	EI	3631
$C_7H_8N^+$	C ₆ H ₄ (NH ₂)CH ₂ CH ₂ OCOCH ₃ (Benzeneethanol, 4-amino-, acetate(ester)) (RN-CAS Registry Number 33709-38-5)		11.00	EI	3590
$C_7H_8N^+$	C ₆ H ₄ (NO ₂)CH ₂ C ₆ H ₄ NH ₂ (Benzenamine, 4-[(4-nitrophenyl)methyl]-) (RN-CAS Registry Number 726-17-0)		11.6 ± 0.2	EI	3807
$C_7H_9N^+$	C ₆ H ₄ (NH ₂)CH ₃ (Benzenamine, 2-methyl-) (RN-CAS Registry Number 95-53-4)	**	7.44 ± 0.02	PI	4028
$C_7H_9N^+$	C ₆ H ₄ (NH ₂)CH ₃ (Benzenamine, 2-methyl-) (RN-CAS Registry Number 95-53-4)	**	7.45 ± 0.02	PE	3890

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 2-methyl-) (RN-CAS Registry Number 95-53-4)	**	7.52	PE	3988
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 2-methyl-) (RN-CAS Registry Number 95-53-4)	**	7.83 (V)	PE	4106
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 3-methyl-) (RN-CAS Registry Number 108-44-1)	**	7.55	PE	3988
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 3-methyl-) (RN-CAS Registry Number 108-44-1)	**	7.66 (V)	PE	4106
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 4-methyl-) (RN-CAS Registry Number 106-49-0)	**	7.24 ± 0.02	PI	4028
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 4-methyl-) (RN-CAS Registry Number 106-49-0)	**	7.37	PE	3988
$C_7H_9N^+$	$C_6H_4(NH_2)CH_3$ (Benzenamine, 4-methyl-) (RN-CAS Registry Number 106-49-0)	**	7.62 (V)	PE	4106
$C_7H_9N^+$	$C_6H_5NHCH_3$ (Benzenamine, <i>N</i> -methyl-) (RN-CAS Registry Number 100-61-8)	**	7.32	PE	3988
$C_7H_9N^+$	$C_6H_5NHCH_3$ (Benzenamine, <i>N</i> -methyl-) (RN-CAS Registry Number 100-61-8)	**	7.35 ± 0.02	PE	3890
$C_7H_9N^+$	$C_5H_3N(CH_3)_2$ (2,6-Dimethylpyridine) (RN-CAS Registry Number 108-48-5)	**	9.23 ± 0.05	EI	3498
$C_7H_9N^+$	$C_5H_3N(CH_3)_2$ (Pyridine, 2,5-dimethyl-) (RN-CAS Registry Number 589-93-5)	**	8.80 ± 0.05 (V)	PE	3685
$C_7H_9N^+$	$C_5H_3N(CH_3)_2$ (Pyridine, 2,6-dimethyl-) (RN-CAS Registry Number 108-48-5)	**	8.90 ± 0.05 (V)	PE	3685
$C_7H_9N^+$	$C_6H_4(NH_2)C_4H_9$ (Benzenamine, 3-butyl-) (RN-CAS Registry Number 5369-17-5)	$CH_2=CHCH_3$	10.10 ± 0.1	EI	3629
$C_7H_9N^+$	$C_6H_4(NH_2)C_4H_9$ (Benzenamine, 4-butyl-) (RN-CAS Registry Number 104-13-2)	$CH_2=CHCH_3$	9.37 ± 0.1	EI	3629
$C_7H_9N^+$	$C_6H_4(CH_3)NHCOCH_3$ (Acetamide, <i>N</i> -(2-methylphenyl)-) (RN-CAS Registry Number 120-66-1)	$CH_2=C=O$	10.05 ± 0.02	EI	3631
$C_7H_9N^+$	$C_6H_4(CH_3)NHCOCH_3$ (Acetamide, <i>N</i> -(4-methylphenyl)-) (RN-CAS Registry Number 103-89-9)	$CH_2=C=O$	10.12 ± 0.02	EI	3631
$C_7H_{10}N^+$	$(C_2H_5)_2NCH=CHC \equiv CH$ (RN-CAS Registry Number 1809-53-6)	CH_3	13.1	EI	3674

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{11}N^+$	$C_4H_2N(CH_3)_3$ (Pyrrole, 1,3,4-trimethyl-) (RN-CAS Registry Number 30144-12-8)	**	7.3	EI	3580
$C_8H_6N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 3-butyl-) (RN-CAS Registry Number 20651-74-5)		12.90 ± 0.1	EI	3629
$C_8H_6N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 4-butyl-) (RN-CAS Registry Number 20651-73-4)		12.71 ± 0.1	EI	3629
$C_8H_7N^+$	$C_6H_4(CH_3)CN$ (Benzonitrile, 4-methyl-) (RN-CAS Registry Number 104-85-8)	**	9.31	EI	4089
$C_8H_7N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 3-butyl-) (RN-CAS Registry Number 20651-74-5)	$CH_2=CHCH_3$	11.55 ± 0.1	EI	3629
$C_8H_7N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 4-butyl-) (RN-CAS Registry Number 20651-73-4)	$CH_2=CHCH_3$	11.66 ± 0.1	EI	3629
$C_8H_9N^+$	C_8H_9N (1 <i>H</i> -Indole, 2,3-dihydro-) (RN-CAS Registry Number 496-15-1)	**	7.15 ± 0.02	PE	3890
$C_8H_9N^+$	$C_6H_4(NH_2)CH_2CH_2OCOCH_3$ (Benzeneethanol, 4-amino-, acetate(ester)) (RN-CAS Registry Number 33709-38-5)		7.80	EI	3590
$C_8H_{10}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	H	10.56 ± 0.05	PI	4028
$C_8H_{10}N^+$	$C_4H_8NCH=CHC \equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3)	H	10.7	EI	3674
$C_8H_{11}N^+$	$C_6H_3(CH_3)_2NH_2$ (Benzenamine, 2,6-dimethyl-) (RN-CAS Registry Number 87-62-7)	**	7.30 ± 0.02	PE	3890
$C_8H_{11}N^+$	$C_6H_3(CH_3)_2NH_2$ (Benzenamine, 2,6-dimethyl-) (RN-CAS Registry Number 87-62-7)	**	7.36	PE	3988
$C_8H_{11}N^+$	$C_6H_4(CH_3)NHCH_3$ (Benzenamine, <i>N</i> ,2-dimethyl-) (RN-CAS Registry Number 611-21-2)	**	7.27	PE	3988
$C_8H_{11}N^+$	$C_6H_4(CH_3)NHCH_3$ (Benzenamine, <i>N</i> ,3-dimethyl-) (RN-CAS Registry Number 696-44-6)	**	7.26	PE	3988
$C_8H_{11}N^+$	$C_6H_4(CH_3)NHCH_3$ (Benzenamine, <i>N</i> ,4-dimethyl-) (RN-CAS Registry Number 623-08-5)	**	7.13	PE	3988

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.13 ± 0.04	PI	4028
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.10 ± 0.02	PE	3890
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.11	PE	3988
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.37 (V)	PE	4106
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.2	CTS	3543
$C_8H_{11}N^+$	$C_6H_5N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 121-69-7)	**	7.42	CTS	4029
(AV—Average of two values)					
$C_8H_{11}N^+$	$C_4H_8NCH=CHC\equiv CH$ (Pyrrolidine, 1-(1-buten-3-ynyl)-) (RN-CAS Registry Number 19352-85-3)	**	7.5	EI	3674
$C_8H_{12}N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6)	H	9.9	EI	3674
$C_8H_{13}N^+$	$(C_2H_5)_2NCH=CHC\equiv CH$ (RN-CAS Registry Number 1809-53-6)	**	8.0	EI	3674
$C_8H_{13}N^+$	$C_4H_4NC_4H_9$ (1 <i>H</i> -Pyrrole, 2-(1,1-dimethylethyl)-) (RN-CAS Registry Number 5398-58-3)	**	7.95 ± 0.05	EI	3482
$C_9H_7N^+$	C_9H_7N (Isoquinoline) (RN-CAS Registry Number 119-65-3)	**	8.50	PE	3638
$C_9H_7N^+$	C_9H_7N (Isoquinoline) (RN-CAS Registry Number 119-65-3)	**	8.54 (V)	PE	3723
$C_9H_7N^+$	C_9H_7N (Quinoline) (RN-CAS Registry Number 91-22-5)	**	8.3	PI	3586
$C_9H_7N^+$	C_9H_7N (Quinoline) (RN-CAS Registry Number 91-22-5)	**	8.62	PE	4066
$C_9H_7N^+$	C_9H_7N (Quinoline) (RN-CAS Registry Number 91-22-5)	**	8.62	PE	3638
$C_9H_7N^+$	C_9H_7N (Quinoline) (RN-CAS Registry Number 91-22-5)	**	8.62 (V)	PE	3723

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{11}N^+$	$C_9H_{11}N$ (Quinoline, 1,2,3,4-tetrahydro-) (RN-CAS Registry Number 635-46-1)	**	7.00 ± 0.02	PE	3890
$C_9H_{13}N^+$	$C_6H_2(CH_3)_3NH_2$ (Benzenamine, 2,4,6-trimethyl-) (RN-CAS Registry Number 88-05-1)	**	7.15	PE	3988
$C_9H_{13}N^+$	$C_6H_3(CH_3)_2NHCH_3$ (Benzenamine, <i>N</i> ,2,6-trimethyl-) (RN-CAS Registry Number 767-71-5)	**	7.34	PE	3988
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2-trimethyl-) (RN-CAS Registry Number 609-72-3)	**	7.40 ± 0.02	PE	3890
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2-trimethyl-) (RN-CAS Registry Number 609-72-3)	**	7.44	PE	3988
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2-trimethyl-) (RN-CAS Registry Number 609-72-3)	**	7.92 (V)	PE	4106
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,3-trimethyl-) (RN-CAS Registry Number 121-72-2)	**	7.06	PE	3988
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,3-trimethyl-) (RN-CAS Registry Number 121-72-2)	**	7.24 (V)	PE	4106
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,4-trimethyl-) (RN-CAS Registry Number 99-97-8)	**	6.95	PE	3988
$C_9H_{13}N^+$	$C_6H_4(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,4-trimethyl-) (RN-CAS Registry Number 99-97-8)	**	7.27 (V)	PE	4106
$C_9H_{13}N^+$	$C_5H_4NC(CH_3)_3$ (Pyridine, 4-(1,1-dimethylethyl)-) (RN-CAS Registry Number 3978-81-2)	**	9.30 ± 0.05 (V)	PE	3685
$C_9H_{17}N^+$	$C_6H_{11}N=C(CH_3)_2$ (Cyclohexanamine, <i>N</i> -(1-methylethylidene)-) (RN-CAS Registry Number 6407-36-9)	**	8.23	PE	4043
$C_{10}H_9N^+$	$C_{10}H_7(NH_2)$ (1-Naphthylamine) (RN-CAS Registry Number 134-32-7)	**	7.3	PI	3586
$C_{10}H_9N^+$	$C_{10}H_7(NH_2)$ (2-Naphthylamine) (RN-CAS Registry Number 91-59-8)	**	7.2	PI	3586
$C_{10}H_{15}N^+$	$C_6H_4(NH_2)C_4H_9$ (Benzenamine, 3-butyl-) (RN-CAS Registry Number 5369-17-5)	**	7.51 ± 0.1	EI	3629
$C_{10}H_{15}N^+$	$C_6H_4(NH_2)C_4H_9$ (Benzenamine, 4-butyl-) (RN-CAS Registry Number 104-13-2)	**	7.61 ± 0.1	EI	3629

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{15}N^+$	$C_6H_5N(C_2H_5)_2$ (Benzenamine, <i>N,N</i> -diethyl-) (RN-CAS Registry Number 91-66-7)	**	6.95 ± 0.02	PE	3890
$C_{10}H_{15}N^+$	$C_6H_2(CH_3)_3NHCH_3$ (Benzenamine, <i>N</i> ,2,4,6-tetramethyl-) (RN-CAS Registry Number 13021-14-2)	**	7.22	PE	3988
$C_{10}H_{15}N^+$	$C_6H_3(CH_3)_2N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2,6-tetramethyl-) (RN-CAS Registry Number 769-06-2)	**	7.30 ± 0.02	PE	3890
$C_{10}H_{15}N^+$	$C_6H_3(CH_3)_2N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2,6-tetramethyl-) (RN-CAS Registry Number 769-06-2)	**	7.42	PE	3988
$C_{11}H_{13}N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 3-butyl-) (RN-CAS Registry Number 20651-74-5)	**	9.77 ± 0.1	EI	3629
$C_{11}H_{13}N^+$	$C_6H_4(CN)C_4H_9$ (Benzonitrile, 4-butyl-) (RN-CAS Registry Number 20651-73-4)	**	10.08 ± 0.1	EI	3629
$C_{11}H_{13}N^+$	$C_{11}H_{13}N$ (2 <i>H</i> -1,4-Ethanoquinoline, 3,4-dihydro-) (RN-CAS Registry Number 4363-25-1) (ON-Other name: Benzoquinuclidine)	**	7.85 ± 0.02	PE	3890
$C_{11}H_{17}N^+$	$C_6H_2(CH_3)_3N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2,4,6-pentamethyl-) (RN-CAS Registry Number 13021-15-3)	**	7.24	PE	3988
$C_{12}H_{11}N^+$	$(C_6H_5)_2NH$ (Benzenamine, <i>N</i> -phenyl-) (RN-CAS Registry Number 122-39-4)	**	7.14 ± 0.03	PI	4028
$C_{12}H_{11}N^+$	$C_6H_5C_6H_4NH_2$ ([1,1'-Biphenyl]-2-amine) (RN-CAS Registry Number 90-41-5)	**	7.28 ± 0.02	PE	3702
$C_{12}H_{15}N^+$	$C_{12}H_{15}N$ (1 <i>H</i> ,5 <i>H</i> -Benzo[<i>ij</i>]quinolizine, 2,3,6,7-tetrahydro-) (RN-CAS Registry Number 479-59-4) (ON-Other name: Julolidine)	**	6.65 ± 0.02	PE	3890
$C_{13}H_9N^+$	$C_{13}H_9N$ (Acridine) (RN-CAS Registry Number 260-94-6)	**	7.8	PI	3586
$C_{13}H_{12}N^+$	$(C_6H_4NH_2)_2CH_2$ (Benzenamine, 4,4'-methylenebis-) (RN-CAS Registry Number 101-77-9)	NH ₂	10.7 ± 0.1	EI	3807
$C_{13}H_{13}N^+$	$C_6H_5CH_2C_6H_4NH_2$ (Benzenamine, 4-(phenylmethyl)-) (RN-CAS Registry Number 1135-12-2)	**	7.67 ± 0.05	EI	3806

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{11}N^+$	$C_6H_5CH_2C_6H_4CN$ (Benzonitrile, 4-(phenylmethyl)-) (RN-CAS Registry Number 23450-31-9)	**	9.25 ± 0.05	EI	3806
$C_{14}H_{15}N^+$	$C_6H_5CH_2CH_2C_6H_4NH_2$ (Benzenamine, 4-(2-phenylethyl)-) (RN-CAS Registry Number 13024-49-2)	**	7.55 ± 0.05	EI	3806
$C_{15}H_{11}N^+$	$C_9H_6NC_6H_5$ (Quinoline, 2-phenyl-) (RN-CAS-Registry Number 612-96-4)	**	8.10	PE	4066
$C_{16}H_{13}N^+$	$C_3H_3(CN)(C_6H_5)_2$ (Cyclopropanecarbonitrile, 1,2-diphenyl-) (RN-CAS Registry Number 10224-14-3)	**	8.80 ± 0.08	EDD	3575
$C_{17}H_{29}N^+$	$C_5H_2N(C(CH_3)_3)_3$ (Pyridine, 2,4,6-tris(1,1-dimethylethyl)-) (RN-CAS Registry Number 20336-15-6)	**	8.6 (V)	PE	3934
$C_{17}H_{29}N^+$	$C_5H_2N(C(CH_3)_3)_3$ (Pyridine, 2,4,6-tris(1,1-dimethylethyl)-) (RN-CAS Registry Number 20336-15-6)	**	8.6 (V)	PE	3685
$C_{18}H_{15}N^+$	$(C_6H_5)_3N$ (Benzenamine, <i>N,N</i> -diphenyl-) (RN-CAS Registry Number 603-34-9)	**	6.80 ± 0.05	PI	4028
$C_{19}H_{13}N^+$	$C_{13}H_8NC_6H_5$ (Acridine, 9-phenyl-) (RN-CAS Registry Number 602-56-2)	**	7.80 (V)	PE	3896
$C_{20}H_{23}N^+$	$C_{15}H_{12} = CHCH_2CH_2N(CH_3)_2$ (1-Propanamine, 3-(10,11-dihydro-5 <i>H</i> -dibenzo[<i>a,d</i>]cyclohepten-5-ylidene)- <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 50-48-6) (ON-Other name: Amitriptyline)	**	8.26 ± 0.07	CTS	4079
$CH_2N_2(^2B_1)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	10.3	PE	3727
$CH_2N_2(^2B_2)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	12.8	PE	3727
$CH_2N_2(^2A_1)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	14.15	PE	3727
$CH_2N_2(^2A_1)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	16	PE	3727
$CH_2N_2(^2B_2)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	17.5 (V)	PE	3727

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_2\text{N}_2(^2\text{B}_1)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	21	PE	3727
$\text{CH}_2\text{N}_2(^2\text{A}_1)$	CH_2N_2 (3 <i>H</i> -Diazirine) (RN-CAS Registry Number 157-22-2)	**	22.5 (V)	PE	3727
CH_3N_2^+	$\text{CH}_3\text{N}=\text{NCH}_3$ (RN-CAS Registry Number 503-28-6)	CH_3	9.2	EI	3632
$\text{C}_2\text{H}_6\text{N}_2^+$	<i>trans</i> - $\text{CH}_3\text{N}=\text{NCH}_3$ (RN-CAS Registry Number 4143-41-3)	**	~8.20	PE	3649
$\text{C}_2\text{H}_6\text{N}_2(^2\text{B}_1)$	$\text{C}_3\text{H}_6\text{N}_2$ (3 <i>H</i> -Diazirine, 3,3-dimethyl-) (RN-CAS Registry Number 5161-49-9)	**	12.11 (V)	PE	3505
$\text{C}_2\text{H}_6\text{N}_2(^2\text{A}_1)$	$\text{C}_3\text{H}_6\text{N}_2$ (3 <i>H</i> -Diazirine, 3,3-dimethyl-) (RN-CAS Registry Number 5161-49-9)	**	13.31 (V)	PE	3505
$\text{C}_2\text{H}_8\text{N}_2^+$	$\text{CH}_3\text{NHNHCH}_3$ (RN-CAS Registry Number 540-73-8)	**	9.02 (V)	PE	4085
$\text{C}_2\text{H}_8\text{N}_2^+$	$\text{CH}_3\text{NHNHCH}_3$ (RN-CAS Registry Number 540-73-8)	**	9.62	PE	3747
$\text{C}_3\text{H}_2\text{N}_2^+$	$\text{CH}_2(\text{CN})_2$ (RN-CAS-Registry Number 109-77-3)	**	12.88	PE	4067
$\text{C}_3\text{H}_3\text{N}_2^+$	$\text{C}_3\text{H}_4\text{N}_2$ (1 <i>H</i> -Imidazole) (RN-CAS Registry Number 288-32-4)	H	12.8	EI	3910
$\text{C}_3\text{H}_4\text{N}_2^+$	$\text{C}_3\text{H}_4\text{N}_2$ (1 <i>H</i> -Imidazole) (RN-CAS Registry Number 288-32-4)	**	8.78 (V)	PE	4009
$\text{C}_3\text{H}_4\text{N}_2^+$	$\text{C}_3\text{H}_4\text{N}_2$ (1 <i>H</i> -Imidazole) (RN-CAS Registry Number 288-32-4)	**	9.12	EI	3910
$\text{C}_3\text{H}_4\text{N}_2^+$	$\text{C}_3\text{H}_4\text{N}_2$ (1 <i>H</i> -Pyrazole) (RN-CAS Registry Number 288-13-1)	**	9.15 (V)	PE	4009
$\text{C}_3\text{H}_6\text{N}_2^+$	$(\text{CH}_3)_2\text{C}=\text{N}=\text{N}$ (RN-CAS Registry Number 2684-60-8)	**	7.88	PE	4047
$\text{C}_3\text{H}_6\text{N}_2(^2\text{B}_2)$	$\text{C}_3\text{H}_6\text{N}_2$ (3 <i>H</i> -Diazirine, 3,3-dimethyl-) (RN-CAS Registry Number 5161-49-9)	**	9.76 (V)	PE	3505
$\text{C}_3\text{H}_8\text{N}_2^+$	$(\text{CH}_3)_2\text{NN}=\text{CH}_2$ (RN-CAS Registry Number 2035-89-4)	**	7.85	PE	3884
$\text{C}_3\text{H}_8\text{N}_2^+$	$\text{CH}_3\text{NHN}=\text{CHCH}_3$ (RN-CAS Registry Number 17167-73-6)	**	7.67	PE	3884

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_8N_2^+$	$CH_2N_2(CH_3)_2$ (Diaziridine, 1,2-dimethyl-) (RN-CAS Registry Number 6794-95-2)	**	9.42 (V)	PE	3888
$C_3H_8N_2^+$	$CH_2N_2(CH_3)_2$ (Diaziridine, 3,3-dimethyl-) (RN-CAS Registry Number 4901-76-2)	**	9.90 (V)	PE	3888
$C_3H_8N_2^+$	$C_3H_8N_2$ (Pyrazolidine) (RN-CAS Registry Number 504-70-1)	**	7.90 (V)	PE	4085
$C_4H_2N_2^+$	<i>cis</i> -CH(CN)=CH(CN) (RN-CAS Registry Number 928-53-0)	**	11.15	PE	3778
$C_4H_2N_2^+$	<i>trans</i> -CH(CN)=CH(CN) (RN-CAS Registry Number 764-42-1)	**	11.15	PE	3778
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	9.28±0.01	S	3773
(RS-Average of two Rydberg series limits)					
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	9.216	PE	3750
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	9.29	PE	3679
$C_4H_4N_2(^2A_{1g})$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	9.63 (V)	PE	3513
$C_4H_4N_2(^2B_{2g})$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	10.18 (V)	PE	3513
$C_4H_4N_2(^2B_{2u})$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	11.35 (V)	PE	3513
$C_4H_4N_2(^2B_{1g})$	$C_4H_4N_2$ (Pyrazine) (RN-CAS Registry Number 290-37-9)	**	11.77 (V)	PE	3513
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	8.64	PE	3679
$C_4H_4N_2(^2B_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	8.706±0.001	PE	3639
$C_4H_4N_2(^2B_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	9.31 (V)	PE	3513
$C_4H_4N_2(^2A_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	10.483±0.001	PE	3639
$C_4H_4N_2(^2A_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	10.61 (V)	PE	3513

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_4N_2^+(\text{}^2B_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 10.9 (V)	PE	3513
$C_4H_4N_2^+(\text{}^2A_1, \text{}^2B_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 11.1	PE	3639
$C_4H_4N_2^+(\text{}^2A_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	11.31 (V)	PE	3513
$C_4H_4N_2^+(\text{}^2B_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	13.504 ± 0.003	PE	3639
$C_4H_4N_2^+(\text{}^2A_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 13.8	PE	3639
$C_4H_4N_2^+(\text{}^2B_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 14.5	PE	3639
$C_4H_4N_2^+(\text{}^2A_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 15.88	PE	3639
$C_4H_4N_2^+(\text{}^2B_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 16.5	PE	3639
$C_4H_4N_2^+(\text{}^2A_1)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	~ 17.0	PE	3639
$C_4H_4N_2^+(\text{}^2A_1, \text{}^2B_2)$	$C_4H_4N_2$ (Pyridazine) (RN-CAS Registry Number 289-80-5)	**	20.0	PE	3639
$C_4H_4N_2^+$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	9.23	PE	3679
$C_4H_4N_2^+(\text{}^2B_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	9.32 ± 0.01	PE	3651
$C_4H_4N_2^+(\text{}^2B_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	9.73 (V)	PE	3513
$C_4H_4N_2^+(\text{}^2B_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	10.40 ± 0.01	PE	3651
$C_4H_4N_2^+(\text{}^2B_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	10.41 (V)	PE	3513
$C_4H_4N_2^+(\text{}^2A_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	11.1	PE	3651
$C_4H_4N_2^+(\text{}^2A_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	11.23 (V)	PE	3513

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_4N_2(^2A_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	11.3	PE	3651
$C_4H_4N_2(^2A_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	11.39 (V)	PE	3513
$C_4H_4N_2(^2B_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	13.6	PE	3651
$C_4H_4N_2(^2A_1, ^2B_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	~14	PE	3651
$C_4H_4N_2(^2A_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	15.3	PE	3651
$C_4H_4N_2(^2B_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	16.6	PE	3651
$C_4H_4N_2(^2A_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	17.2	PE	3651
$C_4H_4N_2(^2A_1, ^2B_2)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	20.0	PE	3651
$C_4H_4N_2(^2A_1)$	$C_4H_4N_2$ (Pyrimidine) (RN-CAS Registry Number 289-95-2)	**	23.4	PE	3651
$C_4H_8N_2^+$	$CH_3CH=NN=CHCH_3$ (RN-CAS Registry Number 592-56-3)	**	8.56	PE	4043
$C_4H_8N_2^+$	$CH_3CH=NN=CHCH_3$ (RN-CAS Registry Number 592-56-3)	**	9.11 (V)	PE	4085
$C_4H_8N_2^+$	$C_2H_4NC_2H_4N$ (1,1'-Biaziridine) (RN-CAS Registry Number 4388-03-8)	**	8.65 (V)	PE	4085
$C_4H_{10}N_2^+$	$C_2H_5N=NC_2H_5$ (RN-CAS Registry Number 821-14-7)	**	8.7 ± 0.1	EI	4099
$C_4H_{10}N_2^+$	$CH_3NHN=C(CH_3)_2$ (RN-CAS Registry Number 5771-02-8)	**	7.69	PE	3884
$C_4H_{10}N_2^+$	$(CH_3)_2NN=CHCH_3$ (RN-CAS Registry Number 7422-90-4)	**	7.54	PE	3884
$C_4H_{10}N_2^+$	$CHN_2(CH_3)_3$ (Diaziridine, 1,3,3-trimethyl-) (RN-CAS Registry Number 40711-15-7)	**	9.20 (V)	PE	3888
$C_4H_{10}N_2^+$	$C_4H_{10}N_2$ (Piperazine) (RN-CAS Registry Number 110-85-0) (ON-Other name: Piperidazine)	**	8.72 (V)	PE	4085
$C_4H_{12}N_2^+$	$C_2H_5NHNHC_2H_5$ (RN-CAS Registry Number 1615-80-1)	**	8.88 (V)	PE	4085

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_{12}N_2^+$	$(CH_3)_2NN(CH_3)_2$ (RN-CAS Registry Number 6415-12-9)	**	8.38 (V)	PE	4085
$C_4H_{12}N_2^+$	$(CH_3)_2NN(CH_3)_2$ (RN-CAS Registry Number 6415-12-9)	**	8.43 (V)	PE	3889
$C_5H_4N_2^+$	$C_5H_4=N=N$ (1,3-Cyclopentadiene, 5-diazo-) (RN-CAS Registry Number 1192-27-4)	**	8.33 (V)	PE	4047
$C_5H_6N_2^+$	$CH_3C(CN)_2CH_3$ (RN-CAS-Registry Number 7321-55-3)	**	12.39 (V)	PE	4067
$C_5H_6N_2^+$	$C_5H_4NNH_2$ (2-Pyridinamine) (RN-CAS Registry Number 504-29-0)	**	8.85 ± 0.05	EI	3891
$C_5H_6N_2^+$	$C_5NH_4NH_2$ (2-Pyridinamine) (RN-CAS Registry Number 504-29-0)	**	9.3	CTS	3730
$C_5H_6N_2^+$	$C_5H_4NNH_2$ (3-Pyridinamine) (RN-CAS Registry Number 462-08-8)	**	9.03 ± 0.05	EI	3891
$C_5H_6N_2^+$	$C_5NH_4NH_2$ (3-Pyridinamine) (RN-CAS Registry Number 462-08-8)	**	9.0	CTS	3730
$C_5H_6N_2^+$	$C_5H_4NNH_2$ (4-Pyridinamine) (RN-CAS Registry Number 504-24-5)	**	9.27 ± 0.05	EI	3891
$C_5H_6N_2^+$	$C_5NH_4NH_2$ (4-Pyridinamine) (RN-CAS Registry Number 504-24-5)	**	8.4	CTS	3730
$C_5H_8N_2^+$	$C_5H_8N_2$ (2,3-Diazabicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 2721-32-6)	**	8.45 ± 0.04	PE	3828
$C_5H_{10}N_2^+$	$C_4H_7N_2CH_3$ (1,5-Diazabicyclo[3.1.0]hexane, 2-methyl-) (RN-CAS Registry Number 6794-96-3)	**	8.78 (V)	PE	3888
$C_5H_{12}N_2^+$	$(CH_3)_2NN=C(CH_3)_2$ (RN-CAS Registry Number 13483-31-3)	**	7.43	PE	3884
$C_5H_{12}N_2^+$	$CN_2(CH_3)_4$ (Diaziridine, tetramethyl-) (RN-CAS Registry Number 50695-43-7)	**	8.94 (V)	PE	3888
$C_6H_4N_2^+$	C_5H_4NCN (2-Pyridinecarbonitrile) (RN-CAS Registry Number 100-70-9)	**	10.33 ± 0.05	EI	3498
$C_6H_7N_2^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(2-aminophenyl)-) (RN-CAS Registry Number 34801-09-7)	CH_3CO	13.93 ± 0.02	EI	3631

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_7N_2^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(4-aminophenyl)-) (RN-CAS Registry Number 122-80-5)	CH_3CO	13.72 ± 0.02	EI	3631
$C_6H_8N_2^+$	$C_6H_4(NH_2)_2$ (1,4-Benzenediamine) (RN-CAS Registry Number 106-50-3)	**	7.16	EI	4089
$C_6H_8N_2^+$	$C_4H_2N_2(CH_3)_2$ (Pyrazine, 2,6-dimethyl-) (RN-CAS Registry Number 108-50-9)	**	8.80	PE	3860
$C_6H_8N_2^+$	$C_5NH_3(CH_3)NH_2$ (2-Pyridinamine, 6-methyl-) (RN-CAS Registry Number 1824-81-3)	**	9.1	CTS	3730
$C_6H_8N_2^+$	$C_5H_4NNHCH_3$ (2-Pyridinamine, <i>N</i> -methyl-) (RN-CAS Registry Number 4597-87-9)	**	8.26 ± 0.05	EI	3891
$C_6H_8N_2^+$	$C_5NH_3(CH_3)NH_2$ (3-Pyridinamine, 4-methyl-) (RN-CAS Registry Number 3430-27-1)	**	9.3	CTS	3730
$C_6H_8N_2^+$	$C_5H_4NNHCH_3$ (3-Pyridinamine, <i>N</i> -methyl-) (RN-CAS Registry Number 18364-47-1)	**	8.53 ± 0.05	EI	3891
$C_6H_8N_2^+$	$C_5H_4NNHCH_3$ (4-Pyridinamine, <i>N</i> -methyl-) (RN-CAS Registry Number 1121-58-0)	**	8.75 ± 0.05	EI	3891
$C_6H_8N_2^+$	$C_5H_4N(=NH)CH_3$ (2(1 <i>H</i>)-Pyridinimine, 1-methyl-) (RN-CAS Registry Number 4088-63-5)	**	7.91 ± 0.05	EI	3891
$C_6H_8N_2^+$	$C_5H_4N(=NH)CH_3$ (4(1 <i>H</i>)-Pyridinimine, 1-methyl-) (RN-CAS Registry Number 16562-40-6)	**	7.85 ± 0.05	EI	3891
$C_6H_8N_2^+$	$C_5H_4N(NH)CH_3$ (Pyridinium, 3-amino-1-methyl-, hydroxides, inner salt) (RN-CAS Registry Number 38879-42-2)	**	7.45 ± 0.1	EI	3891
$C_6H_8N_2^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(2-aminophenyl)-) (RN-CAS Registry Number 34801-09-7)	$CH_2=C=O$	10.49 ± 0.02	EI	3631
$C_6H_8N_2^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(4-aminophenyl)-) (RN-CAS Registry Number 122-80-5)	$CH_2=C=O$	10.06 ± 0.02	EI	3631
$C_6H_{10}N_2^+$	$C_6H_{10}N_2$ (2,3-Diazabicyclo[2.2.2]oct-2-ene) (RN-CAS Registry Number 3310-62-1)	**	7.79 ± 0.04	PE	3828
$C_6H_{12}N_2^+$	$(CH_3)_2C=NN=C(CH_3)_2$ (RN-CAS Registry Number 627-70-3)	**	7.97	PE	4043
$C_6H_{12}N_2^+$	$C_6H_{12}N_2$ (1,4-Diazabicyclo[2.2.2]octane) (RN-CAS Registry Number 280-57-9)	**	7.52 (V)	PE	4038

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{12}N_2^+$	$C_6H_{12}N_2$ (1 <i>H</i> ,5 <i>H</i> -Pyrazolo[1,2- <i>a</i>]pyrazole, tetrahydro-) (RN-CAS Registry Number 5397-67-1) (ON-Other name: 1,5-Diazabicyclo[3.3.0]octane)	**	7.90 (V)	PE	4085
$C_6H_{12}N_2^+$	$C_6H_{12}N_2$ (1 <i>H</i> ,5 <i>H</i> -Pyrazolo[1,2- <i>a</i>]pyrazole, tetrahydro-) (RN-CAS Registry Number 5397-67-1) (ON-Other name: 1,5-Diazabicyclo[3.3.0]octane)	**	7.91 (V)	PE	3889
$C_6H_{14}N_2^+$	$C_4H_8N_2(CH_3)_2$ (Pyridazine, hexahydro-1,2-dimethyl-) (RN-CAS Registry Number 26163-37-1)	**	7.77 (V)	PE	3887
$C_6H_{16}N_2^+$	$(CH_3)_2CHNHNHCH(CH_3)_2$ (RN-CAS Registry Number 3711-34-0)	**	8.34 (V)	PE	4085
$C_7H_8N_2^+$	$C_7H_8N_2$ (3,4-Diazatricyclo[4.2.1.0 ^{2,5}]nona-3,7-diene) (RN-CAS Registry Number 23979-29-5)	**	9.05±0.05 (V)	PE	4040
$C_7H_{10}N_2^+$	$C_7H_{10}N_2$ (3,4-Diazatricyclo[4.2.1.0 ^{2,5}]non-3-ene) (RN-CAS Registry Number 23979-30-8)	**	8.90±0.05 (V)	PE	4040
$C_7H_{10}N_2^+$	$C_5NH_4N(CH_3)_2$ (4-Pyridinamine, <i>N,N</i> ,-dimethyl-) (RN-CAS Registry Number 1122-58-3)	**	7.7	CTS	3730
$C_7H_{12}N_2^+$	$C_5H_6N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.1]hept-5-ene, 2,3-dimethyl-) (RN-CAS Registry Number 14288-15-4)	**	7.74 (V)	PE	3889
$C_7H_{12}N_2^+$	$C_7H_{12}N_2$ (6,7-Diazabicyclo[3.2.2]non-6-ene) (RN-CAS Registry Number 43195-77-3)	**	7.64±0.04	PE	3828
$C_7H_{12}N_2^+$	$C_3N_2(CH_3)_4$ (4 <i>H</i> -Pyrazole, 3,4,4,5-tetramethyl-) (RN-CAS Registry Number 19078-32-1)	**	10.12 (V)	PE	4085
$C_7H_{14}N_2^+$	$C_5H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.1]heptane, 2,3-dimethyl-) (RN-CAS Registry Number 14287-89-9)	**	7.58 (V)	PE	3889
$C_7H_{16}N_2^+$	$C_4H_7N_2(CH_3)_3$ (Pyridazine, hexahydro-1,2,3-trimethyl-) (RN-CAS Registry Number 38704-92-6)	**	7.81 (V)	PE	3887
$C_8H_6N_2^+$	$C_8H_6N_2$ (Cinnoline) (RN-CAS Registry Number 253-66-7)	**	< 8.8	PE	3638
$C_8H_6N_2^+$	$C_8H_6N_2$ (Cinnoline) (RN-CAS Registry Number 253-66-7)	**	8.90 (V)	PE	3722

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_6N_2^+$	$C_8H_6N_2$ (1,5-Naphthyridine) (RN-CAS Registry Number 254-79-5)	**	9.20 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (1,6-Naphthyridine) (RN-CAS Registry Number 253-72-5)	**	9.07 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (1,7-Naphthyridine) (RN-CAS Registry Number 253-69-0)	**	8.99 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (1,8-Naphthyridine) (RN-CAS Registry Number 254-60-4)	**	9.20 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (2,6-Naphthyridine) (RN-CAS Registry Number 253-50-9)	**	8.87 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (2,7-Naphthyridine) (RN-CAS Registry Number 253-45-2)	**	8.98 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (Phthalazine) (RN-CAS Registry Number 253-52-1)	**	8.70 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (Quinazoline) (RN-CAS Registry Number 253-82-7)	**	9.00	PE	3638
$C_8H_6N_2^+$	$C_8H_6N_2$ (Quinazoline) (RN-CAS Registry Number 253-82-7)	**	9.08 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (Quinoxaline) (RN-CAS Registry Number 91-19-0)	**	9.00 (V)	PE	3722
$C_8H_6N_2^+$	$C_8H_6N_2$ (Quinoxaline) (RN-CAS Registry Number 91-19-0)	**	9.01	PE	3638
$C_8H_{14}N_2^+$	$C_6H_8N_2(CH_3)_2$ (2,3-Diazabicyclo[2.2.2]oct-5-ene, 2,3-dimethyl-) (RN-CAS Registry Number 14287-91-3)	**	7.59 (V)	PE	3889
$C_8H_{14}N_2^+$	$C_8H_{14}N_2$ (7,8-Diazabicyclo[4.2.2]dec-7-ene) (RN-CAS Registry Number 32634-64-3)	**	7.38 ± 0.04	PE	3828
$C_8H_{16}N_2^+$	$C_8H_{16}N_2$ (Pyridazino[1,2- <i>a</i>]pyridazine, octahydro-) (RN-CAS Registry Number 3661-15-2)	**	7.59 (V)	PE	3889
$C_8H_{18}N_2^+$	$C_4H_6N_2(CH_3)_4$ (Pyridazine, hexahydro-1,2,3,6-tetramethyl, <i>cis</i> -) (RN-CAS Registry Number 26171-64-2)	**	7.82 (V)	PE	3887
$C_8H_{18}N_2^+$	$C_4H_6N_2(CH_3)_4$ (Pyridazine, hexahydro-1,2,3,6-tetramethyl, <i>trans</i> -) (RN-CAS Registry Number 38704-91-5)	**	7.78 (V)	PE	3887

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{20}N_2^+$	$(C_2H_5)_2NN(C_2H_5)_2$ (RN-CAS Registry Number 4267-00-9)	**	8.10 (V)	PE	3889
$C_9H_{20}N_2^+$	$C_3H_6N_2(C_3H_7)_2$ (Pyrazolidine, 1,2-bis(1-methylethyl)-) (RN-CAS Registry Number 38704-87-9)	**	7.89 (V)	PE	3889
$C_{10}H_8N_2^+$	$(C_5H_4N)_2$ (2,2'-Bipyridine) (RN-CAS Registry Number 366-18-7)	**	8.35 ± 0.02	PE	3702
$C_{10}H_8N_2^+$	$(C_5H_4N)_2$ (4,4'-Bipyridine) (RN-CAS Registry Number 553-26-4)	**	9.10 ± 0.02	PE	3702
$C_{10}H_{16}N_2^+$	$C_6H_4(N(CH_3)_2)_2$ (1,4-Benzenediamine, <i>N,N,N',N'</i> -tetramethyl-) (RN-CAS Registry Number 100-22-1)	**	6.20 ± 0.05	PI	3729
$C_{10}H_{16}N_2^+$	$C_6H_4(N(CH_3)_2)_2$ (1,4-Benzenediamine, <i>N,N,N',N'</i> -tetramethyl-) (RN-CAS Registry Number 100-22-1)	**	6.7	CTS	3543
$C_{10}H_{20}N_2^+$	$C_5H_{10}NC_5H_{10}N$ (1,1'-Bipiperidine) (RN-CAS Registry Number 6130-94-5)	**	8.05 (V)	PE	4085
$C_{11}H_8N_2^+$	$C_{11}H_8N_2$ (1 <i>H</i> -Perimidine) (RN-CAS Registry Number 204-02-4)	**	6.80	CTS	4035
$C_{12}H_{20}N_2^+$	$C_6H_{10}NN(C_6H_{10})$ (Cyclohexanone, cyclohexylidenehydrazone) (RN-CAS Registry Number 4278-87-9)	**	7.84	PE	4043
$C_{13}H_{14}N_2^+$	$(C_6H_4NH_2)_2CH_2$ (Benzenamine, 4,4'-methylenebis-) (RN-CAS Registry Number 101-77-9)	**	7.75 ± 0.05	EI	3806
$C_{14}H_{12}N_2^+$	$C_{13}H_9N_2(CH_3)$ (1 <i>H</i> -Cyclopenta[<i>gh</i>]perimidine, 6,7-dihydro-1-methyl-) (RN-CAS Registry Number 18969-93-2) (ON-Other name: 1-Methylaceperimidine)	**	6.53	CTS	4035
$C_{14}H_{16}N_2^+$	$C_6H_4(NH_2)CH_2CH_2C_6H_4NH_2$ (Benzenamine, 4,4'-(1,2-ethanediyl)bis-) (RN-CAS Registry Number 621-95-4)	**	7.45 ± 0.05	EI	3806
$C_{17}H_{22}N_2^+$	$(C_6H_4N(CH_3)_2)_2CH_2$ (Benzenamine, 4,4'-methylenebis(<i>N,N</i> -dimethyl)-) (RN-CAS Registry Number 101-61-1)	**	7.1	CTS	3543

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{18}H_{18}N_2^+$	$C_6H_5C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 2-(<i>p</i> -(dimethylamino)phenyl)-1-phenyl-) (RN-CAS Registry Number 6114-58-5)	**	6.90 ± 0.10	EDD	3575
$C_{19}H_{20}N_2^+$	$C_6H_4(CH_3)C_3H_3(CN)C_6H_4N(CH_3)_2$ ** (Cyclopropanecarbonitrile, 2-(<i>p</i> -(dimethylamino)phenyl)-1- <i>p</i> -tolyl-) (RN-CAS Registry Number 32589-51-8)	**	6.80 ± 0.07	EDD	3575
$C_{19}H_{24}N_2^+$	$C_{14}H_{12}N(CH_2)_3N(CH_3)_2$ (5 <i>H</i> -Dibenz[<i>b,f</i>]azepine-5-propanamine, 10,11-dihydro- <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 50-49-7) (ON-Other name: Imizine)	**	8.21 ± 0.07	CTS	4079
$CH_3N_3(^2A'')$	CH_3N_3 (RN-CAS Registry Number 624-90-8)	**	9.81 ± 0.02	PE	3670
$C_2H_3N_3^+$	$C_2H_3N_3$ (1 <i>H</i> -1,2,3-Triazole) (RN-CAS Registry Number 288-36-8)	**	10.06 (V)	PE	4009
$C_2H_3N_3^+$	$C_2H_3N_3$ (1 <i>H</i> -1,2,4-Triazole) (RN-CAS Registry Number 288-88-0)	**	10.0 (V)	PE	4009
$C_3H_3N_3^+$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	9.98	PE	3679
$C_3H_3N_3(^2E')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	10.01 ± 0.01	PE	3720
$C_3H_3N_3^+$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	10.1	PE	3637
$C_3H_3N_3(^2E'')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	11.69 ± 0.01	PE	3720
$C_3H_3N_3(^2A'_2)$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	13.26 ± 0.01	PE	3720
$C_3H_3N_3(^2E')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	14.56 ± 0.01	PE	3720
$C_3H_3N_3(^2A')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	15.0 ± 0.01	PE	3720
$C_3H_3N_3(^2A')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	17.1 ± 0.01	PE	3720
$C_3H_3N_3(^2A')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	18.05 ± 0.01	PE	3720

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_3N_3(^2E')$	$C_3H_3N_3$ (1,3,5-Triazine) (RN-CAS Registry Number 290-87-9)	**	21.0 ± 0.01	PE	3720
$C_{12}H_{11}N_3^+$	$C_{11}H_6N_2(NH_2)CH_3$ (1 <i>H</i> -Perimindin-2-amine, 1-methyl-) (RN-CAS Registry Number 20551-10-4)	**	6.41	CTS	4035
$CH_2N_4^+$	CH_2N_4 (1 <i>H</i> -Tetrazole) (RN-CAS Registry Number 288-94-8)	**	11.3 (V)	PE	4009
$C_2H_2N_4^+$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	9.14	PE	3679
$C_2H_2N_4(^2B_2)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	9.24	PE	3740
$C_2H_2N_4(^2B_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	11.6	PE	3740
$C_2H_2N_4(^2A_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	12.1 (V)	PE	3740
$C_2H_2N_4(^2A_2)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	12.5	PE	3740
$C_2H_2N_4(^2A_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	13.2	PE	3740
$C_2H_2N_4(^2B_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	15.51	PE	3740
$C_2H_2N_4(^2A_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	16.5	PE	3740
$C_2H_2N_4(^2B_2)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	~ 17.5 (V)	PE	3740
$C_2H_2N_4(^2B_2, ^2A_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	18.9	PE	3740
$C_2H_2N_4(^2A_1)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	22.0	PE	3740
$C_2H_2N_4(^2B_2)$	$C_2H_2N_4$ (1,2,4,5-Tetrazine) (RN-CAS Registry Number 290-96-0)	**	~ 24	PE	3740

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_6N_4^+$	$C_2N_4(CH_3)_2$ (1,2,4,5-Tetrazine, 3,6-dimethyl-) (RN-CAS Registry Number 1558-23-2)	**	9.08 (V)	PE	3679
$C_{10}H_{20}N_4^+$	$C_{10}H_{20}N_4$ (Imidazolidine, 2-(1,3-dimethyl-2-imidazolidinylidene)-1,3-dimethyl-) (RN-CAS Registry Number 1911-01-9)	**	6.06 (V)	PE	3512
$C_{10}H_{24}N_4^+$	$((CH_3)_2N)_2C=C(N(CH_3)_2)_2$ (RN-CAS Registry Number 996-70-3)	**	5.95 (V)	PE	3512
$C_{11}H_{15}N_5^+$	$C_{11}H_{13}N_4NH_2$ (9 <i>H</i> -Purin-6-amine, 9-cyclohexyl-) (RN-CAS Registry Number 4235-94-3)	**	9.1	CTS	3915
$C_{32}H_{18}N_8^+$	$C_{32}H_{18}N_8$ (29 <i>H</i> ,31 <i>H</i> -Phthalocyanine) (RN-CAS Registry Number 574-93-6)	**	7.36 ± 0.10	EI	3829
CH_8BN^+	$(CH_3NH_2)(BH_3)$ (RN-CAS Registry Number 1722-33-4)	**	9.66 ± 0.01	PE	3699
$C_2H_8BN^+$	$(CH_3)_2NBH_2$ (RN-CAS Registry Number 1838-13-7)	**	9.51	PE	3584
$C_2H_9BN^+$	$((CH_3)_2NH)(BH_2)$ (RN-CAS Registry Number 74-94-2)	**	9.39 ± 0.01	PE	3699
$C_3H_{12}BN^+$	$((CH_3)_3N)(BH_3)$ (RN-CAS Registry Number 75-22-9)	**	9.28 ± 0.2	PE	3699
$C_4H_{12}BN^+$	$(CH_3)_2NB(CH_3)_2$ (RN-CAS Registry Number 1113-30-0)	**	8.92	PE	3584
$C_6H_{12}BN^+$	$C_6H_{12}BN$ (1 <i>H</i> ,5 <i>H</i> -[1,2]Azaborolo[1,2- <i>a</i>][1,2]azaborole, tetrahydro-) (RN-CAS Registry Number 16153-13-2)	**	8.06	PE	3584
$C_4H_{13}BN_2^+$	$((CH_3)_2N)_2BH$ (RN-CAS Registry Number 2386-98-3)	**	7.76	PE	3584
$C_5H_{15}BN_2^+$	$((CH_3)_2N)_2B(CH_3)$ (RN-CAS Registry Number 6914-63-2)	**	7.63	PE	3584
$C_3H_{12}B_3N_3^+$	$C_3H_{12}B_3N_3$ (Borazine, 1,3,5-trimethyl-) (RN-CAS Registry Number 1004-35-9)	**	8.99 (V)	PE	3944
$C_3H_{12}B_3N_3^{+2}(E^-)$	$C_3H_{12}B_3N_3$ (Borazine, 1,3,5-trimethyl-) (RN-CAS Registry Number 1004-35-9)	**	9.28 ± 0.02	PE	3506

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_{12}B_3N_3^+$	$C_3H_{12}B_3N_3$ (Borazine, 2,4,6-trimethyl-) (RN-CAS Registry Number 5314-85-2)	**	9.50 (V)	PE	3944
$C_3H_{12}B_3N_3(^2E^-)$	$C_3H_{12}B_3N_3$ (Borazine, 2,4,6-trimethyl-) (RN-CAS Registry Number 5314-85-2)	**	9.64 ± 0.03	PE	3506
$C_6H_{14}BN_3^+$	$C_6H_{14}BN_3$ ([1,3,2]Diazaborino[1,2-a][1,3,2]diazaborine, octahydro-) (RN-CAS Registry Number 1730-15-0)	**	7.90	PE	3584
$C_6H_{18}BN_3^+$	$B(N(CH_3)_2)_3$ (RN-CAS Registry Number 4375-83-1)	**	7.60 (V)	PE	3704
$C_6H_{18}B_3N_3^+$	$C_6H_{18}B_3N_3$ (Borazine, hexamethyl-) (RN-CAS Registry Number 877-07-6)	**	8.53 (V)	PE	3944
$C_8H_{24}B_2N_4^+$	$((CH_3)_2N)_2BB(N(CH_3)_2)_2$ (RN-CAS Registry Number 1630-79-1)	**	7.3 (V)	PE	3512
$C_8H_{24}B_2N_4^+$	$((CH_3)_2N)_2BB(N(CH_3)_2)_2$ (RN-CAS Registry Number 1630-79-1)	**	7.58	PE	3584
$O^+(^2P)$	O (RN-CAS Registry Number 17778-80-2)	**	18.63	PE	3701
O^+	H_2O (RN-CAS Registry Number 7732-18-5)	H_2	19.0	DC	3967
O^+	H_2O (RN-CAS Registry Number 7732-18-5)	$2H$	26.8	DC	3967
O^+	NO (RN-CAS Registry Number 10102-43-9)	N	20.1 ± 0.3	EI	3945
O^+	HOF (RN-CAS Registry Number 14034-79-8)	HF	14.34	PI	3932
(TV-Threshold value approximately corrected to 0°K)					
O^{+2}	$O^+(^2P)$ (RN-CAS Registry Number 14581-93-2)	**	30	SEQ	3489
O^{+2}	$O^+(^2D)$ (RN-CAS Registry Number 14581-93-2)	**	32	SEQ	3489
$O^{+2}(^1D)$	O^+ (RN-CAS Registry Number 14581-93-2)	**	38	SEQ	3489
$O^{+2}(^5S)$	O^+ (RN-CAS Registry Number 14581-93-2)	**	42	SEQ	3489
O^{+2}	CO (RN-CAS Registry Number 630-08-0)	$C(^1D)$	61	SEQ	3489
O^{+2}	CO^+ (RN-CAS Registry Number 12144-04-6)	$C(^1D)$	47	SEQ	3489
O^{+3}	$O^{+2}(^1S)$ (RN-CAS Registry Number 14127-63-0)	**	49.3	SEQ	3489

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
O^{+3}	$O^{+2}(^1D)$ (RN-CAS Registry Number 14127-63-0)	**	52.6	SEQ	3489
O^{+6}	O^{+5} (RN-CAS Registry Number 14127-66-3)	**	> 160	SEQ	3489
$O_2(X^2\Pi_{1/2})$	$O_2(a^1\Delta_g)$ (RN-CAS Registry Number 7782-44-7)	**	11.108 ± 0.002	S	3878
$O_2(X^2\Pi_g)$	O_2 (RN-CAS Registry Number 7782-44-7)	**	12.07 ± 0.01	PI	4020
$O_2(X^2\Pi_{3/2g})$	O_2 (RN-CAS Registry Number 7782-44-7)	**	12.077	PE	3834
$O_2(X^2\Pi_g)$	O_2 (RN-CAS-Registry Number 7782-44-7)	**	12.08	PE	4073
$O_2(X^2\Pi_{1/2g})$	O_2 (RN-CAS Registry Number 7782-44-7)	**	12.102	PE	3834
$O_2(a^4\pi u)$	O_2 (RN-CAS Registry Number 7782-44-7)	**	16.105	PE	3664
$O_2(^2\Pi_u)$	$O_2(^1\Delta_g)$ (RN-CAS Registry Number 7782-44-7)	**	~ 16.5	PE	3698
$O_2(^2\Phi_u?)$	$O_2(^1\Delta_g)$ (RN-CAS Registry Number 7782-44-7)	**	~ 17.45	PE	3534
$O_2(^2\Phi_u)$	$O_2(^1\Delta_g)$ (RN-CAS Registry Number 7782-44-7)	**	17.5	PE	3698
$O_2(^2\Delta_g?)$	$O_2(^1\Delta_g)$ (RN-CAS Registry Number 7782-44-7)	**	18.81	PE	3534
$O_2(^2\Pi_u)$	O_2 (RN-CAS Registry Number 7782-44-7)	**	22.8 ± 0.1	PE	3975
$O_2(c^4\Sigma_u^-)$	O_2 (RN-CAS Registry Number 7782-44-7)	**	24.6	PE	3975
O_2^*	O_2 (RN-CAS Registry Number 7782-44-7)	**	38.4 ± 0.2	PE	3975
OH^+ (RD-Radical)	OH (RN-CAS-Registry Number 3352-57-6)	**	13.5 ± 1.0	EI	4054
OH^+ (RD-Radical)	OH (RN-CAS Registry Number 3352-57-6)	**	12.88	D	3932
OH^+	H_2O (RN-CAS Registry Number 7732-18-5)	H	18.2	DC	3967
OH^+ (TV-Threshold value approximately corrected to 0°K)	$HO\dot{F}$ (RN-CAS Registry Number 14034-79-8)	F	15.07	PI	3932
H_2O^+	H_2O (RN-CAS Registry Number 7732-18-5)	**	12.619 ± 0.006	S	3983
$H_2O^+(^2B_1)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	12.619	PE	3941
$H_2O^+(^2B_1)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	12.62	PE	3719

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_2\text{O}^+(\text{}^2\text{B}_1)$	H_2O (RN-CAS Registry Number 7732-18-5) (Center of rotational envelope)	**	12.624	PE	3530
$\text{H}_2\text{O}^+(\text{}^2\text{A}_1)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	13.78	PE	3719
$\text{H}_2\text{O}^+(\text{}^2\text{A}_1)$	H_2O (RN-CAS Registry Number 7732-18-5) (Origin of rotational envelope)	**	13.930 ± 0.010	PE	3530
$\text{H}_2\text{O}^+(\text{}^2\text{A}_1)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	14.8	PE	3941
$\text{H}_2\text{O}^+(\text{}^2\text{B}_2)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	17.02	PE	3719
$\text{H}_2\text{O}^+(\text{}^2\text{B}_2)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	17.390	PE	3530
$\text{H}_2\text{O}^+(\text{}^2\text{B}_2)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	18.54	PE	3941
$\text{H}_2\text{O}^+(\text{}^2\text{A}_1)$	H_2O (RN-CAS Registry Number 7732-18-5)	**	32.2 (V)	PE	3719
H_2O^+	H_2O (RN-CAS Registry Number 7732-18-5)	**	12.7	DC	3967
D_2O^+	D_2O (RN-CAS Registry Number 7789-20-0)	**	12.636 ± 0.006	S	3983
$\text{D}_2\text{O}^+(\text{}^2\text{B}_1)$	D_2O (RN-CAS Registry Number 7789-20-0) (Center of rotational envelope)	**	12.633	PE	3530
$\text{D}_2\text{O}^+(\text{}^2\text{A}_1)$	D_2O (RN-CAS Registry Number 7789-20-0) (Origin of rotational envelope)	**	13.930 ± 0.010	PE	3530
H_3O^+	$\text{C}_2\text{H}_5\text{OH}$ (RN-CAS Registry Number 64-17-5) (MT-Metastable transition(s) observed) (TR-Other product(s) thermochemically reasonable)	$\text{C}_2\text{H}_2 + \text{H}$	14.30 ± 0.02	RPD	3487
LiO^+	LiO (RN-CAS Registry Number 12142-77-7)	**	8.45 ± 0.20	EI	3909
Li_2O^+	Li_2O (RN-CAS Registry Number 12057-24-8)	**	6.19 ± 0.20	EI	3909
BO^+	BO (RN-CAS Registry Number 13840-87-4)	**	13.0 ± 0.5	EI	3473
BO_2^+	BO_2 (RN-CAS-Registry Number 13840-88-5)	**	14.0 ± 1.0	EI	4054
BHO_2^+	BHO_2 (RN-CAS-Registry Number 13460-50-9)	**	13.5 ± 1.0	EI	4054
$\text{CO}^+(\text{X}^2\Sigma^+)$	CO (RN-CAS Registry Number 630-08-0)	**	14.014	S	3760

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CO}^+(\text{A}^2\Pi_{1/2})$	CO (RN-CAS Registry Number 630-08-0)	**	16.550	S	3760
$\text{CO}^+(\text{B}^2\Sigma^+)$	CO (RN-CAS Registry Number 630-08-0)	**	19.672	S	3760
(RS-Average of two Rydberg series limits)					
$\text{CO}^+(\text{X}^2\Sigma^+)$	CO (RN-CAS-Registry Number 630-08-0)	**	14.01	PE	4073
$\text{CO}^+(\text{Z}^2\Sigma_p)$	CO (RN-CAS Registry Number 630-08-0)	**	14.01 (V)	PE	4022
$\text{CO}^+(\text{A}^2\Pi)$	CO (RN-CAS-Registry Number 630-08-0)	**	16.55	PE	4073
$\text{CO}^+(\text{Z}^2\Pi)$	CO (RN-CAS Registry Number 630-08-0)	**	16.91 (V)	PE	4022
$\text{CO}^+(\text{B}^2\Sigma_u^+)$	CO (RN-CAS Registry Number 630-08-0)	**	19.69 (V)	PE	3714
$\text{CO}^+(\text{Z}^2\Sigma_g)$	CO (RN-CAS Registry Number 630-08-0)	**	19.72 (V)	PE	4022
$\text{CO}^+(\text{C}^2\Sigma^+)$	CO (RN-CAS Registry Number 630-08-0)	**	39.0	PE	3975
CO^+	CO ₂ (RN-CAS Registry Number 124-38-9)	O(³ S)	29.0	PI	4095
CO^+	COS (RN-CAS Registry Number 463-58-1)	S?	15.6	EI	3779
$\text{CO}_2^+(\text{X}^2\Pi_{3/2g})$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	13.773±0.002	PI	3925
$\text{CO}_2^+(\text{X}^2\Pi_{3/2g})$	CO ₂ (RN-CAS-Registry Number 124-38-9)	**	13.776±0.008	PI	4069
$\text{CO}_2^+(\text{X}^2\Pi_g)$	CO ₂ (RN-CAS-Registry Number 124-38-9)	**	13.78	PE	4073
$\text{CO}_2^+(\text{X}^2\Pi_g)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	13.80±0.01	PE	3965
$\text{CO}_2^+(\text{A}^2\Pi_u)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	17.34±0.01	PE	3965
$\text{CO}_2^+(\text{B}^2\Sigma_u^+)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	18.08±0.01	PE	3965
$\text{CO}_2^+(\text{C}^2\Sigma_g^+)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	19.39±0.01	PE	3965
$\text{CO}_2^+(\text{Z}^2\Sigma_u)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	37	PE	4095
$\text{CO}_2^+(\text{Z}^2\Sigma_g)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	38.4	PE	4095
$\text{CO}_2^+(\text{Z}^2\Sigma_u?)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	38.4 (V)	PE	3975
$\text{CO}_2^+(\text{Z}^2\Sigma_g?)$	CO ₂ (RN-CAS Registry Number 124-38-9)	**	40.0 (V)	PE	3975
$\text{C}_3\text{O}_2^+(\text{Z}^2\Pi_u)$	C ₃ O ₂ (RN-CAS Registry Number 504-64-3)	**	10.605	PE	3728
$\text{C}_3\text{O}_2^+(\text{Z}^2\Pi_g)$	C ₃ O ₂ (RN-CAS Registry Number 504-64-3)	**	14.502	PE	3728

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3O_2(^2\Sigma_u)$	C_3O_2 (RN-CAS Registry Number 504-64-3)	**	15.751	PE	3728
$C_3O_2(^2\Sigma_g)$	C_3O_2 (RN-CAS Registry Number 504-64-3)	**	16.978	PE	3728
$C_3O_2(^2\Pi_u)$	C_3O_2 (RN-CAS Registry Number 504-64-3)	**	17.258	PE	3728
CHO^+	HCHO (RN-CAS Registry Number 50-00-0)	H	11.89 ± 0.03	PI	3554
CHO^+	CH_3OH (RN-CAS Registry Number 67-56-1)	$H_2 + H$	13.06 ± 0.10	PI	3554
(TR-Other product(s) thermochemically reasonable)					
CHO^+	$(CH_3)_2O$ (RN-CAS-Registry Number 115-10-6)		13.96 ± 0.2	EI	4071
CHO^+	CH_3OCD_3 (RN-CAS-Registry Number 13725-27-4)		13.97 ± 0.2	EI	4071
CHO^+	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)		13.13 ± 0.2	EI	4071
CDO^+	CH_3OCD_3 (RN-CAS-Registry Number 13725-27-4)		13.87 ± 0.2	EI	4071
CDO^+	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)		13.57 ± 0.2	EI	4071
CH_2O^+	HCHO (RN-CAS Registry Number 50-00-0)	**	10.88 ± 0.02	PI	3554
CH_2O^+	HCHO (RN-CAS Registry Number 50-00-0)	**	10.90 ± 0.03	PI	3765
CH_2O^+	CH_3OH (RN-CAS Registry Number 67-56-1)	H_2	12.05 ± 0.12	PI	3554
(TR-Other product(s) thermochemically reasonable)					
CH_3O^+	CH_3OH (RN-CAS Registry Number 67-56-1)	H	11.55 ± 0.03	PI	3554
CH_3O^+	$(CH_3)_2O$ (RN-CAS-Registry Number 115-10-6)	CH_3	12.42 ± 0.1	EI	4071
CH_3O^+	$C_2H_5OCH_3$ (RN-CAS-Registry Number 540-67-0)		12.86 ± 0.1	EI	4071
CH_3O^+	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	C_2H_5	11.16 ± 0.03	EDD	3626
CHD_2O^+	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)		12.86 ± 0.05	EI	4071
CH_4O^+	CH_3OH (RN-CAS Registry Number 67-56-1)	**	10.83 ± 0.03	PI	3554
$CH_4O^+(^2A'')$	CH_3OH (RN-CAS-Registry Number 67-56-1)	**	10.94 (V)	PE	4068
CH_4O^+	CH_3OH (RN-CAS Registry Number 67-56-1)	**	10.95	PE	4087
$CH_4O^+(^2A'')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	10.95 (V)	PE	4032

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	10.96 (V)	PE	3941
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	12.62 (V)	PE	3941
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	12.66 (V)	PE	4032
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	12.68 (V)	PE	4068
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.09 (V)	PE	4032
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.19 (V)	PE	4068
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.21 (V)	PE	3941
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.64 (V)	PE	3941
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.66 (V)	PE	4068
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	15.69 (V)	PE	4032
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	17.50 (V)	PE	4068
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	17.53 (V)	PE	4032
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	17.62 (V)	PE	3941
$\text{CH}_4\text{O}^+(\text{}^2\text{A}')$	CH_3OH (RN-CAS Registry Number 67-56-1)	**	22.65 (V)	PE	3941
$\text{C}_2\text{H}_2\text{O}^+$	$\text{C}_4\text{H}_6\text{O}$ (Cyclobutanone) (RN-CAS Registry Number 1191-95-3) (TR—Other product(s) thermochemically reasonable)	C_2H_4	10.53 ± 0.15	EDD	3794
$\text{C}_2\text{H}_3\text{O}^+$	$(\text{CH}_3)_2\text{CO}$ (RN-CAS Registry Number 67-64-1)	CH_3	10.28 ± 0.05	EDD	3626
$\text{C}_2\text{H}_3\text{O}^+$	$(\text{CH}_3)_2\text{CO}$ (RN-CAS Registry Number 67-64-1)	CH_3	11.3	EI	3550
$\text{C}_2\text{H}_3\text{O}^+$	$\text{C}_6\text{H}_5\text{OOCCH}_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	<i>cyclo</i> - $\text{C}_6\text{H}_5\text{O}$	12.78 ± 0.2	EI	3484
$\text{C}_2\text{H}_3\text{O}^+$	$\text{C}_6\text{H}_5\text{OOCCH}_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	<i>cyclo</i> - $\text{C}_6\text{H}_5\text{O}$	12.83 ± 0.03	EI	3483
$\text{C}_2\text{H}_3\text{O}^+$	$\text{C}_6\text{H}_4(\text{CH}_3)\text{OOCCH}_3$ (Acetic acid, 3-methylphenyl ester) (RN-CAS Registry Number 122-46-3)	$\text{C}_6\text{H}_4(\text{CH}_3)\text{O}$	13.83 ± 0.2	EI	3484
$\text{C}_2\text{H}_3\text{O}^+$	$\text{C}_6\text{H}_4(\text{CH}_3)\text{OOCCH}_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6) (OP—the other product(s) is(are): <i>cyclo</i> - $\text{C}_6\text{H}_4(\text{CH}_3)\text{O}$)		13.97 ± 0.2	EI	3484

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3O^+$	$C_6H_5CH_2CH_2OCOCH_3$ (Acetic acid, 2-phenylethyl ester) (RN-CAS Registry Number 103-45-7)		11.70	EI	3590
$C_2H_3O^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methyl-, acetate) (RN-CAS Registry Number 33709-40-9)		11.90	EI	3590
$C_2H_3O^+$	$C_6H_4(CH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methyl-, acetate) (RN-CAS Registry Number 22532-47-4)		11.90	EI	3590
$C_2H_3O^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate) (RN-CAS Registry Number 5451-83-2)	$C_6H_4(OCH_3)O$	13.92 ± 0.2	EI	3484
$C_2H_3O^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate) (RN-CAS Registry Number 1200-06-2)	$C_6H_4(OCH_3)O$	14.57 ± 0.2	EI	3484
$C_2H_3O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methoxy-, acetate) (RN-CAS Registry Number 33709-39-6)		11.80	EI	3590
$C_2H_3O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methoxy-, acetate) (RN-CAS Registry Number 22532-51-0)		12.20	EI	3590
$C_2H_3O^+$	$C_6H_4(COOH)OOCCH_3$ (Benzoic acid, 4-(acetyloxy)-) (RN-CAS Registry Number 2345-34-8)	$C_6H_4(COOH)O$	12.46 ± 0.2	EI	3484
$C_2H_3O^+$	$C_5H_8NCOCH_3$ (Pyridine, 1-acetyl-1,2,3,4-tetrahydro-) (RN-CAS Registry Number 19615-27-1)		13.5	EI	4046
$C_2H_3O^+$	$C_5H_{10}NCOCH_3$ (Piperidine, 1-acetyl-) (RN-CAS Registry Number 618-42-8)		15.1	EI	4046
$C_2H_3O^+$	$C_6H_5NHCOCH_3$ (Acetamide, <i>N</i> -phenyl-) (RN-CAS Registry Number 103-84-4)		13.22 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_4(NH_2)CH_2CH_2OCOCH_3$ (Benzeneethanol, 4-amino-, acetate(ester)) (RN-CAS Registry Number 33709-38-5)		12.30	EI	3590
$C_2H_3O^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester) (RN-CAS Registry Number 1523-06-4)		10.94 ± 0.2	EI	3484
	(OP—the other product(s) is(are): <i>cyclo</i> - $C_6H_4(NO_2)O$)				
$C_2H_3O^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester) (RN-CAS Registry Number 830-03-5)		10.85 ± 0.2	EI	3484
	(OP—the other product(s) is(are): <i>cyclo</i> - $C_6H_4(NO_2)O$)				
$C_2H_3O^+$	$C_6H_4FOOCCH_3$ (Phenol, 2-fluoro-, acetate) (RN-CAS Registry Number 29650-44-0)	<i>cyclo</i> - C_6H_4FO	12.23 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_4FOOCCH_3$ (Phenol, 4-fluoro-, acetate) (RN-CAS Registry Number 405-51-6)	<i>cyclo</i> - C_6H_4FO	12.72 ± 0.03	EI	3483

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3O^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,4-difluoro-, acetate) (RN-CAS Registry Number 36914-77-9)		12.00 ± 0.03	EI	3480
$C_2H_3O^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,6-difluoro-, acetate) (RN-CAS Registry Number 36914-78-0)		12.24 ± 0.03	EI	3480
$C_2H_3O^+$	CH_3COCF_3 (RN-CAS Registry Number 421-50-1)		11.45	EI	3550
$C_2H_3O^+$	$C_6H_4FNHCOCH_3$ (Acetamide, <i>N</i> -(2-fluorophenyl)-) (RN-CAS Registry Number 399-31-5)		13.59 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_4FNHCOCH_3$ (Acetamide, <i>N</i> -(4-fluorophenyl)-) (RN-CAS Registry Number 351-83-7)		13.42 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_3F_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-difluorophenyl)-) (RN-CAS Registry Number 399-36-0)		13.18 ± 0.03	EI	3480
$C_2H_3O^+$	$C_6H_3F_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-difluorophenyl)-) (RN-CAS Registry Number 3869-29-5)		13.80 ± 0.03	EI	3480
$C_2H_3O^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 2-chlorophenyl ester) (RN-CAS Registry Number 4525-75-1)		12.55 ± 0.03	EI	3483
	(OP—the other product(s) is(are): <i>cyclo</i> - C_6H_4ClO)				
$C_2H_3O^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 3-chlorophenyl ester) (RN-CAS Registry Number 13031-39-5)		12.36 ± 0.2	EI	3484
	(OP—the other product(s) is(are): <i>cyclo</i> - $C_6H_4(Cl)O$)				
$C_2H_3O^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)		12.39 ± 0.03	EI	3483
	(OP—the other product(s) is(are): <i>cyclo</i> - C_6H_4ClO)				
$C_2H_3O^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)		12.73 ± 0.2	EI	3484
	(OP—the other product(s) is(are): <i>cyclo</i> - $C_6H_4(Cl)O$)				
$C_2H_3O^+$	$C_6H_4ClCH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -chloro-, acetate) (RN-CAS Registry Number 33709-41-0)		11.60	EI	3590
$C_2H_3O^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,4-dichloro-, acetate) (RN-CAS Registry Number 6341-97-5)		12.11 ± 0.03	EI	3480
$C_2H_3O^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,6-dichloro-, acetate) (RN-CAS Registry Number 28165-71-1)		12.09 ± 0.03	EI	3480
$C_2H_3O^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(2-chlorophenyl)-) (RN-CAS Registry Number 533-17-5)		13.91 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(4-chlorophenyl)-) (RN-CAS Registry Number 539-03-7)		13.00 ± 0.03	EI	3483

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3O^+$	C ₆ H ₃ Cl ₂ NHCOCH ₃ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-) (RN-CAS Registry Number 6975-29-7)		13.08±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₃ Cl ₂ NHCOCH ₃ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-) (RN-CAS Registry Number 17700-54-8)		13.40±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₄ BrCOOCH ₃ (Phenol, 2-bromo-, acetate) (RN-CAS Registry Number 1829-37-4) (OP—the other product(s) is(are): <i>cyclo</i> -C ₆ H ₄ BrO)		12.24±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₄ BrOOCCH ₃ (Phenol, 3-bromo-, acetate) (RN-CAS Registry Number 35065-86-2) (OP—the other product(s) is(are): <i>cyclo</i> -C ₆ H ₄ (Br)O)		12.36±0.2	EI	3484
$C_2H_3O^+$	C ₆ H ₄ BrOOCCH ₃ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3) (OP—the other product(s) is(are): <i>cyclo</i> -C ₆ H ₄ (Br)O)		12.87±0.2	EI	3484
$C_2H_3O^+$	C ₆ H ₄ BrOOCCH ₃ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3) (OP—the other product(s) is(are): <i>cyclo</i> -C ₆ H ₄ BrO)		13.06±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₃ Br ₂ OOCCH ₃ (Phenol, 2,4-dibromo-, acetate) (RN-CAS Registry Number 36914-79-1)		12.01±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₃ Br ₂ OOCCH ₃ (Phenol, 2,6-dibromo-, acetate) (RN-CAS Registry Number 28165-72-2)		12.36±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₄ BrNHCOCH ₃ (Acetamide, <i>N</i> -(2-bromophenyl)-) (RN-CAS Registry Number 614-76-6)		14.68±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₄ BrNHCOCH ₃ (Acetamide, <i>N</i> -(4-bromophenyl)-) (RN-CAS Registry Number 103-88-8)		13.96±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₃ Br ₂ NHCOCH ₃ (Acetamide, <i>N</i> -(2,4-dibromophenyl)-) (RN-CAS Registry Number 23373-04-8)		13.10±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₃ Br ₂ NHCOCH ₃ (Acetamide, <i>N</i> -(2,6-dibromophenyl)-) (RN-CAS Registry Number 33098-80-5)		13.21±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₄ IOOCCH ₃ <i>cyclo</i> -C ₆ H ₄ IO (Phenol, 2-iodo-, acetate) (RN-CAS Registry Number 32865-61-5)		12.47±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₄ IOOCCH ₃ <i>cyclo</i> -C ₆ H ₄ IO (Phenol, 4-iodo-, acetate) (RN-CAS Registry Number 33527-94-5)		12.74±0.03	EI	3483
$C_2H_3O^+$	C ₆ H ₃ I ₂ OOCCH ₃ (Phenol, 2,4-diiodo-, acetate) (RN-CAS Registry Number 36914-80-4)		12.15±0.03	EI	3480
$C_2H_3O^+$	C ₆ H ₃ I ₂ OOCCH ₃ (Phenol, 2,6-diiodo-, acetate) (RN-CAS Registry Number 28165-73-3)		12.02±0.03	EI	3480

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3O^+$	$C_6H_4INHCOCH_3$ (Acetamide, <i>N</i> -(2-iodophenyl)-) (RN-CAS Registry Number 19591-17-4)		13.56 ± 0.03	EI	3483
$C_2H_3O^+$	$C_6H_4INHCOCH_3$ (Acetamide, <i>N</i> -(4-iodophenyl)-) (RN-CAS Registry Number 622-50-4)		13.16 ± 0.03	EI	3483
$C_2H_4O^+$	CH_3CHO (RN-CAS Registry Number 75-07-0)	**	10.20 ± 0.03	PI	3765
$C_2H_5O^+$	$(CH_3)_2O$ (RN-CAS-Registry Number 115-10-6)	H	11.55 ± 0.15	EI	4071
$C_2H_5O^+$	$C_2H_5OCH_3$ (RN-CAS-Registry Number 540-67-0)	CH_3	10.91 ± 0.1	EI	4071
$C_2H_3D_2O^+$	CH_3OCD_3 (RN-CAS-Registry Number 13725-27-4)	D	11.53 ± 0.1	EI	4071
$C_2H_2D_3O^+$	CH_3OCD_3 (RN-CAS-Registry Number 13725-27-4)	H	11.15 ± 0.1	EI	4071
$C_2H_2D_3O^+$	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)	CH_3	11.01 ± 0.1	EI	4071
$C_2H_6O^+$	C_2H_5OH (RN-CAS Registry Number 64-17-5)	**	10.62 (V)	PE	3941
$C_2H_6O^+$	C_2H_5OH (RN-CAS-Registry Number 64-17-5)	**	10.64 (V)	PE	4068
$C_2H_6O^+ (^2B_1)$	$(CH_3)_2O$ (RN-CAS Registry Number 115-10-6)	**	10.04 (V)	PE	3656
$C_2H_6O^+$	$(CH_3)_2O$ (RN-CAS Registry Number 115-10-6)	**	10.04 (V)	PE	3844
$C_2H_6O^+$	$(CH_3)_2O$ (RN-CAS-Registry Number 115-10-6)	**	10.12 ± 0.2	EI	4071
$C_2H_3D_3O^+$	CH_3OCD_3 (RN-CAS-Registry Number 13725-27-4)	**	10.00 ± 0.1	EI	4071
$C_3H_4O^+$	$CH_2=CHCHO$ (RN-CAS Registry Number 107-02-8)	**	10.13	PE	3864
$C_3H_4O^+$	$CH_2=CHCHO$ (RN-CAS Registry Number 107-02-8)	**	11.07 (V)	PE	3972
$C_3H_6O^+$	$(CH_3)_2CO$ (RN-CAS Registry Number 67-64-1)	**	9.71 ± 0.03	PI	3765
$C_3H_6O^+$	$(CH_3)_2CO$ (RN-CAS Registry Number 67-64-1)	**	9.72	PE	3649
$C_3H_6O^+$	$(CH_3)_2CO$ (RN-CAS Registry Number 67-64-1)	**	9.75 ± 0.025	PE	3626
$C_3H_6O^+$	$(CH_3)_2CO$ (RN-CAS Registry Number 67-64-1)	**	9.74	EDD	3485
$C_3H_6O^+$	$CH_2=CHCH_2OH$ (RN-CAS Registry Number 107-18-6)	**	9.63	PE	3864

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6O^+$	$CH_2=CHCH_2OH$ (RN-CAS Registry Number 107-18-6)	**	10.22 (V)	PE	3863
$C_3H_6O^+$	$CH_2=CHOCH_3$ (RN-CAS Registry Number 107-25-5)	**	8.95	PE	3863
$C_3H_6O^+$	C_3H_6O (Oxetane) (RN-CAS Registry Number 503-30-0)	**	9.63	PE	3980
$C_3D_6O^+$	$(CD_3)_2CO$ (RN-CAS Registry Number 666-52-4)	**	9.68	PE	3649
$C_3H_7O^+$	$C_2H_5OCH_3$ (RN-CAS-Registry Number 540-67-0)	H	10.32 ± 0.1	EI	4071
$C_3H_7O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	H	10.48 ± 0.03	EDD	3626
$C_3H_7O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	H	10.2	EI	3916
$C_3H_4D_3O^+$	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)	H	10.22 ± 0.1	EI	4071
$C_3H_8O^+$	$C_2H_5OCH_3$ (RN-CAS-Registry Number 540-67-0)	**	9.62 ± 0.1	EI	4071
$C_3H_8O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	**	10.15 ± 0.025	PE	3626
$C_3H_8O^+$	$n-C_3H_7OH$ (RN-CAS-Registry Number 71-23-8)	**	10.49 (V)	PE	4068
$C_3H_8O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	**	10.51 (V)	PE	3941
$C_3H_8O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	**	10.16 ± 0.03	EDD	3626
$C_3H_8O^+$	$n-C_3H_7OH$ (RN-CAS Registry Number 71-23-8)	**	10.0	EI	3916
$C_3H_8O^+$	$iso-C_3H_7OH$ (RN-CAS-Registry Number 67-63-0)	**	10.36 (V)	PE	4068
$C_3H_8O^+$	$iso-C_3H_7OH$ (RN-CAS Registry Number 67-63-0)	**	10.42 (V)	PE	3941
$C_3H_5D_3O^+$	$C_2H_5OCD_3$ (RN-CAS-Registry Number 16995-14-5)	**	9.64 ± 0.1	EI	4071
$C_4H_4O^+$	C_4H_4O (Furan) (RN-CAS-Registry Number 110-00-9)	**	8.91 ± 0.01	PI	4058
$C_4H_4O^+$	C_4H_4O (Furan) (RN-CAS Registry Number 110-00-9)	**	8.99 ± 0.05	EI	3482
$C_4H_5O^+$	$C_5H_8NCOCH=CHCH_3$ (Pyridine, 1,2,3,4-tetrahydro-1-(1-oxo-2-butenyl)-, (E)) (RN-CAS Registry Number 50838-23-8)		13.0	EI	4046

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_5O^+$	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-, (E)) (RN-CAS Registry Number 50838-22-7)	**	14.6	EI	4046
$C_4H_6O^+$	$CH_2=CHCOCH_3$ (RN-CAS Registry Number 78-94-4)	**	10.60 (V)	PE	3972
$C_4H_6O^+$	$CH_3CH=CHCHO$ (RN-CAS Registry Number 4170-30-3)	**	10.28 (V)	PE	3972
$C_4H_6O^+$	C_4H_6O (Cyclobutanone) (RN-CAS Registry Number 1191-95-3)	**	9.61 ± 0.02 (V)	PE	3517
$C_4H_6O^+$	C_4H_6O (Cyclobutanone) (RN-CAS Registry Number 1191-95-3)	**	9.58 ± 0.1	EDD	3794
$C_4H_6O^+$	C_4H_6O (Furan, 2,5-dihydro-) (RN-CAS Registry Number 1708-29-8)	**	9.14 ± 0.02 (V)	PE	3843
$C_4H_8O^+$	$C_2H_5COCH_3$ (RN-CAS Registry Number 78-93-3)	**	9.54 ± 0.03	PI	3765
$C_4H_8O^+$	C_4H_8O (Furan, tetrahydro-) (RN-CAS Registry Number 109-99-9)	**	9.41	S	3749
$C_4H_8O^+$	(RS-Average of four Rydberg series limits)	**	9.57 ± 0.02 (V)	PE	3843
$C_4H_{10}O^+$	$n-C_4H_9OH$ (RN-CAS-Registry Number 71-36-3)	**	10.37 (V)	PE	4068
$C_4H_{10}O^+$	$tert-C_4H_9OH$ (RN-CAS Registry Number 75-65-0)	**	10.25 (V)	PE	3941
$C_5H_4O^+$	$C_6H_4O_2$ (2,5-Cyclohexadiene-1,4-dione) (RN-CAS Registry Number 106-51-4)	CO	11.10 ± 0.05	PI	3523
$C_5H_6O^+$	$C_4H_3OCH_3$ (Furan, 2-methyl-) (RN-CAS Registry Number 534-22-5)	**	8.47 ± 0.05	EI	3482
$C_5H_8O^+$	$CH_2=C(OCH_3)CH=CH_2$ (RN-CAS Registry Number 3588-30-5)	**	8.43	PE	3892
$C_5H_8O^+$	$trans-CH_3OCH=CHCH=CH_2$ (RN-CAS Registry Number 10034-09-0)	**	8.03	PE	3892
$C_5H_8O^+$	C_5H_8O (Cyclopentanone) (RN-CAS Registry Number 120-92-3)	**	9.42 ± 0.03	PI	3765
$C_5H_8O^+$	C_5H_8O (Cyclopentanone) (RN-CAS Registry Number 120-92-3)	**	9.25 ± 0.02 (V)	PE	3517

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_9O^+$	$n-C_4H_9COCH_3$ (RN-CAS Registry Number 591-78-6)	CH_3	9.4	EI	3916
$C_5H_{10}O^+$	$n-C_3H_7COCH_3$ (RN-CAS Registry Number 107-87-9)	**	9.47 ± 0.03	PI	3765
$C_5H_{10}O^+$	$C_5H_{10}O$ (2 <i>H</i> -Pyran, tetrahydro-) (RN-CAS Registry Number 142-68-7)	**	9.48 (V)	PE	4082
$C_5H_{10}O^+$	$C_5H_{10}O$ (2 <i>H</i> -Pyran, tetrahydro-) (RN-CAS Registry Number 142-68-7)	**	9.50 (V)	PE	3733
$C_6H_4O^+$	C_6H_4O (Methanone, 2,4-cyclopentadien-1-ylidene-) (RN-CAS Registry Number 4727-22-4)	**	8.95 ± 0.1	EI	3552
$C_6H_4O^+$	$C_5H_4=CO$ (Methanone, 2,4-cyclopentadien-1-ylidene-) (RN-CAS Registry Number 4727-22-4)	**	8.99 ± 0.1	EI	3553
$C_6H_5O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	CH_3	11.3	EI	3916
$C_6H_5O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	CH_3	11.80 ± 0.1	EI	3446
$C_6H_5O^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 3-hydroxy-) (RN-CAS Registry Number 99-06-9)	$CO + OH$	14.42 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_6H_5O^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 4-hydroxy-) (RN-CAS Registry Number 99-96-7)	$CO + OH$	14.56 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_6H_5O^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	NO	10.35 ± 0.1	EI	3447
$C_6H_5O^+$	$C_6H_4(NO_2)OH$ (Phenol, 4-nitro-) (RN-CAS Registry Number 100-02-7)	NO_2	11.91 ± 0.1	EI	3447
$C_6H_6O^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	**	8.37	PE	3955
$C_6H_6O^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	**	8.47 ± 0.02	PE	3890
$C_6H_6O^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	**	8.69	EDD	3485
$C_6H_6O^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	**	8.50	EI	3845

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6O^+$	C_6H_5OH (Phenol) (RN-CAS Registry Number 108-95-2)	**	9.09 ± 0.1	EI	3817
$C_6H_6O^+$	$C_6H_5OC_2H_5$ (Benzene, ethoxy-) (RN-CAS Registry Number 103-73-1) (MT-Metastable transition(s) observed)	C_2H_4	11.3	EI	3479
$C_6H_6O^+$	$C_7H_6O_2$ (2,4,6-Cycloheptatrien-1-one, 2-hydroxy-) (RN-CAS Registry Number 533-75-5) (MT-Metastable transition(s) observed)	CO	10.8	EI	3479
$C_6H_6O^+$	$C_6H_4(OH)OCH_3$ (Phenol, 4-methoxy-) (RN-CAS Registry Number 150-76-5)	HCHO	10.30	EI	3845
$C_6H_6O^+$	$C_6H_5OOCCH_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	$CH_2=C=O$	9.57 ± 0.03	EI	3483
$C_6H_6O^+$	$C_6H_5OOCCH_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	$CH_2=C=O$	9.89 ± 0.2	EI	3484
$C_6H_8O^+$	$C_4H_3OC_2H_5$ (Furan, 2-ethyl-) (RN-CAS Registry Number 3208-16-0)	**	8.45 ± 0.05	EI	3482
$C_6H_8O^+$	C_6H_8O (7-Oxabicyclo[2.2.1]hept-2-ene) (RN-CAS Registry Number 6705-50-6)	**	9.44 ± 0.02 (V)	PE	3843
$C_6H_{10}O^+$	$C_6H_{10}O$ (Cyclohexanone) (RN-CAS Registry Number 108-94-1)	**	9.14 ± 0.03	PI	3765
$C_6H_{10}O^+$	$C_6H_{10}O$ (Cyclohexanone) (RN-CAS Registry Number 108-94-1)	**	9.14 ± 0.02 (V)	PE	3517
$C_6H_{10}O^+$	$C_6H_{10}O$ (Cyclohexanone) (RN-CAS-Registry Number 108-94-1)	**	9.5 ± 0.2	EI	4074
$C_6H_{10}O^+$	$C_6H_{10}O$ (7-Oxabicyclo[2.2.1]heptane) (RN-CAS Registry Number 279-49-2)	**	9.57 ± 0.02 (V)	PE	3843
$C_6H_{12}O^+$	$(CH_3)_3CCOH_3$ (RN-CAS Registry Number 75-97-8)	**	8.88 ± 0.04	PE	3851
$C_6H_{12}O^+$	$(CH_3)_3CCOCH_3$ (RN-CAS Registry Number 75-97-8)	**	9.18 ± 0.03	PI	3765
$C_6H_{12}O^+$	$n-C_4H_9COCH_3$ (RN-CAS Registry Number 591-78-6)	**	9.44 ± 0.03	PI	3765
$C_6H_{12}O^+$	$n-C_4H_9COCH_3$ (RN-CAS Registry Number 591-78-6)	**	9.2	EI	3916

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_5O^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	H	11.26	EI	3792
$C_7H_5O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	CH_3	9.6	EI	3916
$C_7H_5O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	CH_3	10.38	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_5O^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS Registry Number 119-61-9)	C_6H_5	11.72	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_5O^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0)	OH	12.11 ± 0.2	EI	3973
$C_7H_5O^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0)	OH	12.11	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_5O^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3)	CH_3O	11.40	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_5O^+$	$C_6H_5COOC_6H_5$ (Benzoic acid phenyl ester) (RN-CAS Registry Number 93-99-2)		10.0	EI	3897
$C_7H_5O^+$	$C_6H_5COOC_6H_4OCH_3$ (Phenol, 4-methoxy-, benzoate) (RN-CAS Registry Number 1523-19-9)		10.6	EI	3897
$C_7H_5O^+$	$C_6H_5CONH_2$ (Benzamide) (RN-CAS Registry Number 55-21-0)	NH_2	11.09	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_5O^+$	$C_5H_8NCOC_6H_5$ (Pyridine, 1-benzoyl-1,2,3,4-tetrahydro-) (RN-CAS Registry Number 50838-24-9)		12.4	EI	4046
$C_7H_5O^+$	$C_5H_{10}NCOC_6H_5$ (Piperidine, 1-benzoyl-) (RN-CAS Registry Number 776-75-0)		14.4	EI	4046
$C_7H_5O^+$	$C_6H_5COOC_6H_4NO_2$ (Benzoic acid 4-nitro phenyl ester) (RN-CAS Registry Number 959-22-8)		10.2	EI	3897
$C_7H_5O^+$	C_6H_5COCl (Benzoyl chloride) (RN-CAS Registry Number 98-88-4)	Cl	10.31	EI	3792
(TR—Other product(s) thermochemically reasonable)					
$C_7H_6O^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS-Registry Number 100-52-7)	**	9.50 ± 0.02	PI	4057

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_6O^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	**	9.50 ± 0.02	PI	4031
$C_7H_6O^+$	C_7H_6O (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	**	9.6	PI	3586
$C_7H_6O^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	**	9.40	PE	3938
$C_7H_6O^+$	C_6H_5CHO (Benzaldehyde) (RN-CAS Registry Number 100-52-7)	**	9.74	EI	3792
$C_7H_6O^+$	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-) (RN-CAS Registry Number 101-53-1)	C_6H_5	11.1 ± 0.2	EI	3807
$C_7H_7O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-3-methyl-) (RN-CAS Registry Number 100-84-5)	CH_3	11.60 ± 0.1	EI	3446
$C_7H_7O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	CH_3	11.45 ± 0.1	EI	3446
$C_7H_7O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-) (RN-CAS Registry Number 4074-43-5)		12.79 ± 0.1	EI	3629
$C_7H_7O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-) (RN-CAS Registry Number 1638-22-8)		11.45 ± 0.1	EI	3629
$C_7H_7O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 2-methylphenyl ester) (RN-CAS Registry Number 533-18-6)	CH_3CO	13.16 ± 0.02	EI	3631
$C_7H_7O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6)	CH_3CO	13.47 ± 0.02	EI	3631
$C_7H_7O^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-) (RN-CAS Registry Number 586-38-9)	$COOH$	13.07 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_7O^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-) (RN-CAS Registry Number 100-09-4)	$COOH$	12.80 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_7O^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-) (RN-CAS Registry Number 99-08-1)	NO	9.98 ± 0.1	EI	3447
$C_7H_7O^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-4-nitro-) (RN-CAS Registry Number 99-99-0)	NO	10.34 ± 0.1	EI	3447
$C_7H_7O^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-3-nitro-) (RN-CAS Registry Number 555-03-3)	NO_2	11.44 ± 0.1	EI	3447

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7O^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-4-nitro-) (RN-CAS Registry Number 100-17-4)	NO_2	11.63 ± 0.1	EI	3447
$C_7H_8O^+$	$C_6H_5CH_2OH$ (Benzenemethanol) (RN-CAS Registry Number 100-51-6)	**	9.00 ± 0.1	EI	3788
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.20 ± 0.02	PE	3890
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.42 (V)	PE	3781
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.20	EI	3845
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.20	EI	3845
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.25 ± 0.1	EI	3788
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.39 ± 0.1	EI	3446
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.6	EI	3916
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.6	EI	3479
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	$8.76 \pm < 0.1$	EI	3735
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.18	CTS	3758
$C_7H_8O^+$	$C_6H_5OCH_3$ (Benzene, methoxy-) (RN-CAS Registry Number 100-66-3)	**	8.37	CTS	4029
(AV—Average of two values)					
$C_7H_8O^+$	$C_6H_4(OH)CH_3$ (Phenol, 2-methyl-) (RN-CAS Registry Number 95-48-7)	**	8.24 ± 0.02	PE	3890
$C_7H_8O^+$	$C_6H_4(OH)CH_3$ (Phenol, 4-methyl-) (RN-CAS Registry Number 106-44-5)	**	8.34	EI	4089
$C_7H_8O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-) (RN-CAS Registry Number 4074-43-5)	$CH_2=CHCH_3$	11.07 ± 0.1	EI	3629

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-) (RN-CAS Registry Number 1638-22-8)	$CH_2=CHCH_3$	10.32 ± 0.1	EI	3629
$C_7H_8O^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,3-dimethoxy-) (RN-CAS Registry Number 151-10-0)	CH_2O	10.98 ± 0.1	EI	3446
$C_7H_8O^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-) (RN-CAS Registry Number 150-78-7)	HCHO	11.00	EI	3845
$C_7H_8O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 2-methylphenyl ester) (RN-CAS Registry Number 533-18-6)	$CH_2=C=O$	9.44 ± 0.02	EI	3631
$C_7H_8O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 3-methylphenyl ester) (RN-CAS Registry Number 122-46-3)	$CH_2=C=O$	10.03 ± 0.2	EI	3484
$C_7H_8O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6)	$CH_2=C=O$	9.26 ± 0.02	EI	3631
$C_7H_8O^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6)	$CH_2=C=O$	9.75 ± 0.2	EI	3484
$C_7H_8O^+$	$C_6H_5OOCOCH_3$ (Carbonic acid, methyl phenyl ester) (RN-CAS Registry Number 13509-27-8)	CO_2	10.3	EI	3479
(MT—Metastable transition(s) observed)					
$C_7H_8O^+$	$C_6H_5CH_2OHCr(CO)_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9)		9.40 ± 0.1	EI	3788
$C_7H_8O^+$	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)		8.45 ± 0.1	EI	3788
$C_7H_{12}O^+$	$C_7H_{12}O$ (Cycloheptanone) (RN-CAS Registry Number 502-42-1)	**	9.17 ± 0.02 (V)	PE	3517
$C_7H_{12}O^+$	$C_6H_9(=O)CH_3$ (Cyclohexanone, 2-methyl-) (RN-CAS-Registry Number 583-60-8)	**	9.5 ± 0.2	EI	4074
$C_7H_{14}O^+$	$(n-C_3H_7)_2CO$ (RN-CAS Registry Number 123-19-3)	**	9.12 ± 0.03	PI	3765
$C_7H_{14}O^+$	$C_6H_{10}(OH)CH_3$ (Cyclohexanol, 1-methyl-) (RN-CAS-Registry Number 590-67-0)	**	9.8 ± 0.2	EI	4074
$C_8H_7O^+$	$C_6H_4(CH_3)COOH$ (Benzoic acid, 3-methyl-) (RN-CAS Registry Number 99-04-7)	OH	12.38 ± 0.2	EI	3973
$C_8H_7O^+$	$C_6H_4(CH_3)COOH$ (Benzoic acid, 4-methyl-) (RN-CAS Registry Number 99-94-5)	OH	12.07 ± 0.2	EI	3973

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_7O^+$	$C_6H_5COCOC_6H_4CH_3$ (Ethanedione, (4-methylphenyl)phenyl-) (RN-CAS Registry Number 2431-00-7) (TR—Other product(s) thermochemically reasonable)	C_6H_5CO	9.84 ± 0.10	SD	3823
$C_8H_8O^+$	$C_6H_5CH_2CHO$ (Benzeneacetaldehyde) (RN-CAS Registry Number 122-78-1)	**	8.80	PE	3938
$C_8H_8O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	**	9.29 ± 0.2	PI	4031
$C_8H_8O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS-Registry Number 98-86-2)	**	9.29 ± 0.2	PI	4057
$C_8H_8O^+$	C_6H_5CO (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	**	9.6	PI	3586
$C_8H_8O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	**	9.1	EI	3916
$C_8H_8O^+$	$C_6H_5COCH_3$ (Ethanone, 1-phenyl-) (RN-CAS Registry Number 98-86-2)	**	9.50	EI	3792
$C_8H_9O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-3-methoxy-) (RN-CAS Registry Number 20893-43-0)		12.04 ± 0.1	EI	3629
$C_8H_9O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-4-methoxy-) (RN-CAS Registry Number 18272-84-9)		10.79 ± 0.1	EI	3629
$C_8H_9O^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-) (RN-CAS Registry Number 834-14-0)	C_6H_5	11.9 ± 0.1	EI	3807
$C_8H_9O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methoxy-, acetate) (RN-CAS Registry Number 33709-39-6)		12.10	EI	3590
$C_8H_9O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methoxy-, acetate) (RN-CAS Registry Number 22532-51-0)		11.50	EI	3590
$C_8H_{10}O^+$	$C_6H_5OC_2H_5$ (Benzene, ethoxy-) (RN-CAS Registry Number 103-73-1)	**	8.6	EI	3479
$C_8H_{10}O^+$	$C_6H_5CH_2OCH_3$ (Benzene, (methoxymethyl)-) (RN-CAS Registry Number 538-86-3)	**	9.12 (V)	PE	3781
$C_8H_{10}O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-2-methyl-) (RN-CAS Registry Number 578-58-5)	**	8.03 ± 0.02	PE	3890
$C_8H_{10}O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-3-methyl-) (RN-CAS Registry Number 100-84-5)	**	8.35 ± 0.1	EI	3446

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	**	7.85	EI	3845
$C_8H_{10}O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	**	8.33 ± 0.1	EI	3446
$C_8H_{10}O^+$	$C_6H_4(OCH_3)CH_3$ (Benzene, 1-methoxy-4-methyl-) (RN-CAS Registry Number 104-93-8)	**	7.91	CTS	3758
$C_8H_{10}O^+$	$C_6H_3(CH_3)_2OH$ (Phenol, 2,6-dimethyl-) (RN-CAS Registry Number 576-26-1)	**	8.05 ± 0.02	PE	3890
$C_8H_{10}O^+$	$C_8H_{10}O$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-one, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 14224-86-3) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octan-8-one, <i>endo</i> -)	**	8.8 ± 0.1	EI	3492
$C_8H_{10}O^+$	$C_8H_{10}O$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-one, <i>exo</i> -) (RN-CAS Registry Number 7076-83-7)	**	9.2 ± 0.1	EI	3492
$C_8H_{10}O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-3-methoxy-) (RN-CAS Registry Number 20893-43-0)	$CH_2=CHCH_3$	10.52 ± 0.1	EI	3629
$C_8H_{10}O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-4-methoxy-) (RN-CAS Registry Number 18272-84-9)	$CH_2=CHCH_3$	10.38 ± 0.1	EI	3629
$C_8H_{10}O^+$	$C_6H_5OOCOC_2H_5$ (Carbonic acid, ethyl phenyl ester) (RN-CAS Registry Number 3878-46-4)	CO_2	10.0	EI	3479
(MT-Metastable transition(s) observed)					
$C_8H_{12}O^+$	$C_8H_{11}OH$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, <i>endo-syn</i> -) (RN-CAS Registry Number 7076-81-5)	**	8.8 ± 0.1	EI	3492
$C_8H_{12}O^+$	$C_8H_{11}OH$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, <i>endo-anti</i> -) (RN-CAS Registry Number 16384-97-7)	**	9.1 ± 0.1	EI	3492
$C_8H_{12}O^+$	$C_8H_{11}OH$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, <i>exo-syn</i> -) (RN-CAS Registry Number 7076-80-4)	**	9.1 ± 0.1	EI	3492
$C_8H_{12}O^+$	$C_8H_{11}OH$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, <i>exo-anti</i> -)	**	9.3 ± 0.1	EI	3492
$C_8H_{14}O^+$	$C_8H_{14}O$ (Cyclooctanone) (RN-CAS Registry Number 502-49-8)	**	9.09 ± 0.02 (V)	PE	3517
$C_8H_{16}O^+$	$n-C_6H_{13}COCH_3$ (RN-CAS Registry Number 111-13-7)	**	9.40 ± 0.03	PI	3765
$C_8H_{16}O^+$	$n-C_4H_9COCH_2CH_2CH_3$ (RN-CAS Registry Number 589-63-9)	**	9.10 ± 0.05	PI	3765

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_9O^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-87-7)	CH_2D	12.3 ± 0.1	EI	4041
$C_9H_9O^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-86-6)	CH_2D	11.4 ± 0.1	EI	4041
$C_9H_8DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-87-7)	CH_3	11.5 ± 0.1	EI	4041
$C_9H_8DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-86-6)	CH_3	11.4 ± 0.1	EI	4041
$C_9H_{10}O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -methoxy-, acetate) (RN-CAS Registry Number 33709-39-6)		8.40	EI	3590
$C_9H_{10}O^+$	$C_6H_4(OCH_3)CH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>p</i> -methoxy-, acetate) (RN-CAS Registry Number 22532-51-0)		8.25	EI	3590
$C_9H_{12}O^+$	$C_6H_3(CH_3)_2OCH_3$ (Benzene, 2-methoxy-1,3-dimethyl-) (RN-CAS Registry Number 1004-66-6)	**	8.10 ± 0.02	PE	3890
$C_9H_{12}O^+$	$C_{10}H_{12}O_2$ (2,5-Cyclohexadiene-1,4-dione, 2,3,5,6-tetramethyl-) (RN-CAS Registry Number 527-17-3)	CO	10.1 ± 0.05	PI	3523
$C_9H_{18}O^+$	$((CH_3)_3C)_2CO$ (RN-CAS Registry Number 815-24-7)	**	8.65 ± 0.03	PI	3765
$C_9H_{18}O^+$	$(iso-C_4H_9)_2CO$ (RN-CAS Registry Number 108-83-8)	**	9.04 ± 0.03	PI	3765
$C_{10}H_{11}DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,4-dimethyl-5-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-87-7)	**	8.7 ± 0.1	EI	4041
$C_{10}H_{11}DO^+$	$C_6H_2(CH_3)_2(CH_2D)CHO$ (Benzaldehyde, 2,5-dimethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 38479-86-6)	**	8.7 ± 0.1	EI	4041
$C_{10}H_{14}O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 3-butyl-) (RN-CAS Registry Number 4074-43-5)	**	8.92 ± 0.1	EI	3629
$C_{10}H_{14}O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 4-butyl-) (RN-CAS Registry Number 1638-22-8)	**	8.67 ± 0.1	EI	3629
$C_{10}H_{14}O^+$	$C_6H_4(OH)C_4H_9$ (Phenol, 2-(1,1-dimethylethyl-) (RN-CAS Registry Number 88-18-6)	**	8.10 ± 0.02	PE	3890

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{14}O^+$	$C_{10}H_{14}O$ (Tricyclo[3.3.1.1 ^{3,7}]decan-2-one) (RN-CAS Registry Number 700-58-3) (ON-Other name: Adamantanone)	**	8.59	PE	3886
$C_{10}H_{16}O^+$	$C_{10}H_{16}O$ (Bicyclo[2.2.1]heptan-2-one, 1,7,7-trimethyl-) (RN-CAS Registry Number 76-22-2)	**	8.76 ± 0.03	PI	3765
$C_{10}H_{16}O^+$	$C_{10}H_{15}OH$ (Tricyclo[3.3.1.1 ^{3,7}]decan-1-ol) (RN-CAS Registry Number 768-95-6) (ON-Other name: 1-Adamantanol)	**	9.09 ± 0.05	PE	3886
$C_{10}H_{16}O^+$	$C_{10}H_{15}OH$ (Tricyclo[3.3.1.1 ^{3,7}]decan-2-ol) (RN-CAS Registry Number 700-57-2) (ON-Other name: 2-Adamantanol)	**	9.09 ± 0.07	PE	3886
$C_{11}H_{10}O^+$	$C_{10}H_7OCH_3$ (Naphthalene, 1-methoxy-) (RN-CAS Registry Number 2216-69-5)	**	7.72 (V)	PE	3781
$C_{11}H_{10}O^+$	$C_{10}H_7OCH_3$ (Naphthalene, 2-methoxy-) (RN-CAS Registry Number 93-04-9)	**	7.87 (V)	PE	3781
$C_{11}H_{12}O^+$	$C_{20}H_{26}O_2$ (<i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-) (RN-CAS Registry Number 1232-89-9)		11.46 ± 0.05	EI	3571
$C_{11}H_{12}O^+$	$C_{20}H_{26}O_2$ (<i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-, (8 α)-) (RN-CAS Registry Number 1232-88-8)		11.20 ± 0.05	EI	3571
$C_{11}H_{13}O^+$	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 43022-36-2)	CH_2D	11.2 ± 0.1	EI	4041
$C_{11}H_{12}DO^+$	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 43022-36-2)	CH_3	11.2 ± 0.1	EI	4041
$C_{11}H_{16}O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-3-methoxy-) (RN-CAS Registry Number 20893-43-0)	**	8.17 ± 0.1	EI	3629
$C_{11}H_{16}O^+$	$C_6H_4(OCH_3)C_4H_9$ (Benzene, 1-butyl-4-methoxy-) (RN-CAS Registry Number 18272-84-9)	**	8.24 ± 0.1	EI	3629
$C_{11}H_{16}O^+$	$C_{10}H_{13}(=O)CH_3$ (2(3 <i>H</i>)-Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-) (RN-CAS Registry Number 826-56-2)	**	9.6 ± 0.2	EI	4074

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{10}O^+$	$C_6H_5C_6H_4OH$ ([1,1'-Biphenyl]-2-ol) (RN-CAS Registry Number 90-43-7)	**	7.80 ± 0.02	PE	3702
$C_{12}H_{15}DO^+$	$C_6(CH_3)_4(CH_2D)CHO$ (Benzaldehyde, 2,3,5,6-tetramethyl-4-(methyl- <i>d</i>)-) (RN-CAS Registry Number 43022-36-2)	**	8.3 ± 0.1	EI	4041
$C_{12}H_{18}O^+$	$C_{10}H_{15}COCH_3$ (Ethanone, 1-tricyclo[3.3.1.1 ^{3,7}]dec-1-yl-) (RN-CAS Registry Number 1660-04-4) (ON-Other name: 1-Acetyladamantane)	**	8.82 ± 0.05	PE	3851
$C_{13}H_8O^+$	$C_{13}H_8O$ (9 <i>H</i> -Fluoren-9-one) (RN-CAS Registry Number 486-25-9)	**	8.36 ± 0.02	PI	3523
$C_{13}H_{10}O^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS-Registry Number 119-61-9)	**	9.14 ± 0.03	PI	4057
$C_{13}H_{10}O^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS Registry Number 119-61-9)	**	9.14 ± 0.03	PI	4031
$C_{13}H_{10}O^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS Registry Number 119-61-9)	**	9.4	PI	3586
$C_{13}H_{10}O^+$	$(C_6H_5)_2CO$ (Methanone, diphenyl-) (RN-CAS Registry Number 119-61-9)	**	9.46	EI	3792
$C_{13}H_{11}O^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-) (RN-CAS Registry Number 834-14-0)	CH_3	11.9 ± 0.1	EI	3807
$C_{13}H_{12}O^+$	$C_6H_5CH_2C_6H_4OH$ (Phenol, 4-(phenylmethyl)-) (RN-CAS Registry Number 101-53-1)	**	8.45 ± 0.05	EI	3806
$C_{14}H_{10}O^+$	$C_{14}H_{10}O$ (9(10 <i>H</i>)-Anthracenone) (RN-CAS Registry Number 90-44-8)	**	8.83 ± 0.03	PI	3523
$C_{14}H_{14}O^+$	$C_6H_5CH_2C_6H_4OCH_3$ (Benzene, 1-methoxy-4-(phenylmethyl)-) (RN-CAS Registry Number 834-14-0)	**	8.20 ± 0.05	EI	3806
$C_{14}H_{22}O^+$	$C_6H_3(C_4H_9)_2OH$ (Phenol, 2,6-bis(1,1-dimethylethyl)-) (RN-CAS Registry Number 128-39-2)	**	7.70 ± 0.02	PE	3890

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_{22}O^+$	$C_6H_3(C_4H_9)_2OH$ (Phenol, 3,5-bis(1,1-dimethylethyl-) (RN-CAS Registry Number 1138-52-9))	**	7.90 ± 0.02	PE	3890
$C_{15}H_{15}O^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-) (RN-CAS Registry Number 1232-90-2)		11.46 ± 0.05	EI	3571
$C_{15}H_{15}O^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 β)-) (RN-CAS Registry Number 1232-91-3)		10.84 ± 0.09	EI	3571
$C_{16}H_{10}O^+$	$C_{16}H_{10}O$ (4,6-Ethenodibenz[<i>b,f</i>]oxepine, (<i>Z,Z</i>)-) (RN-CAS Registry Number 42073-03-0) (ON-Other name: 8,16-Oxido- <i>cis</i> [2.2]metacyclophane-1,9-diene)	**	7.95 (V)	PE	4088
$C_{16}H_{16}O^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-) (RN-CAS Registry Number 1232-90-2)		10.79 ± 0.07	EI	3571
$C_{16}H_{16}O^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 β)-) (RN-CAS Registry Number 1232-91-3)		10.44 ± 0.11	EI	3571
$C_{18}H_{18}O^+$	$C_6H_8(=O)(C_6H_5)_2$ (Cyclohexanone, 4,4-diphenyl-) (RN-CAS-Registry Number 4528-68-1)	**	8.8 ± 0.2	EI	4074
$C_{19}H_{20}O^+$	$C_6H_7(=O)(CH_3)(C_6H_5)_2$ (Cyclohexanone, 2-methyl-5,5-diphenyl-) (RN-CAS-Registry Number 50592-49-9)	**	8.8 ± 0.2	EI	4074
$C_{19}H_{22}O^+$	$C_6H_8(OH)(CH_3)(C_6H_5)_2$ (Cyclohexanol, 1-methyl-4,4-diphenyl-) (RN-CAS-Registry Number 50592-47-7)	**	9.2 ± 0.2	EI	4074
$C_{23}H_{24}O^+$	$C_{10}H_{11}(=O)(CH_3)(C_6H_5)_2$ (2(3 <i>H</i> -Naphthalenone, 4,4a,5,6,7,8-hexahydro-4a-methyl-7,7-diphenyl-) (RN-CAS-Registry Number 50786-03-3)	**	8.9 ± 0.2	EI	4074
$CH_2O_2^+$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	11.05 ± 0.03	PI	3765
$CH_2O_2^+$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	11.3	PE	3883
$CH_2O_2^+$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	11.33	PE	3874
$CH_2O_2^+$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	11.35 ± 0.03	PE	3734
$CH_2O_2^{+*}$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	12.4	PE	3883
$CH_2O_2^{+*}$	$HCOOH$ (RN-CAS Registry Number 64-18-6)	**	16.9	PE	3883

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4O_2^+$	CH_3COOH (RN-CAS Registry Number 64-19-7)	**	10.38 ± 0.03	PI	3765
$C_2H_4O_2^+$	CH_3COOH (RN-CAS Registry Number 64-19-7)	**	10.65	PE	3874
$C_2H_4O_2^+$	CH_3COOH (RN-CAS Registry Number 64-19-7)	**	10.69 ± 0.03	PE	3734
$C_2H_4O_2^+$	CH_3COOH (RN-CAS Registry Number 64-19-7)	**	10.70	PE	3718
$C_2H_4O_2^+$	$HCOOCH_3$ (RN-CAS Registry Number 107-31-3)	**	10.85	PE	3718
$C_3H_4O_2^+$	$CH_2=CHCOOH$ (RN-CAS Registry Number 79-10-7)	**	10.60	PE	3864
$C_3H_6O_2^+$	C_2H_5COOH (RN-CAS Registry Number 79-09-4)	**	10.44 ± 0.03	PE	3734
$C_3H_6O_2^+$	C_2H_5COOH (RN-CAS Registry Number 79-09-4)	**	10.54	PE	3874
$C_3H_6O_2^+$	CH_3COOCH_3 (RN-CAS Registry Number 79-20-9)	**	10.33	PE	3718
$C_3H_6O_2^+$	CH_3COOCH_3 (RN-CAS Registry Number 79-20-9)	**	10.59 (V)	PE	3937
$C_3H_6O_2^+$	$HCOOC_2H_5$ (RN-CAS Registry Number 109-94-4)	**	10.62	PE	3718
$C_3H_6O_2^+$	$C_3H_6O_2$ (1,3-Dioxolane) (RN-CAS Registry Number 646-06-0)	**	10.1 (V)	PE	3733
$C_4H_2O_2^+$	$C_6H_4O_2$ (2,5-Cyclohexadiene-1,4-dione) (RN-CAS Registry Number 106-51-4)	C_2H_2	11.2 ± 0.05	PI	3523
$C_4H_4O_2^+$	$C_4H_4O(=O)$ (2(3H)-Furanone) (RN-CAS Registry Number 20825-71-2)	**	10.70 (V)	PE	3826
$C_4H_6O_2^+$	$CH_2=CHCOOCH_3$ (RN-CAS Registry Number 96-33-3)	**	10.72 (V)	PE	3937
$C_4H_6O_2^+$	$CH_2=CHCOOCH_3$ (RN-CAS Registry Number 96-33-3)	**	10.72 (V)	PE	3972
$C_4H_6O_2^+$	$CH_3COCOCH_3$ (RN-CAS Registry Number 431-03-8)	**	9.55 (V)	PE	3936
$C_4H_6O_2^+$	$C_4H_6O(=O)$ (2(3H)-Furanone, dihydro-) (RN-CAS Registry Number 96-48-0)	**	10.26 (V)	PE	3826
$C_4H_8O_2^+$	$CH_3CH(CH_3)COOH$ (RN-CAS Registry Number 79-31-2)	**	10.30 (V)	PE	3937
$C_4H_8O_2^+$	$HCOOCH_2CH_2CH_3$ (RN-CAS Registry Number 110-74-7)	**	10.62	PE	3718
$C_4H_8O_2^+$	$CH_3COOC_2H_5$ (RN-CAS Registry Number 141-78-6)	**	10.24	PE	3718

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_8O_2^+$	<i>n</i> -C ₃ H ₇ COOH (RN-CAS Registry Number 107-92-6)	**	10.46	PE	3874
$C_4H_8O_2^+$	<i>n</i> -C ₃ H ₇ COOH (RN-CAS Registry Number 107-92-6)	**	10.22 (V)	PE	3937
$C_4H_8O_2^+$	<i>iso</i> -C ₃ H ₇ COOH (RN-CAS Registry Number 79-31-2)	**	10.33±0.03	PE	3734
$C_4H_8O_2^+$	<i>iso</i> -C ₃ H ₇ COOH (RN-CAS Registry Number 79-31-2)	**	10.33	PE	3874
$C_4H_8O_2^+$	C ₄ H ₈ O ₂ (1,3-Dioxane) (RN-CAS Registry Number 505-22-6)	**	10.1 (V)	PE	3733
$C_4H_8O_2^+$	C ₄ H ₈ O ₂ (1,3-Dioxane) (RN-CAS Registry Number 505-22-6)	**	10.12 (V)	PE	4082
$C_4H_8O_2^+$	C ₄ H ₈ O ₂ (1,4-Dioxane) (RN-CAS Registry Number 123-91-1)	**	9.41 (V)	PE	4082
$C_4H_8O_2^+$	C ₄ H ₈ O ₂ (1,4-Dioxane) (RN-CAS Registry Number 123-91-1)	**	9.43 (V)	PE	3733
$C_5H_4O_2^+$	C ₅ H ₄ O ₂ (4-Cyclopentene-1,3-dione) (RN-CAS Registry Number 930-60-9)	**	10.25 (V)	PE	3826
$C_5H_4O_2^+$	C ₄ H ₃ OCHO (2-Furancarboxaldehyde) (RN-CAS Registry Number 98-01-1)	**	9.50±0.05	EI	3482
$C_5H_6O_2^+$	C ₅ H ₆ (=O) ₂ (1,3-Cyclopentanedione) (RN-CAS Registry Number 3859-41-4)	**	9.46±0.05	PE	3848
$C_5H_6O_2^+$	C ₅ H ₅ (=O)OH (2-Cyclopenten-1-one, 3-hydroxy-) (RN-CAS Registry Number 5870-62-2)	**	9.22±0.05 (V)	PE	3848
$C_5H_8O_2^+$	CH ₂ =C(CH ₃)COOCH ₃ (RN-CAS Registry Number 80-62-6)	**	10.28 (V)	PE	3937
$C_5H_8O_2^+$	CH ₂ =C(CH ₃)COOCH ₃ (RN-CAS Registry Number 80-62-6)	**	10.28 (V)	PE	3972
$C_5H_8O_2^+$	CH ₃ COCH ₂ COCH ₃ (RN-CAS Registry Number 123-54-6)	**	8.85±0.05	PE	3848
$C_5H_8O_2^+$	CH ₃ COCH ₂ COCH ₃ (RN-CAS Registry Number 123-54-6)	**	9.18±0.07 (V)	PE	3682
$C_5H_8O_2^+$	CH ₃ CH=CHCOOCH ₃ (RN-CAS Registry Number 18707-60-3)	**	10.11 (V)	PE	3972
$C_5H_{10}O_2^+$	CH ₃ COOCH(CH ₃) ₂ (RN-CAS Registry Number 108-21-4)	**	10.08	PE	3718
$C_5H_{10}O_2^+$	HCOO(CH ₂) ₃ CH ₃ (RN-CAS Registry Number 592-84-7)	**	10.54	PE	3718
$C_5H_{10}O_2^+$	<i>n</i> -C ₄ H ₉ COOH (RN-CAS Registry Number 109-52-4)	**	10.53 (V)	PE	3874

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{10}O_2^+$	<i>iso</i> - C_4H_9COOH (RN-CAS Registry Number 503-74-2)	**	10.51 (V)	PE	3874
$C_5H_{10}O_2^+$	$C_3H_4O_2(CH_3)_2$ (1,3-Dioxolane, 2,2-dimethyl-) (RN-CAS Registry Number 2916-31-6)	**	9.71 (V)	PE	3733
$C_6H_4O_2^+$	$C_6H_4O_2$ (2,5-Cyclohexadiene-1,4-dione) (RN-CAS Registry Number 106-51-4)	**	9.7	PI	3586
$C_6H_4O_2^+$	$C_6H_4O_2$ (2,5-Cyclohexadiene-1,4-dione) (RN-CAS Registry Number 106-51-4)	**	9.96 ± 0.01	PI	3523
$C_6H_4O_2^+$	$C_6H_4(=O)_2$ (2,5-Cyclohexadiene-1,4-dione) (RN-CAS Registry Number 106-51-4)	**	10.03 (V)	PE	3936
$C_6H_5O_2^+$	$C_6H_4(OH)OCH_3$ (Phenol, 4-methoxy-) (RN-CAS Registry Number 150-76-5)	CH_3	11.10 ± 0.1	EI	3446
$C_6H_5O_2^+$	$C_6H_4(OH)OOCCH_3$ (Benzeneacetic acid, 2-hydroxy-) (RN-CAS Registry Number 614-75-5)	CH_3CO	12.54 ± 0.02	EI	3631
$C_6H_5O_2^+$	$C_6H_4(OH)OOCCH_3$ (Benzeneacetic acid, 4-hydroxy-) (RN-CAS Registry Number 156-38-7)	CH_3CO	13.83 ± 0.02	EI	3631
$C_6H_5O_2^+$	$C_6H_4(NO_2)OH$ (Phenol, 4-nitro-) (RN-CAS Registry Number 100-02-7)	NO	9.90 ± 0.1	EI	3447
$C_6H_6O_2^+$	$C_6H_6O_2$ (1,4-Benzenediol) (RN-CAS Registry Number 123-31-9)	**	7.95 ± 0.03	PI	3523
$C_6H_6O_2^+$	$C_4H_3OCOCH_3$ (Ethanone, 1-(2-furanyl)-) (RN-CAS Registry Number 1192-62-7)	**	9.27 ± 0.05	EI	3482
$C_6H_6O_2^+$	$C_6H_4(OH)OOCCH_3$ (Benzeneacetic acid, 2-hydroxy-) (RN-CAS Registry Number 614-75-5)	$CH_2=C=O$	9.30 ± 0.02	EI	3631
$C_6H_6O_2^+$	$C_6H_4(OH)OOCCH_3$ (Benzeneacetic acid, 4-hydroxy-) (RN-CAS Registry Number 156-38-7)	$CH_2=C=O$	9.28 ± 0.02	EI	3631
$C_6H_8O_2^+$	$C_6H_8(=O)_2$ (1,3-Cyclohexanedione) (RN-CAS Registry Number 504-02-9)	**	9.52 ± 0.05	PE	3848
$C_6H_8O_2^+$	$C_6H_8(=O)_2$ (1,4-Cyclohexanedione) (RN-CAS Registry Number 637-88-7)	**	9.65 (V)	PE	3936
$C_6H_8O_2^+$	$C_5H_5(=O)_2CH_3$ (1,3-Cyclopentanedione, 2-methyl-) (RN-CAS Registry Number 765-69-5)	**	9.40 ± 0.1 (V)	PE	3848

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8O_2^+$	$C_5H_4(=O)(OH)CH_3$ (2-Cyclopenten-1-one, 3-hydroxy-2-methyl-) (RN-CAS Registry Number 5870-63-3)	**	8.84 ± 0.05	PE	3848
$C_6H_{10}O_2^+$	<i>trans</i> - $CH_3CH=CHCOOC_2H_5$ (RN-CAS Registry Number 623-70-1)	**	10.11 (V)	PE	3937
$C_6H_{11}O_2^+$	$C_4H_6O_2(CH_3)_2$ (1,3-Dioxane, 4,6-dimethyl-, <i>cis</i> -) (RN-CAS Registry Number 3390-18-9)	H	9.693 ± 0.005	EI	3481
$C_6H_{11}O_2^+$	$C_4H_6O_2(CH_3)_2$ (1,3-Dioxane, 4,6-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 1121-87-5)	H	9.540 ± 0.003	EI	3481
$C_6H_{11}O_2^+$	$C_4H_5O_2(CH_3)_3$ (1,3-Dioxane, 2,4,6-trimethyl-, (2 α ,4 α ,6 α)-) (RN-CAS Registry Number 19145-91-6) (ON-Other name: <i>cis</i> -2- <i>r</i> -4- <i>cis</i> -6-Trimethyl-1,3-dioxan)	CH ₃	9.593 ± 0.006	EI	3481
$C_6H_{11}O_2^+$	$C_4H_5O_2(CH_3)_3$ (1,3-Dioxane, 2,4,6-trimethyl-, (2 α ,4 α ,6 β)-) (RN-CAS Registry Number 36402-73-0) (ON-Other name: <i>cis</i> -2- <i>r</i> -4- <i>trans</i> -6-Trimethyl-1,3-dioxan)	CH ₃	9.448 ± 0.002	EI	3481
$C_6H_{12}O_2^+$	$CH_3COO(CH_2)_3CH_3$ (RN-CAS Registry Number 123-86-4)	**	10.17	PE	3718
$C_6H_{12}O_2^+$	<i>tert</i> - $C_4H_9COOCH_3$ (RN-CAS Registry Number 598-98-1)	**	9.90 ± 0.04	PE	3851
$C_7H_5O_2^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 3-hydroxy-) (RN-CAS Registry Number 99-06-9)	OH	12.51 ± 0.2	EI	3973
$C_7H_5O_2^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 4-hydroxy-) (RN-CAS Registry Number 99-96-7)	OH	12.00 ± 0.2	EI	3973
$C_7H_5O_2^+$	$C_6H_4(COOH)_2$ (1,3-Benzenedicarboxylic acid) (RN-CAS Registry Number 121-91-5)	COOH	12.42 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_5O_2^+$	$C_6H_4(COOH)_2$ (1,4-Benzenedicarboxylic acid) (RN-CAS Registry Number 100-21-0)	COOH	12.56 ± 0.2	EI	3973
(MT-Metastable transition(s) observed)					
$C_7H_6O_2^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0)	**	9.75 ± 0.2	EI	3973
$C_7H_6O_2^+$	C_6H_5COOH (Benzoic acid) (RN-CAS Registry Number 65-85-0)	**	9.75	EI	3792
$C_7H_6O_2^+$	$C_7H_6O_2$ (2,5-Cyclohexadiene-1,4-dione, 2-methyl-) (RN-CAS Registry Number 553-97-9)	**	9.78 ± 0.02	PI	3523

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,3-dimethoxy-) (RN-CAS Registry Number 151-10-0)	CH_3	11.17 ± 0.1	EI	3446
$C_7H_7O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-) (RN-CAS Registry Number 150-78-7)	CH_3	10.98 ± 0.1	EI	3446
$C_7H_7O_2^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-3-nitro-) (RN-CAS Registry Number 555-03-3)	NO	9.39 ± 0.1	EI	3447
$C_7H_7O_2^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-4-nitro-) (RN-CAS Registry Number 100-17-4)	NO	10.03 ± 0.1	EI	3447
$C_7H_8O_2^+$	$C_6H_4(OH)OCH_3$ (Phenol, 4-methoxy-) (RN-CAS Registry Number 150-76-5)	**	7.50	EI	3845
$C_7H_8O_2^+$	$C_6H_4(OH)OCH_3$ (Phenol, 4-methoxy-) (RN-CAS Registry Number 150-76-5)	**	8.02 ± 0.1	EI	3446
$C_7H_8O_2^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate) (RN-CAS Registry Number 5451-83-2)	$CH_2=C=O$	9.56 ± 0.2	EI	3484
$C_7H_8O_2^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate) (RN-CAS Registry Number 1200-06-2)	$CH_2=C=O$	9.48 ± 0.2	EI	3484
$C_7H_{10}O_2^+$	$C_6H_7(=O)_2CH_3$ (1,3-Cyclohexanedione, 2-methyl-) (RN-CAS Registry Number 1193-55-1)	**	9.37 ± 0.05	PE	3848
$C_7H_{10}O_2^+$	$C_5H_4(=O)_2(CH_3)_2$ (1,3-Cyclopentanedione, 2,2-dimethyl-) (RN-CAS Registry Number 3883-58-7)	**	9.08 ± 0.05	PE	3848
$C_7H_{10}O_2^+$	$C_5H_5(=O)_2C_2H_5$ (1,3-Cyclopentanedione, 2-ethyl-) (RN-CAS Registry Number 823-36-9)	**	9.35 ± 0.1 (V)	PE	3848
$C_7H_{10}O_2^+$	$C_5H_4(=O)(OH)C_2H_5$ (2-Cyclopenten-1-one, 2-ethyl-3-hydroxy-) (RN-CAS Registry Number 5857-25-0)	**	8.79 ± 0.05	PE	3848
$C_7H_{13}O_2^+$	$C_4H_4O_2(CH_3)_4$ (1,3-Dioxane, 2,2,4,6-tetramethyl-, <i>cis</i> -) (RN-CAS Registry Number 17227-17-7)	CH_3	9.332 ± 0.006	EI	3481
$C_7H_{13}O_2^+$	$C_4H_4O_2(CH_3)_4$ (1,3-Dioxane, 2,2,4,6-tetramethyl-, <i>trans</i> -) (RN-CAS Registry Number 20268-00-2)	CH_3	9.128 ± 0.008	EI	3481
$C_8H_7O_2^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-) (RN-CAS Registry Number 586-38-9)	OH	12.51 ± 0.2	EI	3973

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_7O_2^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-) (RN-CAS Registry Number 100-09-4)	OH	12.53 ± 0.2	EI	3973
$C_8H_8O_2^+$	$C_6H_5OOCCH_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	**	8.75 ± 0.03	EI	3483
$C_8H_8O_2^+$	$C_6H_5OOCCH_3$ (Acetic acid, phenyl ester) (RN-CAS Registry Number 122-79-2)	**	8.84 ± 0.2	EI	3484
$C_8H_8O_2^+$	$C_6H_4(CH_3)COOH$ (Benzoic acid, 3-methyl-) (RN-CAS Registry Number 99-04-7)	**	9.43 ± 0.2	EI	3973
$C_8H_8O_2^+$	$C_6H_4(CH_3)COOH$ (Benzoic acid, 4-methyl-) (RN-CAS Registry Number 99-94-5)	**	9.23 ± 0.2	EI	3973
$C_8H_8O_2^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3)	**	9.40 ± 0.025	PE	3626
$C_8H_8O_2^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3)	**	9.35 ± 0.03	EDD	3626
$C_8H_8O_2^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3)	**	9.35 ± 0.1	EI	3788
$C_8H_8O_2^+$	$C_6H_5COOCH_3$ (Benzoic acid methyl ester) (RN-CAS Registry Number 93-58-3)	**	9.49	EI	3792
$C_8H_8O_2^+$	$C_6H_5COOCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0)		9.31 ± 0.1	EI	3788
$C_8H_{10}O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,3-dimethoxy-) (RN-CAS Registry Number 151-10-0)	**	8.17 ± 0.1	EI	3446
$C_8H_{10}O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-) (RN-CAS Registry Number 150-78-7)	**	7.90 (V)	PE	3781
$C_8H_{10}O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-) (RN-CAS Registry Number 150-78-7)	**	7.45	EI	3845
$C_8H_{10}O_2^+$	$C_6H_4(OCH_3)_2$ (Benzene, 1,4-dimethoxy-) (RN-CAS Registry Number 150-78-7)	**	7.88 ± 0.1	EI	3446
$C_8H_{12}O_2^+$	$C_4(=O)_2(CH_3)_4$ (1,3-Cyclobutanedione, 2,2,4,4-tetramethyl-) (RN-CAS Registry Number 933-52-8)	**	8.80 (V)	PE	3936
$C_8H_{12}O_2^+$	$C_6H_6(=O)_2(CH_3)_2$ (1,3-Cyclohexanedione, 5,5-dimethyl-) (RN-CAS Registry Number 126-81-8)	**	9.28 ± 0.05	PE	3848

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{12}O_2^+$	$C_6H_7(=O)OC_2H_5$ (2-Cyclohexen-1-one, 3-ethoxy-) (RN-CAS Registry Number 5323-87-5)	**	8.69 ± 0.05	PE	3848
$C_9H_{10}O_2^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 2-methylphenyl ester) (RN-CAS Registry Number 533-18-6)	**	8.38 ± 0.02	EI	3631
$C_9H_{10}O_2^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 3-methylphenyl ester) (RN-CAS Registry Number 122-46-3)	**	8.98 ± 0.2	EI	3484
$C_9H_{10}O_2^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6)	**	7.84 ± 0.02	EI	3631
$C_9H_{10}O_2^+$	$C_6H_4(CH_3)OOCCH_3$ (Acetic acid, 4-methylphenyl ester) (RN-CAS Registry Number 140-39-6)	**	8.61 ± 0.2	EI	3484
$C_9H_{14}O_2^+$	$C_6H_7(=O)_2CH(CH_3)_2$ (1,3-Cyclohexanedione, 2-(1-methylethyl)-) (RN-CAS Registry Number 3401-01-2)	**	9.09 ± 0.05	PE	3848
$C_9H_{14}O_2^+$	$C_6H_5(=O)_2(CH_3)_3$ (1,3-Cyclohexanedione, 2,5,5-trimethyl-) (RN-CAS Registry Number 1125-11-7)	**	9.10 ± 0.05	PE	3848
$C_{10}H_6O_2^+$	$C_{10}H_6O_2$ (1,4-Naphthalenedione) (RN-CAS Registry Number 130-15-4)	**	9.56 ± 0.01	PI	3523
$C_{10}H_{12}O_2^+$	$C_{10}H_{12}O_2$ (2,5-Cyclohexadiene-1,4-dione, 2,3,5,6-tetramethyl-) (RN-CAS Registry Number 527-17-3)	**	9.16 ± 0.03	PI	3523
$C_{10}H_{12}O_2^+$	$C_{10}H_{12}O_2$ (Tricyclo[3.3.1.1 ^{3,7}]decane-2,6-dione) (RN-CAS Registry Number 39751-07-0) (ON-Other name: 2,6-Adamantanedione)	**	9.06	PE	3886
$C_{10}H_{14}O_2^+$	$C_7H_5(=O)_2(CH_3)_3$ (Bicyclo[2.2.1]heptane-2,3-dione, 1,7,7-trimethyl-) (RN-CAS Registry Number 465-29-2)	**	8.80 (V)	PE	3936
$C_{10}H_{14}O_2^+$	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, acetate, <i>endo-syn</i> -) (RN-CAS Registry Number 32426-26-9)	**	8.6 ± 0.1	EI	3492
$C_{10}H_{14}O_2^+$	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, acetate, <i>endo-anti</i> -) (RN-CAS Registry Number 32350-51-9)	**	9.0 ± 0.1	EI	3492
$C_{10}H_{14}O_2^+$	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, acetate, <i>exo-syn</i> -) (RN-CAS Registry Number 32350-52-0)	**	8.9 ± 0.1	EI	3492
$C_{10}H_{14}O_2^+$	$C_8H_{11}OOCCH_3$ (Tricyclo[3.2.1.0 ^{2,4}]octan-8-ol, acetate, <i>exo-anti</i> -) (RN-CAS Registry Number 32350-50-8)	**	9.3 ± 0.1	EI	3492

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{14}O_2^+$	$C_8H_8(OCH_3)_2$ (Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, 8,8-dimethoxy-, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 14224-84-1) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]oct-6-ene, 8,8-dimethoxy-, <i>endo</i> -)	**	8.6 \pm 0.1	EI	3492
$C_{10}H_{16}O_2^+$	$C_6H_7(=O)_2C(CH_3)_3$ (1,3-Cyclohexanedione, 2-(1,1-dimethylethyl)-) (RN-CAS Registry Number XXXXX-XX-X)	**	9.05 \pm 0.1	PE	3848
$C_{10}H_{16}O_2^+$	$C_6H_4(=O)_2(CH_3)_4$ (1,3-Cyclohexanedione, 2,2,5,5-tetramethyl-) (RN-CAS Registry Number 702-50-1)	**	9.04 \pm 0.05	PE	3848
$C_{10}H_{16}O_2^+$	$C_8H_{10}(OCH_3)_2$ (Tricyclo[3.2.1.0 ^{2,4}]octane, 8,8-dimethoxy-, (1 α ,2 α ,4 α ,5 α)-) (RN-CAS Registry Number 14224-85-2) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, 8,8-dimethoxy-, <i>endo</i> -)	**	8.7 \pm 0.1	EI	3492
$C_{10}H_{16}O_2^+$	$C_8H_{10}(OCH_3)_2$ (Tricyclo[3.2.1.0 ^{2,4}]octane, 8,8-dimethoxy-, (1 α ,2 β ,4 β ,5 α)-) (RN-CAS Registry Number 7076-82-6) (ON-Other name: Tricyclo[3.2.1.0 ^{2,4}]octane, 8,8-dimethoxy-, <i>exo</i> -)	**	8.9 \pm 0.1	EI	3492
$C_{11}H_{16}O_2^+$	$C_{10}H_{15}COOH$ (Tricyclo[3.3.1.1 ^{3,7}]decane-1-carboxylic acid) (RN-CAS Registry Number 828-51-3) (ON-Other name: 1-Adamantanecarboxylic acid)	**	9.34	PE	3886
$C_{11}H_{20}O_2^+$	$(CH_3)_3CCOCH_2COC(CH_3)_3$ (RN-CAS Registry Number 1118-71-4)	**	8.86 \pm 0.07 (V)	PE	3682
$C_{12}H_{18}O_2^+$	$C_{10}H_{15}COOCH_3$ (Tricyclo[3.3.1.1 ^{3,7}]decane-1-carboxylic acid methyl ester) (RN-CAS Registry Number 711-01-3) (ON-Other name: 1-Carbomethoxyadamantane)	**	9.38 \pm 0.03	PE	3851
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (9 <i>H</i> -Xanthen-9-one) (RN-CAS Registry Number 90-47-1)	**	8.42 \pm 0.03	PI	3523
$C_{13}H_{10}O_2^+$	$C_6H_5COOC_6H_5$ (Benzoic acid phenyl ester) (RN-CAS Registry Number 93-99-2)	**	9.0	EI	3897
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (1,4-Anthracenedione) (RN-CAS Registry Number 635-12-1)	**	8.45 \pm 0.02	PI	3523
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (9,10-Anthracenedione) (RN-CAS Registry Number 84-65-1)	**	9.25 \pm 0.03	PI	3523
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (9,10-Anthracenedione) (RN-CAS Registry Number 84-65-1)	**	9.3	PI	3586

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (9,10-Anthracenedione) (RN-CAS Registry Number 84-65-1) (ON-Other name: Anthraquinone)	**	9.40 ± 0.08	EI	3571
$C_{14}H_8O_2^+$	$C_{14}H_8O_2$ (9,10-Phenanthrenedione) (RN-CAS Registry Number 84-11-7)	**	8.64 ± 0.03	PI	3523
$C_{14}H_{10}O_2^+$	$C_6H_5COCOC_6H_5$ (Ethanedione, diphenyl-) (RN-CAS Registry Number 134-81-6)	**	8.86 ± 0.15	SD	3823
$C_{15}H_{12}O_2^+$	$C_6H_5COCOC_6H_4CH_3$ (Ethanedione, (4-methylphenyl)phenyl-) (RN-CAS Registry Number 2431-00-7)	**	9.05 ± 0.10	SD	3823
$C_{20}H_{22}O_2^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-) (RN-CAS Registry Number 1232-90-2)	**	7.56 ± 0.07	EI	3571
$C_{20}H_{22}O_2^+$	$C_{20}H_{22}O_2$ (<i>D</i> -Homoestra-1,3,5(10),6,8-pentaen-17a-one, 3-methoxy-, (14 β)-) (RN-CAS Registry Number 1232-91-3)	**	7.82 ± 0.07	EI	3571
$C_{20}H_{26}O_2^+$	$C_{20}H_{26}O_2$ (<i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-) (RN-CAS Registry Number 1232-89-9)	**	8.22 ± 0.06	EI	3571
$C_{20}H_{26}O_2^+$	$C_{20}H_{26}O_2$ (<i>D</i> -Homoestra-1,3,5(10)-trien-17a-one, 3-methoxy-, (8 α)-) (RN-CAS Registry Number 1232-88-8)	**	8.17 ± 0.08	EI	3571
$C_{22}H_{12}O_2^+$	$C_{22}H_{12}O_2$ (6,13-Pentacenedione) (RN-CAS Registry Number 3029-32-1)	**	8.07 ± 0.05	PI	3523
$C_3H_2O_3^+$	$C_3H_2O_2(=O)$ (1,3-Dioxol-2-one) (RN-CAS Registry Number 872-36-6)	**	11.91 (V)	PE	3826
$C_3H_4O_3^+$	$C_3H_4O_2(=O)$ (1,3-Dioxolan-2-one) (RN-CAS Registry Number 96-49-1)	**	11.47 (V)	PE	3826
$C_3H_6O_3^+$	$C_3H_6O_3$ (1,3,5-Trioxane) (RN-CAS Registry Number 110-88-3)	**	~ 10.8 (V)	PE	3733
$C_4H_2O_3^+$	$C_4H_2O(=O)_2$ (2,5-Furandione) (RN-CAS Registry Number 108-31-6)	**	11.45 (V)	PE	3826

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6O_3^+$	$C_4H_3OCOOCH_3$ (2-Furancarboxylic acid, methyl ester) (RN-CAS Registry Number 611-13-2)	**	9.32 ± 0.05	EI	3482
$C_7H_6O_3^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 3-hydroxy-) (RN-CAS Registry Number 99-06-9)	**	9.20 ± 0.2	EI	3973
$C_7H_6O_3^+$	$C_6H_4(OH)COOH$ (Benzoic acid, 4-hydroxy-) (RN-CAS Registry Number 99-96-7)	**	9.22 ± 0.2	EI	3973
$C_7H_6O_3^+$	$C_6H_4(COOH)OOCCH_3$ (Benzoic acid, 4-(acetyloxy)-) (RN-CAS Registry Number 2345-34-8)	$CH_2=C=O$	10.08 ± 0.2	EI	3484
$C_8H_5O_3^+$	$C_6H_4(COOH)_2$ (1,3-Benzenedicarboxylic acid) (RN-CAS Registry Number 121-91-5)	OH	12.17 ± 0.2	EI	3973
$C_8H_5O_3^+$	$C_6H_4(COOH)_2$ (1,4-Benzenedicarboxylic acid) (RN-CAS Registry Number 100-21-0)	OH	12.14 ± 0.2	EI	3973
$C_8H_8O_3^+$	$C_6H_4(OH)OOCCH_3$ (Benzenecetic acid, 2-hydroxy-) (RN-CAS Registry Number 614-75-5)	**	8.16 ± 0.02	EI	3631
$C_8H_8O_3^+$	$C_6H_4(OH)OOCCH_3$ (Benzenecetic acid, 4-hydroxy-) (RN-CAS Registry Number 156-38-7)	**	8.12 ± 0.02	EI	3631
$C_8H_8O_3^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 3-methoxy-) (RN-CAS Registry Number 586-38-9)	**	9.06 ± 0.2	EI	3973
$C_8H_8O_3^+$	$C_6H_4(OCH_3)COOH$ (Benzoic acid, 4-methoxy-) (RN-CAS Registry Number 100-09-4)	**	9.04 ± 0.2	EI	3973
$C_9H_7O_3^+$	$C_6H_4(COOCH_3)COSC_6H_4CH_3$ (Benzoic acid, 2-[[[4-methylphenyl]thio]carbonyl]-methyl ester) (RN-CAS-Registry Number 42797-32-0)		10.98 ± 0.2	EI	4062
$C_9H_7O_3^+$	(OP-The other product(s) is(are): $C_6H_4(S)CH_3$) $C_8H_4O(=O)(OCH_3)SC_6H_4CH_3$ (1(3H)-Isobenzofuranone, 3-methoxy-3-[(4-methylphenyl)thio]-) (RN-CAS-Registry Number 51053-89-5)		10.7 ± 0.2	EI	4062
	(OP-The other product(s) is(are): $C_6H_4(S)CH_3$)				
$C_9H_{10}O_3^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 3-methoxy-, acetate) (RN-CAS Registry Number 5451-83-2)	**	8.29 ± 0.2	EI	3484
$C_9H_{10}O_3^+$	$C_6H_4(OCH_3)OOCCH_3$ (Phenol, 4-methoxy-, acetate) (RN-CAS Registry Number 1200-06-2)	**	7.92 ± 0.2	EI	3484

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_6O_3^+$	$C_{10}H_5O_2(OH)$ (1,4-Naphthalenedione, 5-hydroxy-) (RN-CAS Registry Number 481-39-0)	**	8.70 ± 0.02	PI	3523
$C_{14}H_8O_3^+$	$C_{14}H_7O_2(OH)$ (9,10-Anthracenedione, 1-hydroxy-) (RN-CAS Registry Number 129-43-1)	**	8.43 ± 0.05	PI	3523
$C_{14}H_8O_3^+$	$C_{14}H_7O_2(OH)$ (9,10-Anthracenedione, 2-hydroxy-) (RN-CAS Registry Number 605-32-3)	**	8.70 ± 0.03	PI	3523
$C_{14}H_{12}O_3^+$	$C_6H_5COOC_6H_4OCH_3$ (Phenol, 4-methoxy-, benzoate) (RN-CAS Registry Number 1523-19-9)	**	8.6	EI	3897
$C_2H_4O_4^+$	$(HCOOH)_2$ (RN-CAS Registry Number 14523-98-9)	**	11.3 (V)	PE	3734
$C_4H_8O_4^+$	$(CH_3COOH)_2$ (RN-CAS Registry Number 6993-75-5)	**	10.6 (V)	PE	3734
$C_5H_{10}O_4^+$	$(iso-C_3H_7COOH)(HCOOH)$ (RN-CAS Registry Number XXXXX-XX-X)	**	10.5 (V)	PE	3734
$C_6H_6O_4^+$	$CH_3OOC \equiv CCOOCH_3$ (RN-CAS Registry Number 762-42-5)	**	10.9 (V)	PE	3937
$C_6H_8O_4^+$	<i>cis</i> - $CH_3OOCCH=CHCOOCH_3$ (RN-CAS Registry Number 624-48-6)	**	10.47 (V)	PE	3937
$C_6H_8O_4^+$	<i>trans</i> - $CH_3OOCCH=CHCOOCH_3$ (RN-CAS Registry Number 624-49-7)	**	10.70 (V)	PE	3937
$C_6H_{12}O_4^+$	$(CH_3CH_2COOH)_2$ (RN-CAS Registry Number XXXXX-XX-X)	**	10.4 (V)	PE	3734
$C_8H_6O_4^+$	$C_6H_4(COOH)_2$ (1,3-Benzenedicarboxylic acid) (RN-CAS Registry Number 121-91-5)	**	9.98 ± 0.2	EI	3973
$C_8H_6O_4^+$	$C_6H_4(COOH)_2$ (1,4-Benzenedicarboxylic acid) (RN-CAS Registry Number 100-21-0)	**	9.86 ± 0.2	EI	3973
$C_9H_8O_4^+$	$C_6H_4(COOH)OOCCH_3$ (Benzoic acid, 4-(acetyloxy)-) (RN-CAS Registry Number 2345-34-8)	**	9.11 ± 0.2	EI	3484
$C_{10}H_6O_4^+$	$C_{10}H_4O_2(OH)_2$ (1,4-Naphthalenedione, 5,8-dihydroxy-) (RN-CAS Registry Number 475-38-7)	**	8.20 ± 0.02	PI	3523

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{14}H_8O_4^+$	$C_{14}H_6O_2(OH)_2$ (9,10-Anthracenedione, 1,4-dihydroxy-) (RN-CAS Registry Number 81-64-1)	**	7.94 ± 0.03	PI	3523
$C_{14}H_8O_4^+$	$C_{14}H_6O_2(OH)_2$ (9,10-Anthracenedione, 1,5-dihydroxy-) (RN-CAS Registry Number 117-12-4)	**	8.53 ± 0.03	PI	3523
$C_{14}H_8O_4^+$	$C_{14}H_6O_2(OH)_2$ (9,10-Anthracenedione, 2,6-dihydroxy-) (RN-CAS Registry Number 84-60-6)	**	8.65 ± 0.05	PI	3523
$C_{22}H_{10}O_4^+$	$C_{22}H_{10}O_4$ (5,7,12,14-Pentacenetetrone) (RN-CAS Registry Number 23912-79-0)	**	9.22 ± 0.05	PI	3523
$C_{14}H_8O_6^+$	$C_{14}H_4O_2(OH)_4$ (Anthraquinone, 1,4,5,8-tetrahydroxy-) (RN-CAS Registry Number 81-60-7)	**	7.83 ± 0.02	PI	3523
$C_{10}H_{14}O_4Be^+$	$(CH_3COCHCOCH_3)_2Be$ (Beryllium, bis(2,4-pentanedionato- <i>O,O'</i>)-, (<i>T</i> -4)-) (RN-CAS Registry Number 10210-64-7)	**	8.41 ± 0.07 (V)	PE	3682
$CH_3BO^+(^2E)$	$(BH_3)(CO)$ (RN-CAS Registry Number 13205-44-2)	**	12.51 ± 0.02 (V)	PE	3699
$CH_3BO^+(^2A_1)$	$(BH_3)(CO)$ (RN-CAS Registry Number 13205-44-2)	**	13.73 ± 0.01	PE	3699
$CH_3BO^+(^2E)$	$(BH_3)(CO)$ (RN-CAS Registry Number 13205-44-2)	**	16.09 ± 0.02	PE	3699
$CH_3BO^+(^2A_1)$	$(BH_3)(CO)$ (RN-CAS Registry Number 13205-44-2)	**	18.48 ± 0.02	PE	3699
CH_3BO^+	$(BH_3)(CO)$ (RN-CAS Registry Number 13205-44-2)	**	11.14 ± 0.02	PE	3699
$C_3H_9BO^+$	$(CH_3)_2BOCH_3$ (RN-CAS-Registry Number 7318-81-2)	**	10.32 (V)	PE	4065
$C_3H_9BO_2^+$	$(CH_3O)_2BCH_3$ (RN-CAS-Registry Number 7318-81-2)	**	10.40 (V)	PE	4065
$C_3H_9BO_3^+$	$B(OCH_3)_3$ (RN-CAS-Registry Number 121-43-7)	**	10.40 (V)	PE	4065
$NO^+(^3\Pi)$	NO (RN-CAS Registry Number 10102-43-9) (RS-Average of two Rydberg series limits)	**	21.721 ± 0.006	S	3761
$NO^+(X^1\Sigma^+)$	NO (RN-CAS Registry Number 10102-43-9)	**	9.262 ± 0.003	PE	3516
$NO^+(X^1\Sigma^+)$	NO (RN-CAS-Registry Number 10102-43-9)	**	9.27	PE	4073
$NO^+(a^3\Sigma^+)$	NO (RN-CAS Registry Number 10102-43-9)	**	15.667 ± 0.003	PE	3516

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{NO}^+(\text{b}^3\Pi)$	NO (RN-CAS Registry Number 10102-43-9)	**	16.562 ± 0.003	PE	3516
$\text{NO}^+(\text{w}^3\Delta)$	NO (RN-CAS Registry Number 10102-43-9)	**	16.863 ± 0.003	PE	3516
$\text{NO}^+(\text{b}^3\Sigma^-)$	NO (RN-CAS Registry Number 10102-43-9)	**	17.586 ± 0.003	PE	3516
$\text{NO}^+(\text{A}^1\Sigma^-)$	NO (RN-CAS Registry Number 10102-43-9)	**	17.811 ± 0.003	PE	3516
$\text{NO}^+(\text{A}^1\Pi)$	NO (RN-CAS Registry Number 10102-43-9)	**	18.319 ± 0.003	PE	3516
$\text{NO}^+(\text{w}'\Delta)$	NO (RN-CAS Registry Number 10102-43-9)	**	< 18.36	PE	3516
$\text{NO}^+(\text{c}^3\Pi)$	NO (RN-CAS Registry Number 10102-43-9)	**	21.722 ± 0.010	PE	3516
$\text{NO}^+(\text{B}^1\Pi)$	NO (RN-CAS Registry Number 10102-43-9)	**	21.722 ± 0.010	PE	3516
$\text{NO}^+(\text{B}^1\Sigma^+)$	NO (RN-CAS Registry Number 10102-43-9)	**	22.727 ± 0.010	PE	3516
$\text{NO}^+(\text{I}^1\Sigma^+)$	NO (RN-CAS Registry Number 10102-43-9)	**	9.27 ± 0.05	RPD	3453
NO^+	CH_3NO_2 (RN-CAS Registry Number 75-52-5)		11.75 ± 0.01	PI	3524
NO^+	CH_3ONO CH_3O (RN-CAS Registry Number 624-91-9)		10.917 ± 0.008	PI	3524
(TR—Other product(s) thermochemically reasonable)					
$\text{N}_2\text{O}^+(\text{X}^2\Pi)$	N_2O (RN-CAS Registry Number 10024-97-2)	**	12.90	TPE	3998
$\text{N}_2\text{O}^+(\text{A}^2\Sigma^+)$	N_2O (RN-CAS Registry Number 10024-97-2)	**	16.40	TPE	3998
NO_2^+	NO_2 (RN-CAS Registry Number 10102-44-0)	**	$\leq 9.62 \pm 0.01$	PI	3927
$\text{C}_3\text{N}_2\text{O}^+(\text{B}_2)$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	12.56 (V)	PE	3726
$\text{C}_3\text{N}_2\text{O}^{++}$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	13.76 (V)	PE	3726
$\text{C}_3\text{N}_2\text{O}^{++}$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	14.41 (V)	PE	3726
$\text{C}_3\text{N}_2\text{O}^{++}$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	14.79 (V)	PE	3726
$\text{C}_3\text{N}_2\text{O}^+(\text{B}_1)$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	16.7 (V)	PE	3726
$\text{C}_3\text{N}_2\text{O}^{++}$	$(\text{CN})_2\text{CO}$ (RN-CAS Registry Number 1115-12-4)	**	17.9 (V)	PE	3726
$\text{C}_6\text{H}_5\text{NO}_3$	$\text{C}_6\text{H}_4(\text{OH})\text{NO}_2$ ** (Phenol, 4-nitro-) (RN-CAS Registry Number 100-02-7)	7.38	EI		4089

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CHNO}^+(\text{}^2\text{A}'')$	HNCO (RN-CAS Registry Number 75-13-8)	**	11.62 ± 0.02	PE	3670
$\text{CHNO}^+(\text{}^2\text{A}')$	HNCO (RN-CAS Registry Number 75-13-8)	**	12.30 ± 0.02 (V)	PE	3670
CHNO^{++}	HNCO (RN-CAS Registry Number 75-13-8)	**	15.8 ± 0.1 (V)	PE	3670
CHNO^{++}	HNCO (RN-CAS Registry Number 75-13-8)	**	17.50 ± 0.02 (V)	PE	3670
CHNO^{++}	HNCO (RN-CAS Registry Number 75-13-8)	**	19.24 ± 0.02 (V)	PE	3670
CH_3NO^+	HCONH ₂ (RN-CAS Registry Number 75-12-7)	**	10.16 ± 0.03	PI	3765
$\text{C}_2\text{H}_3\text{NO}^+(\text{}^2\text{A}'')$	CH ₃ NCO (RN-CAS Registry Number 624-83-9)	**	10.67 ± 0.02	PE	3670
$\text{C}_2\text{H}_5\text{NO}^+$	CH ₃ CONH ₂ (RN-CAS Registry Number 60-35-5)	**	9.65 ± 0.03	PI	3765
$\text{C}_2\text{H}_5\text{NO}^+$	CH ₃ CONH ₂ (RN-CAS Registry Number 60-35-5)	**	9.80	PE	3718
$\text{C}_2\text{H}_5\text{NO}^+$	C ₂ H ₃ NO (RN-CAS Registry Number 925-91-7)	**	10.1 ± 0.2	EI	4099
$\text{C}_2\text{H}_7\text{NO}^+$	NH ₂ CH ₂ CH ₂ OH (RN-CAS Registry Number 141-43-5)	**	9.87 ± 0.06 (V)	PE	3987
$\text{C}_3\text{H}_7\text{NO}^+$	CH ₃ CONHCH ₃ (RN-CAS Registry Number 79-16-3)	**	~ 9.85 (V)	PE	3718
$\text{C}_3\text{H}_9\text{NO}^+$	CH ₃ OCH ₂ CH ₂ NH ₂ (RN-CAS Registry Number 109-85-3)	**	9.45 ± 0.09 (V)	PE	3987
$\text{C}_3\text{H}_9\text{NO}^+$	NH ₂ (CH ₂) ₃ OH (RN-CAS Registry Number 156-87-6)	**	9.77 ± 0.20 (V)	PE	3987
$\text{C}_4\text{H}_9\text{NO}^+$	CH ₃ CON(CH ₃) ₂ (RN-CAS Registry Number 127-19-5)	**	9.43 (V)	PE	3718
$\text{C}_4\text{H}_{11}\text{NO}^+$	(CH ₃) ₂ NCH ₂ CH ₂ OH (RN-CAS Registry Number 108-01-0)	**	8.85 ± 0.04 (V)	PE	3987
$\text{C}_4\text{H}_{11}\text{NO}^+$	CH ₃ O(CH ₂) ₃ NH ₂ (RN-CAS Registry Number 5332-73-0)	**	9.37 ± 0.12 (V)	PE	3987
$\text{C}_5\text{H}_3\text{NO}^+$	C ₄ H ₃ OCN (2-Furancarbonitrile) (RN-CAS Registry Number 617-90-3)	**	9.77 ± 0.05	EI	3482
$\text{C}_5\text{H}_5\text{NO}^+$	C ₅ H ₄ N(OH) (2-Pyridinol) (RN-CAS Registry Number 109-10-4)	**	9.28 ± 0.02	EI	3636

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_5NO^+$	$C_5H_4N(OH)$ (3-Pyridinol) (RN-CAS Registry Number 109-00-2)	**	9.55 ± 0.02	EI	3636
$C_5H_5NO^+$	$C_5H_4N(OH)$ (3-Pyridinol) (RN-CAS Registry Number 109-00-2)	**	9.55 ± 0.05	EI	3635
$C_5H_5NO^+$	$C_5H_4N(OH)$ (4-Pyridinol) (RN-CAS Registry Number 626-64-2)	**	9.89 ± 0.02	EI	3636
$C_5H_5NO^+$	C_4H_4NCHO (1- <i>H</i> -Pyrrole-2-carboxaldehyde) (RN-CAS Registry Number 1003-29-8)	**	8.93 ± 0.05	EI	3482
$C_5H_8NO^+$	$(CH_3)_2NCOCH=CHCH_3$ (RN-CAS Registry Number 23135-18-4)	CH_3	11.0 ± 0.1	EI	3996
$C_5H_{13}NO^+$	$(CH_3)_2N(CH_2)_3OH$ (RN-CAS Registry Number 3179-63-3)	**	8.74 ± 0.04 (V)	PE	3987
$C_6H_5NO^+$	C_6H_5NO (Benzene, nitroso-) (RN-CAS Registry Number 586-96-9)	**	8.09	PE	3938
$C_6H_6NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 3-methoxy-) (RN-CAS Registry Number 536-90-3)	CH_3	11.07 ± 0.1	EI	3446
$C_6H_6NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-) (RN-CAS Registry Number 104-94-9)	CH_3	10.43 ± 0.1	EI	3446
$C_6H_6NO^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(2-hydroxyphenyl)-) (RN-CAS Registry Number 614-80-2)	CH_3CO	13.46 ± 0.02	EI	3631
$C_6H_6NO^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(4-hydroxyphenyl)-) (RN-CAS Registry Number 103-90-2)	CH_3CO	13.52 ± 0.02	EI	3631
$C_6H_6NO^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 3-nitro-) (RN-CAS Registry Number 99-09-2)	NO	9.12 ± 0.1	EI	3447
$C_6H_6NO^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-) (RN-CAS Registry Number 100-01-6)	NO	9.56 ± 0.1	EI	3447
$C_6H_7NO^+$	$C_5H_4N(OCH_3)$ (Pyridine, 2-methoxy-) (RN-CAS Registry Number 1628-89-3)	**	8.96 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_5H_4N(OCH_3)$ (Pyridine, 3-methoxy-) (RN-CAS Registry Number 7295-76-3)	**	9.34 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_5H_4N(OCH_3)$ (Pyridine, 3-methoxy-) (RN-CAS Registry Number 7295-76-3)	**	9.34 ± 0.05	EI	3635

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_7NO^+$	$C_5H_4N(OCH_3)$ (Pyridine, 4-methoxy-) (RN-CAS Registry Number 620-08-6)	**	9.58 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_5H_4N(=O)CH_3$ (2(1 <i>H</i>)-Pyridinone, 1-methyl-) (RN-CAS Registry Number 694-85-9)	**	8.58 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_5H_4N(=O)CH_3$ (4(1 <i>H</i>)-Pyridinone, 1-methyl-) (RN-CAS Registry Number 695-19-2)	**	8.48 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_4H_4NCOCH_3$ (Ethanone, 1-(1 <i>H</i> -pyrrol-2-yl)-) (RN-CAS Registry Number 1072-83-9)	**	8.72 ± 0.05	EI	3482
$C_6H_7NO^+$	$C_5H_4N(O)CH_3$ (Pyridinium, 3-hydroxy-1-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 25065-00-3)	**	7.90 ± 0.02	EI	3636
$C_6H_7NO^+$	$C_5H_4N(O)CH_3$ (Pyridinium, 3-hydroxy-1-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 25065-00-3)	**	7.90 ± 0.05	EI	3635
$C_6H_7NO^+$	$C_5H_3N(OH)CH_3$ (3-Pyridinol, 6-methyl-) (RN-CAS Registry Number 1121-78-4)	**	9.15 ± 0.05	EI	3635
$C_6H_7NO^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(2-hydroxyphenyl)-) (RN-CAS Registry Number 614-80-2)	$CH_2=C=O$	9.41 ± 0.02	EI	3631
$C_6H_7NO^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(4-hydroxyphenyl)-) (RN-CAS Registry Number 103-90-2)	$CH_2=C=O$	9.82 ± 0.02	EI	3631
$C_6H_{11}NO^+$	$(CH_3)_2NCOCH=CHCH_3$ (RN-CAS Registry Number 23135-18-4)	**	9.0 ± 0.1	EI	3996
$C_6H_{15}NO^+$	$(C_2H_5)_2NCH_2CH_2OH$ (RN-CAS Registry Number 100-37-8)	**	8.58 ± 0.03 (V)	PE	3987
$C_7H_4NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 3-methoxy-) (RN-CAS Registry Number 1527-89-5)	CH_3	12.75 ± 0.1	EI	3446
$C_7H_4NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 4-methoxy-) (RN-CAS Registry Number 874-90-8)	CH_3	12.65 ± 0.1	EI	3446
$C_7H_4NO^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 3-nitro-) (RN-CAS Registry Number 619-24-9)	NO	10.45 ± 0.1	EI	3447
$C_7H_4NO^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 4-nitro-) (RN-CAS Registry Number 619-72-7)	NO	10.80 ± 0.1	EI	3447
$C_7H_6NO^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 3-amino-) (RN-CAS Registry Number 99-05-8)	OH	12.18 ± 0.2	EI	3973

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_6NO^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 4-amino-) (RN-CAS Registry Number 150-13-0)	OH	12.12 ± 0.2	EI	3973
$C_7H_7NO^+$	$C_6H_5CONH_2$ (Benzamide) (RN-CAS Registry Number 55-21-0)	**	9.60	EI	3792
$C_7H_9NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 3-methoxy-) (RN-CAS Registry Number 536-90-3)	**	7.76 ± 0.1	EI	3446
$C_7H_9NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-) (RN-CAS Registry Number 104-94-9)	**	6.92	EI	3845
$C_7H_9NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-) (RN-CAS Registry Number 104-94-9)	**	7.60 ± 0.1	EI	3446
$C_7H_9NO^+$	$C_6H_4(NH_2)OCH_3$ (Benzenamine, 4-methoxy-) (RN-CAS Registry Number 104-94-9)	**	9.39	EI	4089
$C_7H_{10}NO^+$	$C_4H_8NCOCH=CHCH_3$ (Pyrrolidine, 1-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 51944-65-1)	CH_3	11.2 ± 0.1	EI	3996
$C_7H_{11}NO^+$	$C_5H_8NCOCH_3$ (Pyridine, 1-acetyl-1,2,3,4-tetrahydro-) (RN-CAS Registry Number 19615-27-1)	**	8.8	EI	4046
$C_7H_{13}NO^+$	$C_5H_{10}NCOCH_3$ (Piperidine, 1-acetyl-) (RN-CAS Registry Number 618-42-8)	**	9.1	EI	4046
$C_7H_{17}NO^+$	$(C_2H_5)_2N(CH_2)_3OH$ (RN-CAS Registry Number 622-93-5)	**	8.56 ± 0.05 (V)	PE	3987
$C_8H_4NO^+$	$C_6H_4(CN)COOH$ (Benzoic acid, 4-cyano-) (RN-CAS Registry Number 619-65-8)	OH	12.68 ± 0.2	EI	3973
$C_8H_7NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 3-methoxy-) (RN-CAS Registry Number 1527-89-5)	**	9.11 ± 0.1	EI	3446
$C_8H_7NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 4-methoxy-) (RN-CAS Registry Number 874-90-8)	**	8.74	EI	3845
$C_8H_7NO^+$	$C_6H_4(CN)OCH_3$ (Benzonitrile, 4-methoxy-) (RN-CAS Registry Number 874-90-8)	**	8.97 ± 0.1	EI	3446

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_8NO^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(2-chlorophenyl)-) (RN-CAS Registry Number 533-17-5)		8.86 ± 0.03	EI	3483
$C_8H_8NO^+$	$C_6H_4BrNHCOCH_3$ (Acetamide, <i>N</i> -(2-bromophenyl)-) (RN-CAS Registry Number 614-76-6)		9.08 ± 0.03	EI	3483
$C_8H_8NO^+$	$C_6H_4INHCOCH_3$ (Acetamide, <i>N</i> -(2-iodophenyl)-) (RN-CAS Registry Number 19591-17-4)		8.57 ± 0.03	EI	3483
$C_8H_9NO^+$	$C_6H_5NHCOCH_3$ (Acetamide, <i>N</i> -phenyl-) (RN-CAS Registry Number 103-84-4)	**	8.18 ± 0.03	EI	3483
$C_8H_{12}NO^+$	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 3626-69-5)	**	11.1 ± 0.1	EI	3996
$C_8H_{13}NO^+$	$C_4H_8NCOCH=CHCH_3$ (Pyrrolidine, 1-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 51944-65-1)	**	9.0 ± 0.1	EI	3996
$C_8H_{18}NO^+$ (RD-Radical)	$(tert-C_4H_9)_2NO$ (RN-CAS Registry Number 2406-25-9)	**	6.77	PE	3712
$C_9H_8NO^+$	$C_6H_5NHCOCH=CHCH_3$ (2-Butenamide, <i>N</i> -phenyl-) (RN-CAS Registry Number 1733-40-0)	CH_3	12.1 ± 0.3	EI	3996
$C_9H_{11}NO^+$	$C_6H_4(CH_3)NHCOCH_3$ (Acetamide, <i>N</i> -(2-methylphenyl)-) (RN-CAS Registry Number 120-66-1)	**	8.03 ± 0.02	EI	3631
$C_9H_{11}NO^+$	$C_6H_4(CH_3)NHCOCH_3$ (Acetamide, <i>N</i> -(4-methylphenyl)-) (RN-CAS Registry Number 103-89-9)	**	7.75 ± 0.02	EI	3631
$C_9H_{11}NO^+$	$C_6H_4(CHO)N(CH_3)_2$ (Benzaldehyde, 4-(dimethylamino)-) (RN-CAS Registry Number 100-10-7)	**	7.36 ± 0.02	PI	4028
$C_9H_{13}NO^+$	$C_6H_4(OCH_3)N(CH_3)_2$ (Benzenamine, 2-methoxy- <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 700-75-4)	**	7.59 ± 0.02	EI	3630
$C_9H_{13}NO^+$	$C_6H_4(O)N(CH_3)_3$ (Benzenaminium, 2-hydroxy- <i>N,N,N</i> -trimethyl-, hydroxide, inner salt) (RN-CAS Registry Number 31061-58-2)	**	~ 6.8	EI	3630
$C_9H_{13}NO^+$	$C_5H_8NCOCH=CHCH_3$ (Pyridine, 1,2,3,4-tetrahydro-1-(1-oxo-2-butenyl)-, (E)) (RN-CAS Registry Number 50838-23-8)	**	8.6	EI	4046

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{15}NO^+$	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-, (E)) (RN-CAS Registry Number 50838-22-7)		8.9	EI	4046
$C_9H_{15}NO^+$	$C_5H_{10}NCOCH=CHCH_3$ (Piperidine, 1-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 3626-69-5)	CH_3	8.9 ± 0.1	EI	3996
$C_9H_{17}NO^+$	$C_5H_5N(=O)(CH_3)_4$ (4-Piperidinone, 2,2,6,6-tetramethyl-) (RN-CAS Registry Number 826-36-8)	**	8.30 ± 0.05	EI	3494
$C_9H_{18}NO^+$ (RD-Radical)	$C_5H_6N(CH_3)_4O$ (1-Piperidinyloxy, 2,2,6,6-tetramethyl-) (RN-CAS Registry Number 2564-83-2)	**	6.73	PE	3712
$C_{10}H_{10}NO^+$	$C_6H_5CH_2NHCOCH=CHCH_3$ (2-Butenamide, <i>N</i> -(phenylmethyl)-) (RN-CAS Registry Number 51944-67-3)	CH_3	10.7 ± 0.1	EI	3996
$C_{10}H_{11}NO^+$	$C_6H_5NHCOCH=CHCH_3$ (2-Butenamide, <i>N</i> -phenyl-) (RN-CAS Registry Number 1733-40-0)	**	8.7 ± 0.1	EI	3996
$C_{11}H_{13}NO^+$	$C_6H_5CH_2NHCOCH=CHCH_3$ (2-Butenamide, <i>N</i> -(phenylmethyl)-) (RN-CAS Registry Number 51944-67-3)	**	8.6 ± 0.1	EI	3996
$C_{12}H_{13}NO^+$	$C_5H_8NCOC_6H_5$ (Pyridine, 1-benzoyl-1,2,3,4-tetrahyro-) (RN-CAS Registry Number 50838-24-9)	**	8.4	EI	4046
$C_{12}H_{15}NO^+$	$C_5H_{10}NCOC_6H_5$ (Piperidine, 1-benzoyl-) (RN-CAS Registry Number 776-75-0)	**	8.8	EI	4046
$C_6H_4N_2O^+$	$C_6H_4N_2O$ (Benzofurazan) (RN-CAS Registry Number 273-09-6)	**	9.37	PE	4017
$C_8H_{10}N_2O^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(2-aminophenyl)-) (RN-CAS Registry Number 34801-09-7)	**	7.39 ± 0.02	EI	3631
$C_8H_{10}N_2O^+$	$C_6H_4(NH_2)NHCOCH_3$ (Acetamide, <i>N</i> -(4-aminophenyl)-) (RN-CAS Registry Number 122-80-5)	**	7.12 ± 0.02	EI	3631
$C_{10}H_{22}N_2O^+$	$C_2H_4N_2O(C_4H_9)_2$ (1,3,4-Oxadiazolidine, 3,4-bis(1,1-dimethylethyl)-) (RN-CAS Registry Number 38786-33-3)	**	8.15 (V)	PE	3889

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{17}H_{20}N_2O^+$	$(C_6H_4N(CH_3)_2)_2CO$ (Methanone, diphenyl-, bis(dimethylamino)deriv.) (RN-CAS Registry Number 58211-66-8)	**	7.25 ± 0.1	PI	4028
$CH_3NO_2^+$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	11.040 ± 0.017	PI	3524
$CH_3NO_2(^2A_1)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	11.07 ± 0.01	PE	3721
$CH_3NO_2^+$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	11.31 ± 0.015 (V)	PE	4107
$CH_3NO_2(^2A_2)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	11.73 ± 0.01	PE	3721
$CH_3NO_2(^2B_2)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	13.85 ± 0.01	PE	3721
$CH_3NO_2(^2B_1)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	15.75 ± 0.01 (V)	PE	3721
$CH_3NO_2(^2B_2)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	~ 16.7	PE	3721
$CH_3NO_2(^2A_1)$	CH_3NO_2 (RN-CAS Registry Number 75-52-5)	**	19.1 (V)	PE	3721
$CH_3NO_2^+$	CH_3ONO (RN-CAS Registry Number 624-91-9)	**	10.475 ± 0.007	PI	3524
$CD_3NO_2(^2A_1)$	CD_3NO_2 (RN-CAS Registry Number 13031-32-8)	**	11.08 ± 0.01	PE	3721
$CD_3NO_2(^2A_2)$	CD_3NO_2 (RN-CAS Registry Number 13031-32-8)	**	11.73 ± 0.01	PE	3721
$C_2H_5NO_2^+$	$C_2H_5NO_2$ (RN-CAS Registry Number 56-40-6)	**	9.21 ± 0.05	EI	3571
$C_6H_4NO_2^+$	$C_6H_4(NO_2)_2$ (Benzene, 1,3-dinitro-) (RN-CAS Registry Number 99-65-0)	NO_2	12.34 ± 0.1	EI	3447
$C_6H_4NO_2^+$	$C_6H_4(NO_2)_2$ (Benzene, 1,4-dinitro-) (RN-CAS Registry Number 100-25-4)	NO_2	12.50 ± 0.1	EI	3447
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.88 ± 0.015 (V)	PE	4107
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.94 ± 0.025	PE	3626
$C_6H_5NO_2(^2B_1)$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.99 ± 0.01	PE	3721
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.99	PE	3856

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.90	EDD	3485
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.6	EI	3916
$C_6H_5NO_2^+$	$C_6H_5NO_2$ (Benzene, nitro-) (RN-CAS Registry Number 98-95-3)	**	9.65 ± 0.1	EI	3447
$C_6H_7NO_2^+$	$C_4H_4NCOOCH_3$ (1 <i>H</i> -Pyrrole-2-carboxylic acid, methyl ester) (RN-CAS Registry Number 1193-62-0)	**	8.65 ± 0.05	EI	3482
$C_7H_6NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-3-nitro-) (RN-CAS Registry Number 20651-76-7)		13.08 ± 0.1	EI	3629
$C_7H_6NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-4-nitro-) (RN-CAS Registry Number 20651-75-6)		12.54 ± 0.1	EI	3629
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-2-nitro-) (RN-CAS Registry Number 88-72-2)	**	9.69 ± 0.015 (V)	PE	4107
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-) (RN-CAS Registry Number 99-08-1)	**	9.49 ± 0.015 (V)	PE	4107
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-3-nitro-) (RN-CAS Registry Number 99-08-1)	**	9.48 ± 0.1	EI	3447
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-4-nitro-) (RN-CAS Registry Number 99-99-0)	**	9.54 ± 0.015 (V)	PE	4107
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-4-nitro-) (RN-CAS Registry Number 99-99-0)	**	9.50 ± 0.1	EI	3447
$C_7H_7NO_2^+$	$C_6H_4(NO_2)CH_3$ (Benzene, 1-methyl-4-nitro-) (RN-CAS Registry Number 99-99-0)	**	9.56	EI	4089
$C_7H_7NO_2^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 3-amino-) (RN-CAS Registry Number 99-05-8)	**	8.41 ± 0.2	EI	3973
$C_7H_7NO_2^+$	$C_6H_4(NH_2)COOH$ (Benzoic acid, 4-amino-) (RN-CAS Registry Number 150-13-0)	**	8.36 ± 0.2	EI	3973
$C_7H_7NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-3-nitro-) (RN-CAS Registry Number 20651-76-7)	$CH_2=CHCH_3$	11.52 ± 0.1	EI	3629
$C_7H_7NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-4-nitro-) (RN-CAS Registry Number 20651-75-6)	$CH_2=CHCH_3$	11.44 ± 0.1	EI	3629

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{10}NO_2^+$	$C_4H_8NO(COCH=CHCH_3)$ (Morpholine, 4-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 51944-66-2)	**	11.1 ± 0.1	EI	3996
$C_8H_5NO_2^+$	$C_6H_4(CN)COOH$ (Benzoic acid, 4-cyano-) (RN-CAS Registry Number 619-65-8)	**	10.27 ± 0.2	EI	3973
$C_8H_9NO_2^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(2-hydroxyphenyl)-) (RN-CAS Registry Number 614-80-2)	**	7.01 ± 0.02	EI	3631
$C_8H_9NO_2^+$	$C_6H_4(OH)NHCOCH_3$ (Acetamide, <i>N</i> -(4-hydroxyphenyl)-) (RN-CAS Registry Number 103-90-2)	**	7.57 ± 0.02	EI	3631
$C_8H_9NO_2^+$	$C_6H_3(CH_3)_2NO_2$ (Benzene, 1,3-dimethyl-2-nitro-) (RN-CAS Registry Number 81-20-9)	**	9.17 ± 0.015	PE	4107
$C_8H_9NO_2^+$	$C_6H_3(CH_3)_2NO_2$ (Benzene, 2,4-dimethyl-1-nitro-) (RN-CAS Registry Number 89-87-2)	**	9.38 ± 0.015 (V)	PE	4107
$C_8H_9NO_2^+$	$C_5H_4NCH_2COOCH_3$ (2-Pyridineacetic acid methyl ester) (RN-CAS Registry Number 1658-42-0)	**	9.40 ± 0.02	EI	3627
$C_8H_9NO_2^+$	$C_5H_4NCH_2COOCH_3$ (3-Pyridineacetic acid methyl ester) (RN-CAS Registry Number 39998-25-9)	**	9.52 ± 0.02	EI	3627
$C_8H_9NO_2^+$	$C_5H_4NCH_2COOCH_3$ (4-Pyridineacetic acid methyl ester) (RN-CAS Registry Number 29800-89-3)	**	9.62 ± 0.02	EI	3627
$C_8H_{13}NO_2^+$	$C_4H_8NO(COCH=CHCH_3)$ (Morpholine, 4-(1-oxo-2-butenyl)-) (RN-CAS Registry Number 51944-66-2)	**	8.8 ± 0.1	EI	3996
$C_9H_{11}NO_2^+$	$C_5H_4N(CH_3)=CHCOOCH_3$ (Acetic acid, (1-methyl-2(1 <i>H</i>)-pyridinylidene)-, methyl ester) (RN-CAS Registry Number 39998-21-5)	**	7.02 ± 0.02	EI	3627
$C_9H_{11}NO_2^+$	$C_5H_4N(CH_3)=CHCOOCH_3$ (Acetic acid, (1-methyl-4(1 <i>H</i>)-pyridinylidene)-, methyl ester) (RN-CAS Registry Number 39998-22-6)	**	6.82 ± 0.02	EI	3627
$C_9H_{11}NO_2^+$	$C_6H_5CH_2CH(NH_2)COOH$ (DL-Phenylalanine) (RN-CAS Registry Number 150-30-1)	**	≤ 8.4	PI	3766
$C_9H_{13}NO_2^+$	$C_5H_5N(CH_3)CH_2COOCH_3$ (3-Pyridineacetic acid, 1,4-dihydro-1-methyl-, methyl ester) (RN-CAS Registry Number 39998-23-7)	**	6.94 ± 0.02	EI	3627

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{16}NO_2^+$ (RD-Radical)	$C_5H_4N(O)(=O)(CH_3)_4$ (1-Piperidinyloxy, 2,2,6,6-tetramethyl-4-oxo-) (RN-CAS Registry Number 2896-70-0)	**	7.40 ± 0.05	EI	3494
$C_9H_{17}NO_2^+$	<i>trans</i> -(C_2H_5) ₂ NCH=CHCOC ₂ H ₅ (RN-CAS Registry Number 13894-28-5)	**	7.63 (V)	PE	3885
$C_9H_{17}NO_2^+$	$C_5H_4N(=O)(OH)(CH_3)_4$ (4-Piperidinone, 1-hydroxy-2,2,6,6-tetramethyl-) (RN-CAS Registry Number 3637-11-4)	**	8.51 ± 0.05	EI	3494
$C_{10}H_{13}NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-3-nitro-) (RN-CAS Registry Number 20651-76-7)	**	9.94 ± 0.1	EI	3629
$C_{10}H_{13}NO_2^+$	$C_6H_4(NO_2)C_4H_9$ (Benzene, 1-butyl-4-nitro-) (RN-CAS Registry Number 20651-75-6)	**	10.07 ± 0.1	EI	3629
$C_{13}H_{10}NO_2^+$	$(C_6H_4NO_2)_2CH_2$ (Benzene, 1,1'-methylenebis[4-nitro-]) (RN-CAS Registry Number 1817-74-9)	NO ₂	11.1 ± 0.1	EI	3807
$C_{13}H_{11}NO_2^+$	$C_6H_5CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(phenylmethyl)-) (RN-CAS Registry Number 1817-77-2)	**	9.35 ± 0.05	EI	3806
$C_{14}H_{13}NO_2^+$	$C_6H_5CH_2CH_2C_6H_4NO_2$ (Benzene, 1-nitro-4-(2-phenylethyl)-) (RN-CAS Registry Number 14310-29-3)	**	9.17 ± 0.05	EI	3806
$C_4H_4N_2O_2^+$	$C_4H_4N_2O_2$ (2,4(1 <i>H</i> ,3 <i>H</i>)-Pyrimidinedione) (RN-CAS Registry Number 66-22-8) (ON-Other name: Uracil)	**	9.53 ± 0.02	EI	3571
$C_4H_4N_2O_2^+$	$C_4H_4NNO_2$ (Pyrrole, 2-nitro-) (RN-CAS Registry Number 5919-26-6)	**	9.30 ± 0.05	EI	3482
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 2-nitro-) (RN-CAS Registry Number 88-74-4)	**	8.43 (V)	PE	3856
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 3-nitro-) (RN-CAS Registry Number 99-09-2)	**	8.60 (V)	PE	3856
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 3-nitro-) (RN-CAS Registry Number 99-09-2)	**	8.73 ± 0.1	EI	3447
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-) (RN-CAS Registry Number 100-01-6)	**	8.60 (V)	PE	3856

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-) (RN-CAS Registry Number 100-01-6)	**	8.43	EI	4089
$C_6H_6N_2O_2^+$	$C_6H_4(NO_2)NH_2$ (Benzenamine, 4-nitro-) (RN-CAS Registry Number 100-01-6)	**	8.62 ± 0.1	EI	3447
$C_7H_4N_2O_2^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 3-nitro-) (RN-CAS Registry Number 619-24-9)	**	10.29 ± 0.1	EI	3447
$C_7H_4N_2O_2^+$	$C_6H_4(NO_2)CN$ (Benzonitrile, 4-nitro-) (RN-CAS Registry Number 619-72-7)	**	10.23 ± 0.1	EI	3447
$C_7H_8N_2O_2^+$	$C_6H_4(NO_2)NHCH_3$ (Benzenamine, <i>N</i> -methyl-2-nitro-) (RN-CAS Registry Number 612-28-2)	**	8.02 (V)	PE	3856
$C_7H_8N_2O_2^+$	$C_6H_4(NO_2)NHCH_3$ (Benzenamine, <i>N</i> -methyl-4-nitro-) (RN-CAS Registry Number 100-15-2)	**	8.17 (V)	PE	3856
$C_8H_{10}N_2O_2^+$	$C_6H_2NO_2(CH_3)_2NH_2$ (Benzenamine, 2,6-dimethyl-4-nitro-) (RN-CAS Registry Number 16947-63-0)	**	8.33 (V)	PE	3856
$C_8H_{10}N_2O_2^+$	$C_6H_2NO_2(CH_3)_2NH_2$ (Benzenamine, 3,5-dimethyl-4-nitro-) (RN-CAS Registry Number 34761-82-5)	**	8.23 (V)	PE	3856
$C_8H_{10}N_2O_2^+$	$C_6H_4(NO_2)N(CH_3)_2$ (Benzenamine, <i>N,N</i> -dimethyl-4-nitro-) (RN-CAS Registry Number 100-23-2)	**	8.0 (V)	PE	3856
$C_9H_{12}N_2O_2^+$	$C_6H_3NO_2(CH_3)N(CH_3)_2$ (Benzenamine, <i>N,N</i> ,2-trimethyl-4-nitro-) (RN-CAS Registry Number 32417-74-6)	**	8.30 (V)	PE	3856
$C_9H_{15}N_2O_2^+$	$C_4HN(O)(CH_3)_4CONH_2$ (1 <i>H</i> -Pyrrol-1-yloxy, 3-(aminocarbonyl)-2,5-dihydro-2,2,5,5-tetramethyl-) (RN-CAS Registry Number 3229-73-0)	**	7.40 ± 0.05	EI	3494
(RD-Radical)					
$C_9H_{17}N_2O_2^+$	$C_4H_3N(O)(CH_3)_4CONH_2$ (1-Pyrrolidinyloxy, 3-(aminocarbonyl)-2,2,5,5-tetramethyl-) (RN-CAS Registry Number 4399-80-8)	**	7.40 ± 0.05	EI	3494
(RD-Radical)					
$C_{11}H_{12}N_2O_2^+$	$C_{11}H_{12}N_2O_2$ (DL-Tryptophan) (RN-CAS Registry Number 54-12-6)	**	≤ 7.5	EI	3766

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{21}N_2O_2^+$ (RD-Radical)	$C_5H_5N(O)(CH_3)_4NHCOCH_3$ (1-Piperidinyloxy, 4-(acetylamino)-2,2,6,6-tetramethyl-) (RN-CAS Registry Number 14691-89-5)	**	7.40 ± 0.05	EI	3494
$C_{12}H_{20}N_2O_2^+$	$C_{12}H_{20}O_2N_2$ (2-Pentanone, 4,4'-(1,2-ethanediyl dinitrilo)bis-) (RN-CAS Registry Number 6310-76-5)	**	7.71 (V)	PE	3822
$C_{13}H_{12}N_2O_2^+$	$C_6H_4(NO_2)CH_2C_6H_4NH_2$ (Benzenamine, 4-[(4-nitrophenyl)methyl]-) (RN-CAS Registry Number 726-17-0)	**	7.87 ± 0.05	EI	3806
$C_{14}H_{14}N_2O_2^+$	$C_6H_4(NH_2)CH_2CH_2C_6H_4NO_2$ (Benzenamine, 4-[2-(4-nitrophenyl)ethyl]-) (RN-CAS Registry Number 7357-96-2)	**	7.78 ± 0.05	EI	3806
$C_{16}H_{10}N_2O_2^+$	$C_{16}H_{10}N_2O_2$ [$\Delta^{2,2}$ -Biindoline]-3,3'-dione) (RN-CAS Registry Number 12626-73-2) (ON-Other name: Indigo Blue)	**	7.17	PI	3586
$C_{16}H_{12}N_2O_2^+$	$C_6H_4(NO_2)C_3H_3(CN)C_6H_5$ (Cyclopropanecarbonitrile, 1-(p-nitrophenyl)-2-phenyl-) (RN-CAS Registry Number 10432-22-1)	**	9.05 ± 0.10	EDD	3575
$C_{18}H_{17}N_3O_2^+$	$C_6H_4(NO_2)C_3H_3(CN)C_6H_4N(CH_3)_2$ (Cyclopropanecarbonitrile, 2-(p-(dimethylamino)phenyl)-1-(p-nitrophenyl)-) (RN-CAS Registry Number 28752-34-3)	**	8.30 ± 0.07	EDD	3575
$C_4H_3NO_3^+$	$C_4H_3ONO_2$ (Furan, 2-nitro-) (RN-CAS Registry Number 609-39-2)	**	10.04 ± 0.05	EI	3482
$C_6H_5NO_3^+$	$C_6H_4(NO_2)OH$ (Phenol, 4-nitro-) (RN-CAS Registry Number 100-02-7)	**	8.84 ± 0.1	EI	3447
$C_6H_5NO_3^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester) (RN-CAS Registry Number 1523-06-4)	$CH_2=C=O$	10.85 ± 0.2	EI	3484
$C_6H_5NO_3^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester) (RN-CAS Registry Number 830-03-5)	$CH_2=C=O$	10.76 ± 0.2	EI	3484
$C_7H_4NO_3^+$	$C_6H_4(NO_2)COOH$ (Benzoic acid, 3-nitro-) (RN-CAS Registry Number 121-92-6)	OH	13.00 ± 0.2	EI	3973
$C_7H_4NO_3^+$	$C_6H_4(NO_2)COOH$ (Benzoic acid, 4-nitro-) (RN-CAS Registry Number 62-23-7)	OH	11.58 ± 0.2	EI	3973

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7NO_3^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-3-nitro-) (RN-CAS Registry Number 555-03-3)	**	9.09 ± 0.1	EI	3447
$C_7H_7NO_3^+$	$C_6H_4(NO_2)OCH_3$ (Benzene, 1-methoxy-4-nitro-) (RN-CAS Registry Number 100-17-4)	**	9.04 ± 0.1	EI	3447
$C_9H_{11}NO_3^+$	$C_6H_4(OH)CH_2CH(NH_2)COOH$ (DL-Tyrosine) (RN-CAS Registry Number 556-03-6)	**	≤ 8.4	EI	3766
$C_9H_7N_2O_3^+$	$C_6H_4(NO_2)NHCOCH=CHCH_3$ CH_3 (2-Butenamide, <i>N</i> -(4-nitrophenyl)-) (RN-CAS Registry Number 51944-68-4)		13.6 ± 0.3	EI	3996
$C_{10}H_{10}N_2O_3^+$	$C_6H_4(NO_2)NHCOCH=CHCH_3$ CH_3 (2-Butenamide, <i>N</i> -(4-nitrophenyl)-) (RN-CAS Registry Number 51944-68-4)	**	9.1 ± 0.1	EI	3996
$C_7H_5NO_4^+$	$C_6H_4(NO_2)COOH$ (Benzoic acid, 3-nitro-) (RN-CAS Registry Number 121-92-6)	**	10.31 ± 0.2	EI	3973
$C_7H_5NO_4^+$	$C_6H_4(NO_2)COOH$ (Benzoic acid, 4-nitro-) (RN-CAS Registry Number 62-23-7)	**	10.18 ± 0.2	EI	3973
$C_8H_7NO_4^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 3-nitrophenyl ester) (RN-CAS Registry Number 1523-06-4)	**	9.43 ± 0.2	EI	3484
$C_8H_7NO_4^+$	$C_6H_4(NO_2)OOCCH_3$ (Acetic acid, 4-nitrophenyl ester) (RN-CAS Registry Number 830-03-5)	**	9.48 ± 0.2	EI	3484
$C_{13}H_9NO_4^+$	$C_6H_5COOC_6H_4NO_2$ (Benzoic acid 4-nitro phenyl ester) (RN-CAS Registry Number 959-22-8)	**	9.3	EI	3897
$C_{17}H_9NO_4^+$	$C_{17}H_9NO_4$ (Naphtho[2,3- <i>f</i>]quinoline-7,12-dione, 5,6-dihydroxy-) (RN-CAS Registry Number 568-02-5) (ON-Other name: Alizarine Blue)	**	7.35	PI	3586
$C_6H_4N_2O_4^+$	$C_6H_4(NO_2)_2$ (Benzene, 1,3-dinitro-) (RN-CAS Registry Number 99-65-0)	**	10.62 ± 0.1	EI	3447
$C_6H_4N_2O_4^+$	$C_6H_4(NO_2)_2$ (Benzene, 1,4-dinitro-) (RN-CAS Registry Number 100-25-4)	**	10.63 ± 0.1	EI	3447

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{10}N_2O_4^+$	(C ₆ H ₄ NO ₂) ₂ CH ₂ (Benzene, 1,1'-methylenebis[4-nitro-]) (RN-CAS Registry Number 1817-74-9)	**	9.98±0.05	EI	3806
$C_{14}H_{12}N_2O_4^+$	C ₆ H ₄ (NO ₂)CH ₂ CH ₂ C ₆ H ₄ NO ₂ (Benzene, 1,1'-(1,2-ethanediyl)bis[4-nitro-]) (RN-CAS Registry Number 736-30-1)	**	9.77±0.05	EI	3806
$C_{18}H_{30}N_2O_4^+$	C ₄ (N(C ₂ H ₅) ₂)(COOC ₂ H ₅) ₂ (1,3-Cyclobutadiene-1,3-dicarboxylic acid, 2,4-bis(diethylamino)-, diethyl ester) (RN-CAS Registry Number 20913-35-3)	**	7.55 (V)	PE	3885
$C_{16}H_{11}N_3O_4^+$	C ₃ H ₃ (CN)((C ₆ H ₄)NO ₂) ₂ (Cyclopropanecarbonitrile, 1,2-bis(<i>p</i> -nitrophenyl)-) (RN-CAS Registry Number 28752-28-5)	**	9.30±0.05	EDD	3575
F^+	F ₂ (RN-CAS Registry Number 7782-41-4) (TV-Threshold value approximately corrected to 0°K)	F	19.008	PI	3928
$F_2(^2\Pi_g)$	F ₂ (RN-CAS Registry Number 7782-41-4) (RS-Average of two Rydberg series limits)	**	15.70±0.02	S	3743
$F_2(^2\Pi_g)$	F ₂ (RN-CAS Registry Number 7782-41-4)	**	15.70	PE	3507
$F_2(^2\Pi_u)$	F ₂ (RN-CAS Registry Number 7782-41-4)	**	18.98 (V)	PE	3507
$F_2(^2\Pi_u)$	F ₂ (RN-CAS Registry Number 7782-41-4)	**	~18.45	D	3743
$HF^+(X^2\Pi)$	HF (RN-CAS Registry Number 7664-39-3)	**	16.03±0.01	PE	3500
$HF^+(^2\Sigma^+)$	HF (RN-CAS Registry Number 7664-39-3)	**	19.118	PE	3500
$DF^+(^2\Sigma^+)$	DF (RN-CAS Registry Number 14333-26-7)	**	19.172	PE	3500
BF^+	BF (RN-CAS-Registry Number 13768-60-0)	**	12±1	EI	4054
BF_2^+	BF ₂ (RN-CAS Registry Number 13842-55-2)	**	8±1	EI	3465
BF_2^+	BF ₂ (RN-CAS-Registry Number 13842-55-2)	**	9±1	EI	4054
BF_2^+	BF ₃ (RN-CAS-Registry Number 7637-07-2)		~16	EI	4054
$BF_3(^2A_2')$	BF ₃ (RN-CAS Registry Number 7637-07-2)	**	15.95 (V)	PE	3704
$BF_3(^2E')$	BF ₃ (RN-CAS Registry Number 7637-07-2)	**	16.65 (V)	PE	3704

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{BF}_3(^2\text{E}')$	BF_3 (RN-CAS Registry Number 7637-07-2)	**	17.10 (V)	PE	3704
$\text{BF}_3(^2\text{A}_2)$	BF_3 (RN-CAS Registry Number 7637-07-2)	**	19.15 (V)	PE	3704
$\text{BF}_3(^2\text{E}')$	BF_3 (RN-CAS Registry Number 7637-07-2)	**	20.10 (V)	PE	3704
BF_3^+	BF_3 (RN-CAS Registry Number 7637-07-2)	**	15.71 ± 0.10	RPD	3540
BF_3^+	BF_3 (RN-CAS-Registry Number 7637-07-2)	**	17 ± 1	EI	4054
BF_3^+	$(\text{C}_2\text{H}_5)_2\text{OBF}_3$ (RN-CAS Registry Number 109-63-7)	$(\text{C}_2\text{H}_5)_2\text{O}$	15.00 ± 0.10	RPD	3540
$\text{B}_2\text{F}_4(^2\text{A}_1)$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	$\leq 12.23 \pm 0.06$	PE	3709
$\text{B}_2\text{F}_4(^2\text{E})$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	$\leq 15.50 \pm 0.03$	PE	3709
$\text{B}_2\text{F}_4(^2\text{B}_1)$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	16.32 ± 0.01 (V)	PE	3709
$\text{B}_2\text{F}_4(^2\text{B}_2)$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	17.20 ± 0.01	PE	3709
$\text{B}_2\text{F}_4(^2\text{E})$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	$\leq 18.71 \pm 0.03$	PE	3709
$\text{B}_2\text{F}_4(^2\text{E}, ^2\text{A}_1)$	B_2F_4 (RN-CAS Registry Number 13965-73-6)	**	20.52 ± 0.01	PE	3709
CF^+ (RD-Radical)	CF (RN-CAS Registry Number 3889-75-6)	**	9.24	D	3930
CF^+ (TR-Other product(s) thermochemically reasonable)	$\text{CH}_2=\text{CF}_2$ (RN-CAS Registry Number 75-38-7)	CH_2F	14.92 ± 0.02	PI	3930
CF^+	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS-Registry Number 79-38-9)	CF_2Cl	16.7 ± 0.1	EI	4070
CF^+	$\text{CFCI}=\text{CFCI}$ (RN-CAS-Registry Number 598-88-9)	CFCl_2	16.5 ± 0.1	EI	4070
CF_2^+ (RD-Radical)	CF_2 (RN-CAS Registry Number 2154-59-8)	**	11.54 ± 0.10	EI	3818
CF_2^+ (RD-Radical)	CF_2 (RN-CAS Registry Number 2154-59-8)	**	9.74	D	3930
CF_2^+ (RD-Radical)	C_2F_4 (RN-CAS Registry Number 116-14-3)	CF_2	15.2 ± 0.1	EI	3539
CF_3^+	CH_3CF_3 (RN-CAS Registry Number 71-55-6)	CH_3	13.94 ± 0.1	EI	3478
CF_3^+	$(\text{CF}_3)_2\text{CO}$ (RN-CAS Registry Number 684-16-2)		13.8	EI	3550

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CF_3^+	CH_3COCF_3 (RN-CAS Registry Number 421-50-1)		14.6	EI	3550
C_2F_3^+	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS-Registry Number 79-38-9)	Cl	15.4 ± 0.1	EI	4070
$\text{CF}_4(^2\text{T}_1)$	CF_4 (RN-CAS Registry Number 75-73-0)	**	16.25 ± 0.04 (V)	PE	3880
$\text{CF}_4(^2\text{T}_2)$	CF_4 (RN-CAS Registry Number 75-73-0)	**	17.46 ± 0.04 (V)	PE	3880
$\text{CF}_4(^2\text{E})$	CF_4 (RN-CAS Registry Number 75-73-0)	**	18.58 ± 0.04 (V)	PE	3880
$\text{C}_2\text{F}_4(^2\text{B}_{2u})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	10.10	PE	3649
C_2F_4^+	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	10.32	PE	3589
C_2F_4^+	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	10.52 (V)	PE	4084
$\text{C}_2\text{F}_4(^2\text{A}_g)$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	15.6	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{2g})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	16.4 (V)	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{1u})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	16.6 (V)	PE	3649
$\text{C}_2\text{F}_4(^2\text{A}_u)$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	16.9 (V)	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{3g})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	17.50	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{3u})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	18.0	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{1u})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	19.19	PE	3649
$\text{C}_2\text{F}_4(^2\text{A}_g)$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	~20.6	PE	3649
$\text{C}_2\text{F}_4(^2\text{B}_{3u})$	C_2F_4 (RN-CAS Registry Number 116-14-3)	**	~22.3	PE	3649
C_3F_6^+	$\text{CF}_3\text{CF}=\text{CF}_2$ (RN-CAS Registry Number 116-15-4)	**	10.62	PE	3589
C_4F_6^+	$\text{CF}_3\text{C}\equiv\text{CCF}_3$ (RN-CAS Registry Number 692-50-2)	**	12.31	PE	3589
C_6F_6^+	C_6F_6 (Benzene, hexafluoro-) (RN-CAS Registry Number 392-56-3)	**	9.90 ± 0.01	S	3559
C_6F_6^+	C_6F_6 (Benzene, hexafluoro-) (RN-CAS Registry Number 392-56-3)	**	12.62 ± 0.01	S	3559

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6F_6^+$	C_6F_6 (Benzene, hexafluoro-) (RN-CAS Registry Number 392-56-3)	**	9.90 (V)	PE	3873
$C_6F_6(^2E_{1g})$	C_6F_6 (Benzene, hexafluoro-) (RN-CAS Registry Number 392-56-3)	**	9.93	PE	3637
$C_4F_8^+$	<i>cis</i> -2- C_4F_8 (RN-CAS Registry Number 1516-65-0)	**	11.46 (V)	PE	4084
$C_4F_8^+$	<i>trans</i> -2- C_4F_8 (RN-CAS Registry Number 1516-64-9)	**	11.55 (V)	PE	4084
$C_4F_8^+$	<i>trans</i> -2- C_4F_8 (RN-CAS Registry Number 1516-64-9)	**	11.55 (V)	PE	3649
$C_{10}F_8^+$	$C_{10}F_8$ (Naphthalene, octafluoro-) (RN-CAS Registry Number 313-72-4)	**	8.85	PE	3637
$C_{12}F_{10}^+$	$(C_6F_5)_2$ (1,1'-Biphenyl, decafluoro-) (RN-CAS Registry Number 434-90-2)	**	9.40 ± 0.02	PE	3702
$C_6F_{12}^+$	$(CF_3)_2C=C(CF_3)_2$ (RN-CAS Registry Number 360-57-6)	**	12.61 (V)	PE	4084
CH_2F^+	CH_2F (RN-CAS Registry Number 3744-29-4)	**	8.90	EM	3732
(RD-Radical)					
CH_2F^+	CH_2F (RN-CAS Registry Number 3744-29-4)	**	9.16 ± 0.02	D	3930
(RD-Radical)					
CH_2F^+	CH_2F_2 (RN-CAS Registry Number 75-10-5)	F	14.06	EM	3732
(TR-Other product(s) thermochemically reasonable)					
CH_2F^+	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	CF	14.84 ± 0.02	PI	3930
(TR-Other product(s) thermochemically reasonable)					
C_2HF^+	C_2H_3F (RN-CAS Registry Number 75-02-5)	H_2	13.72 ± 0.02	PI	3930
(TR-Other product(s) thermochemically reasonable)					
C_2HF^+	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	HF	14.18 ± 0.03	PI	3930
(TR-Other product(s) thermochemically reasonable)					
$C_2H_2F^+$	C_2H_3F (RN-CAS Registry Number 75-02-5)	H	13.56 ± 0.04	PI	3930
(TR-Other product(s) thermochemically reasonable)					
$C_2H_2F^+$	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	F	14.37 ± 0.02	PI	3930
(TR-Other product(s) thermochemically reasonable)					
$C_2H_2F^+$	$CH_2=CFCl$ (RN-CAS-Registry Number 2317-91-1)	Cl	13.7 ± 0.1	EI	4070

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_3F^+$	C_2H_3F (RN-CAS Registry Number 75-02-5)	**	10.35 ± 0.01	PI	3930
$C_2H_4F^+$	CH_3CHF_2 (RN-CAS Registry Number 75-37-6)	F	14.80 ± 0.1	EI	3478
$C_2H_5F^+(^2A')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	12.43 (V)	PE	3984
$C_2H_5F^+(^2A'')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	12.87 (V)	PE	3984
$C_2H_5F^+(^2A')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	13.96 (V)	PE	3984
$C_2H_5F^+(^2A'')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	14.57 (V)	PE	3984
$C_2H_5F^+(^2A')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	16.00 (V)	PE	3984
$C_2H_5F^+(^2A', ^2A'')$	C_2H_5F (RN-CAS Registry Number 353-36-6)	**	17.23 (V)	PE	3984
C_3HF^+	$CHF_2C \equiv CH$ (RN-CAS Registry Number 18371-25-0)	HF	12.6 ± 0.15	EI	3769
$C_3H_2F^+$	$CHF_2C \equiv CH$ (RN-CAS Registry Number 18371-25-0)	F	14.2 ± 0.2	EI	3769
$C_3H_5F^+$	$CH_2 = CHCH_2F$ (RN-CAS Registry Number 818-92-8)	**	10.11	PE	3863
$C_3H_5F^+$	$CH_2 = CHCH_2F$ (RN-CAS Registry Number 818-92-8)	**	10.56 (V)	PE	4091
$C_3H_7F^+$	$n-C_3H_7F$ (RN-CAS Registry Number 460-13-9)	**	11.96 (V)	PE	3984
$C_6H_4F^+$ _a	$C_6H_4(F)COOH$ (Benzoic acid, 3-fluoro-) (RN-CAS Registry Number 455-38-9) (MT-Metastable transition(s) observed)	CO + OH	15.25 ± 0.2	EI	3973
$C_6H_4F^+$	$C_6H_4(F)COOH$ (Benzoic acid, 4-fluoro-) (RN-CAS Registry Number 456-22-4) (MT-Metastable transition(s) observed)	CO + OH	15.33 ± 0.2	EI	3973
$C_6H_4F^+$	$C_6H_4FNO_2$ (Benzene, 1-fluoro-3-nitro-) (RN-CAS Registry Number 402-67-5)	NO ₂	12.22 ± 0.1	EI	3447
$C_6H_4F^+$	$C_6H_4FNO_2$ (Benzene, 1-fluoro-4-nitro-) (RN-CAS Registry Number 350-46-9)	NO ₂	12.37 ± 0.1	EI	3447
$C_6H_5F^+$	C_6H_5F (Benzene, fluoro-) (RN-CAS Registry Number 462-06-6)	**	9.20	S	3559

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5F^{+*}$	C_6H_5F (Benzene, fluoro-) (RN-CAS Registry Number 462-06-6)	**	11.82	S	3559
$C_6H_5F^+$	C_6H_5F (Benzene, fluoro-) (RN-CAS Registry Number 462-06-6)	**	9.11	PE	3955
$C_6H_5F^+$	C_6H_5F (Benzene, fluoro-) (RN-CAS Registry Number 462-06-6)	**	9.19 (V)	PE	3873
$C_6H_5F^+$	C_6H_5F (Benzene, fluoro-) (RN-CAS Registry Number 462-06-6)	**	9.35 ± 0.03 (V)	PE	3713
$C_6H_5F^+$	$C_6H_4FOCH_3$ (Benzene, 1-fluoro-3-methoxy-) (RN-CAS Registry Number 456-49-5)	CH_2O	11.76 ± 0.1	EI	3446
$C_6H_5F^+$	$C_6H_4FOCH_3$ (Benzene, 1-fluoro-4-methoxy-) (RN-CAS Registry Number 459-60-9)	CH_2O	11.55 ± 0.1	EI	3446
$C_7H_6F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-3-fluoro-) (RN-CAS Registry Number 20651-66-5)		11.69 ± 0.1	EI	3629
$C_7H_6F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-4-fluoro-) (RN-CAS Registry Number 20651-65-4)		11.25 ± 0.1	EI	3629
$C_7H_7F^+$	$C_6H_5CH_2F$ (Benzene, (fluoromethyl)-) (RN-CAS Registry Number 350-50-5)	**	9.55 (V)	PE	3992
$C_7H_7F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-3-fluoro-) (RN-CAS Registry Number 20651-66-5)	$CH_2=CHCH_3$	10.21 ± 0.1	EI	3629
$C_7H_7F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-4-fluoro-) (RN-CAS Registry Number 20651-65-4)	$CH_2=CHCH_3$	10.29 ± 0.1	EI	3629
$C_{10}H_{13}F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-3-fluoro-) (RN-CAS Registry Number 20651-66-5)	**	9.19 ± 0.1	EI	3629
$C_{10}H_{13}F^+$	$C_6H_4FC_4H_9$ (Benzene, 1-butyl-4-fluoro-) (RN-CAS Registry Number 20651-65-4)	**	9.15 ± 0.1	EI	3629
$C_{10}H_{15}F^+$	$C_{10}H_{15}F$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 2-fluoro-) (RN-CAS Registry Number 16668-83-0) (ON-Other name: 2-Fluoroadamantane)	**	9.46	PE	3886
$C_{12}H_9F^+$	$C_6H_5C_6H_4F$ (1,1'-Biphenyl, 2-fluoro-) (RN-CAS Registry Number 321-60-8)	**	8.20 ± 0.02	PE	3702

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_9F^+$	$C_6H_5C_6H_4F$ (1,1'-Biphenyl, 4-fluoro-) (RN-CAS Registry Number 324-74-3)	**	8.00 ± 0.02	PE	3702
CHF_2^+ (RD-Radical)	CHF_2 (RN-CAS Registry Number 2670-13-5)	**	≤ 8.90	EM	3732
CHF_2^+	CH_2F_2 (RN-CAS Registry Number 75-10-5)	H	13.11	EM	3732
CHF_2^+	$CHF_2C \equiv CH$ (RN-CAS Registry Number 18371-25-0)	C_2H	13.8 ± 0.1	EI	3769
$C_2HF_2^+$	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	H	15.80 ± 0.04	PI	3930
$C_2H_2F_2^+$	$CH_2=CF_2$ (RN-CAS Registry Number 75-38-7)	**	10.29 ± 0.01	PI	3930
$C_2H_2F_2^+$	<i>cis</i> -CHF=CHF (RN-CAS Registry Number 1630-77-9)	**	10.43 (V)	PE	3649
$C_2H_2F_2^+$	<i>trans</i> -CHF=CHF (RN-CAS Registry Number 1630-78-0)	**	10.38 (V)	PE	3649
$C_2H_3F_2^+$	CH_3CF_3 (RN-CAS Registry Number 71-55-6)	F	15.14 ± 0.1	EI	3478
$C_3HF_2^+$	$CHF_2C \equiv CH$ (RN-CAS Registry Number 18371-25-0)	H	12.9 ± 0.1	EI	3769
$C_3H_2F_2^+$	$CHF_2C \equiv CH$ (RN-CAS Registry Number 18371-25-0)	**	11.6 ± 0.1	EI	3769
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,2-difluoro-) (RN-CAS Registry Number 367-11-3)	**	9.30 (V)	PE	3873
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,2-difluoro-) (RN-CAS Registry Number 367-11-3)	**	9.6 ± 0.03 (V)	PE	3713
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,3-difluoro-) (RN-CAS Registry Number 372-18-9)	**	9.32 (V)	PE	3873
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,3-difluoro-) (RN-CAS Registry Number 372-18-9)	**	9.6 ± 0.03 (V)	PE	3713
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,4-difluoro-) (RN-CAS Registry Number 540-36-3)	**	9.15 (V)	PE	3873
$C_6H_4F_2^+$	$C_6H_4F_2$ (Benzene, 1,4-difluoro-) (RN-CAS Registry Number 540-36-3)	**	9.4 ± 0.03 (V)	PE	3713

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_8F_2^+$	(C ₆ H ₄ F) ₂ (1,1'-Biphenyl, 2,2'-difluoro-) (RN-CAS Registry Number 388-82-9)	**	8.35±0.02	PE	3702
$C_{12}H_8F_2^+$	(C ₆ H ₄ F) ₂ (1,1'-Biphenyl, 3,3'-difluoro-) (RN-CAS Registry Number 396-64-5)	**	8.35±0.02	PE	3702
$C_{12}H_8F_2^+$	(C ₆ H ₄ F) ₂ (1,1'-Biphenyl, 4,4'-difluoro-) (RN-CAS Registry Number 398-23-2)	**	8.00±0.02	PE	3702
$C_2HF_3^+$	C ₂ HF ₃ (RN-CAS Registry Number 359-11-5)	**	10.53 (V)	PE	3649
$C_2H_3F_3^+$	CH ₃ CF ₃ (RN-CAS Registry Number 71-55-6)	**	13.26±0.1	EI	3478
$C_3HF_3^+$	CF ₃ C≡CH (RN-CAS Registry Number 661-54-1)	**	11.83	PE	3589
$C_6H_3F_3(^2E'')$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3) (RS-Average of two Rydberg series limits)	**	9.64	S	3764
$C_6H_3F_3(^2A_2')$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3)	**	12.35	S	3764
$C_6H_3F_3^+$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3)	**	9.26 (V)	PE	3873
$C_6H_3F_3(^2E'')$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3)	**	9.64	PE	3764
$C_6H_3F_3(^2A_2')$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3)	**	12.35	PE	3764
$C_6H_3F_3^*$	C ₆ H ₃ F ₃ (Benzene, 1,3,5-trifluoro-) (RN-CAS Registry Number 372-38-3)	**	13.58 (V)	PE	3764
$C_6H_2F_4^+$	C ₆ H ₂ F ₄ (Benzene, 1,2,3,4-tetrafluoro-) (RN-CAS Registry Number 551-62-2)	**	9.56 (V)	PE	3873
$C_6H_2F_4^+$	C ₆ H ₂ F ₄ (Benzene, 1,2,3,5-tetrafluoro-) (RN-CAS Registry Number 2367-82-0)	**	9.56 (V)	PE	3873
$C_6H_2F_4^+$	C ₆ H ₂ F ₄ (Benzene, 1,2,4,5-tetrafluoro-) (RN-CAS Registry Number 327-54-8)	**	9.36 (V)	PE	3873
$C_6H_2F_4^+$	C ₆ H ₂ F ₄ (1,2,4,5-Tetrafluorobenzene) (RN-CAS Registry Number 327-54-8)	**	8.92	PE	3522

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6HF_5^+$	C_6HF_5 (Benzene, pentafluoro-) (RN-CAS Registry Number 363-72-4) (RS-Average of two Rydberg series limits)	**	9.82	S	3559
$C_6HF_5^*$	C_6HF_5 (Benzene, pentafluoro-) (RN-CAS Registry Number 363-72-4)	**	12.44	S	3559
$C_6HF_5^+$	C_6HF_5 (Benzene, pentafluoro-) (RN-CAS Registry Number 363-72-4)	**	9.64 (V)	PE	3873
$C_8H_3F_5^+$	$C_6F_5CH=CH_2$ (Benzene, ethenylpentafluoro-) (RN-CAS Registry Number 653-34-9)	**	9.18 ± 0.02	PE	3854
NF^+	NF_2 (RN-CAS Registry Number 3744-07-8) (TR-Other product(s) thermochemically reasonable)	F^-	11.86 ± 0.2	EI	3785
NF^+	NF_2 (RN-CAS Registry Number 3744-07-8) (TR-Other product(s) thermochemically reasonable)	F	15.46 ± 0.2	EI	3785
NF^+	N_2F_4 (RN-CAS Registry Number 10036-47-2) (TR-Other product(s) thermochemically reasonable)	$NF_2 + F$	~ 16.6	EI	3785
NF^+	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		13.0 ± 0.3	EI	3634
NF^+	$(CH_3)_2C(NF_2)_2$ (RN-CAS Registry Number 19309-63-8)		13.9 ± 0.3	EI	3634
N_2F^+	N_2F_4 (RN-CAS Registry Number 10036-47-2) (TR-Other product(s) thermochemically reasonable)	$F_2 + F$	14.2 ± 0.3	EI	3785
N_2F^+	N_2F_4 (RN-CAS Registry Number 10036-47-2) (TR-Other product(s) thermochemically reasonable)	3F	16.7 ± 0.3	EI	3785
$NF_2(^1A_1)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	12.1 ± 0.1 (V)	PE	3671
(RD-Radical) $NF_2(^1A_1)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	12.1	PE	3693
(RD-Radical) $NF_2(^3B_1)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	14.6 ± 0.1 (V)	PE	3671
(RD-Radical) $NF_2(^3B_1)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	14.6	PE	3693
(RD-Radical) $NF_2(^1B_1, ^3B_2, ^3A_2)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	$\sim 16.4 \pm 0.1$ (V)	PE	3671
(RD-Radical)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
NF_2^+	NF_2 (RN-CAS Registry Number 3744-07-8)	**	16.4	PE	3693
(RD-Radical)					
NF_2^*	NF_2 (RN-CAS Registry Number 3744-07-8)	**	$\sim 17.6 \pm 0.1$ (V)	PE	3671
(RD-Radical)					
$\text{NF}_2(^1\text{B}_2)$	NF_2 (RN-CAS Registry Number 3744-07-8)	**	17.6	PE	3693
(RD-Radical)					
NF_2^+	NF_2 (RN-CAS Registry Number 3744-07-8)	**	11.76 ± 0.1	EI	3785
(RD-Radical)					
NF_2^+	N_2F_4 (RN-CAS Registry Number 10036-47-2)	$\text{F}^- + \text{NF}$	12.40 ± 0.1	DC	3785
NF_2^+	N_2F_4 (RN-CAS Registry Number 10036-47-2)	NF_2	12.70 ± 0.1	DC	3785
(TR-Other product(s) thermochemically reasonable)					
NF_2^+	$(\text{CH}_2\text{NF}_2)\text{CH}_2$ (RN-CAS Registry Number 21298-22-6)		14.8 ± 0.4	EI	3634
NF_2^+	$(\text{CH}_3)_2\text{C}(\text{NF}_2)_2$ (RN-CAS Registry Number 19309-63-8)		13.9 ± 0.4	EI	3634
$\text{N}_2\text{F}_2(^2\text{A}_g)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	12.8	PE	3649
$\text{N}_2\text{F}_2(^2\text{A}_u)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	13.65	PE	3649
$\text{N}_2\text{F}_2(^2\text{A}_u)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	18.0	PE	3649
$\text{N}_2\text{F}_2(^2\text{B}_u)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	19.8 (V)	PE	3649
$\text{N}_2\text{F}_2(^2\text{A}_g)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	21.0 (V)	PE	3649
$\text{N}_2\text{F}_2(^2\text{B}_u)$	<i>trans</i> - N_2F_2 (RN-CAS Registry Number 13776-62-0)	**	22.3	PE	3649
N_2F_2^+	N_2F_4 (RN-CAS Registry Number 10036-47-2)	2F	16.0 ± 0.1	EI	3785
(TR-Other product(s) thermochemically reasonable)					
$\text{NF}_3(^2\text{A}_1)$	NF_3 (RN-CAS Registry Number 7783-54-2)	**	12.97 ± 0.04	PE	3641
NF_3^*	NF_3 (RN-CAS Registry Number 7783-54-2)	**	15.49 ± 0.04	PE	3641
NF_3^*	NF_3 (RN-CAS Registry Number 7783-54-2)	**	16.55 ± 0.05 (V)	PE	3641
$\text{NF}_3(^2\text{E})$	NF_3 (RN-CAS Registry Number 7783-54-2)	**	17.16 ± 0.03	PE	3641
$\text{NF}_3(^2\text{A}_1)$	NF_3 (RN-CAS Registry Number 7783-54-2)	**	19.24 ± 0.03	PE	3641
$\text{NF}_3(^2\text{E})$	NF_3 (RN-CAS Registry Number 7783-54-2)	**	21.14 ± 0.07 (V)	PE	3641

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
NF_3^+	NF_3 (RN-CAS Registry Number 7783-54-2)	**	13.18 ± 0.1	EI	3578
N_2F_4^+	N_2F_4 (RN-CAS Registry Number 10036-47-2)	**	12.00 ± 0.1	EI	3785
$\text{B}_3\text{H}_3\text{N}_3\text{F}_3^+$	$\text{B}_3\text{H}_3\text{N}_3\text{F}_3$ (Borazine, 2,4,6-trifluoro-) (RN-CAS Registry Number 13779-24-3)	**	10.46	PE	3637
$\text{B}_3\text{H}_3\text{N}_3\text{F}_3^+$	$\text{B}_3\text{H}_3\text{N}_3\text{F}_3$ (Borazine, 2,4,6-trifluoro-) (RN-CAS Registry Number 13779-24-3)	**	10.66 (V)	PE	3944
$\text{B}_3\text{H}_3\text{N}_3\text{F}_3^+$	$\text{B}_3\text{H}_3\text{N}_3\text{F}_3$ (Borazine, 2,4,6-trifluoro-) (RN-CAS Registry Number 13779-24-3)	**	10.66 (V)	PE	3673
$\text{CN}_2\text{F}_2(^2\text{B}_1)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	11.2	PE	3727
$\text{CN}_2\text{F}_2(^2\text{B}_2, ^2\text{A}_1)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	15.00	PE	3727
$\text{CN}_2\text{F}_2(^2\text{B}_2, ^2\text{A}_1)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	16.75 (V)	PE	3727
$\text{CN}_2\text{F}_2(^2\text{A}_2)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	17.8 (V)	PE	3727
$\text{CN}_2\text{F}_2(^2\text{B}_1)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	19.0	PE	3727
$\text{CN}_2\text{F}_2(^2\text{A}_1, ^2\text{B}_2)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	20.9 (V)	PE	3727
$\text{CN}_2\text{F}_2(^2\text{A}_1, ^2\text{B}_1)$	CF_2N_2 (3 <i>H</i> -Diazirine, 3,3-difluoro-) (RN-CAS Registry Number 693-85-6)	**	23.4 (V)	PE	3727
$\text{C}_3\text{N}_3\text{F}_3^+$	$\text{C}_3\text{N}_3\text{F}_3$ (1,3,5-Triazine, 2,4,6-trifluoro-) (RN-CAS Registry Number 675-14-9)	**	11.5	PE	3637
C_5NF_5^+	C_5NF_5 (Pyridine, pentafluoro-) (RN-CAS Registry Number 700-16-3)	**	10.08	PE	3637
$\text{C}_2\text{N}_2\text{F}_6^+$	<i>cis</i> - $\text{CF}_3\text{N}=\text{NCF}_3$ (RN-CAS Registry Number XXXXX-XX-X)	**	~ 10.5	PE	3649
$\text{C}_8\text{N}_2\text{F}_6^+$	$\text{C}_8\text{N}_2(\text{F})_6$ (Cinnoline, hexafluoro-) (RN-CAS Registry Number 28734-86-3)	**	9.66 (V)	PE	3959

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8N_2F_6^+$	$C_8N_2(F)_6$ (Phthalazine, hexafluoro-) (RN-CAS Registry Number 25732-35-8)	**	9.90 (V)	PE	3959
$C_8N_2F_6^+$	$C_8N_2(F)_6$ (Quinazoline, hexafluoro-) (RN-CAS Registry Number 28734-87-4)	**	9.43 (V)	PE	3959
$C_8N_2F_6^+$	$C_8N_2(F)_6$ (Quinoxaline, hexafluoro-) (RN-CAS Registry Number 21271-15-8)	**	9.65 (V)	PE	3959
$C_9NF_7^+$	C_9NF_7 (Isoquinoline, heptafluoro-) (RN-CAS Registry Number 13180-39-7)	**	9.29 (V)	PE	3723
$C_9NF_7^+$	C_9NF_7 (Quinoline, heptafluoro-) (RN-CAS Registry Number 13180-38-6)	**	9.51 (V)	PE	3723
CH_2NF^+	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		11.9 ± 0.2	EI	3634
CH_2NF^+	$CH_2(NF_2)CH(NF_2)CH_3$ (RN-CAS Registry Number 15403-25-5)	$CH_3C(NF_2)FH?$	11.5 ± 0.2	EI	3634
$C_2H_3NF^+$	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		16.8 ± 0.4	EI	3634
$C_3H_6NF^+$	$CH_2(NF_2)CH(NF_2)CH_3$ (RN-CAS Registry Number 15403-25-5)		14.6 ± 0.3	EI	3634
$C_6H_6NF^+$	$C_6H_4FNHCOCH_3$ (Acetamide, <i>N</i> -(2-fluorophenyl)-) (RN-CAS Registry Number 399-31-5)	$CH_2=C=O$	9.80 ± 0.03	EI	3483
$C_6H_6NF^+$	$C_6H_4FNHCOCH_3$ (Acetamide, <i>N</i> -(4-fluorophenyl)-) (RN-CAS Registry Number 351-83-7)	$CH_2=C=O$	10.12 ± 0.03	EI	3483
$CHNF_2^+$	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		13.7 ± 0.3	EI	3634
$CHNF_2^+$	$(CH_3)_2C(NF_2)_2$ (RN-CAS Registry Number 19309-63-8)		13.2 ± 0.3	EI	3634
$CH_2NF_2^+$	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		13.6 ± 0.3	EI	3634
$CH_2NF_2^+$	$CH_2(NF_2)CH(NF_2)CH_3$ (RN-CAS Registry Number 15403-25-5)		13.1 ± 0.2	EI	3634
$C_2H_6NF_2^+$	$(CH_2NF_2)CH_2$ (RN-CAS Registry Number 21298-22-6)		11.8 ± 0.3	EI	3634
$C_2H_6NF_2^+$	$CH_2(NF_2)CH(NF_2)CH_3$ (RN-CAS Registry Number 15403-25-5)		10.8 ± 0.2	EI	3634
$C_2H_6NF_2^+$	$(CH_3)_2C(NF_2)_2$ (RN-CAS Registry Number 19309-63-8)		11.1 ± 0.3	EI	3634

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5NF_2^+$	$C_6H_5F_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-difluorophenyl)-) (RN-CAS Registry Number 399-36-0)	$CH_2=C=O$	9.70 ± 0.03	EI	3480
$C_6H_5NF_2^+$	$C_6H_5F_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-difluorophenyl)-) (RN-CAS Registry Number 3896-29-5)	$CH_2=C=O$	9.52 ± 0.03	EI	3480
$C_8H_4N_2F_2^+$	$C_8H_4N_2(F)_2$ (Quinoxaline, 2,3-difluoro-) (RN-CAS Registry Number 7066-36-6)	**	9.30 (V)	PE	3959
$C_8H_2N_2F_4^+$	$C_8H_2N_2(F)_4$ (Quinoxaline, 5,6,7,8-tetrafluoro-) (RN-CAS Registry Number 33319-19-6)	**	9.50 (V)	PE	3959
$C_6H_2NF_5^+$	$C_6F_5NH_2$ (Benzenamine, 2,3,4,5,6-pentafluoro-) (RN-CAS Registry Number 771-60-8)	**	8.40 ± 0.02	PE	3890
$C_6H_2NF_5^+$	$C_6F_5NH_2$ (Benzenamine, 2,3,4,5,6-pentafluoro-) (RN-CAS Registry Number XXXXX-XX-X)	**	8.60	PE	3955
$C_6H_7NF_6^+$	$(CH_3)_2NC(CF_3)=C(CF_3)H$ (RN-CAS Registry Number 35186-00-6)	**	8.22	PE	3589
$C_4H_{12}BN_2F^+$	$((CH_3)_2N)_2BF_2$ (RN-CAS Registry Number 383-90-4)	**	8.04	PE	3584
$C_2H_6BNF_2^+$	$(CH_3)_2NBF_2$ (RN-CAS Registry Number 359-18-2)	**	9.71	PE	3584
$C_3H_9B_3N_3F_3^+$	$C_3H_9B_3N_3F_3$ (Borazine, 2,4,6-trifluoro-1,3,5-trimethyl-) (RN-CAS Registry Number 13722-15-1)	**	9.48 (V)	PE	3944
OF^+	OF (RN-CAS Registry Number 12061-70-0)	**	12.79 ± 0.1	D	3920
(RD-Radical) OF^+	OF_2 (RN-CAS Registry Number 7783-41-7)	F	≤ 14.438	PI	3920
(TV-Threshold value approximately corrected to 0°K)					
OF_2^+	OF_2 (RN-CAS Registry Number 7783-41-7)	**	13.11 ± 0.01	PI	3920
$OF_2(^2B_2)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	13.11	PE	3649
$OF_2(^2B_1)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	13.26 (V)	PE	3694
$OF_2(^2A_1)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	15.74	PE	3649
$OF_2(^2B_2)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	16.17 (V)	PE	3694

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{OF}_2(^2\text{B}_1)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	16.44 (V)	PE	3649
$\text{OF}_2(^2\text{A}_2)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	16.47 (V)	PE	3694
$\text{OF}_2(^2\text{A}_2)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	~ 17.9	PE	3649
OF_2^+	OF_2 (RN-CAS Registry Number 7783-41-7)	**	18.68 (V)	PE	3694
OF_2^+	OF_2 (RN-CAS Registry Number 7783-41-7)	**	19.50 (V)	PE	3694
$\text{OF}_2(^2\text{B}_1, ^2\text{A}_1)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	19.55 (V)	PE	3649
$\text{OF}_2(^2\text{B}_2)$	OF_2 (RN-CAS Registry Number 7783-41-7)	**	20.7 (V)	PE	3649
OF_2^+	OF_2 (RN-CAS Registry Number 7783-41-7)	**	20.9 (V)	PE	3694
HOF^+	HOF (RN-CAS Registry Number 14034-79-8)	**	12.71 ± 0.01	PI	3932
$\text{HOF}^+(^2\text{A}')$	HOF (RN-CAS Registry Number 14034-79-8)	**	12.69 ± 0.03	PE	3831
$\text{HOF}^+(^2\text{A}')$	HOF (RN-CAS Registry Number 14034-79-8)	**	14.50 ± 0.03	PE	3831
$\text{HOF}^+(^2\text{A}')$	HOF (RN-CAS Registry Number 14034-79-8)	**	15.9 ± 0.05	PE	3831
BOF^+	BOF (RN-CAS-Registry Number 23361-56-0)	**	14 ± 1	EI	4054
BOF_2^+	BOF_2 (RN-CAS-Registry Number 12006-82-5)	**	17 ± 1	EI	4054
$\text{COF}_2(^2\text{B}_1)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	13.02	PE	3649
$\text{COF}_2(^2\text{B}_2)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	13.04	PE	3726
$\text{COF}_2(^2\text{B}_2)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	14.09	PE	3649
COF_2^+	CF_2O (RN-CAS Registry Number 353-50-4)	**	≤ 14.26	PE	3726
$\text{COF}_2(^2\text{A}_1, ^2\text{B}_1, ^2\text{A}_2)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	16.1	PE	3649
COF_2^+	CF_2O (RN-CAS Registry Number 353-50-4)	**	16.6 (V)	PE	3726
$\text{COF}_2(^2\text{B}_1)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	16.90	PE	3726
$\text{COF}_2(^2\text{A}_1, ^2\text{B}_1, ^2\text{A}_2)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	16.91	PE	3649
COF_2^+	CF_2O (RN-CAS Registry Number 353-50-4)	**	19.06	PE	3726
$\text{COF}_2(^2\text{A}_1)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	19.15	PE	3649

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
COF_2^+	CF_2O (RN-CAS Registry Number 353-50-4)	**	19.46	PE	3726
$\text{COF}_2(^2\text{B}_2)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	19.8 (V)	PE	3649
$\text{COF}_2(^2\text{B}_1)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	21.1 (V)	PE	3649
$\text{COF}_2(^2\text{A}_1)$	CF_2O (RN-CAS Registry Number 353-50-4)	**	~22.7	PE	3649
C_2OF_3^+	$(\text{CF}_3)_2\text{CO}$ (RN-CAS Registry Number 684-16-2)		11.65	EI	3550
$\text{CF}_4\text{O}^+(^2\text{A}')$	CF_3OF (RN-CAS Registry Number 373-91-1)	**	13.6 (V)	PE	3941
CF_4O^{++}	CF_3OF (RN-CAS Registry Number 373-91-1)	**	16.6 (V)	PE	3941
CF_4O^{++}	CF_3OF (RN-CAS Registry Number 373-91-1)	**	17.5 (V)	PE	3941
CF_4O^{++}	CF_3OF (RN-CAS Registry Number 373-91-1)	**	19.0 (V)	PE	3941
CF_4O^{++}	CF_3OF (RN-CAS Registry Number 373-91-1)	**	20.40 (V)	PE	3941
C_3OF_5^+	$(\text{CF}_3)_2\text{CO}$ (RN-CAS Registry Number 684-16-2)		16	EI	3550
$\text{C}_3\text{F}_6\text{O}^+$	$(\text{CF}_3)_2\text{CO}$ (RN-CAS Registry Number 684-16-2)	**	11.44	PE	3649
$\text{C}_6\text{H}_4\text{OF}^+$	$\text{C}_6\text{H}_4\text{FOCH}_3$ (Benzene, 1-fluoro-3-methoxy-) (RN-CAS Registry Number 456-49-5)	CH_3	12.53 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OF}^+$	$\text{C}_6\text{H}_4\text{FOCH}_3$ (Benzene, 1-fluoro-4-methoxy-) (RN-CAS Registry Number 459-60-9)	CH_3	11.99 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OF}^+$	$\text{C}_6\text{H}_4\text{FNO}_2$ (Benzene, 1-fluoro-3-nitro-) (RN-CAS Registry Number 402-67-5)	NO	10.25 ± 0.1	EI	3447
$\text{C}_6\text{H}_4\text{OF}^+$	$\text{C}_6\text{H}_4\text{FNO}_2$ (Benzene, 1-fluoro-4-nitro-) (RN-CAS Registry Number 350-46-9)	NO	10.64 ± 0.1	EI	3447
$\text{C}_6\text{H}_5\text{OF}^+$	$\text{C}_6\text{H}_4\text{FOOCCH}_3$ (Phenol, 2-fluoro-, acetate) (RN-CAS Registry Number 29650-44-0)	$\text{CH}_2=\text{C}=\text{O}$	9.17 ± 0.03	EI	3483
$\text{C}_6\text{H}_5\text{OF}^+$	$\text{C}_6\text{H}_4\text{FOOCCH}_3$ (Phenol, 4-fluoro-, acetate) (RN-CAS Registry Number 405-51-6)	$\text{CH}_2=\text{C}=\text{O}$	9.55 ± 0.03	EI	3483
$\text{C}_7\text{H}_4\text{OF}^+$	$\text{C}_6\text{H}_4(\text{F})\text{COOH}$ (Benzoic acid, 3-fluoro-) (RN-CAS Registry Number 455-38-9)	OH	12.50 ± 0.2	EI	3973

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_4OF^+$	$C_6H_4(F)COOH$ (Benzoic acid, 4-fluoro-) (RN-CAS Registry Number 456-22-4)	OH	12.33 ± 0.2	EI	3973
$C_7H_7OF^+$	$C_6H_4FOCH_3$ (Benzene, 1-fluoro-3-methoxy-) (RN-CAS Registry Number 456-49-5)	**	8.70 ± 0.1	EI	3446
$C_7H_7OF^+$	$C_6H_4FOCH_3$ (Benzene, 1-fluoro-4-methoxy-) (RN-CAS Registry Number 459-60-9)	**	8.58 ± 0.1	EI	3446
$C_7H_5O_2F^+$	$C_6H_4(F)COOH$ (Benzoic acid, 3-fluoro-) (RN-CAS Registry Number 455-38-9)	**	9.91 ± 0.2	EI	3973
$C_7H_5O_2F^+$	$C_6H_4(F)COOH$ (Benzoic acid, 4-fluoro-) (RN-CAS Registry Number 456-22-4)	**	9.91 ± 0.2	EI	3973
$C_8H_7O_2F^+$	$C_6H_4FOOCCH_3$ (Phenol, 2-fluoro-, acetate) (RN-CAS Registry Number 29650-44-0)	**	8.78 ± 0.03	EI	3483
$C_8H_7O_2F^+$	$C_6H_4FOOCCH_3$ (Phenol, 4-fluoro-, acetate) (RN-CAS Registry Number 405-51-6)	**	8.27 ± 0.03	EI	3483
$C_6H_4OF_2^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,4-difluoro-, acetate) (RN-CAS Registry Number 36914-77-9)	$CH_2=C=O$	9.63 ± 0.03	EI	3480
$C_6H_4OF_2^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,6-difluoro-, acetate) (RN-CAS Registry Number 36914-78-0)	$CH_2=C=O$	9.69 ± 0.03	EI	3480
$C_8H_6O_2F_2^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,4-difluoro-, acetate) (RN-CAS Registry Number 36914-77-9)	**	8.60 ± 0.03	EI	3480
$C_8H_6O_2F_2^+$	$C_6H_3F_2OOCCH_3$ (Phenol, 2,6-difluoro-, acetate) (RN-CAS Registry Number 36914-78-0)	**	8.88 ± 0.03	EI	3480
$C_2H_3OF_3^+$	CF_3CH_2OH (RN-CAS Registry Number 75-89-8)	**	11.7 (V)	PE	3941
$C_2HO_2F_3^+$	CF_3COOH (RN-CAS Registry Number 76-05-1)	**	11.46	PE	3718
$C_2HO_2F_3^+$	CF_3COOH (RN-CAS Registry Number 76-05-1)	**	12.00 ± 0.03 (V)	PE	3734
$C_2HO_2F_3^+$	CF_3COOH (RN-CAS Registry Number 76-05-1)	**	12.00 (V)	PE	3874
$C_3H_3O_2F_3^+$	$HCOOCH_2CF_3$ (RN-CAS Registry Number 32042-38-9)	**	11.31	PE	3718

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_5O_2F_3^+$	$CF_3COOC_2H_5$ (RN-CAS Registry Number 383-63-1)	**	~ 11.6 (V)	PE	3718
$C_4H_5O_2F_3^+$	$CH_3COOCH_2CF_3$ (RN-CAS Registry Number 406-95-1)	**	10.84	PE	3718
$C_5H_5O_2F_3^+$	$CF_3COCH_2COCH_3$ (RN-CAS Registry Number 367-57-7)	**	9.92 ± 0.07 (V)	PE	3682
$C_6H_3O_2F_3^+$	$C_4H_3OCOCF_3$ (Ethanone, 2,2,2-trifluoro-1-(2-furanyl)-) (RN-CAS Registry Number 18207-47-1)	**	9.77 ± 0.05	EI	3482
$C_8H_{11}O_2F_3^+$	$(CH_3)_3CCOCH_2COCF_3$ (RN-CAS Registry Number 22767-90-4)	**	9.87 ± 0.07 (V)	PE	3682
$C_4H_5O_4F_3^+$	$(CF_3COOH)(CH_3COOH)$ (RN-CAS Registry Number XXXXX-XX-X)	**	11.1 (V)	PE	3734
$C_5H_7O_4F_3^+$	$(C_2H_5COOH)(CF_3COOH)$ (RN-CAS Registry Number XXXXX-XX-X)	**	10.9 (V)	PE	3734
$C_6H_9O_4F_3^+$	$(iso-C_3H_7COOH)(CF_3COOH)$ (RN-CAS Registry Number XXXXX-XX-X)	**	10.7 (V)	PE	3734
$C_3H_3OF_5^+$	$C_2F_5CH_2OH$ (RN-CAS Registry Number 422-05-9)	**	11.68 (V)	PE	3941
$C_6HOF_5^+$	C_6F_5OH (Phenol, pentafluoro-) (RN-CAS Registry Number 771-61-9)	**	9.20 ± 0.02	PE	3890
$C_7H_3OF_5^+$	$C_6F_5OCH_3$ (Benzene, pentafluoromethoxy-) (RN-CAS Registry Number 389-40-2)	**	9.10 ± 0.02	PE	3890
$C_3H_2OF_6^+$	$CF_3CH(OH)CF_3$ (RN-CAS Registry Number 920-66-1)	**	12.23 (V)	PE	3941
$C_5H_2O_2F_6^+$	$CF_3COCH_2COCF_3$ (RN-CAS Registry Number 1522-22-1)	**	10.74 ± 0.07 (V)	PE	3682
$C_{10}H_2O_4F_{12}Be^+$	$(CF_3COCHCOCF_3)_2Be$ (Beryllium, bis(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>T</i> -4)-) (RN-CAS Registry Number 19648-82-9)	**	10.39 ± 0.07 (V)	PE	3682
$NOF_3(^2E)$	NOF_3 (RN-CAS Registry Number 13847-65-9)	**	13.36 ± 0.01	PE	3641
(This value probably corresponds to the first vibrationally excited state of the ion.)					
NOF_3^{+*}	NOF_3 (RN-CAS Registry Number 13847-65-9)	**	14.83 ± 0.06	PE	3641

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
NOF_3^{+*}	NOF_3 (RN-CAS Registry Number 13847-65-9)	**	16.34 ± 0.03	PE	3641
$\text{NOF}_3^{+2}\text{E}$	NOF_3 (RN-CAS Registry Number 13847-65-9)	**	19.90 ± 0.02	PE	3641
$\text{NOF}_3^{+2}\text{A}_1$	NOF_3 (RN-CAS Registry Number 13847-65-9)	**	21.1 ± 0.1 (V)	PE	3641
C_2NOF_6^+ (RD-Radical)	$(\text{CF}_3)_2\text{NO}$ (RN-CAS Registry Number 2154-71-4)	**	10.7 ± 0.1 (V)	PE	3671
$\text{C}_8\text{H}_8\text{NOF}^+$	$\text{C}_6\text{H}_4\text{FNHCOCH}_3$ (Acetamide, <i>N</i> -(2-fluorophenyl)-) (RN-CAS Registry Number 399-31-5)	**	8.27 ± 0.03	EI	3483
$\text{C}_8\text{H}_8\text{NOF}^+$	$\text{C}_6\text{H}_4\text{FNHCOCH}_3$ (Acetamide, <i>N</i> -(4-fluorophenyl)-) (RN-CAS Registry Number 351-83-7)	**	8.20 ± 0.03	EI	3483
$\text{C}_6\text{H}_4\text{NO}_2\text{F}^+$	$\text{C}_6\text{H}_4\text{FNO}_2$ (Benzene, 1-fluoro-3-nitro-) (RN-CAS Registry Number 402-67-5)	**	9.93 ± 0.1	EI	3447
$\text{C}_6\text{H}_4\text{NO}_2\text{F}^+$	$\text{C}_6\text{H}_4\text{FNO}_2$ (Benzene, 1-fluoro-4-nitro-) (RN-CAS Registry Number 350-46-9)	**	10.00 ± 0.1	EI	3447
$\text{C}_8\text{H}_7\text{NOF}_2^+$	$\text{C}_6\text{H}_3\text{F}_2\text{NHCOCH}_3$ (Acetamide, <i>N</i> -(2,4-difluorophenyl)-) (RN-CAS Registry Number 399-36-0)	**	8.21 ± 0.03	EI	3480
$\text{C}_8\text{H}_7\text{NOF}_2^+$	$\text{C}_6\text{H}_3\text{F}_2\text{NHCOCH}_3$ (Acetamide, <i>N</i> -(2,6-difluorophenyl)-) (RN-CAS Registry Number 3896-29-5)	**	8.52 ± 0.03	EI	3480
$\text{C}_6\text{H}_4\text{NOF}_3^+$	$\text{C}_4\text{H}_4\text{NCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(1 <i>H</i> -pyrrol-2-yl)-) (RN-CAS Registry Number 2557-70-2)	**	9.18 ± 0.05	EI	3482
$\text{Ne}^+(^2\text{P}_{3/2})$	Ne (RN-CAS Registry Number 7440-01-9)	**	21.56471 ± 0.00001 S		3754
Na^+	Na (RN-CAS Registry Number 7440-23-5)	**	5.3 ± 0.2	EI	3609
Na^+	NaF (RN-CAS Registry Number 7681-49-4)		~ 12	EI	3464
Na_2^+	Na_2 (RN-CAS Registry Number 25681-79-2)	**	$\leq 6 \pm 2$	EI	3609
Mg^+	$(\text{C}_5\text{H}_5)_2\text{Mg}$ (Magnesium, bis(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 1284-72-6) (ON-Other name: Magnesocene)		13.9 ± 0.5	RPD	3793

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_5Mg^+$	(C ₅ H ₅) ₂ Mg (Magnesium, bis(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 1284-72-6) (ON-Other name: Magnesocene)		11.0±0.2	RPD	3793
$C_{10}H_{10}Mg^+$	(C ₅ H ₅) ₂ Mg (Magnesium, bis(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 1284-72-6) (ON-Other name: Magnesocene)	**	8.11 (V)	PE	3688
$C_{10}H_{10}Mg^+$	(C ₅ H ₅) ₂ Mg (Magnesium, bis(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 1284-72-6) (ON-Other name: Magnesocene)	**	8.0±0.1	RPD	3793
$C_{12}H_{14}Mg^+$	(C ₅ H ₄ CH ₃) ₂ Mg (Magnesocene, 1,1'-dimethyl-) (RN-CAS Registry Number 40672-08-0)	**	7.78 (V)	PE	3688
Al^+	Al (RN-CAS Registry Number 7429-90-5)	**	6.6±0.6	EI	3440
Al_2^+	Al ₂ (RN-CAS Registry Number 32752-94-6)	**	5.4±1.0	EI	4005
Al_2^+	Al ₂ (RN-CAS Registry Number 37361-48-1)	**	5.4±1.0	EI	4014
Al_2^+	Al ₂ O (RN-CAS Registry Number 12004-36-3)		15.2±0.5	EI	4005
AlC^+	AlC ₂ ? (RN-CAS Registry Number 37297-57-7)		14.0±1.0	EI	4014
AlC_2^+	AlC ₂ (RN-CAS Registry Number 37297-57-7)	**	9.3±1.0	EI	4014
$Al_2C_2^+$	Al ₂ C ₂ (RN-CAS Registry Number 12122-01-9)	**	8.0±0.5	EI	4014
$C_{18}H_{15}Al^+$	(C ₆ H ₅) ₃ Al (Aluminum, triphenyl-) (RN-CAS-Registry Number 841-76-9)	**	8.53±0.03	PI	4055
AlO^+	AlO (RN-CAS Registry Number 14457-64-8)	**	9.5±1	EI	3617
AlO^+	AlO (RN-CAS Registry Number 14457-64-8)	**	9.53±0.15	EI	3816
AlO^+	AlO (RN-CAS Registry Number 14457-64-8)	**	9±1	EI	3463
AlO^+	AlO (RN-CAS Registry Number 14457-64-8)	**	10±1	EI	3620
AlO^+	Al ₂ O (RN-CAS Registry Number 12004-36-3)		15.1±0.3	EI	4005

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
AlO_2^+	AlO_2 (RN-CAS Registry Number 11092-32-3)	**	10 ± 1	EI	3463
AlO_2^+	AlO_2 (RN-CAS Registry Number 11092-32-3)	**	10 ± 1	EI	3617
Al_2O^+	Al_2O (RN-CAS Registry Number 12004-36-3)	**	7.7 ± 0.2	EI	4005
Al_2O^+	Al_2O (RN-CAS Registry Number 12004-36-3)	**	7.7 ± 0.5	EI	3985
Al_2O^+	Al_2O (RN-CAS Registry Number 12004-36-3)	**	8.20 ± 0.15	EI	3816
Al_2O^+	Al_2O (RN-CAS Registry Number 12004-36-3)	**	8.5 ± 1	EI	3617
Al_2O^+	Al_2O (RN-CAS Registry Number 12004-36-3)	**	9 ± 1	EI	3620
Al_2O_2^+	Al_2O_2 (RN-CAS Registry Number 12252-63-0)	**	10 ± 1	EI	3617
AlF^+	AlF (RN-CAS Registry Number 13595-82-9)	**	9	EI	3606
AlF_2^+	AlF_2 (RN-CAS Registry Number 13569-23-8)	**	10	EI	3606
AlOF^+	AlOF (RN-CAS Registry Number 13596-12-8)	**	10.5 ± 1	EI	3462
AlOF^+	AlOF (RN-CAS Registry Number 13596-12-8)	**	11	EI	3606
AlOF_2^+	AlOF_2 (RN-CAS Registry Number 38344-66-0)	**	13 ± 1	EI	3606
$\text{C}_{15}\text{H}_{12}\text{O}_6\text{F}_9\text{Al}^+$	$(\text{CF}_3\text{COCHCOCH}_3)_3\text{Al}$ (Aluminum, tris(1,1,1-trifluoro-2,4-pentanedionato- <i>O,O'</i>)-) (RN-CAS Registry Number 14354-59-7)	**	9.22 ± 0.07 (V)	PE	3682
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Al}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Al}$ (Aluminum, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 15306-18-0)	**	10.33 ± 0.07 (V)	PE	3682
Si^+	Si (RN-CAS Registry Number 7440-21-3)	**	8.1 ± 0.5	EI	3969
Si^+	Si (RN-CAS Registry Number 7440-21-3)	**	8.5 ± 0.5	EI	3610
Si^+	SiH_4 (RN-CAS Registry Number 7803-62-5)		13.3	DC	3813
$\text{SiH}^+(\text{X}^1\Sigma^+)$	SiH (RN-CAS Registry Number 13774-94-2)	**	7.91	D	3564

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SiH^+	SiH_4 (RN-CAS Registry Number 7803-62-5)		14.7	DC	3813
SiH_2^+	SiH_4 (RN-CAS Registry Number 7803-62-5)	H_2	11.8	DC	3813
SiH_2^+	SiH_4 (RN-CAS Registry Number 7803-62-5)	$2\text{H}^?$	16.2	DC	3813
SiH_3^+	SiH_4 (RN-CAS Registry Number 7803-62-5)	H	12.2	DC	3813
$\text{SiH}_4(^2\text{B}_2)$	SiH_4 (RN-CAS Registry Number 7803-62-5)	**	11.60	PE	3716
$\text{SiH}_4(^2\text{A}_1)$	SiH_4 (RN-CAS Registry Number 7803-62-5)	**	17.95	PE	3716
$\text{Si}_2\text{H}_6\text{Te}^+$	$(\text{SiH}_3)_2\text{Te}$ (RN-CAS Registry Number 19415-73-7)	**	8.63 (V)	PE	3656
SiC_2^+	SiC_2 (RN-CAS Registry Number 12071-27-1)	**	10.1 ± 0.5	EI	4005
SiC_2^+	SiC_2 (RN-CAS Registry Number 12071-27-1)	**	10.3 ± 0.5	EI	3969
Si_2C^+	Si_2C (RN-CAS Registry Number XXXXX-XX-X)	**	9.0 ± 0.5	EI	4005
Si_2C^+	Si_2C (RN-CAS Registry Number XXXXX-XX-X)	**	9.5 ± 0.5	EI	3969
CH_3Si^+	$\text{CH}_2=\text{CHSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 754-05-2)		~ 15	EI	3809
CH_5Si^+	$\text{CH}_2=\text{CHSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 754-05-2)		~ 15	EI	3809
$\text{C}_2\text{H}_6\text{Si}^+$	$1-\text{C}_4\text{H}_8$ (RN-CAS Registry Number 7291-09-0)	**	10.37 (V)	PE	3950
$\text{C}_2\text{H}_6\text{Si}^+$	$\text{CH}_2=\text{CHSiH}_3$ (RN-CAS Registry Number 7291-09-0)	**	10.4 (V)	PE	3940
$\text{C}_2\text{H}_7\text{Si}^+$	$\text{CH}_2=\text{CHSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 754-05-2)		~ 13	EI	3809
$\text{C}_3\text{H}_8\text{Si}^+$	$\text{CH}_2=\text{CHCH}_2\text{SiH}_3$ (RN-CAS Registry Number 18191-59-8)	**	9.49 (V)	PE	3950
$\text{C}_3\text{H}_8\text{Si}^+$	$\text{C}_3\text{H}_8\text{Si}$ (Silacyclobutane) (RN-CAS Registry Number 287-29-6)	**	10.05 (V)	PE	4077
$\text{C}_3\text{H}_8\text{Si}^+$	$\text{CH}_2=\text{CHSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 754-05-2)	C_2H_4	~ 10	EI	3809

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9Si^+$	$(CH_3)_4Si$ (RN-CAS Registry Number 75-76-3)	CH_3	10.53 ± 0.20	EI	3548
$C_3H_9Si^+$	$CH_2=CHSi(CH_3)_3$ (RN-CAS Registry Number 754-05-2)	C_2H_3	~ 11	EI	3809
$C_3H_9Si^+$	$(CH_3)_3SiSi(CH_3)_3$ (RN-CAS Registry Number 1450-14-2)	$(CH_3)_3Si$	10.22 ± 0.18	EI	3548
$C_3H_9Si^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-) (RN-CAS Registry Number 1130-17-2)	$C_6H_5Si(CH_3)_2$	10.08 ± 0.09	EI	3549
(TR-Other product(s) thermochemically reasonable)					
$C_3H_9Si^+$	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-) (RN-CAS Registry Number 1450-16-4)		10.59 ± 0.03	EI	3549
(TR-Other product(s) thermochemically reasonable)					
(OP-the other product(s) is(are): $(C_6H_5)_2SiCH_3$)					
$C_3H_9Si^+$	$(C_6H_5)(CH_3)_2Si)_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-) (RN-CAS Registry Number 1145-98-8)	$(C_6H_5)_2SiCH_3$	11.04 ± 0.03	EI	3549
(TR-Other product(s) thermochemically reasonable)					
$C_3H_9Si^+$	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-) (RN-CAS Registry Number 1450-18-6)	$(C_6H_5)_3Si$	10.83 ± 0.09	EI	3549
(TR-Other product(s) thermochemically reasonable)					
$C_3H_9Si^+$	$(CH_3)_3SiOSi(CH_3)_3$ (RN-CAS Registry Number 107-46-0)		15.4 ± 0.2	EI	3444
$C_3H_9Si^+$	$(CH_3)_3SiOSi(CH_3)_2OSi(CH_3)_3$ (RN-CAS Registry Number 107-51-7)		15.8 ± 0.2	EI	3444
$C_3H_9Si^+$	$(CH_3)_3SiOSi(CH_3)(C_2H_5)OSi(CH_3)_3$ (RN-CAS Registry Number 5356-85-4)		15.4 ± 0.2	EI	3444
$C_3H_9Si^+$	$(CH_3)_3SiOSi(CH_3)(C_2H_5)OSi(CH_3)_3$ (RN-CAS Registry Number 17861-60-8)		15.3 ± 0.2	EI	3444
$C_3H_9Si^+$	$(CH_3)_3SiGe(CH_3)_3$ (RN-CAS Registry Number 31608-80-7)	$(CH_3)_3Ge$	10.19 ± 0.12	EI	3548
$C_3H_9Si^+$	$(CH_3)_3SiSn(CH_3)_3$ (RN-CAS Registry Number 16393-88-7)	$(CH_3)_3Sn$	10.18 ± 0.26	EI	3548
$C_4H_9Si^+$	$CH_2=CHSi(CH_3)_3$ (RN-CAS Registry Number 754-05-2)	CH_3	~ 9	EI	3809
$C_4H_{12}Si^+$	$(CH_3)_4Si$ (RN-CAS Registry Number 75-76-3)	**	9.42 ± 0.1	PE	3677
$C_4H_{12}Si^+$	$(CH_3)_4Si$ (RN-CAS Registry Number 75-76-3)	**	9.79 ± 0.04	PE	3880
$C_4H_{12}Si^+(^2A_1)$	$(CH_3)_4Si$ (RN-CAS Registry Number 75-76-3)	**	15.62 (V)	PE	3503
$C_4H_{12}Si^+$	$(CH_3)_4Si$ (RN-CAS Registry Number 75-76-3)	**	9.85 ± 0.16	EI	3548
$C_5H_{10}Si^+$	$(CH_3)_3SiC \equiv CH$ (RN-CAS Registry Number 1066-54-2)	**	9.9 ± 0.1	PE	4002

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_{12}Si^+$	$(CH_3)_3SiCH=CH_2$ (RN-CAS Registry Number 754-05-2)	**	9.8 (V)	PE	3940
$C_5H_{12}Si^+$	$(CH_3)_3SiCH=CH_2$ (RN-CAS Registry Number 754-05-2)	**	9.8 (V)	PE	3908
$C_5H_{12}Si^+$	$CH_2=CHSi(CH_3)_3$ (RN-CAS Registry Number 754-05-2)	**	9.2	EI	3809
$C_5H_{12}Si^+$	$C_3H_6Si(CH_3)_2$ (Silacyclobutane, 1,1-dimethyl-) (RN-CAS Registry Number 2295-12-7)	**	9.40 (V)	PE	4077
$C_6H_8Si^+$	$C_6H_5SiH_3$ (Silane, phenyl-) (RN-CAS Registry Number 694-53-1)	**	9.09	PE	3868
$C_6H_8Si^+$	$C_6H_5SiH_3$ (Silane, phenyl-) (RN-CAS Registry Number 694-53-1)	**	9.25	PE	3922
$C_6H_{12}Si^+$	$(C_2H_5)_2Si(CH_3)_2$ (RN-CAS Registry Number 10519-87-6)	**	9.8 (V)	PE	3994
$C_6H_{14}Si^+$	$(CH_3)_3SiCH_2CH=CH_2$ (RN-CAS Registry Number 762-72-1)	**	9.0 (V)	PE	3908
$C_6H_{14}Si^+$	$(CH_3)_3SiCH_2CH=CH_2$ (RN-CAS Registry Number 762-72-1)	**	9.0 (V)	PE	3940
$C_6H_{14}Si^+$	$C_3H_5Si(CH_3)_3$ (Silacyclobutane, 1,1,2-trimethyl-) (RN-CAS Registry Number 30681-90-4)	**	9.20 (V)	PE	4077
$C_6H_{14}Si^+$	$C_4H_8Si(CH_3)_2$ (Silacyclopentane, 1,1-dimethyl-) (RN-CAS Registry Number 1072-54-4)	**	9.75 (V)	PE	4077
$C_8H_{11}Si^+$	$C_6H_5Si(CH_3)_2H$ (Silane, dimethylphenyl-) (RN-CAS Registry Number 766-77-8)	H	10.43 ± 0.04	EI	3549
$C_8H_{11}Si^+$	(TR-Other product(s) thermochemically reasonable)				
$C_8H_{11}Si^+$	$C_6H_5Si(CH_3)_3$ (Silane, trimethylphenyl-) (RN-CAS Registry Number 768-32-1)	CH_3	10.26 ± 0.03	EI	3549
$C_8H_{11}Si^+$	(TR-Other product(s) thermochemically reasonable)				
$C_8H_{11}Si^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-) (RN-CAS Registry Number 1130-17-2)	$Si(CH_3)_3$	9.86 ± 0.06	EI	3549
$C_8H_{11}Si^+$	(TR-Other product(s) thermochemically reasonable)				
$C_8H_{11}Si^+$	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-) (RN-CAS Registry Number 1450-16-4)	$C_6H_5Si(CH_3)_2$	9.75 ± 0.04	EI	3549
$C_8H_{11}Si^+$	(TR-Other product(s) thermochemically reasonable)				
$C_8H_{11}Si^+$	$(C_6H_5)(CH_3)_2Si_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-) (RN-CAS Registry Number 1145-98-8)	$C_6H_5Si(CH_3)_2$	9.87 ± 0.08	EI	3549
$C_8H_{11}Si^+$	(TR-Other product(s) thermochemically reasonable)				

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{11}Si^+$	(C ₆ H ₅) ₃ SiSi(CH ₃) ₃ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-) (RN-CAS Registry Number 1450-18-6) (TR-Other product(s) thermochemically reasonable)	(C ₆ H ₅) ₂ SiCH ₃	10.13±0.03	EI	3549
$C_8H_{12}Si^+$	(C ₂ H ₃) ₄ Si (RN-CAS Registry Number 1112-55-6)	**	9.7 (V)	PE	3994
$C_8H_{12}Si^+$	C ₆ H ₅ Si(CH ₃) ₂ H (Silane, dimethylphenyl-) (RN-CAS Registry Number 766-77-8)	**	8.92±0.15	EI	3549
$C_9H_{14}Si^+$	C ₆ H ₅ Si(CH ₃) ₃ (Silane, trimethylphenyl-) (RN-CAS Registry Number 768-32-1)	**	8.81±0.15	EI	3549
$C_9H_{14}Si^+$	C ₆ H ₅ Si(CH ₃) ₃ (Silane, trimethylphenyl-) (RN-CAS Registry Number 768-32-1)	**	8.79	CTS	3922
$C_{10}H_{10}Si^+$	C ₁₀ H ₇ SiH ₃ (Silane, 1-naphthalenyl-) (RN-CAS Registry Number 38274-75-8)	**	8.12	CTS	3922
$C_{10}H_{14}Si^+$	C ₈ H ₈ Si(CH ₃) ₂ (1-Silaindan, 1,1-dimethyl-) (RN-CAS Registry Number 17158-48-4)	**	8.54	CTS	3546
$C_{10}H_{14}Si^+$	C ₈ H ₈ Si(CH ₃) ₂ (1 <i>H</i> -2-Silaindene, 2,3-dihydro-2,2-dimethyl-) (RN-CAS Registry Number 2764-87-6)	**	8.41	CTS	3546
$C_{10}H_{16}Si^+$	C ₆ H ₅ CH ₂ Si(CH ₃) ₃ (Silane, trimethyl(phenylmethyl)-) (RN-CAS Registry Number 770-09-2)	**	8.27	CTS	3922
$C_{10}H_{16}Si^+$	C ₆ H ₅ CH ₂ Si(CH ₃) ₃ (Silane, trimethyl(phenylmethyl)-) (RN-CAS Registry Number 770-09-2)	**	8.37	CTS	3546
$C_{11}H_{16}Si^+$	C ₆ H ₅ CH=CHSi(CH ₃) ₃ (Silane, trimethyl(2-phenylethenyl)-, (E)-) (RN-CAS Registry Number 19372-00-0)	**	7.89±0.04	RPD	4097
$C_{11}H_{16}Si^+$	C ₆ H ₅ CH=CHSi(CH ₃) ₃ (Silane, trimethyl(2-phenylethenyl)-, (Z)-) (RN-CAS Registry Number 19319-11-0)	**	8.19±0.04	RPD	4097
$C_{11}H_{16}Si^+$	C ₆ H ₅ C(Si(CH ₃) ₃)=CH ₂ (Silane, trimethyl(1-phenylethenyl)-) (RN-CAS Registry Number 1923-01-9)	**	8.23±0.04	RPD	4097
$C_{12}H_{16}Si^+$	C ₉ H ₇ Si(CH ₃) ₃ (Silane, 1 <i>H</i> -inden-1-yltrimethyl-) (RN-CAS Registry Number 18053-75-3)	**	7.65±0.01	EI	3805

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{18}Si^+$	$C_9H_9Si(CH_3)_3$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)trimethyl-) (RN-CAS Registry Number 18036-88-9)	**	7.87 ± 0.01	EI	3805
$C_{12}H_{18}Si^+$	$C_9H_9Si(CH_3)_3$ (Silane, 1-indanyltrimethyl-) (RN-CAS Registry Number 18036-88-9)	**	8.13	CTS	3546
$C_{12}H_{18}Si^+$	$C_6H_5CH=CHCH_2Si(CH_3)_3$ (Silane, trimethyl(3-phenyl-2-propenyl)-, (E)-) (RN-CAS Registry Number 40595-34-4)	**	7.61 ± 0.04	RPD	4097
$C_{12}H_{18}Si^+$	$C_6H_5CH=CHCH_2Si(CH_3)_3$ (Silane, trimethyl(3-phenyl-2-propenyl)-, (Z)-) (RN-CAS Registry Number 40595-35-5)	**	7.77 ± 0.04	RPD	4097
$C_{13}H_{13}Si^+$	$(C_6H_5)_2Si(CH_3)H$ (Silane, methyldiphenyl-) (RN-CAS Registry Number 776-76-1)	H	10.97 ± 0.12	EI	3549
$C_{13}H_{13}Si^+$	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-) (RN-CAS Registry Number 1450-16-4)	$(CH_3)_3Si$	9.63 ± 0.02	EI	3549
$C_{13}H_{13}Si^+$	$(C_6H_5)(CH_3)_2Si_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-) (RN-CAS Registry Number 1145-98-8)	$(CH_3)_3Si$	9.60 ± 0.02	EI	3549
$C_{13}H_{13}Si^+$	$((C_6H_5)_2CH_3Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-) (RN-CAS Registry Number 1172-76-5)	$(C_6H_5)_2SiCH_3$	9.51 ± 0.05	EI	3549
$C_{13}H_{14}Si^+$	$(C_6H_5)_2Si(CH_3)H$ (Silane, methyldiphenyl-) (RN-CAS Registry Number 776-76-1)	**	8.75 ± 0.15	EI	3549
$C_{13}H_{16}Si^+$	$C_{10}H_7Si(CH_3)_3$ (Silane, trimethyl-1-naphthalenyl-) (RN-CAS Registry Number 18052-80-7)	**	8.03	CTS	3758
$C_{14}H_{14}Si^+$	$C_{12}H_8Si(CH_3)_2$ (5 <i>H</i> -Dibenzosilole, 5,5-dimethyl-) (RN-CAS Registry Number 13688-68-1)	**	7.9 (V)	PE	4081
$C_{14}H_{18}Si^+$	$C_{10}H_7CH_2Si(CH_3)_3$ (Silane, trimethyl(1-naphthalenylmethyl)-) (RN-CAS Registry Number 18410-58-7)	**	7.83	CTS	3922
$C_{14}H_{18}Si^+$	$C_{10}H_7CH_2Si(CH_3)_3$ (Silane, trimethyl(1-naphthalenylmethyl)-) (RN-CAS Registry Number 18410-58-7)	**	7.83	CTS	3758

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{17}H_{18}Si^+$	$C_9H_7Si(CH_3)_2C_6H_5$ (Silane, 1 <i>H</i> -inden-1-yl dimethylphenyl-) (RN-CAS Registry Number 27490-90-0)	**	7.69 ± 0.04	EI	3805
$C_{17}H_{20}Si^+$	$C_9H_9Si(CH_3)_2C_6H_5$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl) dimethylphenyl-) (RN-CAS Registry Number 41273-54-5)	**	7.94 ± 0.01	EI	3805
$C_{18}H_{15}Si^+$	$(C_6H_5)_3SiH$ (Silane, triphenyl-) (RN-CAS Registry Number 789-25-3)	H	9.58 ± 0.08	EI	3549
(TR—Other product(s) thermochemically reasonable)					
$C_{18}H_{15}Si^+$	$(C_6H_5)_4Si$ (Silane, tetraphenyl-) (RN-CAS-Registry Number 1048-08-4)	C_6H_5	9.7	PI	4055
$C_{18}H_{15}Si^+$	$(C_6H_5)_4Si$ (Silane, tetraphenyl-) (RN-CAS Registry Number 1048-08-4)	C_6H_5	9.93 ± 0.08	EI	3549
(TR—Other product(s) thermochemically reasonable)					
$C_{18}H_{15}Si^+$	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-) (RN-CAS Registry Number 1450-18-6)	$(CH_3)_3Si$	9.35 ± 0.03	EI	3549
(TR—Other product(s) thermochemically reasonable)					
$C_{18}H_{15}Si^+$	$((C_6H_5)_2CH_3Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-) (RN-CAS Registry Number 1172-76-5)	$C_6H_5Si(CH_3)_2$	9.35 ± 0.03	EI	3549
(TR—Other product(s) thermochemically reasonable)					
$C_{18}H_{15}Si^+$	$((C_6H_5)_3Si)_2$ (Disilane, hexaphenyl-) (RN-CAS Registry Number 1450-23-3)	$(C_6H_5)_3Si$	9.61 ± 0.09	EI	3549
(TR—Other product(s) thermochemically reasonable)					
$C_{18}H_{16}Si^+$	$(C_6H_5)_3SiH$ (Silane, triphenyl-) (RN-CAS Registry Number 789-25-3)	**	8.80 ± 0.15	EI	3549
$C_{22}H_{20}Si^+$	$C_{10}H_7Si(CH_3)_2C_{10}H_7$ (Silane, dimethyl-di-1-naphthalenyl-) (RN-CAS Registry Number 18753-19-0)	**	8.03	CTS	3758
$C_{24}H_{16}Si^+$	$C_{24}H_{16}Si$ (5,5'-Spiro[5 <i>H</i> -dibenzosilole]) (RN-CAS Registry Number 159-68-2)	**	7.85 (V)	PE	4081
$C_{24}H_{20}Si^+$	$(C_6H_5)_4Si$ (Silane, tetraphenyl-) (RN-CAS-Registry Number 1048-08-4)	**	8.50 ± 0.03	PI	4055
$C_{24}H_{20}Si^+$	$(C_6H_5)_4Si$ (Silane, tetraphenyl-) (RN-CAS Registry Number 1048-08-4)	**	8.65 ± 0.15	EI	3549

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{18}Si_2^+$	$(CH_3)_3SiSi(CH_3)_3$ (RN-CAS Registry Number 1450-14-2)	**	8.69 (V)	PE	3504
$C_6H_{18}Si_2^+$	$(CH_3)_3SiSi(CH_3)_3$ (RN-CAS Registry Number 1450-14-2)	**	8.35 ± 0.12	EI	3548
$C_6H_{18}Si_2^+$	$(CH_3)_3SiSi(CH_3)_3$ (RN-CAS Registry Number 1450-14-2)	**	8.46 ± 0.15	EI	3549
$C_{11}H_{20}Si_2^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-) (RN-CAS Registry Number 1130-17-2)	**	8.35 (V)	PE	3946
$C_{11}H_{20}Si_2^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-) (RN-CAS Registry Number 1130-17-2)	**	8.35 ± 0.15	EI	3549
$C_{11}H_{20}Si_2^+$	$C_6H_5Si_2(CH_3)_5$ (Disilane, pentamethylphenyl-) (RN-CAS Registry Number 1130-17-2)	**	8.37	CTS	3946
$C_{12}H_{10}Si_2^+$	$C_8H_8Si(CH_3)Si(CH_3)_3$ (2-Silaindan, 2-methyl-2-(trimethylsilyl)-) (RN-CAS Registry Number 27490-20-6)	**	8.37	CTS	3546
$C_{12}H_{22}Si_2^+$	$C_6H_5CH_2Si_2(CH_3)_5$ (Disilane, pentamethyl(phenylmethyl)-) (RN-CAS Registry Number 3098-82-6)	**	8.27	CTS	3546
$C_{13}H_{22}Si_2^+$	$C_6H_5CH=CHSi_2(CH_3)_5$ (Disilane, pentamethyl(2-phenylethenyl)-, (E)-) (RN-CAS Registry Number 40595-36-6)	**	7.73 ± 0.04	RPD	4097
$C_{14}H_{24}Si_2^+$	$C_9H_9Si_2(CH_3)_5$ (Disilane, 1-indanylpentamethyl-) (RN-CAS Registry Number 27490-23-9)	**	8.07	CTS	3546
$C_{14}H_{24}Si_2^+$	$C_6H_5CH=C(Si(CH_3)_3)_2$ (Silane, (phenylethenylidene)bis[trimethyl-]) (RN-CAS Registry Number 18415-23-1)	**	8.12 ± 0.04	RPD	4097
$C_{15}H_{22}Si_2^+$	$C_{10}H_7Si_2(CH_3)_5$ (Disilane, pentamethyl-1-naphthalenyl-) (RN-CAS Registry Number 38446-40-1)	**	7.95	CTS	3758
$C_{15}H_{24}Si_2^+$	$C_9H_6(Si(CH_3)_3)_2$ (Silane, 1 <i>H</i> -indene-1,2-diylbis[trimethyl-]) (RN-CAS Registry Number 26205-36-7)	**	7.54 ± 0.01	EI	3805
$C_{16}H_{22}Si_2^+$	$(C_6H_5)_2SiCH_3Si(CH_3)_3$ (Disilane, 1,1,1,2-tetramethyl-2,2-diphenyl-) (RN-CAS Registry Number 1450-16-4)	**	8.38 ± 0.15	EI	3549
$C_{16}H_{22}Si_2^+$	$(C_6H_5(CH_3)_2Si)_2$ (Disilane, 1,1,2,2-tetramethyl-1,2-diphenyl-) (RN-CAS Registry Number 1145-98-8)	**	8.11 ± 0.15	EI	3549

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{21}H_{24}Si_2^+$	$(C_6H_5)_3SiSi(CH_3)_3$ (Disilane, 1,1,1-trimethyl-2,2,2-triphenyl-) (RN-CAS Registry Number 1450-18-6)	**	8.30 ± 0.15	EI	3549
$C_{24}H_{26}Si_2^+$	$C_{10}H_7(Si(CH_3)_2)_2C_{10}H_7$ (Disilane, 1,1,2,2-tetramethyl-1,2-di-1-naphthalenyl-) (RN-CAS Registry Number 38446-41-2)	**	7.91	CTS	3758
$C_{26}H_{26}Si_2^+$	$((C_6H_5)_2CH_3Si)_2$ (Disilane, 1,2-dimethyl-1,1,2,2-tetraphenyl-) (RN-CAS Registry Number 1172-76-5)	**	8.05 ± 0.15	EI	3549
$C_{36}H_{30}Si_2^+$	$((C_6H_5)_3Si)_2$ (Disilane, hexaphenyl-) (RN-CAS Registry Number 1450-23-3)	**	8.16 ± 0.15	EI	3549
$C_8H_{24}Si_3^+$	$Si_3(CH_3)_8$ (RN-CAS Registry Number 3704-44-7)	**	8.19 (V)	PE	3504
$C_{17}H_{28}Si_3^+$	$C_{10}H_7Si_3(CH_3)_7$ (Trisilane, 1,1,1,2,2,3,3-heptamethyl-3-(1-naphthalenyl)-) (RN-CAS Registry Number 38446-42-3)	**	7.93	CTS	3758
$C_{17}H_{28}Si_3^+$	$C_{10}H_7Si(Si(CH_3)_3)_2CH_3$ (Trisilane, 1,1,1,2,3,3,3-heptamethyl-2-)(-naphthalenyl)-) (RN-CAS Registry Number 38446-43-4)	**	7.85	CTS	3758
$C_{26}H_{32}Si_3^+$	$C_{10}H_7(Si(CH_3)_2)_3C_{10}H_7$ (Trisilane, 1,1,2,2,3,3-hexamethyl-1,3-di-1-naphthalenyl-) (RN-CAS Registry Number 38580-43-7)	**	7.92	CTS	3758
$C_6H_{16}Si_4^+$	$C_6H_{16}Si_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-44-7) (ON-Other name: 1,3,5,7-Tetrasiladamantane)	**	9.0 ± 0.05	PE	3855
$C_6H_{16}Si_4^+$	$C_6H_{16}Si_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 ^{3,7}]decane) (RN-CAS Registry Number 281-44-7) (ON-Other name: Silamantane)	**	9.7 (V)	PE	4000
$C_{10}H_{24}Si_4^+$	$C_6H_{12}Si_4(CH_3)_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 ^{3,7}]decane, 1,3,5,7-tetramethyl-) (RN-CAS Registry Number 17995-33-4) (ON-Other name: 1,3,5,7-Tetramethyl-1,3,5,7-tetrasiladamantane)	**	8.45 ± 0.05	PE	3855
$C_{10}H_{30}Si_4^+$	$n-Si_4(CH_3)_{10}$ (RN-CAS Registry Number 865-76-9)	**	7.98 (V)	PE	3504
$C_{10}H_{30}Si_5^+$	$Si_5(CH_3)_{10}$ (Cyclopentasilane, decamethyl-) (RN-CAS Registry Number 13452-92-1)	**	7.94 (V)	PE	3504

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{36}Si_5^+$	$Si(Si(CH_3)_3)_4$ (RN-CAS Registry Number 4098-98-0)	**	8.24 (V)	PE	3504
$C_{12}H_{36}Si_6^+$	$Si_6(CH_3)_{12}$ (Cyclohexasilane, dodecamethyl-) (RN-CAS Registry Number 4098-30-0)	**	7.79 (V)	PE	3504
$C_{16}H_{36}Si_7^+$	$C_{10}H_{18}Si_7(CH_3)_6$ (2 <i>H</i> -1,5,8,12-Dimethano-3,6a,10-metheno-1,3,5,6a,8,10,12-heptasilaoctalene, dodecahydro-1,3,5,8,10,12-hexamethyl-) (RN-CAS Registry Number 26393-20-4) (ON-Other name: Carborundane)	**	7.9 ± 0.05	PE	3855
Si_2N^+	Si_2N (RN-CAS Registry Number XXXXX-XX-X)	**	9.5 ± 0.5	EI	3810
$SiH_3N_3(^2A'')$	SiH_3N_3 (RN-CAS Registry Number 13847-60-4)	**	10.33 ± 0.02 (V)	PE	3670
$Si_3H_9N^+$	$(SiH_3)_3N$ (RN-CAS Registry Number 13862-16-3)	**	9.7 ± 0.1 (V)	PE	3661
$C_2H_9NSi^+$	$(CH_3)_2NSiH_3$ (RN-CAS Registry Number 2875-98-1)	**	8.5 ± 0.1 (V)	PE	3661
$C_8H_{13}NSi^+$	$C_5H_4NS(CH_3)_3$ (Pyridine, 2-(trimethylsilyl)-) (RN-CAS Registry Number 13737-04-7)	**	8.90 ± 0.05 (V)	PE	3685
$C_8H_{13}NSi^+$	$C_5H_4NS(CH_3)_3$ (Pyridine, 4-(trimethylsilyl)-) (RN-CAS Registry Number 18301-46-7)	**	9.30 ± 0.05 (V)	PE	3685
$C_3H_9N_3Si^+$	$(CH_3)_3SiN_3$ (RN-CAS Registry Number 4648-54-8)	**	9.7 ± 0.1 (V)	PE	3670
$C_8H_{24}N_4Si^+$	$((CH_3)_2N)_4Si$ (RN-CAS Registry Number 1624-01-7)	**	8.39 (V)	PE	3503
$CH_9NSi_2^+$	$(SiH_3)_2NCH_3$ (RN-CAS Registry Number 4459-06-7)	**	9.2 ± 0.1 (V)	PE	3661
$C_{11}H_{21}NSi_2^+$	$C_5H_3N(S(CH_3)_3)_2$ (Pyridine, 2,5-bis(trimethylsilyl)-) (RN-CAS Registry Number 35505-51-2)	**	8.65 ± 0.05 (V)	PE	3685
$C_{11}H_{21}NSi_2^+$	$C_5H_3N(S(CH_3)_3)_2$ (Pyridine, 2,6-bis(trimethylsilyl)-) (RN-CAS Registry Number 35505-52-3)	**	8.50 ± 0.05 (V)	PE	3685
SiO^+	SiO (RN-CAS Registry Number 10097-28-6)	**	10.2 ± 0.5	EI	3985
SiO^+	SiO (RN-CAS Registry Number 10097-28-6)	**	11.3 ± 0.3	EI	4005

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SiO^+	SiO (RN-CAS Registry Number 10097-28-6)	**	11.3 ± 0.5	EI	3810
SiO^+	SiO (RN-CAS Registry Number 10097-28-6)	**	11.5 ± 0.3	EI	3610
$\text{Si}_2\text{H}_6\text{O}^+ (^2\text{B}_1)$	$(\text{SiH}_3)_2\text{O}$ (RN-CAS Registry Number 13597-73-4)	**	11.17 (V)	PE	3656
$\text{Si}_2\text{H}_6\text{O}^+$	$(\text{SiH}_3)_2\text{O}$ (RN-CAS Registry Number 13597-73-4)	**	11.19 (V)	PE	3844
CH_6OSi^+	CH_3OSiH_3 (RN-CAS Registry Number 2171-96-2)	**	10.61 (V)	PE	3844
$\text{C}_3\text{H}_9\text{SiO}^+$	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 107-46-0)		21.8 ± 0.2	EI	3444
$\text{C}_3\text{H}_9\text{SiO}^+$	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)_2\text{OSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 107-51-7)		21.8 ± 0.2	EI	3444
$\text{C}_3\text{H}_9\text{SiO}^+$	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)(\text{C}_2\text{H}_5)\text{OSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 5356-85-4)		23.6 ± 0.2	EI	3444
$\text{C}_3\text{H}_9\text{SiO}^+$	$(\text{CH}_3)_3\text{SiOSi}(\text{CH}_3)(\text{C}_2\text{H}_5)\text{OSi}(\text{CH}_3)_3$ (RN-CAS Registry Number 17861-60-8)		21.8 ± 0.2	EI	3444
$\text{C}_{10}\text{H}_{16}\text{OSi}^+$	$\text{C}_6\text{H}_4(\text{OCH}_3)\text{Si}(\text{CH}_3)_3$ (Silane, (4-methoxyphenyl)trimethyl-) (RN-CAS Registry Number 877-68-9)	**	8.03	CTS	3758
$\text{C}_{13}\text{H}_{18}\text{OSi}^+$	$\text{C}_9\text{H}_7\text{Si}(\text{CH}_3)_2\text{OC}_2\text{H}_5$ (Silane, ethoxy-1 <i>H</i> -inden-1-yl dimethyl-) (RN-CAS Registry Number 41273-57-8)	**	7.63 ± 0.01	EI	3805
$\text{C}_{13}\text{H}_{20}\text{OSi}^+$	$\text{C}_9\text{H}_9\text{Si}(\text{CH}_3)_2\text{OC}_2\text{H}_5$ (Silane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)ethoxydimethyl-) (RN-CAS Registry Number 41273-53-4)	**	7.81 ± 0.01	EI	3805
$\text{C}_5\text{H}_{12}\text{O}_2\text{Si}^+$	$\text{C}_3\text{H}_6\text{Si}(\text{OCH}_3)_2$ (Silacyclobutane, 1,1-dimethoxy-) (RN-CAS Registry Number 33446-84-3)	**	10.15 (V)	PE	4077
$\text{C}_8\text{H}_{20}\text{O}_4\text{Si}^+$	$(\text{C}_2\text{H}_5\text{O})_4\text{Si}$ (RN-CAS Registry Number 78-10-4)	**	9.77 (V)	PE	3503
$\text{C}_{12}\text{H}_{22}\text{OSi}_2^+$	$\text{C}_6\text{H}_4(\text{OCH}_3)\text{Si}_2(\text{CH}_3)_5$ (Disilane, (4-methoxyphenyl)pentamethyl-) (RN-CAS Registry Number 4199-03-5)	**	7.85	CTS	3758
Si_2NO^+	Si_2NO (RN-CAS Registry Number 12033-47-5)	**	10.8 ± 0.5	EI	3810
CH_3NOSi^+	SiH_3NCO (RN-CAS Registry Number 13730-13-7)	**	11.10 ± 0.02 (V)	PE	3670

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_4\text{H}_9\text{NOSi}^+$	$(\text{CH}_3)_3\text{SiNCO}$ (RN-CAS Registry Number 1118-02-1)	**	10.3 ± 0.1 (V)	PE	3670
$\text{SiF}_4(^2\text{T}_1)$	SiF_4 (RN-CAS Registry Number 7783-61-1)	**	16.46 ± 0.04 (V)	PE	3880
$\text{SiF}_4(^2\text{T}_2)$	SiF_4 (RN-CAS Registry Number 7783-61-1)	**	17.55 ± 0.04 (V)	PE	3880
$\text{SiF}_4(^2\text{A}_1)$	SiF_4 (RN-CAS Registry Number 7783-61-1)	**	18.09 ± 0.04 (V)	PE	3880
$\text{SiF}_4(^2\text{E})$	SiF_4 (RN-CAS Registry Number 7783-61-1)	**	19.51 ± 0.04 (V)	PE	3880
Si_2F_6^+	Si_2F_6 (RN-CAS Registry Number 13830-68-7)	**	13.20 ± 0.02 (V)	PE	4026
$\text{SiH}_3\text{F}^+(^2\text{E})$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	12.58 (V)	PE	3511
$\text{SiH}_3\text{F}^+(^2\text{E})$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	12.6 ± 0.1 (V)	PE	3510
$\text{SiH}_3\text{F}^+(^2\text{A}_1)$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	~ 16 (V)	PE	3510
SiH_3F^+	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	16.1 ± 0.1 (V)	PE	3502
$\text{SiH}_3\text{F}^+(^2\text{A}_1)$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	~ 16.13 (V)	PE	3511
$\text{SiH}_3\text{F}^+(^2\text{E})$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	16.2 ± 0.1 (V)	PE	3510
$\text{SiH}_3\text{F}^+(^2\text{E})$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	~ 16.58 (V)	PE	3511
$\text{SiH}_3\text{F}^+(^2\text{A}_1)$	SiH_3F (RN-CAS Registry Number 13537-33-2)	**	19.29 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	12.85 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	12.85 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	12.9 ± 0.1 (V)	PE	3510
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	15.20 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	15.20 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{B}_2)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	16.07 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{B}_2)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	16.07 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{A}_2)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	16.37 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{A}_2)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	16.37 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	17.60 (V)	PE	3511

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	17.60 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	17.93 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{B}_2)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	17.93 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{B}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	18.30 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	18.30 (V)	PE	3694
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	20.19 (V)	PE	3511
$\text{SiH}_2\text{F}_2(^2\text{A}_1)$	SiH_2F_2 (RN-CAS Registry Number 13824-36-7)	**	20.19 (V)	PE	3694
$\text{SiHF}_3(^2\text{A}_1)$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	14.48 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{A}_2)$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	15.94 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{E})$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	16.38 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{E})$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	17.24 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{A}_1)$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	18.20 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{E})$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	18.61 ± 0.02 (V)	PE	4026
$\text{SiHF}_3(^2\text{A}_1)$	SiHF_3 (RN-CAS Registry Number 13465-71-9)	**	20.94 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{C}^+(^2\text{A}_1)$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	20.86 ± 0.02 (V)	PE	4026
$\text{C}_5\text{H}_9\text{SiF}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{CF}$ (RN-CAS Registry Number 38346-22-4)	**	9.8 ± 0.1	PE	4002
$\text{CH}_3\text{F}_3\text{Si}^+$	CH_3SiF_3 (RN-CAS Registry Number 373-74-0)	**	13.24 ± 0.02 (V)	PE	4026
$\text{C}_7\text{H}_{10}\text{F}_6\text{Si}^+$	<i>cis</i> -(CH_3) ₃ SiC(CF ₃)=C(CF ₃)H (RN-CAS Registry Number 35186-03-9)	**	9.86	PE	3589
$\text{C}_6\text{H}_{12}\text{F}_4\text{Si}_4^+$	$\text{C}_6\text{H}_{12}\text{Si}_4\text{F}_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 ^{3,7}]decane, 1,3,5,7-tetrafluoro-) (RN-CAS Registry Number 33664-21-0) (ON-Other name: 1,3,5,7-Tetrafluoro-1,3,5,7-tetrasilaadamantane)	**	9.8 ± 0.05	PE	3855
SiAl^+	SiAl (RN-CAS Registry Number 12042-55-6)	**	6.5 ± 1.0	EI	4005
SiAlO^+	SiAlO (RN-CAS Registry Number 37361-47-0)	**	6.3 ± 1.0	EI	4005

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SiAlO^+	AlSiO (RN-CAS Registry Number 37361-47-0)	**	8.0 ± 1	EI	3985
P^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	15.9	EI	3472
P^+	PH_3 (RN-CAS Registry Number 7803-51-2)	$\text{H}_2 + \text{H}$	16.3	DC	3811
P^+	PCl_3 (RN-CAS Registry Number 7719-12-2)	$\text{Cl}_2 + \text{Cl}$	18.5 ± 0.7	EDD	3556
P^+	(TR-Other product(s) thermochemically reasonable) PBr_3 (RN-CAS Registry Number 7789-60-8) (TR-Other product(s) thermochemically reasonable)	$\text{Br}_2 + \text{Br}$	16.7 ± 0.7	EDD	3556
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0) (RS-Average of two Rydberg series limits)	**	10.7 ± 0.1	S	3567
$\text{P}_2^+(\Pi_u)$	P_2 (RN-CAS Registry Number 12185-09-0)	**	10.60	PE	3695
$\text{P}_2^+(\Sigma_g)$	P_2 (RN-CAS Registry Number 12185-09-0)	**	10.84 (V)	PE	3695
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	9.7 ± 0.5	EI	3458
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	9.7	EI	4001
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	11.2	EI	3472
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	11.4 ± 0.5	EI	4098
P_2^+	P_2 (RN-CAS Registry Number 12185-09-0)	**	11.8 ± 0.5	EI	3555
P_4^+	P_4 (RN-CAS Registry Number 12185-10-3)	**	9.10 ± 0.05	PE	3683
$\text{P}_4^+(\text{E})$	P_4 (RN-CAS Registry Number 12185-10-3)	**	9.2	PE	3643
$\text{P}_4^+(\text{T}_2)$	P_4 (RN-CAS Registry Number 12185-10-3)	**	10.2	PE	3643
$\text{P}_4^+(\text{A}_1)$	P_4 (RN-CAS Registry Number 12185-10-3)	**	11.80 ± 0.07	PE	3643
$\text{P}_4^+(\text{T}_2)$	P_4 (RN-CAS Registry Number 12185-10-3)	**	~ 14.2	PE	3643
P_4^+	P_4 (RN-CAS Registry Number 12185-10-3)	**	10.0 ± 0.5	EI	4098
P_4^+	P_4 (RN-CAS Registry Number 12185-10-3)	**	10.8 ± 0.3	EI	3555
PH^+	PH_3 (RN-CAS Registry Number 7803-51-2)	H_2	12.9	DC	3811

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PH_2^+	PH_3 (RN-CAS Registry Number 7803-51-2)	H	13.4	DC	3811
$\text{PH}_3(^2\text{A}_1)$	PH_3 (RN-CAS Registry Number 7803-51-2)	**	9.96 ± 0.01	PE	3703
$\text{PH}_3(^2\text{A}_1)$	PH_3 (RN-CAS Registry Number 7803-51-2)	**	9.96	PE	3719
$\text{PH}_3(^2\text{E})$	PH_3 (RN-CAS Registry Number 7803-51-2)	**	12.40 ± 0.02	PE	3703
$\text{PH}_3(^2\text{E})$	PH_3 (RN-CAS Registry Number 7803-51-2)	**	12.64 ± 0.02	PE	3719
$\text{PH}_3(^2\text{A}_1)$	PH_3 (RN-CAS Registry Number 7803-51-2)	**	19.0 (V)	PE	3719
PH_3^+	PH_3 (RN-CAS Registry Number 7803-51-2)	**	10.0	DC	3811
BP^+	BP (RN-CAS Registry Number 20205-91-8)	**	$\leq 13 \pm 2$	EI	3619
PC^+	PC (RN-CAS Registry Number 12326-85-1)	**	10.5 ± 0.5	EI	3458
C_2P^+	C_2P (RN-CAS Registry Number 12602-39-0)	**	10.9 ± 0.5	EI	3458
CP_2^+	CP_2 (RN-CAS Registry Number 12601-93-3)	**	9.4 ± 0.5	EI	3458
$\text{CHP}^+(\text{X}^2\text{II})$	HCP (RN-CAS Registry Number 6829-52-3)	**	10.79 ± 0.01	PE	3840
$\text{CHP}^+(\text{A}^2\Sigma)$	HCP (RN-CAS Registry Number 6829-52-3)	**	12.86 ± 0.01	PE	3840
CH_3P^+	CH_3PH_2 (RN-CAS Registry Number 593-54-4)	**	9.6 ± 0.1 (V)	PE	3661
$\text{C}_3\text{H}_9\text{P}^+$	$(\text{CH}_3)_3\text{P}$ (RN-CAS Registry Number 594-09-2)	**	8.6 ± 0.1 (V)	PE	3661
$\text{C}_4\text{H}_{11}\text{P}^+$	$(\text{C}_2\text{H}_5)_2\text{PH}$ (RN-CAS Registry Number 627-49-6)	**	8.69	PE	3589
$\text{C}_5\text{H}_5\text{P}^+$	$\text{C}_5\text{H}_5\text{P}$ (Phosphorin) (RN-CAS Registry Number 289-68-9)	**	9.2 (V)	PE	3832
$\text{C}_{10}\text{H}_9\text{P}^+$	$\text{C}_6\text{H}_5\text{C}_4\text{H}_4\text{P}$ (1 <i>H</i> -Phosphole, 1-phenyl-) (RN-CAS Registry Number 20342-00-1)	**	8.45 (V)	PE	4090

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{13}P^+$	$C_6H_5C_4H_8P$ (Phospholane, 1-phenyl-) (RN-CAS Registry Number 3302-87-2)	**	8.35 (V)	PE	4090
$C_{12}H_{13}P^+$	$C_6H_5C_4H_2P(CH_3)_2$ (1 <i>H</i> -Phosphole, 2,5-dimethyl-1-phenyl-) (RN-CAS Registry Number 13904-58-0)	**	8.0 (V)	PE	4090
$C_{12}H_{17}P^+$	$C_6H_5C_4H_6P(CH_3)_2$ (Phospholane, 2,5-dimethyl-1-phenyl-) (RN-CAS Registry Number 40358-68-7)	**	8.35 (V)	PE	4090
$C_{15}H_{11}P^+$	$C_9H_6PC_6H_5$ (Phosphinoline, 2-phenyl-) (RN-CAS-Registry Number 39768-04-2)	**	7.65	PE	4066
$C_{17}H_{29}P^+$	$C_5H_2P(C(CH_3)_3)_3$ (Phosphorin, 2,4,6-tris(1,1-dimethylethyl)-) (RN-CAS Registry Number 17420-29-0)	**	8.0 (V)	PE	3934
$C_{19}H_{13}P^+$	$C_{13}H_8PC_6H_5$ (Acridophosphine, 10-phenyl-) (RN-CAS Registry Number 20995-81-7)	**	7.25 (V)	PE	3896
$C_{29}H_{25}P^+$	$C_9H_6P(C_6H_5)(CH_2C_6H_5)_2$ (Phosphinoline, 1,1-dihydro-2-phenyl-1,1-bis(phenylmethyl)-) (RN-CAS-Registry Number 39767-95-8)	**	6.00	PE	4066
$C_6H_{18}N_3P^+$	$((CH_3)_2N)_3P$ (RN-CAS Registry Number 1608-26-0)	**	7.61 (V)	PE	3825
$C_6H_{18}N_3P^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)		10.1 ± 0.05	EI	3952
$C_8H_{18}N_3P^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)		10.1 ± 0.05	EI	3952
PO^+	PO (RN-CAS Registry Number 14452-66-5)	**	8.231	S	3762
PO^+	PO (RN-CAS Registry Number 14452-66-5)	**	8.38	S	3560
PO^+	PO (RN-CAS Registry Number 14452-66-5)	**	8.5 ± 1	EI	3819
PO^+	PO (RN-CAS Registry Number 14452-66-5)	**	9.5 ± 0.5	EI	4098
PO^+	P_2O_3 (RN-CAS Registry Number 1314-24-5)		13.5 ± 1.0	EI	4098
PO^+	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1)	$O + CH_3O + 2H$	18.90 ± 0.50	EI	3989
PO_2^+	PO_2 (RN-CAS Registry Number 12164-97-5)	**	10.5 ± 1	EI	3819

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PO_2^+	PO_2 (RN-CAS Registry Number 12164-97-5)	**	11.5 ± 0.5	EI	4098
PO_2^+	P_2O_3 (RN-CAS Registry Number 1314-24-5)		15.4 ± 1.0	EI	4098
P_2O_3^+	P_2O_3 (RN-CAS Registry Number 1314-24-5)	**	10.4 ± 0.5	EI	4098
P_2O_4^+	P_2O_4 (RN-CAS Registry Number XXXXX-XX-X)	**	10.8 ± 1.0	EI	4098
P_2O_5^+	P_2O_5 (RN-CAS Registry Number 1314-56-3)	**	12.0 ± 1.0	EI	4098
P_3O_6^+	P_3O_6 (RN-CAS Registry Number XXXXX-XX-X)	**	12.3 ± 1.0	EI	4098
P_3O_7^+	P_4O_9 (RN-CAS Registry Number XXXXX-XX-X)		15.0 ± 1.0	EI	4098
P_4O_7^+	P_4O_7 (RN-CAS Registry Number 12065-80-4)	**	11.4 ± 0.5	EI	4098
P_4O_8^+	P_4O_8 (RN-CAS Registry Number 12037-06-8)	**	11.9 ± 0.5	EI	4098
P_4O_9^+	P_4O_9 (RN-CAS Registry Number XXXXX-XX-X)	**	12.4 ± 0.5	EI	4098
$\text{P}_4\text{O}_{10}^+$	P_4O_{10} (RN-CAS Registry Number XXXXX-XX-X)	**	13.0 ± 0.5	EI	4098
CH_4OP^+	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$ (RN-CAS Registry Number 2953-29-9)		13.40 ± 0.30	EI	3989
$\text{CH}_4\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_3\text{PO}$ (RN-CAS Registry Number 512-56-1)	$2\text{HCHO} + \text{H}$	14.90 ± 0.20	EI	3989
$\text{CH}_4\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$ (RN-CAS Registry Number 152-20-5)	$\text{CH}_3\text{S} + \text{HCHO}$	12.25 ± 0.20	EI	3989
(MT-Metastable transition(s) observed)					
$\text{CH}_4\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{S}$ (RN-CAS Registry Number 2953-29-9)	$\text{CH}_3\text{S} + \text{HCHS}$	12.75 ± 0.20	EI	3989
(MT-Metastable transition(s) observed)					
$\text{CH}_4\text{O}_2\text{P}^+$	$(\text{CH}_3\text{S})_2\text{P}(\text{CH}_3\text{O})\text{O}$ (RN-CAS Registry Number 22608-53-3)	$\text{CH}_3\text{S} + \text{HCHS}$	11.90 ± 0.10	EI	3989
$\text{CH}_5\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_3\text{PO}$ (RN-CAS Registry Number 512-56-1)	2HCHO	12.91 ± 0.10	EI	3989
$\text{CH}_5\text{O}_2\text{P}^+$	$(\text{CH}_3\text{O})_2\text{P}(\text{CH}_3\text{S})\text{O}$ (RN-CAS Registry Number 152-20-5)	$\text{HCHS} + \text{HCHO}$	12.35 ± 0.20	EI	3989
(MT-Metastable transition(s) observed)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_6O_2P^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9)		10.40 ± 0.10	EI	3989
$C_{19}H_{35}O_2P^+$	$C_5H_2P(OCH_3)_2(C_4H_9)_3$ (Phosphorin, 2,4,6-tris(1,1-dimethylethyl)-1,1-dihydro-1,1-dimethoxy-) (RN-CAS-Registry Number 37912-85-9)	**	6.7 (V)	PE	4053
$CH_4O_3P^+$	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1) (MT-Metastable transition(s) observed)	$HCHO + CH_3$	13.90 ± 0.20	EI	3989
$CH_4O_3P^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5)	$HCHS + CH_3$	13.20 ± 0.20	EI	3989
$C_2H_6O_3P^+$	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1)	$HCHO + H$	14.1 ± 0.20	EI	3989
$C_2H_6O_3P^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5)	CH_3S	11.90 ± 0.10	EI	3989
$C_2H_7O_3P^+$	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1) (MT-Metastable transition(s) observed)	$HCHO$	11.62 ± 0.10	EI	3989
$C_2H_7O_3P^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5) (MT-Metastable transition(s) observed)	$HCHS$	11.00 ± 0.10	EI	3989
$C_3H_8O_4P^+$	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1)	H	12.73 ± 0.20	EI	3989
$C_3H_9O_4P^+$	$(CH_3O)_3PO$ (RN-CAS Registry Number 512-56-1)	**	10.70 ± 0.10	EI	3989
$PF_3(^2A_1)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	11.57 ± 0.01	PE	3703
$PF_3(^2A_1)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	11.66 ± 0.01	PE	3641
PF_3^+	PF_3 (RN-CAS Registry Number 7783-55-3)	**	12.23 ± 0.02 (V)	PE	3662
$PF_3^+(^2A_2)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	15.31 ± 0.05	PE	3641
$PF_3(^2E)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	16.31 ± 0.07 (V)	PE	3641
$PF_3(^2E)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	17.08 ± 0.01	PE	3641
$PF_3(^2A_1)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	18.26 ± 0.01	PE	3641
$PF_3(^2E)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	19.06 ± 0.01	PE	3641
$PF_3(^2A_1)$	PF_3 (RN-CAS Registry Number 7783-55-3)	**	22.6 (V)	PE	3641
PF_3^+	PF_3 (RN-CAS Registry Number 7783-55-3)	**	11.72 ± 0.1	EI	3578

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PF_5^+	PF_5 (RN-CAS Registry Number 7647-19-0)	**	15.54 (V)	PE	3872
PF_5^+	PF_5 (RN-CAS Registry Number 7647-19-0)	**	15.6 (V)	PE	3669
P_2F_4^+	P_2F_4 (RN-CAS Registry Number 13824-74-3)	**	9.64 (V)	PE	3662
PHF_2^+	PF_2H (RN-CAS Registry Number 14984-74-8)	**	11.0 ± 0.1 (V)	PE	3662
$\text{BH}_3\text{F}_3\text{P}^+$	$(\text{PF}_3)(\text{BH}_3)$ (RN-CAS Registry Number 14931-39-6)	**	11.02 ± 0.03	PE	3699
$\text{B}_3\text{H}_5\text{F}_3\text{P}^+$	$\text{B}_3\text{H}_7\text{PF}_3$ (RN-CAS Registry Number 11126-95-7)		10.8 ± 0.3	EI	3652
PH_2NF_2^+	PF_2NH_2 (RN-CAS Registry Number 25757-74-8)	**	10.9 (V)	PE	3662
CNF_2P^+	PF_2CN (RN-CAS Registry Number 14118-40-2)	**	11.9 ± 0.1 (V)	PE	3662
$\text{C}_4\text{H}_{12}\text{N}_2\text{PF}^+$	$((\text{CH}_3)_2\text{N})_2\text{PF}$ (RN-CAS Registry Number 1735-82-6)	**	8.18 (V)	PE	3825
$\text{C}_2\text{H}_6\text{NPF}_2^+$	$(\text{CH}_3)_2\text{NPF}_2$ (RN-CAS Registry Number 814-97-1)	**	9.58 (V)	PE	3825
$\text{C}_2\text{H}_6\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NPF}_2$ (RN-CAS Registry Number 814-97-1)	**	9.6 (V)	PE	3662
$\text{C}_2\text{H}_6\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{P}$ (RN-CAS Registry Number 814-97-1)	**	10.2 ± 0.3	EI	3652
$\text{C}_6\text{H}_{18}\text{N}_3\text{F}_2\text{P}^+$	$((\text{CH}_3)_2\text{N})_3\text{PF}_2$ (RN-CAS Registry Number 7549-83-9)	**	8.04 (V)	PE	3825
$\text{C}_4\text{H}_{12}\text{N}_2\text{F}_3\text{P}^+$	$((\text{CH}_3)_2\text{N})_2\text{PF}_3$ (RN-CAS Registry Number 1735-83-7)	**	8.84 (V)	PE	3825
$\text{C}_2\text{H}_6\text{NF}_4\text{P}^+$	$(\text{CH}_3)_2\text{NPF}_4$ (RN-CAS Registry Number 2353-98-2)	**	10.35 (V)	PE	3825
$\text{C}_2\text{H}_9\text{BNF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PBH}_3?$ (RN-CAS Registry Number 2851-73-2)	**	12.2 ± 0.3	EI	3652
$\text{C}_2\text{H}_{11}\text{B}_3\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PB}_3\text{H}_7$ (RN-CAS Registry Number 11126-93-5)		10.4 ± 0.3	EI	3652
$\text{C}_2\text{H}_{12}\text{B}_3\text{NF}_2\text{P}^+$	$(\text{CH}_3)_2\text{NF}_2\text{PB}_3\text{H}_7$ (RN-CAS Registry Number 11126-93-5)	H	10.5 ± 0.3	EI	3652

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_{12}B_4NF_2P^+$	$(CH_3)_2NF_2PB_4H_8$ (RN-CAS Registry Number 12602-24-3)		10.0 ± 0.3	EI	3652
$C_2H_{14}B_4NF_2P^+$	$(CH_3)_2NF_2PB_4H_8$ (RN-CAS Registry Number 12602-24-3)	**	9.6 ± 0.3	EI	3652
$POF_3(^2E)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	12.77 ± 0.04	PE	3641
$POF_3(^2A_1)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	15.16 ± 0.04	PE	3641
$POF_3(^2A_2)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	16.69 ± 0.05	PE	3641
$POF_3(^2E)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	17.68 (V)	PE	3641
$POF_3(^2E)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	18.45 ± 0.02	PE	3641
$POF_3(^2A_1)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	19.61 (V)	PE	3641
$POF_3(^2E)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	20.36 ± 0.02	PE	3641
$POF_3(^2A_1)$	POF_3 (RN-CAS Registry Number 13478-20-1)	**	23.4 ± 0.1 (V)	PE	3641
$P_2OF_4^+$	PF_2OPF_2 (RN-CAS Registry Number 13812-07-2)	**	11.2 (V)	PE	3662
$CNOF_2P^+$	PF_2NCO (RN-CAS Registry Number 461-59-6)	**	11.05 ± 0.02 (V)	PE	3662
$NaPO_2^+$	$NaPO_2$ (RN-CAS Registry Number XXXXX-XX-X)	**	8.6	EI	4098
PSi^+	PSi (RN-CAS Registry Number 12137-64-3)	**	9.1 ± 0.5	EI	4102
PSi_2^+	PSi_2 (RN-CAS Registry Number 37347-46-9)	**	8.4 ± 0.5	EI	4102
P_2Si^+	P_2Si (RN-CAS Registry Number 12137-68-7)	**	9.0 ± 0.5	EI	4102
SiH_3P^+	SiH_3PH_2 (RN-CAS Registry Number 14616-47-8)	**	9.9 ± 0.1 (V)	PE	3661
$Si_3H_9P^+$	$(SiH_3)_3P$ (RN-CAS Registry Number 15110-33-5)	**	9.3 ± 0.1 (V)	PE	3661
$CSiP^+$	$CSiP$ (RN-CAS Registry Number 37342-74-8)	**	8.9 ± 0.5	EI	4102

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_{19}SiP^+$	$(CH_3)_3P=CHSi(CH_3)_3$ (RN-CAS Registry Number 3272-86-4)	**	6.80	PE	3782
$C_9H_{25}Si_2P^+$	$(CH_3)_3P=CHSi_2(CH_3)_5$ (RN-CAS Registry Number 29947-67-9)	**	6.87	PE	3782
S^+	S (RN-CAS Registry Number 7704-34-9)	**	10.3 ± 0.3	EI	3449
S^+	S (RN-CAS Registry Number 7704-34-9)	**	10.5 ± 0.3	EI	3616
S^+	S (RN-CAS Registry Number 7704-34-9)	**	$\sim 11 \pm 0.5$	EI	3448
S^+	H_2S (RN-CAS Registry Number 7783-06-4)	H_2	13.5	DC	3967
S^+	CS_2 (RN-CAS Registry Number 75-15-0) (CD-Metastable transition indicates <0.25 eV kinetic energy release) (PC-Appearance potential of the corresponding metastable transition)	CS	15 ± 1	EI	3812
S^+	CS_2 (RN-CAS Registry Number 75-15-0) (CD-Metastable transition indicates <0.25 eV kinetic energy release) (PC-Appearance potential of the corresponding metastable transition)	CS	17 ± 1	EI	3812
S^+	COS (RN-CAS Registry Number 463-58-1)	CO	13.7	EI	3779
S_2^+	S_2 (RN-CAS Registry Number 12185-11-4)	**	9.42 ± 0.10	EI	3616
S_2^+	S_2 (RN-CAS Registry Number 12185-11-4)	**	9.8 ± 0.5	EI	3615
S_2^+	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3) (TR-Other product(s) thermochemically reasonable)	$CH_2=CHCH_3$	10.7 ± 0.1	EI	3598
S_2^+	S_2F_2 (RN-CAS Registry Number 13709-35-8)		17.6 ± 0.4	EI	3738
S_8^+	S_8 (RN-CAS Registry Number 10544-50-0)	**	9.23 (V)	PE	3846
HS^+	H_2S (RN-CAS Registry Number 7783-06-4)	H	14.4	DC	3967
$H_2S^+(^2B_1)$	H_2S (RN-CAS-Registry Number 7783-06-4)	**	10.43	PE	4073
H_2S^+	H_2S (RN-CAS Registry Number 7783-06-4)	**	10.47	PE	3678
$H_2S^+(^2B_1)$	H_2S (RN-CAS Registry Number 7783-06-4)	**	10.47	PE	3719
H_2S^+	H_2S (RN-CAS Registry Number 7783-06-4)	**	10.48	PE	3697
$H_2S^+(^2A_1)$	H_2S (RN-CAS Registry Number 7783-06-4)	**	12.752	PE	3515

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_2\text{S}^+(\text{}^2\text{A}_1)$	H_2S (RN-CAS Registry Number 7783-06-4)	**	12.78	PE	3719
$\text{H}_2\text{S}^{+\star}$	H_2S (RN-CAS Registry Number 7783-06-4)	**	13.21 (V)	PE	3697
$\text{H}_2\text{S}^+(\text{}^2\text{B}_2)$	H_2S (RN-CAS Registry Number 7783-06-4)	**	14.78	PE	3719
$\text{H}_2\text{S}^+(\text{}^2\text{A}_1)$	H_2S (RN-CAS Registry Number 7783-06-4)	**	22.2 (V)	PE	3719
H_2S^+	H_2S (RN-CAS Registry Number 7783-06-4)	**	10.45	DC	3967
H_3S^+	$\text{C}_2\text{H}_5\text{SH}$ (RN-CAS Registry Number 75-08-1) (MT-Metastable transition(s) observed) (TR-Other product(s) thermochemically reasonable)	C_2H_3	12.41 ± 0.02	RPD	3487
H_3S^+	$(\text{CH}_3)_2\text{S}$ (RN-CAS Registry Number 75-18-3) (MT-Metastable transition(s) observed) (TR-Other product(s) thermochemically reasonable)	$\text{C}_2\text{H}_2 + \text{H}$	14.14 ± 0.02	RPD	3487
$\text{BHS}^+(\text{X}^2\Pi)$	HBS (RN-CAS Registry Number 14457-85-3)	**	11.11 ± 0.03	PE	3982
BHS^+	HBS (RN-CAS Registry Number 14457-85-3)	**	11.12	PE	3871
$\text{BHS}^+(\text{A}^2\Sigma^+)$	HBS (RN-CAS Registry Number 14457-85-3)	**	13.54 ± 0.03	PE	3982
$\text{BHS}^+(\text{B}^2\Sigma^+)$	HBS (RN-CAS Registry Number 14457-85-3)	**	15.83 ± 0.1	PE	3982
$\text{CS}^+(\text{X}^2\Sigma_g^+)$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	11.33 ± 0.01	PE	3691
CS^+	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	11.33 ± 0.02	PE	3696
$\text{CS}^+(\text{X}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	11.34 ± 0.02	PE	3690
$\text{CS}^+(\text{X}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	11.34	PE	3689
$\text{CS}^{+\star}$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	12.56 ± 0.02	PE	3696
$\text{CS}^+(\text{A}^2\Pi)$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	12.78 ± 0.02	PE	3690
$\text{CS}^+(\text{A}^2\Pi)$	CS (RN-CAS Registry Number 2944-05-0) (RD-Radical)	**	12.78	PE	3689

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CS}^+(\text{A}^2\Pi_u)$	CS (RN-CAS Registry Number 2944-05-0)	**	12.79 ± 0.01	PE	3691
(RD-Radical)					
$\text{CS}^+(\text{B}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0)	**	15.83 ± 0.02	PE	3690
(RD-Radical)					
$\text{CS}^+(\text{B}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0)	**	15.83	PE	3689
(RD-Radical)					
$\text{CS}^+(\text{B}^2\Sigma_u^+)$	CS (RN-CAS Registry Number 2944-05-0)	**	15.84 ± 0.01	PE	3691
(RD-Radical)					
$\text{CS}^+(\text{E}^2\Sigma_u^+)$	CS (RN-CAS Registry Number 2944-05-0)	**	18.00 ± 0.01	PE	3691
(RD-Radical)					
$\text{CS}^+(\text{C}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0)	**	18.03 ± 0.02	PE	3690
(RD-Radical)					
$\text{CS}^+(\text{C}^2\Sigma)$	CS (RN-CAS Registry Number 2944-05-0)	**	18.03	PE	3689
(RD-Radical)					
CS^+	CS (RN-CAS Registry Number 2944-05-0)	**	11.39 ± 0.10	EI	3616
(RD-Radical)					
CS^+	CS ₂ (RN-CAS Registry Number 75-15-0) (CD-Metastable transition indicates <0.40 eV kinetic energy release) (PC-Appearance potential of the corresponding metastable transition)	S	16.3 ± 1	EI	3812
CS^+	COS (RN-CAS Registry Number 463-58-1)	O?	16.7	EI	3779
$\text{CS}_2^+(\text{A}^2\Pi_{1/2u})$	CS ₂ (RN-CAS Registry Number 75-15-0)	**	12.586	S	3573
$\text{CS}_2^+(\text{X}^2\Pi_g)$	CS ₂ (RN-CAS Registry Number 75-15-0)	**	10.06 ± 0.01	PE	3965
$\text{CS}_2^+(\text{X}^2\Pi_{3/2})$	CS ₂ (RN-CAS-Registry Number 75-15-0)	**	10.06	PE	4073
CS_2^+	CS ₂ (RN-CAS Registry Number 75-15-0)	**	10.06	PE	3697
$\text{CS}_2^+(\text{A}^2\Pi_u)$	CS ₂ (RN-CAS Registry Number 75-15-0)	**	12.67 ± 0.01	PE	3965
CS_2^{+*}	CS ₂ (RN-CAS Registry Number 75-15-0)	**	12.83 (V)	PE	3697
$\text{CS}_2^+(\text{B}^2\Sigma_u^+)$	CS ₂ (RN-CAS Registry Number 75-15-0)	**	14.47 ± 0.01	PE	3965
$\text{CS}_2^+(\text{C}^2\Sigma_g^+)$	CS ₂ (RN-CAS Registry Number 75-15-0)	**	16.18 ± 0.01	PE	3965
CS_2^{+*}	CS ₂ (RN-CAS Registry Number 75-15-0)	**	16.70 ± 0.01	PE	3965
CS_2^+	CS ₂ (RN-CAS Registry Number 75-15-0)	**	10.07 ± 0.10	EI	3616

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CHS ⁺	C ₃ H ₆ S ₂ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3) (MT-Metastable transition(s) observed)	CHS + CH ₄ ?	13±0.4	EI	3598
CHS ⁺	C ₃ H ₆ OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)		12.9±0.2	EI	3598
CH ₂ S ⁺ (² B ₂)	CH ₂ S (RN-CAS Registry Number 865-36-1)	**	9.338±0.010	PE	3697
CH ₂ S ⁺ (² B ₁)	CH ₂ S (RN-CAS Registry Number 865-36-1)	**	11.78±0.01	PE	3697
CH ₂ S ⁺	CH ₃ SH (RN-CAS Registry Number 74-93-1)	H ₂	10.8±0.1	PI	4025
CH ₂ S ⁺	(CH ₃) ₂ S (RN-CAS Registry Number 75-18-3)	CH ₄	10.46±0.08	PI	4025
CH ₂ S ⁺	(C ₂ H ₅) ₂ S (RN-CAS Registry Number 352-93-2)	C ₂ H ₄ + CH ₄	11.75±0.03	PI	4025
CH ₂ S ⁺	C ₃ H ₆ S ₂ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)		11±0.4	EI	3598
CH ₂ S ⁺	C ₃ H ₆ OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)		12.5±0.2	EI	3598
CH ₂ S ⁺	C ₅ H ₁₀ O ₂ S (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0) (TR-Other product(s) thermochemically reasonable)	2HCHO + C ₂ H ₄	12.55±0.1	EI	3903
CH ₃ S ⁺	CH ₃ SH (RN-CAS Registry Number 74-93-1)	H	11.37±0.05	PI	4025
CH ₃ S ⁺	(CH ₃) ₂ S (RN-CAS Registry Number 75-18-3)	CH ₃	10.79±0.04	PI	4025
CH ₃ S ⁺	(C ₂ H ₅) ₂ S (RN-CAS Registry Number 352-93-2)	C ₂ H ₄ + CH ₃	12.00±0.05	PI	4025
CH ₃ S ⁺	C ₃ H ₆ S ₂ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)		11.4±0.4	EI	3598
CH ₃ S ⁺	(CH ₃ O) ₂ P(CH ₃ S)O (RN-CAS Registry Number 152-20-5)		13.1±0.30	EI	3989
CH ₃ S ⁺	(CH ₃ S) ₂ P(CH ₃ O)O (RN-CAS Registry Number 22608-53-3)		12.60±0.20	EI	3989
CH ₄ S ⁺	CH ₃ SH (RN-CAS Registry Number 74-93-1)	**	9.44±0.01	PI	4025
CH ₄ S ⁺	CH ₃ SH (RN-CAS Registry Number 74-93-1)	**	9.415	PE	3697
CH ₄ S ⁺ (² A'')	CH ₃ SH (RN-CAS Registry Number 74-93-1)	**	9.42	PE	3678
CH ₄ S ⁺ (² A'')	CH ₃ SH (RN-CAS Registry Number 74-93-1)	**	9.44	PE	4032

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CH_4S^+	CH_3SH (RN-CAS Registry Number 74-93-1)	**	9.44	PE	4087
$\text{CH}_4\text{S}^+(\text{}^2\text{A}^{\prime\prime})$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	9.44 (V)	PE	3656
CH_4S^+	CH_3SH (RN-CAS Registry Number 74-93-1)	**	9.44 (V)	PE	3898
CH_4S^{+*}	CH_3SH (RN-CAS Registry Number 74-93-1)	**	11.90 (V)	PE	3697
$\text{CH}_4\text{S}^+(\text{}^2\text{A}')$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	12.0 (V)	PE	3678
$\text{CH}_4\text{S}^+(\text{}^2\text{A}')$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	12.08 (V)	PE	4032
CH_4S^{+*}	CH_3SH (RN-CAS Registry Number 74-93-1)	**	13.50 (V)	PE	3697
$\text{CH}_4\text{S}^+(\text{}^2\text{A}')$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	13.67 (V)	PE	4032
$\text{CH}_4\text{S}^+(\text{}^2\text{A}')$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	13.9 (V)	PE	3678
CH_4S^{+*}	CH_3SH (RN-CAS Registry Number 74-93-1)	**	14.90 (V)	PE	3697
$\text{CH}_4\text{S}^+(\text{}^2\text{A}^{\prime\prime})$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	15.0 (V)	PE	3678
$\text{CH}_4\text{S}^+(\text{}^2\text{A}^{\prime\prime})$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	15.5 (V)	PE	3678
CH_4S^{+*}	CH_3SH (RN-CAS Registry Number 74-93-1)	**	15.5 (V)	PE	3697
$\text{CH}_4\text{S}^+(\text{}^2\text{A}^{\prime\prime})$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	15.63 (V)	PE	4032
$\text{CH}_4\text{S}^+(\text{}^2\text{A}')$	CH_3SH (RN-CAS Registry Number 74-93-1)	**	~20.0 (V)	PE	3678
$\text{C}_2\text{H}_3\text{S}^+$	$\text{C}_3\text{H}_6\text{S}_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	CH_3S	10.8 ± 0.4	EI	3598
$\text{C}_2\text{H}_3\text{S}^+$	$\text{C}_3\text{H}_6\text{OS}$ (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	$\text{CH}_2\text{O} + \text{H}$	12.3 ± 0.1	EI	3598
(MT—Metastable transition(s) observed)					
(TR—Other product(s) thermochemically reasonable)					
$\text{C}_2\text{H}_4\text{S}^+$	$\text{C}_2\text{H}_4\text{S}$ (Thiirane) (RN-CAS Registry Number 420-12-2)	**	9.051 ± 0.006	S	3882
(RS—Average of three Rydberg series limits)					
$\text{C}_2\text{H}_4\text{S}^+$	$\text{C}_2\text{H}_4\text{S}$ (Thiirane) (RN-CAS Registry Number 420-12-2)	**	9.00	PE	3861
$\text{C}_2\text{H}_4\text{S}^+$	$\text{C}_2\text{H}_4\text{S}$ (Thiirane) (RN-CAS Registry Number 420-12-2)	**	9.05 (V)	PE	3837
$\text{C}_2\text{H}_4\text{S}^+$	$(\text{C}_2\text{H}_5)_2\text{S}$ (RN-CAS Registry Number 352-93-2)	C_2H_6	9.89 ± 0.3	PI	4025

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4S^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	CH_2S	11.2 ± 0.3	EI	3598
$C_2H_4S^+$	C_3H_6OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	CH_2O	10.5 ± 0.1	EI	3598
(MT-Metastable transition(s) observed)					
$C_2H_4S^+$	$C_3H_{10}O_2S$ (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0)		10.4 ± 0.02	EI	3903
$C_2H_5S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	H	10.93 ± 0.02	PI	4025
$C_2H_5S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	C_2H_5	10.23 ± 0.03	PI	4025
$C_2H_5S^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	CHS	11.4 ± 0.3	EI	3598
(TR-Other product(s) thermochemically reasonable)					
$C_2H_5S^+$	C_3H_6OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	CHO	10.4 ± 0.1	EI	3598
(TR-Other product(s) thermochemically reasonable)					
$C_2H_5S^+$	$C_5H_{10}O_2S$ (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0)	$CH_3CO + HCHO$	10.8 ± 0.2	EI	3903
(MT-Metastable transition(s) observed)					
(TR-Other product(s) thermochemically reasonable)					
$C_2H_6S^+$	C_2H_5SH (RN-CAS Registry Number 75-08-1)	**	9.29	PE	4032
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.706 ± 0.010	S	3970
(RS-Average of three Rydberg series limits)					
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.69 ± 0.01	PI	4025
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.57 ± 0.04	PE	3842
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.65 (V)	PE	3678
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.67	PE	3867
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.67 (V)	PE	3898
$C_2H_6S^+$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.7	PE	4104
$C_2H_6S^+ (^2B_1)$	$(CH_3)_2S$ (RN-CAS Registry Number 75-18-3)	**	8.71 (V)	PE	3656
$C_2H_6S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	C_2H_4	9.90 ± 0.03	PI	4025

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_5S^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	SH	10.5 ± 0.1	EI	3598
$C_3H_6S^+$	$CH_2=CHCH_2SH$ (RN-CAS Registry Number 870-23-5)	**	9.25	PE	3864
$C_3H_6S^+$	$CH_2=CHSCH_3$ (RN-CAS Registry Number 1822-74-8)	**	8.45 (V)	PE	3898
$C_3H_6S^+$	$C_5H_{10}O_2S$ (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0) (TR—Other product(s) thermochemically reasonable)	2HCHO	11.35 ± 0.01	EI	3903
$C_3H_7S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	CH_3	10.16 ± 0.05	PI	4025
$C_3H_8S^+$	$n-C_3H_7SH$ (RN-CAS Registry Number 107-03-9)	**	9.19	PE	4032
$C_3H_8S^+$	$iso-C_3H_7SH$ (RN-CAS Registry Number 75-33-2)	**	9.14	PE	4032
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS Registry Number 110-02-1)	**	8.874 ± 0.005	S	3731
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS-Registry Number 110-02-1)	**	8.86 ± 0.01	PI	4058
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS Registry Number 110-02-1)	**	8.87 (V)	PE	3858
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS Registry Number 110-02-1)	**	8.90	PE	4017
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS Registry Number 110-02-1)	**	9.12 ± 0.05	EI	3482
$C_4H_4S^+$	C_4H_4S (Thiophene) (RN-CAS Registry Number 110-02-1)	**	9.05	CTS	3787
$C_4D_4S^+$	C_4D_4S (Thiophene- d_4) (RN-CAS Registry Number 2036-39-7)	**	8.874 ± 0.005	S	3731
$C_4H_6S^+$	C_4H_6S (Thiophene, 2,5-dihydro-) (RN-CAS Registry Number 1708-32-3)	**	8.54 (V)	PE	3995
$C_4H_8S^+$	$CH_3SCH_2CH=CH_2$ (RN-CAS Registry Number 10152-76-8)	**	8.6	PE	4104

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_8S^+$	C_4H_8S (Thiophene, tetrahydro-) (RN-CAS Registry Number 110-01-0)	**	8.40 (V)	PE	3995
$C_4H_8S^+$	C_4H_8S (Thiophene, tetrahydro-) (RN-CAS Registry Number 110-01-0)	**	8.62 ± 0.05	EI	3498
$C_4H_9S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	H	10.2 ± 0.1	PI	4025
$C_4H_{10}S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	**	8.42 ± 0.01	PI	4025
$C_4H_{10}S^+$	$(C_2H_5)_2S$ (RN-CAS Registry Number 352-93-2)	**	8.44 (V)	PE	3898
$C_4H_{10}S^+$	$n-C_4H_9SH$ (RN-CAS Registry Number 109-79-5)	**	9.15	PE	4032
$C_4H_{10}S^+$	$sec-C_4H_9SH$ (RN-CAS Registry Number 513-53-1)	**	9.10	PE	4032
$C_4H_{10}S^+$	$iso-C_4H_9SH$ (RN-CAS Registry Number 513-44-0)	**	9.12	PE	4032
$C_4H_{10}S^+$	$tert-C_4H_9SH$ (RN-CAS Registry Number 75-66-1)	**	9.03	PE	4032
$C_5H_6S^+$	$C_4H_3SCH_3$ (Thiophene, 2-methyl-) (RN-CAS Registry Number 554-14-3)	**	8.63 ± 0.05	EI	3482
$C_5H_6S^+$	$C_4H_3SCH_3$ (Thiophene, 2-methyl-) (RN-CAS Registry Number 554-14-3)	**	8.61	CTS	3787
$C_5H_6S^+$	$C_4H_3SCH_3$ (Thiophene, 3-methyl-) (RN-CAS Registry Number 616-44-4)	**	8.72	EI	3787
$C_5H_6S^+$	$C_4H_3SCH_3$ (Thiophene, 3-methyl-) (RN-CAS Registry Number 616-44-4)	**	8.84	CTS	3787
$C_5H_{10}S^+$	$C_5H_{10}S$ (2H-Thiopyran, tetrahydro-) (RN-CAS Registry Number 1613-51-0)	**	8.45 (V)	PE	3733
$C_6H_6S^+$	C_6H_5SH (Benzenethiol) (RN-CAS Registry Number 108-98-5)	**	8.28	PE	3678
$C_6H_6S^+$	C_6H_5SH (Benzenethiol) (RN-CAS Registry Number 108-98-5)	**	8.95 ± 0.1	EI	3817
$C_6H_8S^+$	$C_4H_2S(CH_3)_2$ (Thiophene, 2,5-dimethyl-) (RN-CAS Registry Number 638-02-8)	**	8.10	EI	3787

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_8S^+$	$C_4H_2S(CH_3)_2$ (Thiophene, 2,5-dimethyl-) (RN-CAS Registry Number 638-02-8)	**	8.18	CTS	3787
$C_6H_8S^+$	$C_4H_3SC_2H_5$ (Thiophene, 2-ethyl-) (RN-CAS Registry Number 872-55-9)	**	8.67 ± 0.05	EI	3482
$C_6H_8S^+$	$C_4H_3SC_2H_5$ (Thiophene, 2-ethyl-) (RN-CAS Registry Number 872-55-9)	**	8.57	CTS	3787
$C_6H_{10}S^+$	$C_6H_{10}S$ (7-Thiabicyclo[2.2.1]heptane) (RN-CAS Registry Number 279-59-4)	**	8.28 ± 0.04	PE	3842
$C_6H_{14}S^+$	$(n-C_3H_7)_2S$ (RN-CAS Registry Number 111-47-7)	**	8.34 (V)	PE	3898
$C_6H_{14}S^+$	$(iso-C_3H_7)_2S$ (RN-CAS Registry Number 625-80-9)	**	8.26 (V)	PE	3898
$C_7H_8S^+$	$C_6H_5CH_2SH$ (Benzenemethanethiol) (RN-CAS Registry Number 100-53-8)	**	8.85 (V)	PE	3678
$C_7H_8S^+$	$C_6H_5SCH_3$ (Benzene, (methylthio)-) (RN-CAS Registry Number 100-68-5)	**	8.07 (V)	PE	3781
$C_7H_8S^+$	$C_6H_5SCH_3$ (Benzene, (methylthio)-) (RN-CAS Registry Number 100-68-5)	**	8.07 (V)	PE	3898
$C_8H_6S^+$	C_8H_6S (Benzo[<i>b</i>]thiophene) (RN-CAS Registry Number 95-15-8)	**	8.20	PE	4017
$C_8H_6S^+$	C_8H_6S (Benzo[<i>c</i>]thiophene) (RN-CAS Registry Number 270-82-6)	**	7.75	PE	4017
$C_8H_{10}S^+$	$C_6H_5CH_2SCH_3$ (Benzene, [(methylthio)methyl]-) (RN-CAS Registry Number 766-92-7)	**	9.01 (V)	PE	3781
$C_8H_{12}S^+$	$C_4H_3SC_4H_9$ (Thiophene, 2-(1,1-dimethylethyl)-) (RN-CAS Registry Number 1689-78-7)	**	8.54 ± 0.05	EI	3482
$C_8H_{18}S^+$	$(tert-C_4H_9)_2S$ (RN-CAS Registry Number 107-47-1)	**	8.07 (V)	PE	3898
$C_9H_{10}S^+$	$C_6H_5CH=CHSCH_3$ (Benzene, [2-(methylthio)ethenyl]-(<i>Z</i>)-) (RN-CAS Registry Number 35822-50-5)	**	7.75 (V)	PE	3781

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{10}S^+$	$C_6H_5CH=CHSCH_3$ (Benzene, [2-(methylthio)ethenyl]-, (Z)-) (RN-CAS Registry Number 35822-50-5)	**	8.75 (V)	PE	3898
$C_{11}H_{10}S^+$	$C_{10}H_7SCH_3$ (Naphthalene, 1-(methylthio)-) (RN-CAS Registry Number 10075-72-6)	**	7.67 (V)	PE	3781
$C_{11}H_{10}S^+$	$C_{10}H_7SCH_3$ (Naphthalene, 2-(methylthio)-) (RN-CAS Registry Number 7433-79-6)	**	7.71 (V)	PE	3781
$C_{11}H_{10}S^+$	$C_{10}H_7SCH_3$ (Naphthalene, 2-(methylthio)-) (RN-CAS Registry Number 7433-79-6)	**	7.71 (V)	PE	3898
$C_{12}H_8S^+$	$C_{12}H_8S$ (Dibenzothiophene) (RN-CAS Registry Number 132-65-0)	**	8.01 (V)	PE	3852
$C_{12}H_8S^+$	$C_{12}H_8S$ (Dibenzothiophene) (RN-CAS Registry Number 132-65-0)	**	8.34	EI	3787
$C_{12}H_8S^+$	$C_{12}H_8S$ (Dibenzothiophene) (RN-CAS Registry Number 132-65-0)	**	8.23	CTS	3787
$C_{12}H_{10}S^+$	$(C_6H_5)_2S$ (Benzene, 1,1'-thiobis-) (RN-CAS Registry Number 139-66-2)	**	7.88 ± 0.05	EI	3498
$C_{12}H_{10}S^+$	$(C_6H_5)_2S$ (Benzene, 1,1'-thiobis-) (RN-CAS Registry Number 139-66-2)	**	8.45 ± 0.1	EI	3817
$C_{12}H_{10}S^+$	$C_4H_3SCH=CHC_6H_5$ (Thiophene, 2-(2-phenylethenyl)-) (RN-CAS Registry Number 3783-65-1)	**	7.55	EI	3787
$C_{12}H_{10}S^+$	$C_4H_3SCH=CHC_6H_5$ (Thiophene, 2-(2-phenylethenyl)-) (RN-CAS Registry Number 3783-65-1)	**	7.78	CTS	3787
$CH_2S_2^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	C_2H_4	10.8 ± 0.2	EI	3598
$C_2H_6S_2^+$	CH_3SSCH (RN-CAS Registry Number 624-92-0)	**	8.97 (V)	PE	3898
$C_2H_6S_2^+$	CH_3SSCH_3 (RN-CAS Registry Number 624-92-0)	**	8.82 (V)	PE	3697
$C_3H_5S_2^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	H	11.2 ± 0.2	EI	3598

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6S_2^+$	$C_3H_6S_2$ (1,3-Dithiolane) (RN-CAS Registry Number 4829-04-3)	**	9.0 ± 0.05	EI	3598
$C_3H_8S_2^+$	$(CH_3S)_2CH_2$ (RN-CAS Registry Number 1618-26-4)	**	8.65 (V)	PE	3898
$C_4H_8S_2^+$	<i>trans</i> - $CH_3SCH=CHSCH_3$ (RN-CAS Registry Number 764-45-4)	**	7.96 (V)	PE	3898
$C_4H_8S_2^+$	$C_4H_8S_2$ (1,2-Dithiane) (RN-CAS Registry Number 505-20-4)	**	8.36 (V)	PE	3898
$C_4H_8S_2^+$	$C_4H_8S_2$ (1,3-Dithiane) (RN-CAS Registry Number 505-23-7)	**	8.33 (V)	PE	3898
$C_4H_8S_2^+$	$C_4H_8S_2$ (1,3-Dithiane) (RN-CAS Registry Number 505-23-7)	**	8.54 (V)	PE	3733
$C_4H_8S_2^+$	$C_4H_8S_2$ (1,4-Dithiane) (RN-CAS Registry Number 505-29-3)	**	8.58 (V)	PE	3733
$C_4H_{10}S_2^+$	$C_2H_5SSC_2H_5$ (RN-CAS Registry Number 110-81-6)	**	8.70 (V)	PE	3898
$C_4H_{10}S_2^+$	$CH_3SCH_2CH_2SCH_3$ (RN-CAS Registry Number 6628-18-8)	**	8.64 (V)	PE	3898
$C_5H_6S_2^+$	$C_4H_3SSCH_3$ (Thiophene, 2-(methylthio)-) (RN-CAS Registry Number 5780-36-9)	**	8.10 ± 0.05	EI	3482
$C_6H_4S_2^+$	$C_6H_4S_2$ (Thieno[2,3- <i>b</i>]thiophene) (RN-CAS Registry Number 250-84-0)	**	8.32	PE	4017
$C_6H_4S_2^+$	$C_6H_4S_2$ (Thieno[3,2- <i>b</i>]thiophene) (RN-CAS Registry Number 251-41-2)	**	8.10	PE	4017
$C_6H_4S_2^+$	$C_6H_4S_2$ (Thieno[3,2- <i>b</i>]thiophene) (RN-CAS Registry Number 251-41-1)	**	8.14 (V)	PE	3852
$C_6H_{10}S_2^+$	<i>cis,cis</i> - $CH_3SCH=CHCH=CHSCH_3$ (RN-CAS Registry Number 35822-49-2)	**	7.48 (V)	PE	3898
$C_6H_{14}S_2^+$	$(CH_3)_2CHSSCH(CH_3)_2$ (RN-CAS Registry Number 4253-89-8)	**	8.54 (V)	PE	3898
$C_6H_{14}S_2^+$	$(n-C_3H_7)_2S_2$ (RN-CAS Registry Number 629-19-6)	**	8.62 (V)	PE	3898

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{10}S_2^+$	$C_6H_4(SCH_3)_2$ (Benzene, 1,4-bis(methylthio)-) (RN-CAS Registry Number 699-20-7)	**	7.93 (V)	PE	3781
$C_8H_{18}S_2^+$	$(CH_3)_3CSSC(CH_3)_3$ (RN-CAS Registry Number 110-06-5)	**	8.17 (V)	PE	3898
$C_3H_6S_3^+$	$C_3H_6S_3$ (1,3,5-Trithiane) (RN-CAS Registry Number XXXXX-XX-X)	**	8.76 (V)	PE	3733
$C_5H_4S_3^+$	$C_5H_4S_3$ ([1,2]Dithiolo[1,5- <i>b</i>][1,2]dithiole-7- S^{IV}) (RN-CAS Registry Number 252-09-5) (ON-Other name: Thiathiophthene)	**	8.11 (V)	PE	3569
$C_6H_6S_3^+$	$C_5H_3S_3CH_3$ ([1,2]Dithiolo[1,5- <i>b</i>][1,2]dithiole-7- S^{IV} , 2-methyl-) (RN-CAS Registry Number 20718-55-2) (ON-Other name: 2-Methylthiathiophthene)	**	7.83 (V)	PE	3569
$C_7H_8S_3^+$	$C_5H_2S_3(CH_3)_2$ ([1,2]Dithiolo[1,5- <i>b</i>][1,2]dithiole-7- S^{IV} , 2,5-dimethyl-) (RN-CAS Registry Number 2080-35-5) (ON-Other name: 2,5-Dimethylthiathiophthene)	**	7.73 (V)	PE	3569
$C_7H_8S_3^+$	$C_5H_2S_3(CH_3)_2$ ([1,2]Dithiolo[1,5- <i>b</i>][1,2]dithiole-7- S^{IV} , 3,4-dimethyl-) (RN-CAS Registry Number 29977-00-2) (ON-Other name: 3,4-Dimethylthiathiophthene)	**	7.63 (V)	PE	3569
$C_{10}H_{12}S_3^+$	$C_8H_6S_3(CH_3)_2$ (3 <i>H</i> -[1,2]Dithiolo[4,5,1- <i>hi</i>][1,2]benzodithiole-8- S^{IV} , 4,5-dihydro-2,6-dimethyl-) (RN-CAS Registry Number 35437-21-9)	**	7.34 (V)	PE	3569
$C_{12}H_{16}S_3^+$	$C_8H_6S_3(C_2H_5)_2$ (3 <i>H</i> -[1,2]Dithiolo[4,5,1- <i>hi</i>][1,2]benzodithiole-8- S^{IV} , 2,6-diethyl-4,5-dihydro-) (RN-CAS Registry Number 35505-46-5)	**	7.33 (V)	PE	3569
$C_{14}H_{20}S_3^+$	$C_8H_6S_3(C_3H_7)_2$ (3 <i>H</i> -[1,2]Dithiolo[4,5,1- <i>hi</i>][1,2]benzodithiole-8- S^{IV} , 4,5-dihydro-2,6-bis(1-methylethyl)-) (RN-CAS Registry Number 35505-47-6)	**	7.19 (V)	PE	3569
$C_{17}H_{12}S_3^+$	$C_5H_2S_3(C_6H_5)_2$ ([1,2]Dithiolo[1,5- <i>b</i>][1,2]dithiole-7- S^{IV} , 3,4-diphenyl-) (RN-CAS Registry Number 25730-47-6) (ON-Other name: 3,4-Diphenylthiathiophthene)	**	7.57 (V)	PE	3569
$C_6H_4S_4^+$	$C_6H_4S_4$ (1,3-Dithiole, 2-(1,3-dithiol-2-ylidene)-) (RN-CAS Registry Number 31366-25-3) (ON-Other name: Tetrathiofulvalene)	**	6.83 (V)	PE	3981

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{18}S_6^+$	$C_4H_8S_2$ (1,4-Dithiane) (RN-CAS Registry Number 505-29-3)	**	8.46 (V)	PE	3898
$C_3H_9BS^+$	$(CH_3)_2BSCH_3$ (RN-CAS-Registry Number 19163-05-4)	**	9.40 (V)	PE	4065
$C_3H_9BS_2^+$	$(CH_3S)_2BCH_3$ (RN-CAS-Registry Number 19163-08-7)	**	8.74 (V)	PE	4065
$C_3H_9BS_3^+$	$B(SCH_3)_3$ (RN-CAS-Registry Number 997-49-9)	**	8.74 (V)	PE	4065
$CHNS^+(^2A'')$	$HNCS$ (RN-CAS Registry Number 3129-90-6)	**	9.94 ± 0.02 (V)	PE	3670
$CHNS^+(^2A')$	$HNCS$ (RN-CAS Registry Number 3129-90-6)	**	10.3 ± 0.1 (V)	PE	3670
$CHNS^{++}$	$HNCS$ (RN-CAS Registry Number 3129-90-6)	**	13.31 ± 0.02 (V)	PE	3670
$CHNS^{++}$	$HNCS$ (RN-CAS Registry Number 3129-90-6)	**	15.12 ± 0.02 (V)	PE	3670
$C_2H_3NS^+$	CH_3NCS (RN-CAS Registry Number 556-61-6)	**	9.37 ± 0.02 (V)	PE	3670
$C_3H_3NS^+$	C_3H_3NS (Isothiazole) (RN-CAS Registry Number 288-16-4)	**	9.55	PE	3587
$C_3H_3NS^+$	C_3H_3NS (Isothiazole) (RN-CAS Registry Number 288-16-4)	**	9.55	PE	3736
$C_3H_3NS^+$	C_3H_3NS (Isothiazole) (RN-CAS Registry Number 288-16-4)	**	9.80	EI	3587
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 3-methyl-) (RN-CAS Registry Number 693-92-5)	**	9.60	EI	3587
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 4-methyl-) (RN-CAS Registry Number 693-90-3)	**	9.25	PE	3587
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 4-methyl-) (RN-CAS Registry Number 693-90-3)	**	9.25	PE	3736
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 4-methyl-) (RN-CAS Registry Number 693-90-3)	**	9.65	EI	3587
$C_4H_5NS^+$	$C_3H_2NS(CH_3)$ (Isothiazole, 5-methyl-) (RN-CAS Registry Number 693-97-0)	**	9.65	EI	3587

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5H_3NS^+$	C_4H_3SCN (2-Thiophenecarbonitrile) (RN-CAS Registry Number 1003-31-2)	**	9.83 ± 0.05	EI	3482
$C_5H_5NS^+$	$C_5H_4N(SH)$ (2-Pyridinethiol) (RN-CAS Registry Number 2637-34-5)	**	8.92 ± 0.02	EI	3636
$C_5H_5NS^+$	$C_5H_4N(SH)$ (3-Pyridinethiol) (RN-CAS Registry Number 16133-26-9)	**	9.41 ± 0.02	EI	3636
$C_5H_5NS^+$	$C_5H_4N(SH)$ (4-Pyridinethiol) (RN-CAS Registry Number 4556-23-4)	**	9.50 ± 0.02	EI	3636
$C_6H_7NS^+$	$C_5H_4N(SCH_3)$ (Pyridine, 2-(methylthio)-) (RN-CAS Registry Number 18438-38-5)	**	8.47 ± 0.02	EI	3636
$C_6H_7NS^+$	$C_5H_4N(SCH_3)$ (Pyridine, 3-(methylthio)-) (RN-CAS Registry Number 18794-33-7)	**	8.93 ± 0.02	EI	3636
$C_6H_7NS^+$	$C_5H_4N(SCH_3)$ (Pyridine, 4-(methylthio)-) (RN-CAS Registry Number 22581-72-2)	**	9.00 ± 0.02	EI	3636
$C_6H_7NS^+$	$C_5H_4N(=S)CH_3$ (2(1H)-Pyridinethione, 1-methyl-) (RN-CAS Registry Number 2044-27-1)	**	7.84 ± 0.02	EI	3636
$C_6H_7NS^+$	$C_5H_4N(=S)CH_3$ (4(1H)-Pyridinethione, 1-methyl-) (RN-CAS Registry Number 6887-59-8)	**	7.54 ± 0.02	EI	3636
$C_{10}H_9NS^+$	$C_6H_5CH_2(C_3H_2NS)$ (Isothiazole, 4-(phenylmethyl)-) (RN-CAS Registry Number 36412-26-7)	**	9.05	PE	3587
$C_{10}H_9NS^+$	$C_6H_5CH_2(C_3H_2NS)$ (Isothiazole, 4-(phenylmethyl)-) (RN-CAS Registry Number 36412-26-7)	**	9.35	EI	3587
$C_{10}H_9NS^+$	$C_3H_2NSCH_2C_6H_5$ (Isothiazole, 4-(phenylmethyl)-) (RN-CAS Registry Number 36412-26-7)	**	9.05	PE	3736
$C_{12}H_9NS^+$	$C_{12}H_9NS$ (10H-Phenothiazine) (RN-CAS Registry Number 92-84-2)	**	6.74 ± 0.07	CTS	4079
$C_{12}H_9NS^+$	$C_{12}H_9NS$ (10H-Phenothiazine) (RN-CAS Registry Number 92-84-2)	**	6.87	CTS	4035
$C_{13}H_{11}NS^+$	$C_{12}H_8NSCH_3$ (10H-Phenothiazine, 10-methyl-) (RN-CAS Registry Number 1207-72-3)	**	6.73 ± 0.07	CTS	4079

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_6N_2S^+$	$C_2H_3N_2SCH_3$ (1,2,5-Thia(S^{IV})diazole, 3,4-dihydro-3-methyl-) (RN-CAS Registry Number 24692-43-1)	**	8.92 (V)	PE	4024
$C_4H_2N_2S^+$	$C_3H_2NS(CN)$ (4-Isothiazolecarbonitrile) (RN-CAS Registry Number 3912-37-6)	**	10.55	EI	3587
$C_4H_8N_2S^+$	$C_2H_2N_2S(CH_3)_2$ (1,2,5-Thia(S^{IV})diazole, 3,4-dihydro-3,3-dimethyl-) (RN-CAS Registry Number 24692-45-3)	**	9.62 (V)	PE	4024
$C_6H_4N_2S^+$	$C_6H_4N_2S$ (1,2,3-Benzothiadiazole) (RN-CAS Registry Number 273-77-8)	**	9.15 (V)	PE	3852
$C_6H_4N_2S^+$	$C_6H_4N_2S$ (2,1,3-Benzothiadiazole) (RN-CAS Registry Number 273-13-2)	**	8.98	PE	4017
$C_6H_4N_2S^+$	$C_6H_4N_2S$ (2,1,3-Benzothiadiazole) (RN-CAS Registry Number 273-13-2)	**	9.00 (V)	PE	3852
$C_8H_{18}N_2S^+$	$((CH_3)_3CN)_2S$ (RN-CAS Registry Number 2056-74-8)	**	8.65 (V)	PE	4024
$C_{16}H_{18}N_2S^+$	$C_{12}H_8NSCH_2CH_2N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-ethanamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 522-24-7) (ON-Other name: Ethizine)	**	8.25 ± 0.07	CTS	4079
$C_{17}H_{20}N_2S^+$	$C_{12}H_8NS(CH_2)_3N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-propanamine, <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 58-40-2) (ON-Other name: Promazine)	**	8.22 ± 0.07	CTS	4079
$C_{18}H_{22}N_2S^+$	$C_{12}H_8NSCH_2CH_2N(C_2H_5)_2$ (10 <i>H</i> -Phenothiazine-10-ethanamine, <i>N,N</i> -diethyl-) (RN-CAS Registry Number 60-91-3) (ON-Other name: Dinezine)	**	7.85 ± 0.07	CTS	4079
$C_{20}H_{25}N_3S^+$	$C_{12}H_8NS(CH_2)_3C_4H_8N_2CH_3$ (10 <i>H</i> -Phenothiazine, 10-[3-(4-methyl-1-piperazinyl)propyl]-) (RN-CAS Registry Number 84-97-9) (ON-Other name: Perazine)	**	6.87 ± 0.07	CTS	4079
$SO^+(^2\Pi)$ (RD-Radical)	$SO(^3\Sigma^-)$ (RN-CAS Registry Number 13827-32-2)	**	10.32	PE	3701
$SO^+(^4\Pi)$ (RD-Radical)	$SO(^3\Sigma^-)$ (RN-CAS Registry Number 13827-32-2)	**	~ 11.3	PE	3701

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SO}^+(\text{}^4\Sigma^-)$	$\text{SO}(\text{}^3\Sigma^-)$ (RN-CAS Registry Number 13827-32-2)	**	14.96	PE	3701
(RD-Radical)					
SO^+	SO (RN-CAS Registry Number 13827-32-2)	**	10.28 ± 0.02	EI	3816
(RD-Radical)					
SO^+	COS (RN-CAS Registry Number 463-58-1)	C	19.8	EI	3779
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	12.3	PE	3865
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	12.31	PE	4092
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	12.50 (V)	PE	3879
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	12.54 (V)	PE	4024
$\text{SO}_2(\text{}^2A_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.01 (V)	PE	4092
$\text{SO}_2(\text{}^2A_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.24 (V)	PE	3879
$\text{SO}_2(\text{}^2A_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.25 (V)	PE	4024
$\text{SO}_2(\text{}^2B_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.30 (V)	PE	4092
$\text{SO}_2(\text{}^2B_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.47 (V)	PE	3879
$\text{SO}_2(\text{}^2B_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	13.56 (V)	PE	4024
$\text{SO}_2(\text{}^2B_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	15.99	PE	3879
$\text{SO}_2(\text{}^2B_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	15.992 ± 0.003	PE	3865
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	16.324 ± 0.004	PE	3865
$\text{SO}_2(\text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	16.33	PE	3879
$\text{SO}_2(\text{}^2B_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	16.498 ± 0.004	PE	3865
$\text{SO}_2(\text{}^2B_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	16.57 (V)	PE	4092
$\text{SO}_2(\text{}^2B_1, \text{}^2B_2)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	~ 16.6 (V)	PE	4024
$\text{SO}_2(\text{}^2B_2, \text{}^2A_1)$	SO_2 (RN-CAS Registry Number 7446-09-5)	**	16.65 (V)	PE	4092
SO_2^*	SO_2 (RN-CAS Registry Number 7446-09-5)	**	20.06 ± 0.05	PE	3865
$\text{S}_2\text{O}^+(\text{}^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	10.52	PE	4092
$\text{S}_2\text{O}^+(\text{}^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	10.53 ± 0.02	PE	3841

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	10.62	PE	3692
$S_2O^+(^2A'')$	SSO (RN-CAS Registry Number 20901-21-7)	**	11.22	PE	4092
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	11.25 ± 0.02	PE	3841
$S_2O^+(^2A'')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	11.31 ± 0.02	PE	3841
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	11.32	PE	3692
$S_2O^+(^2A')$	SSO (RN-CAS Registry Number 20901-21-7)	**	11.34	PE	4092
$S_2O^+(^2A'')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	11.37	PE	3692
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	14.3 ± 0.02	PE	3841
$S_2O^+(^2A'')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	14.3	PE	3692
$S_2O^+(^2A'')$	SSO (RN-CAS Registry Number 20901-21-7)	**	14.62 (V)	PE	4092
$S_2O^+(^2A')$	SSO (RN-CAS Registry Number 20901-21-7)	**	14.84 (V)	PE	4092
$S_2O^+(^2A'')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	14.9 ± 0.02	PE	3841
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	15.5 ± 0.02	PE	3841
$S_2O^+(^2A')$	S_2O (RN-CAS Registry Number 20901-21-7)	**	15.5	PE	3692
$S_2O^+(^2A')$	SSO (RN-CAS Registry Number 20901-21-7)	**	15.80 (V)	PE	4092
$S_2O^+(^2A')$	SSO (RN-CAS Registry Number 20901-21-7)	**	18.50 (V)	PE	4092
$COS^+(X^2\Pi)$	COS (RN-CAS Registry Number 463-58-1)	**	11.18 ± 0.01	PE	3965
$COS^+(X^2\Pi_{3/2})$	COS (RN-CAS-Registry Number 463-58-1)	**	11.22	PE	4073
$COS^+(A^2\Pi)$	COS (RN-CAS Registry Number 463-58-1)	**	15.09 ± 0.01	PE	3965
$COS^+(B^2\Sigma^+)$	COS (RN-CAS Registry Number 463-58-1)	**	16.05 ± 0.01	PE	3965
$COS^+(C^2\Sigma^+)$	COS (RN-CAS Registry Number 463-58-1)	**	17.96 ± 0.01	PE	3965
COS^+	COS (RN-CAS Registry Number 463-58-1)	**	11.3	EI	3779
CH_2OS^+	C_3H_6OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	C_2H_4	10.4 ± 0.3	EI	3598

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_4OS^+$	C_2H_4SO (Thiirane, 1-oxide) (RN-CAS Registry Number 7117-41-1)	**	9.66 (V)	PE	3646
$C_2H_6OS^+$	$(CH_3)_2SO$ (RN-CAS Registry Number 67-68-5)	**	9.01 (V)	PE	3646
$C_2H_6OS^+$	$(CH_3)_2SO$ (RN-CAS Registry Number 67-68-5)	**	9.11 (V)	PE	3705
$C_2H_6OS^+$	$(CH_3)_2SO$ (Sulfinylbis(methane)) (RN-CAS Registry Number 67-68-5)	**	9.20 ± 0.05	EI	3498
$C_3H_5OS^+$	C_3H_6OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	H	10.8 ± 0.1	EI	3598
$C_3H_6OS^+$	C_3H_6OS (1,3-Oxathiolane) (RN-CAS Registry Number 2094-97-5)	**	9 ± 0.05	EI	3598
$C_4H_8OS^+$	C_4H_8OS (1,4-Oxathiane) (RN-CAS Registry Number 15980-15-1)	**	8.67 (V)	PE	3733
$C_4H_8OS^+$	C_4H_8SO (Thiophene, tetrahydro-1-oxide) (RN-CAS Registry Number 1600-44-8)	**	8.77 (V)	PE	3646
$C_4H_8OS^+$	C_4H_8SO (Thiophene, tetrahydro-, 1-oxide) (RN-CAS Registry Number 1600-44-8)	**	9.07 ± 0.05	EI	3498
$C_4H_8OS^+$	$C_5H_{10}O_2S$ (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0)	HCHO	9.1 ± 0.01	EI	3903
(MT—Metastable transition(s) observed)					
(TR—Other product(s) thermochemically reasonable)					
$C_4H_{10}OS^+$	$(CH_3CH_2)_2SO$ (RN-CAS Registry Number 70-29-1)	**	8.76 (V)	PE	3646
$C_5H_4OS^+$	C_4H_3SCHO (2-Thiophenecarboxaldehyde) (RN-CAS Registry Number 98-03-3)	**	9.55 ± 0.05	EI	3482
$C_5H_6OS^+$	$C_4H_3SOCH_3$ (Thiophene, 2-methoxy-) (RN-CAS Registry Number 16839-97-7)	**	8.30 ± 0.05	EI	3482
$C_6H_6OS^+$	$C_4H_3SCOCH_3$ (Ethanone, 1-(2-thienyl)-) (RN-CAS Registry Number 88-15-3)	**	9.20 ± 0.05	EI	3482

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_6OS^+$	$C_4H_3SCOCH_3$ (Ethanone, 1-(3-thienyl)-) (RN-CAS Registry Number 1468-83-3)	**	9.32 ± 0.05	EI	3482
$C_6H_{11}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 α ,6 α)-) (RN-CAS Registry Number 22521-88-6)	CH_3	8.54 ± 0.01	EI	3803
$C_6H_{11}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 α ,6 β)-) (RN-CAS Registry Number 22425-91-8)	CH_3	8.67	EI	3803
$C_6H_{11}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 β ,6 α)-) (RN-CAS Registry Number 22425-90-7)	CH_3	8.64	EI	3803
$C_6H_{12}OS^+$	$C_4H_6OS(CH_3)_2$ (1,3-Oxathiane, 4,6-dimethyl-, <i>cis</i> -) (RN-CAS Registry Number 22452-25-1)	**	8.75	EI	3803
$C_6H_{12}OS^+$	$C_4H_6OS(CH_3)_2$ (1,3-Oxathiane, 4,6-dimethyl-, <i>trans</i> -) (RN-CAS Registry Number 22452-26-2)	**	8.67 ± 0.01	EI	3803
$C_6H_{14}OS^+$	$((CH_3)_2CH)_2SO$ (RN-CAS Registry Number 2211-89-4)	**	8.46 (V)	PE	3646
$C_7H_{13}OS^+$	$C_4H_4OS(CH_3)_4$ (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>cis</i> -) (RN-CAS Registry Number 34560-79-7)	CH_3	8.63 ± 0.01	EI	3803
$C_7H_{13}OS^+$	$C_4H_4OS(CH_3)_4$ (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>trans</i> -) (RN-CAS Registry Number 34560-78-6)	CH_3	8.54 ± 0.01	EI	3803
$C_7H_{14}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 α ,6 α)-) (RN-CAS Registry Number 22521-88-6)	**	8.55	EI	3803
$C_7H_{14}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 α ,6 β)-) (RN-CAS Registry Number 22425-91-8)	**	8.54	EI	3803
$C_7H_{14}OS^+$	$C_4H_5OS(CH_3)_3$ (1,3-Oxathiane, 2,4,6-trimethyl-, (2 α ,4 β ,6 α)-) (RN-CAS Registry Number 22425-90-7)	**	8.58	EI	3803
$C_8H_{16}OS^+$	$C_4H_4OS(CH_3)_4$ (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>cis</i> -) (RN-CAS Registry Number 34560-79-7)	**	8.48 ± 0.02	EI	3803
$C_8H_{16}OS^+$	$C_4H_4OS(CH_3)_4$ (1,3-Oxathiane, 2,2,4,6-tetramethyl-, <i>trans</i> -) (RN-CAS Registry Number 34560-78-6)	**	8.45 ± 0.01	EI	3803
$C_8H_{18}OS^+$	$((CH_3)_3C)_2SO$ (RN-CAS Registry Number 2211-92-9)	**	8.18 (V)	PE	3646

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{10}OS^+$	$(C_6H_5)_2SO$ (RN-CAS Registry Number 945-51-7)	**	9.02 ± 0.05	EI	3498
$C_2H_6O_2S^+$	$(CH_3)_2SO_2$ (RN-CAS Registry Number 67-71-0)	**	10.80 (V)	PE	3993
$C_2H_6O_2S^+$	$(CH_3)_2SO_2$ (RN-CAS Registry Number 67-71-0)	**	10.97 (V)	PE	3705
$C_3H_6SO_2^+$	$CH_2=CHS(CH_3)O_2$ (RN-CAS Registry Number 3680-02-2)	**	10.82 (V)	PE	3993
$C_4H_6SO_2^+$	$(C_2H_3)_2SO_2$ (RN-CAS Registry Number 77-77-0)	**	10.62 (V)	PE	3993
$C_5H_4O_2S^+$	C_4H_3SCOOH (2-Thiophenecarboxylic acid) (RN-CAS Registry Number 527-72-0)	**	9.35	EI	3804
$C_5H_{10}O_2S^+$	$C_5H_{10}O_2S$ (1,3,6-Dioxathiocane) (RN-CAS Registry Number 2094-92-0)	**	8.67 ± 0.05	EI	3903
$C_6H_6O_2S^+$	$C_4H_3SCOOCH_3$ (2-Thiophenecarboxylic acid, methyl ester) (RN-CAS Registry Number 5380-42-7)	**	9.22 ± 0.05	EI	3482
$C_{14}H_9O_2S^+$	$C_6H_4(COSC_6H_5)_2$ (1,2-Benzenedicarbothioic acid <i>S,S</i> -diphenyl ester) (RN-CAS-Registry Number 42797-33-1)	C_6H_5S	10.3 ± 0.2	EI	4062
$C_{14}H_9O_2S^+$	$C_8H_4O(=O)(SC_6H_5)_2$ (1(3 <i>H</i>)-Isobenzofuranone, 3,3-bis(phenylthio)-) (RN-CAS-Registry Number 4792-31-8)	C_6H_5S	10.3 ± 0.2	EI	4062
$C_{15}H_{11}O_2S^+$	$C_6H_4(COSC_6H_4CH_3)_2$ (1,2-Benzenedicarbothioic acid <i>S,S</i> -bis(4-methylphenyl)ester) (RN-CAS-Registry Number 42797-34-2)	$C_6H_4(S)CH_3$	10.1 ± 0.2	EI	4062
$C_{15}H_{11}O_2S^+$	$C_8H_4O(=O)(SC_6H_4CH_3)_2$ (1(3 <i>H</i>)-Isobenzofuranone, 3,3-bis[(4-methylphenyl)thio]-) (RN-CAS-Registry Number 42797-36-4)	$C_6H_4(S)CH_3$	9.9 ± 0.2	EI	4062
$C_2H_4O_3S^+$	$C_2H_4O_2SO$ (1,3,2-Dioxathiolane 2-oxide) (RN-CAS Registry Number 3741-38-6)	**	10.93 (V)	PE	3646
$C_2H_4O_3S^+$	$C_2H_4O_2SO$ (1,3,2-Dioxathiolane 2-oxide) (RN-CAS Registry Number 3741-38-6)	**	10.30 ± 0.05	EI	3498
$C_2H_6O_3S^+$	$(CH_3O)_2SO$ (RN-CAS Registry Number 616-42-2)	**	10.25 (V)	PE	3646

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_3NSO^+$	$C_3H_2NS(CHO)$ (5-Isothiazolecarboxaldehyde) (RN-CAS Registry Number 5242-57-9)	**	10.25	EI	3587
$C_4H_9NOS^+$	$(CH_3)_3CNSO$ (RN-CAS Registry Number 38662-39-4)	**	10.54 (V)	PE	4024
$C_6H_7NOS^+$	$C_5H_2NH(=S)(OH)CH_3$ (2(1 <i>H</i>)-Pyridinethione, 3-hydroxy-6-methyl-) (RN-CAS Registry Number 22989-67-9)	**	8.04 ± 0.05	EI	3635
$C_6H_7NOS^+$	$C_5H_3N(OH)SCH_3$ (3-Pyridinol, 2-(methylthio)-) (RN-CAS Registry Number 32637-37-9)	**	8.53 ± 0.05	EI	3977
$C_6H_{11}NOS^+$	$C_6H_{11}NSO$ (Cyclohexanamine, <i>N</i> -sulfinyl-) (RN-CAS Registry Number 30980-11-1)	**	~ 10.0 (V)	PE	4024
$C_7H_5NOS^+$	$C_7H_5NS(O)$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3-hydroxy-, hydroxide, inner salt) (RN-CAS Registry Number 42715-25-3)	**	6.92 ± 0.05	EI	3977
$C_7H_9NOS^+$	$C_5H_2N(OH)(CH_3)SCH_3$ (3-Pyridinol, 6-methyl-2-(methylthio)-) (RN-CAS Registry Number 23003-25-0)	**	8.24 ± 0.05	EI	3635
$C_8H_7NOS^+$	$C_7H_4NS(O)CH_3$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3-hydroxy-2-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 35143-56-7)	**	6.82 ± 0.05	EI	3977
$C_8H_7NOS^+$	$C_7H_4NS(O)CH_3$ (Thiazolo[3,2- <i>a</i>]pyridinium, 8-hydroxy-5-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 30277-17-9)	**	7.03 ± 0.05	EI	3635
$C_8H_9NOS^+$	$C_7H_6NOS(CH_3)$ (1,4-Oxathiino[3,2- <i>b</i>]pyridine, 2,3-dihydro-6-methyl-) (RN-CAS Registry Number 35688-70-1)	**	8.03 ± 0.05	EI	3635
$C_8H_9NOS^+$	$C_5H_2N(=S)(OH)(CH_3)C_2H_5$ (2(1 <i>H</i>)-Pyridinethione, 1-ethenyl-3-hydroxy-6-methyl-) (RN-CAS Registry Number 35688-69-8)	**	7.73 ± 0.05	EI	3635
$C_8H_9NOS^+$	$C_7H_6NS(O)CH_3$ (Thiazolo[3,2- <i>a</i>]pyridinium, 2,3-dihydro-8-hydroxy-5-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 23003-43-2)	**	7.35 ± 0.05	EI	3635
$C_8H_{11}NOS^+$	$C_5H_2N(=S)(OH)(CH_3)C_2H_5$ (2(1 <i>H</i>)-Pyridinethione, 1-ethyl-3-hydroxy-6-methyl-) (RN-CAS Registry Number 24207-15-6)	**	7.75 ± 0.05	EI	3635
$C_{13}H_9NOS^+$	$C_7H_4NS(O)C_6H_5$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3-hydroxy-2-phenyl-, hydroxide, inner salt) (RN-CAS Registry Number 32044-03-4)	**	6.70 ± 0.05	EI	3977

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_2N_2OS^+$	C_3H_2NSNO (Isothiazole, 4-nitro-) (RN-CAS Registry Number 931-07-7)	**	10.45	PE	3736
$C_4H_{12}N_2OS^+$	$((CH_3)_2N)_2SO$ (RN-CAS Registry Number 3768-60-3)	**	8.53 (V)	PE	3646
$C_{17}H_{18}N_2OS^+$	$C_{12}H_8NSCOCH_2CH_2N(CH_3)_2$ (10 <i>H</i> -Phenothiazine, 10-[3-(dimethylamino)-1-oxopropyl]-) (RN-CAS Registry Number 3576-44-1)	**	8.26 ± 0.07	CTS	4079
$C_{18}H_{22}N_2OS^+$	$C_{12}H_7NS(OCH_3)CH_2CH(CH_3)N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-ethanamine, 2-methoxy- <i>N,N</i> , α -trimethyl-) (RN-CAS Registry Number 7624-74-0) (ON-Other name: Thisercine)	**	8.18 ± 0.07	CTS	4079
$C_{19}H_{22}N_2OS^+$	$C_{12}H_8NSCOCH_2CH_2N(C_2H_5)_2$ (10 <i>H</i> -Phenothiazine, 10-[3-(diethylamino)-1-oxopropyl]-) (RN-CAS Registry Number 3576-47-4) (ON-Other name: Acizine)	**	7.85 ± 0.07	CTS	4079
$C_{20}H_{24}N_2OS^+$	$C_{12}H_8NSCO(CH_2)_3N(C_2H_5)_2$ (10 <i>H</i> -Phenothiazine, 10-[4-(diethylamino)-1-oxobutyl]-) (RN-CAS Registry Number 51307-45-0)	**	7.88 ± 0.07	CTS	4079
$C_{19}H_{23}N_3OS^+$	$C_{12}H_7NS(CH_3)NHCOCH_2N(C_2H_5)_2$ (Acetamide, 2-(diethylamino)- <i>N</i> -(10-methyl-10 <i>H</i> -phenothiazin-3-yl)-) (RN-CAS Registry Number 1952-62-1)	**	7.13 ± 0.07	CTS	4079
$C_{22}H_{27}N_3OS^+$	$C_{22}H_{27}N_3OS$ (Ethanone, 1-[10-[3-(4-methyl-1-piperazinyl)propyl]-10 <i>H</i> -phenothiazin-2-yl]-) (RN-CAS Registry Number 1053-74-3)	**	9.05 ± 0.07	CTS	4079
$C_{23}H_{29}N_3OS^+$	$C_{23}H_{29}N_3OS$ (1-Propanone, 1-[10-[3-(4-methyl-1-piperazinyl)propyl]-10 <i>H</i> -phenothiazin-2-yl]-) (RN-CAS Registry Number 20686-45-7)	**	9.08 ± 0.07	CTS	4079
$C_3H_7NO_2S^+$	$SHCH_2CH(NH_2)COOH$ (RN-CAS Registry Number 3374-22-9)	**	~ 9	PI	3766
$C_4H_3NO_2S^+$	$C_4H_3SNO_2$ (Thiophene, 2-nitro-) (RN-CAS Registry Number 609-40-5)	**	9.77 ± 0.05	EI	3482
$C_5H_{11}NO_2S^+$	$CH_3SCH_2CH_2CH(NH_2)COOH$ (RN-CAS Registry Number 59-51-8)	**	~ 9	PI	3766
$C_7H_5NO_2S^+$	$C_7H_4NS(O)OH$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3,8-dihydroxy-, hydroxide, inner salt) (RN-CAS Registry Number 35143-55-6)	**	8.70 ± 0.05	EI	3977

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_7NO_2S^+$	$C_7H_3NS(O)(OH)CH_3$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3,8-dihydroxy-2-methyl-, hydroxide, inner salt) (RN-CAS Registry Number 35191-20-9)	**	8.60 ± 0.05	EI	3977
$C_8H_9NO_2S^+$	$C_5H_3N(SCH_3)OCOCH_3$ (3-Pyridinol, 2-(methylthio)- acetate (ester)) (RN-CAS Registry Number 42715-30-0)	**	7.91 ± 0.05	EI	3977
$C_{13}H_9NO_2S^+$	$C_7H_3NS(O)(OH)C_6H_5$ (Thiazolo[3,2- <i>a</i>]pyridinium, 3,8-dihydroxy-2-phenyl-, hydroxide, inner salt) (RN-CAS Registry Number 35143-57-8)	**	8.42 ± 0.05	EI	3977
$C_3H_2N_2O_2S^+$	$C_3H_2NS(NO_2)$ (Isothiazole, 4-nitro-) (RN-CAS Registry Number 931-07-7)	**	10.45	PE	3587
$C_3H_2N_2O_2S^+$	$C_3H_2NS(NO_2)$ (Isothiazole, 4-nitro-) (RN-CAS Registry Number 931-07-7)	**	10.80	EI	3587
$C_{15}H_{11}NO_3S^+$	$C_7H_3NOS(OCOCH_3)C_6H_5$ (Thiazolo[3,2- <i>a</i>]pyridinium, 8-(acetyloxy)-3-hydroxy-2-phenyl-, hydroxide, inner salt) (RN-CAS Registry Number 32002-92-9)	**	6.27 ± 0.05	EI	3977
$C_{22}H_{30}N_4O_2S_2^+$	$C_{22}H_{30}N_4O_2S_2$ (10 <i>H</i> -Phenothiazine-2-sulfonamide, <i>N,N</i> -dimethyl-10[3-(4-methyl-1-piperazinyl)propyl]-) (RN-CAS Registry Number 316-81-4) (ON-Other name: Majeptil)	**	6.81 ± 0.07	CTS	4079
SF^+ (RD-Radical)	SF (RN-CAS Registry Number 16068-96-5)	**	10.09 ± 0.10	EI	3818
SF^+	SF ₆ (RN-CAS Registry Number 2551-62-4)		30.5 ± 0.5	EI	3818
SF_2^+ (RD-Radical)	SF ₂ (RN-CAS Registry Number 13814-25-0)	**	10.29 ± 0.10	EI	3818
SF_2^+	SF ₄ (RN-CAS Registry Number 7783-60-0)		17.4 ± 0.5	EI	3818
SF_2^+	SF ₆ (RN-CAS Registry Number 2551-62-4)		27.5 ± 0.5	EI	3818
SF_2^+	S ₂ F ₂ (RN-CAS Registry Number 13709-35-8)		16.2 ± 0.4	EI	3738
SF_3^+	SF ₄ (RN-CAS Registry Number 7783-60-0)	F	12.63 ± 0.10	EI	3818
SF_3^+	SF ₆ (RN-CAS Registry Number 2551-62-4)		20.0 ± 0.5	EI	3818
SF_4^+	SF ₄ (RN-CAS Registry Number 7783-60-0)	**	12.03 ± 0.05	EI	3578

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SF_4^+	SF_4 (RN-CAS Registry Number 7783-60-0)	**	12.08 ± 0.10	EI	3818
SF_4^+	SF_6 (RN-CAS Registry Number 2551-62-4)	2F	18.44 ± 0.10	EI	3818
SF_5^+	SF_6 (RN-CAS Registry Number 2551-62-4)	F	15.50 ± 0.10	EI	3818
S_2F^+	S_2F_2 (RN-CAS Registry Number 13709-35-8)		14.0 ± 0.4	EI	3738
S_2F_2^+	S_2F_2 (RN-CAS Registry Number 13709-35-8)	**	11.6 ± 0.4	EI	3738
$\text{CF}_2\text{S}^+(\text{}^2\text{B}_2)$	F_2CS (RN-CAS Registry Number 420-32-6)	**	10.45 ± 0.01	PE	3708
$\text{CF}_2\text{S}^+(\text{}^2\text{B}_2)$	F_2CS (RN-CAS Registry Number 420-32-6) (HB-Threshold value approximately corrected for hot bands)	**	10.52	PE	4080
CSF_2^+	F_2CS (RN-CAS Registry Number 420-32-6)	**	10.64 (V)	PE	3746
$\text{CF}_2\text{S}^+(\text{}^2\text{B}_1)$	F_2CS (RN-CAS Registry Number 420-32-6)	**	11.34 ± 0.01	PE	3708
$\text{CF}_2\text{S}^+(\text{}^2\text{B}_1)$	F_2CS (RN-CAS Registry Number 420-32-6)	**	11.39	PE	4080
$\text{CF}_2\text{S}^+(\text{}^2\text{A}_1)$	F_2CS (RN-CAS Registry Number 420-32-6)	**	14.87	PE	3708
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6) (HB-Threshold value approximately corrected for hot bands)	**	14.91	PE	4080
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6)	**	15.87 (V)	PE	4080
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6)	**	16.48 (V)	PE	4080
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6)	**	17.65	PE	3708
$\text{CF}_2\text{S}^+(\text{}^2\text{B}_1)$	F_2CS (RN-CAS Registry Number 420-32-6)	**	17.67 (V)	PE	4080
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6)	**	18.76 (V)	PE	4080
CF_2S^{+*}	F_2CS (RN-CAS Registry Number 420-32-6)	**	19.20 (V)	PE	4080
CF_2S^+	F_2CS (RN-CAS Registry Number 420-32-6)	**	10.53 ± 0.10	EI	3818
$\text{NSF}^+(\text{}^2\text{A}')$	NSF (RN-CAS Registry Number 18820-63-8)	**	11.49 ± 0.02	PE	3665
$\text{NSF}^+(\text{}^2\text{A}')$	NSF (RN-CAS Registry Number 18820-63-8)	**	11.54 ± 0.01	PE	3666
$\text{NSF}^+(\text{}^2\text{A}')$	NSF (RN-CAS Registry Number 18820-63-8)	**	11.82 (V)	PE	3518

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	11.82 (V)	PE	3660
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.382±0.004	PE	3666
(HB-Threshold value approximately corrected for hot bands) NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.39±0.02	PE	3665
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.50 (V)	PE	3518
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.50 (V)	PE	3660
NSF ⁺ (² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.775±0.005	PE	3666
NSF ⁺ (² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.78±0.02	PE	3665
NSF ⁺ (² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.87 (V)	PE	3518
NSF ⁺ (² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	13.87 (V)	PE	3660
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	14.93±0.01	PE	3666
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	15.35±0.02	PE	3665
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	15.61 (V)	PE	3518
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	15.61 (V)	PE	3660
NSF ⁺ (² A', ² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	~ 16.3	PE	3665
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	16.47 (V)	PE	3518
NSF ⁺ (² A'')	NSF (RN-CAS Registry Number 18820-63-8)	**	16.56±0.03 (V)	PE	3666
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	17.24±0.08 (V)	PE	3666
NSF ⁺ (² A')	NSF (RN-CAS Registry Number 18820-63-8)	**	21.1±0.1 (V)	PE	3666
NSF ₃ ⁺ (² E)	NSF ₃ (RN-CAS Registry Number 15930-75-3)	**	12.50 (V)	PE	3660
NSF ₃ ⁺ (² A ₁)	NSF ₃ (RN-CAS Registry Number 15930-75-3)	**	14.15 (V)	PE	3660
NSF ₃ ⁺ (² E)	NSF ₃ (RN-CAS Registry Number 15930-75-3)	**	16.65 (V)	PE	3660
NSF ₃ ⁺ (² A ₂ ?)	NSF ₃ (RN-CAS Registry Number 15930-75-3)	**	18.35 (V)	PE	3660
C ₂₁ H ₂₄ N ₃ F ₃ S ⁺	C ₁₂ H ₇ NS(CF ₃)(CH ₂) ₃ C ₄ H ₈ N ₂ CH ₃ ** (10 <i>H</i> -Phenothiazine, 10-[3-(4-methyl-1-piperazinyl)propyl]-2-(trifluoromethyl)-) (RN-CAS Registry Number 117-89-5) (ON-Other name: Triphthazine)	**	7.10±0.07	CTS	4079

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SO}_3\text{F}^+(\text{}^2\text{A}_2)$ (RD-Radical)	SO_3F (RN-CAS Registry Number 21549-02-0)	**	12.85 ± 0.1 (V)	PE	3671
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	12.19	PE	3705
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	12.25	PE	3879
SOF_2^+	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	12.58 (V)	PE	3646
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	12.6 (V)	PE	3694
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	~ 13.4	PE	3879
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	14.04 (V)	PE	3705
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	14.14 (V)	PE	3694
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	14.54	PE	3705
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	14.55	PE	3879
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	14.8 (V)	PE	3694
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	16.2 (V)	PE	3694
SOF_2^*	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	16.4 (V)	PE	3705
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	16.6 (V)	PE	3879
SOF_2^*	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	16.97 (V)	PE	3705
$\text{SOF}_2^+(\text{}^2\text{A}'')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	17.0 (V)	PE	3694
$\text{SOF}_2^+(\text{}^2\text{A}')$	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	17.0 (V)	PE	3879
SOF_2^*	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	18.03	PE	3705
SOF_2^+	SOF_2 (RN-CAS Registry Number 7783-42-8)	**	12.58 ± 0.10	EI	3818
$\text{SO}_2\text{F}_2^+(\text{}^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	~ 13.0	PE	3879
$\text{SO}_2\text{F}_2^+(\text{}^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.04 ± 0.01	PE	3675
$\text{SO}_2\text{F}_2^+(\text{}^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.43 (V)	PE	3705
$\text{SO}_2\text{F}_2^+(\text{}^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.55	PE	3879
$\text{SO}_2\text{F}_2^+(\text{}^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.55 (V)	PE	3694

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SO}_2\text{F}_2(^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.57±0.02	PE	3675
$\text{SO}_2\text{F}_2(^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.61 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	13.78 (V)	PE	3705
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	14.8	PE	3705
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	14.85±0.01	PE	3675
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	14.89	PE	3879
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	15.18 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	15.181±0.006	PE	3675
$\text{SO}_2\text{F}_2(^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	15.23	PE	3879
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	15.30 (V)	PE	3705
$\text{SO}_2\text{F}_2(^2\text{A}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	15.35 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	16.676±0.005	PE	3675
(HB-Threshold value approximately corrected for hot bands)					
SO_2F_2^*	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	16.68	PE	3705
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	16.68	PE	3879
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	16.68 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	17.89	PE	3879
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	18.07±0.03	PE	3675
SO_2F_2^*	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	18.29 (V)	PE	3705
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	18.34 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	19.175±0.007	PE	3675
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	19.699±0.007	PE	3675
$\text{SO}_2\text{F}_2(^2\text{B}_2)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	19.70	PE	3879
SO_2F_2^*	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	19.80 (V)	PE	3705
SO_2F_2^*	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	19.89 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	20.5	PE	3879

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SO_2F_2^+	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	~21 (V)	PE	3694
$\text{SO}_2\text{F}_2(^2\text{A}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	24.2 ± 0.1 (V)	PE	3675
$\text{SO}_2\text{F}_2(^2\text{B}_1)$	SO_2F_2 (RN-CAS Registry Number 2699-79-8)	**	27.7 ± 0.1 (V)	PE	3675
$\text{CH}_3\text{O}_2\text{FS}^+$	$\text{CH}_3\text{SO}_2\text{F}$ (RN-CAS Registry Number 558-25-8)	**	12.61 (V)	PE	3705
$\text{C}_6\text{H}_3\text{OF}_3\text{S}^+$	$\text{C}_4\text{H}_3\text{SCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(2-thienyl)-) (RN-CAS Registry Number 651-70-7)	**	9.70 ± 0.05	EI	3482
$\text{C}_6\text{H}_3\text{OF}_3\text{S}^+$	$\text{C}_4\text{H}_3\text{SCOCF}_3$ (Ethanone, 2,2,2-trifluoro-1-(3-thienyl)-) (RN-CAS Registry Number 30933-31-4)	**	9.63 ± 0.05	EI	3482
$\text{C}_{20}\text{H}_{21}\text{N}_2\text{OF}_3\text{S}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CF}_3)\text{COCH}_2\text{CH}_2\text{N}(\text{C}_2\text{H}_5)_2^*$ (10 <i>H</i> -Phenothiazine, 10-[3-(diethylamino)-1-oxopropyl]-2-(trifluoromethyl)-) (RN-CAS Registry Number 30223-48-4) (ON-Other name: Fluoracizine)		7.89 ± 0.07	CTS	4079
$\text{C}_{22}\text{H}_{26}\text{N}_3\text{OF}_3\text{S}^+$	$\text{C}_{22}\text{H}_{26}\text{N}_3\text{OF}_3\text{S}$ (1-Piperazineethanol, 4-[3-[2-(trifluoromethyl)-10 <i>H</i> -phenothiazin-10-yl]propyl]-) (RN-CAS Registry Number 69-23-8) (ON-Other name: Fluorphenazine)	**	8.64 ± 0.07	CTS	4079
$\text{C}_{20}\text{H}_{19}\text{N}_2\text{O}_2\text{F}_3\text{S}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{CF}_3)\text{COCH}_2\text{CH}_2\text{C}_4\text{H}_8\text{NO}^*$ (10 <i>H</i> -Phenothiazine, 10-[3-(4-morpholinyl)-1-oxopropyl]-2-(trifluoromethyl)-) (RN-CAS Registry Number 33414-29-8)		8.54 ± 0.07	CTS	4079
$\text{C}_{22}\text{H}_{24}\text{N}_3\text{O}_2\text{F}_3\text{S}^+$	$\text{C}_{22}\text{H}_{24}\text{N}_3\text{O}_2\text{F}_3\text{S}$ (10 <i>H</i> -Phenothiazine, 10-[3-[4-(2-hydroxyethyl)-1-piperazinyl]-1-oxopropyl]-2-(trifluoromethyl)-) (RN-CAS Registry Number 33414-36-7)	**	8.71 ± 0.07	CTS	4079
$\text{SiH}_4\text{S}^+(^2\text{A}')$	SiH_3SH (RN-CAS Registry Number 14044-97-4)	**	9.97 (V)	PE	3656
$\text{Si}_2\text{H}_6\text{S}^+$	$(\text{SiH}_3)_2\text{S}$ (RN-CAS Registry Number 16544-95-9)	**	9.59 (V)	PE	3867
$\text{Si}_2\text{H}_6\text{S}^+(^2\text{B}_1)$	$(\text{SiH}_3)_2\text{S}$ (RN-CAS Registry Number 16544-95-9)	**	9.70 (V)	PE	3656
CH_6SiS^+	CH_3SSiH_3 (RN-CAS Registry Number 16643-15-5)	**	9.10 (V)	PE	3867
CH_3NSiS^+	SiH_3NCS (RN-CAS Registry Number 14311-54-7)	**	9.54 ± 0.02 (V)	PE	3670

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_9NSiS^+$	(CH ₃) ₃ SiNCS (RN-CAS Registry Number 2290-65-5)	**	9.3 ± 0.1 (V)	PE	3670
PS^+	PS (RN-CAS Registry Number 12281-36-6)	**	9.0	EI	4001
P_4S^+	P_4S (RN-CAS Registry Number XXXXX-XX-X)	**	10.6 ± 0.5	EI	3615
$P_4S_2^+$	P_4S_2 (RN-CAS Registry Number 12165-70-7)	**	10.6 ± 0.5	EI	3615
$P_4S_3^+$	P_4S_3 (RN-CAS Registry Number 1314-85-8)	**	9.7 ± 0.5	EI	3615
$P_4S_4^+$	P_4S_4 (RN-CAS Registry Number XXXXX-XX-X)	**	10.1 ± 0.5	EI	3615
$P_4S_5^+$	P_4S_5 (RN-CAS Registry Number 12137-70-1)	**	10.4 ± 0.5	EI	3615
$P_4S_6^+$	P_4S_6 (RN-CAS Registry Number XXXXX-XX-X)	**	10.0 ± 0.5	EI	3615
$P_4S_7^+$	P_4S_7 (RN-CAS Registry Number 12037-82-0)	**	10.1 ± 0.5	EI	3615
$P_4S_8^+$	P_4S_8 (RN-CAS Registry Number 37295-14-0)	**	9.8 ± 0.5	EI	3615
$P_4S_9^+$	P_4S_9 (RN-CAS Registry Number 25070-46-6)	**	9.8 ± 0.5	EI	3615
$P_4S_{10}^+$	P_4S_{10} (RN-CAS Registry Number 12066-62-5)	**	9.6 ± 0.5	EI	3615
CH_2PS^+	(CH ₃ O) ₂ P(CH ₃ S)S (RN-CAS Registry Number 2953-29-9) (MT-Metastable transition(s) observed)	H + HCHO + HS	14.05 ± 0.30	EI	3989
$C_6H_{18}N_3PS^+$	PS(N(CH ₃) ₂) ₃ (RN-CAS Registry Number 3732-82-9)	**	7.66 ± 0.003	PE	4086
$C_2H_6OPS^+$	(CH ₃ O) ₂ P(CH ₃ S)S (RN-CAS Registry Number 2953-29-9) (MT-Metastable transition(s) observed)	HCHO + HS	11.70 ± 0.20	EI	3989
$C_2H_6O_2PS^+$	(CH ₃ O) ₂ P(CH ₃ S)O (RN-CAS Registry Number 152-20-5)	CH ₃ O	11.82 ± 0.20	EI	3989
$C_2H_6O_2PS^+$	(CH ₃ O) ₂ P(CH ₃ S)S (RN-CAS Registry Number 2953-29-9) (MT-Metastable transition(s) observed)	CH ₃ S	10.10 ± 0.10	EI	3989

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_6O_2PS^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3)	CH_3S	10.50 ± 0.10	EI	3989
$C_2H_7O_2PS^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5) (MT-Metastable transition(s) observed)	HCHO	10.51 ± 0.10	EI	3989
$C_2H_7O_2PS^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9)	HCHS	10.35 ± 0.10	EI	3989
$C_2H_7O_2PS^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3) (MT-Metastable transition(s) observed)	HCHS	10.10 ± 0.10	EI	3989
$C_2H_6O_3PS^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5) (MT-Metastable transition(s) observed)	CH_3	10.03 ± 0.10	EI	3989
$C_3H_9O_3PS^+$	$(CH_3O)_2P(CH_3S)O$ (RN-CAS Registry Number 152-20-5)	**	9.55 ± 0.10	EI	3989
$C_2H_6OPS_2^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9)	CH_3O	10.20 ± 0.30	EI	3989
$C_2H_6OPS_2^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3)	CH_3O	10.15 ± 0.10	EI	3989
$C_2H_7OPS_2^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9) (MT-Metastable transition(s) observed)	HCHO	10.00 ± 0.10	EI	3989
$C_2H_7OPS_2^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3) (MT-Metastable transition(s) observed)	HCHO	9.90 ± 0.20	EI	3989
$C_2H_6O_2PS_2^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9)	CH_3	9.65 ± 0.20	EI	3989
$C_2H_6O_2PS_2^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3) (MT-Metastable transition(s) observed)	CH_3	9.47 ± 0.10	EI	3989
$C_3H_9O_2PS_2^+$	$(CH_3O)_2P(CH_3S)S$ (RN-CAS Registry Number 2953-29-9)	**	9.0 ± 0.10	EI	3989
$C_3H_9O_2PS_2^+$	$(CH_3S)_2P(CH_3O)O$ (RN-CAS Registry Number 22608-53-3)	**	9.20 ± 0.10	EI	3989
CNF_2PS^+	PF_2NCS (RN-CAS Registry Number 461-60-9)	**	10.2 ± 0.1 (V)	PE	3662
Cl^+	CH_2Cl_2 (RN-CAS Registry Number 75-09-2) (AD-0.219 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)	CH_2Cl	17.4	RPD	3490

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Cl^+	CH_2Cl_2 (RN-CAS Registry Number 75-09-2) (AD-0.22 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)	CH_2Cl	17.4 ± 0.1	EI	3442
Cl^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		~ 15.5	EI	3605
Cl^{+2}	Cl^+ (RN-CAS Registry Number 14835-24-6)	**	23.8137 ± 0.0002	S	3756
$\text{Cl}_2^+(\text{}^2\Pi_g)$	Cl_2 (RN-CAS Registry Number 7782-50-5)	**	11.49	PE	3507
$\text{Cl}_2^+(\text{}^2\Pi_u)$	Cl_2 (RN-CAS Registry Number 7782-50-5)	**	14.43 (V)	PE	3507
$\text{Cl}_2^+(\text{}^2\Sigma^+)$	Cl_2 (RN-CAS Registry Number 7782-50-5)	**	16.10 (V)	PE	3507
BCl^+	BCl (RN-CAS Registry Number 20583-55-5)	**	12 ± 1	EI	3465
BCl_2^+	BCl_2 (RN-CAS Registry Number 13842-52-9)	**	12 ± 1.0	EI	3465
$\text{BCl}_3^+(\text{}^2\text{A}_2')$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	11.62 (V)	PE	3704
$\text{BCl}_3^+(\text{}^2\text{E}')$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	12.28 (V)	PE	3704
$\text{BCl}_3^+(\text{}^2\text{E}'')$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	12.53 (V)	PE	3704
$\text{BCl}_3^+(\text{}^2\text{A}_2)$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	14.35 (V)	PE	3704
$\text{BCl}_3^+(\text{}^2\text{E}')$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	15.49 (V)	PE	3704
$\text{BCl}_3^+(\text{}^2\text{A}_1')$	BCl_3 (RN-CAS Registry Number 10294-34-5)	**	17.70 (V)	PE	3704
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{A}_1)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 10.42 \pm 0.02$	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{E})$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 11.49 \pm 0.01$	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{A}_2)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	12.25 ± 0.01 (V)	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{B}_1)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	12.49 ± 0.01 (V)	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{B}_2)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	13.02 ± 0.02 (V)	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{E})$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 13.34 \pm 0.02$	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{E})$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 14.42 \pm 0.02$	PE	3709
$\text{B}_2\text{Cl}_4^+(\text{}^2\text{A}_1)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	15.20 ± 0.01 (V)	PE	3709

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$B_2Cl_4(^2B_2)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 16.60 \pm 0.01$	PE	3709
$B_2Cl_4(^2A_1)$	B_2Cl_4 (RN-CAS Registry Number 13701-67-2)	**	$\leq 17.90 \pm 0.03$	PE	3709
CCl^+	C_2F_3Cl (RN-CAS-Registry Number 79-38-9)	CF_3	16.9 ± 0.1	EI	4070
CCl^+	$CFCI = CFCI$ (RN-CAS-Registry Number 598-88-9)	CF_2Cl	16.4 ± 0.2	EI	4070
CCl_2^+	$CFCI = CFCI$ (RN-CAS-Registry Number 598-88-9) (TR-Other product(s) thermochemically reasonable)	CF_2	13.8 ± 0.1	EI	4070
CCl_3^+	CCl_3 (RN-CAS Registry Number 3170-80-7)	**	8.28	EM	3732
(RD-Radical)					
CCl_3^+	CCl_4 (RN-CAS Registry Number 56-23-5)	Cl	11.37	EM	3732
CCl_3^+	$(CCl_3)_2CO$ (RN-CAS Registry Number 116-16-5)		11.75	EI	3550
$C_6Cl_4^+$	C_6Cl_4 (1,3-Cyclohexadien-5-yne, 1,2,3,4-tetrachloro-) (RN-CAS Registry Number 13280-72-3)	**	10.66 ± 0.2	RPD	3583
$C_6Cl_4^+$	$C_8O_3Cl_4$ (1,3-Isobenzofurandione, 4,5,6,7-tetrachloro-) (RN-CAS Registry Number 117-08-8) (ON-Other name: Tetrachlorophthalic anhydride)		14.31 ± 0.2	RPD	3583
$C_6Cl_4^+$	C_6Cl_5I (Benzene, pentachloroiodo-) (RN-CAS Registry Number 16478-18-5)		14.51 ± 0.2	RPD	3583
$C_6Cl_4^+$	$C_6Cl_4I_2$ (Tetrachloro-1,2-diiodobenzene) (RN-CAS Registry Number XXXXX-XX-X)		12.85 ± 0.2	RPD	3583
$C_6Cl_6^+$	C_6Cl_6 (Benzene, hexachloro-) (RN-CAS Registry Number 118-74-1)	**	9.20 (V)	PE	3873
CH_2Cl^+	CH_2Cl (RN-CAS Registry Number 6806-86-6)	**	8.80	EM	3732
(RD-Radical)					
CH_2Cl^+	CH_3Cl (RN-CAS Registry Number 74-87-3)	H	12.96	EM	3732
CH_2Cl^+	CH_2Cl_2 (RN-CAS Registry Number 75-09-2)	Cl	12.15	EM	3732
	(TR-Other product(s) thermochemically reasonable)				
CH_3Cl^+	CH_3Cl (RN-CAS Registry Number 74-87-3)	**	11.27	EM	3732

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
C_2HCl^+	$CH\equiv CCl$ (RN-CAS Registry Number 593-63-5)	**	11.044 ± 0.004	S	3876
$C_2H_2Cl^+$	$CH_2=CFCl$ (RN-CAS-Registry Number 2317-91-1)	F	14.8 ± 0.1	EI	4070
$C_2H_3Cl^+$	C_2H_3Cl (RN-CAS Registry Number 75-01-4)	**	9.99 ± 0.02	PI	3930
$C_2H_3Cl^+ (^2A')$	C_2H_3Cl (RN-CAS Registry Number 75-01-4)	**	11.65	PI	3930
$C_2H_3Cl^+$	$CH_2=CHCl$ (RN-CAS Registry Number 75-01-4)	**	10.01	PE	3863
$C_2H_5Cl^+$	C_2H_5Cl (RN-CAS Registry Number 75-00-3)	**	11.01 (V)	PE	4076
$C_3H_5Cl^+$	$CH_2=CHCH_2Cl$ (RN-CAS Registry Number 107-05-1)	**	10.05	PE	3863
$C_3H_5Cl^+$	$CH_2=CHCH_2Cl$ (RN-CAS Registry Number 107-05-1)	**	10.34 (V)	PE	4091
$C_3H_7Cl^+$	<i>n</i> - C_3H_7Cl (RN-CAS Registry Number 540-54-5)	**	10.88 (V)	PE	4076
$C_3H_7Cl^+$	<i>iso</i> - C_3H_7Cl (RN-CAS Registry Number 75-29-6)	**	$11.0\pm <0.1$	EI	3735
$C_4H_9Cl^+$	<i>n</i> - C_4H_9Cl (RN-CAS Registry Number 109-69-3)	**	10.84 (V)	PE	4076
$C_6H_4Cl^+$	$C_6H_4ClNO_2$ (Benzene, 1-chloro-3-nitro-) (RN-CAS Registry Number 121-73-3)	NO_2	12.00 ± 0.1	EI	3447
$C_6H_4Cl^+$	$C_6H_4ClNO_2$ (Benzene, 1-chloro-4-nitro-) (RN-CAS Registry Number 100-00-5)	NO_2	12.30 ± 0.1	EI	3447
$C_6H_5Cl^+$	C_6H_5Cl (Benzene, chloro-) (RN-CAS Registry Number 108-90-7)	**	9.09 (V)	PE	3873
$C_6H_5Cl^+$	C_6H_5Cl (Benzene, chloro-) (RN-CAS Registry Number 108-90-7)	**	8.99	EI	3845
$C_6H_5Cl^+$	C_6H_5Cl (Benzene, chloro-) (RN-CAS Registry Number 108-90-7)	**	9.12 ± 0.1	EI	3788
$C_6H_5Cl^+$	$C_6H_4ClOCH_3$ (Benzene, 1-chloro-3-methoxy-) (RN-CAS Registry Number 2845-89-8)	CH_2O	11.68 ± 0.1	EI	3446
$C_6H_5Cl^+$	$C_6H_4ClOCH_3$ (Benzene, 1-chloro-4-methoxy-) (RN-CAS Registry Number 623-12-1)	$HCHO$	11.42	EI	3845

(CD-Metastable transition indicates 0.35 eV kinetic energy release)

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_5Cl^+$	$C_6H_4ClOCH_3$ (Benzene, 1-chloro-4-methoxy-) (RN-CAS Registry Number 623-12-1)	CH_2O	11.56 ± 0.1	EI	3446
$C_6H_5Cl^+$	$C_6H_5ClCr(CO)_3$ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0)		9.15 ± 0.1	EI	3788
$C_6H_{11}Cl^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)	**	10.10 ± 0.01	PI	4078
$C_6H_{11}Cl^+$	$C_6H_{11}Cl$ (Cyclohexane, chloro-) (RN-CAS Registry Number 542-18-7)	**	10.67 (V)	PE	4078
$C_7H_6Cl^+$	$C_6H_4ClCH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -chloro-, acetate) (RN-CAS Registry Number 33709-41-0)		12.90	EI	3590
$C_7H_7Cl^+$	$C_6H_5CH_2Cl$ (Benzene, (chloromethyl)-) (RN-CAS Registry Number 100-44-7)	**	9.30 (V)	PE	3992
$C_7H_7Cl^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-2-methyl-) (RN-CAS Registry Number 95-49-8)	**	8.72 ± 0.1	EI	3777
$C_7H_7Cl^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-3-methyl-) (RN-CAS Registry Number 108-41-8)	**	8.67 ± 0.1	EI	3777
$C_7H_7Cl^+$	$C_6H_4ClCH_3$ (Benzene, 1-chloro-4-methyl-) (RN-CAS Registry Number 106-43-4)	**	8.78 ± 0.1	EI	3777
$C_8H_7Cl^+$	$C_6H_4ClCH_2CH_2OCOCH_3$ (Phenethyl alcohol, <i>m</i> -chloro-, acetate) (RN-CAS Registry Number 33709-41-0)		8.90	EI	3590
$C_{10}H_{15}Cl^+$	$C_{10}H_{15}Cl$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 1-chloro-) (RN-CAS Registry Number 935-56-8) (ON-Other name: 1-Chloroadamantane)	**	9.30	PE	3886
$C_{12}H_9Cl^+$	$C_6H_5C_6H_4Cl$ (1,1'-Biphenyl, 2-chloro-) (RN-CAS Registry Number 2051-60-7)	**	8.20 ± 0.02	PE	3702
$C_{12}H_9Cl^+$	$C_6H_5C_6H_4Cl$ (1,1'-Biphenyl, 4-chloro-) (RN-CAS Registry Number 2051-62-9)	**	8.10 ± 0.02	PE	3702
$CHCl_2^+$ (RD-Radical)	$CHCl_2$ (RN-CAS Registry Number 3474-12-2)	**	8.45	EM	3732

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CHCl_2^+	CHCl_3 (RN-CAS Registry Number 67-66-3) (TR-Other product(s) thermochemically reasonable)	Cl	11.52	EM	3732
CHCl_2^+	$\text{CHCl}_2\text{CH}_2\text{Cl}$ (RN-CAS Registry Number 79-00-5) (TR-Other product(s) thermochemically reasonable)	CH_2Cl	11.80	EM	3732
CH_2Cl_2^+	CH_2Cl_2 (RN-CAS Registry Number 75-09-2)	**	11.28	EM	3732
$\text{C}_2\text{H}_2\text{Cl}_2^+$	<i>trans</i> - $\text{CHCl}=\text{CHCl}$ (RN-CAS Registry Number 156-60-5)	**	9.72 (V)	PE	3648
$\text{C}_2\text{H}_2\text{Cl}_2(^2\text{A}_g)$	<i>trans</i> - $\text{CHCl}=\text{CHCl}$ (RN-CAS Registry Number 156-60-5)	**	11.92 (V)	PE	4022
$\text{C}_2\text{H}_2\text{Cl}_2(^2\text{B}_g)$	<i>trans</i> - $\text{CHCl}=\text{CHCl}$ (RN-CAS Registry Number 156-60-5)	**	12.11 (V)	PE	4022
$\text{C}_2\text{H}_2\text{Cl}_2(^2\text{B}_u)$	<i>trans</i> - $\text{CHCl}=\text{CHCl}$ (RN-CAS Registry Number 156-60-5)	**	12.67 (V)	PE	4022
$\text{C}_2\text{H}_2\text{Cl}_2(^2\text{A}_u)$	<i>trans</i> - $\text{CHCl}=\text{CHCl}$ (RN-CAS Registry Number 156-60-5)	**	13.87 (V)	PE	4022
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2$ (1,3-Cyclohexadien-5-yne, 1,2-dichloro-) (RN-CAS Registry Number 24634-92-2)	**	9.66 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2$ (1,3-Cyclohexadien-5-yne, 1,3-dichloro-) (RN-CAS Registry Number 24634-94-4)	**	9.97 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2$ (1,3-Cyclohexadien-5-yne, 1,4-dichloro-) (RN-CAS Registry Number XXXXX-XX-X)	**	9.11 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2$ (1,3-Cyclohexadien-5-yne, 2,3-dichloro-) (RN-CAS Registry Number 24634-93-3)	**	9.58 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_8\text{H}_2\text{O}_3\text{Cl}_2$ (1,3-Isobenzofurandione, 4,7-dichloro-) (RN-CAS Registry Number 4466-59-5) (ON-Other name: 3,6-Dichlorophthalic anhydride)		13.60 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_8\text{H}_2\text{O}_3\text{Cl}_2$ (1,3-Isobenzofurandione, 5,6-dichloro-) (RN-CAS Registry Number 942-06-3) (ON-Other name: 4,5-Dichlorophthalic anhydride)		14.06 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2\text{I}_2$ (3,4-Dichloro-1,2-diiodobenzene) (RN-CAS Registry Number XXXXX-XX-X)		14.11 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2\text{I}_2$ (3,5-Dichloro-1,2-diiodobenzene) (RN-CAS Registry Number XXXXX-XX-X)		14.43 ± 0.2	RPD	3583
$\text{C}_6\text{H}_2\text{Cl}_2^+$	$\text{C}_6\text{H}_2\text{Cl}_2\text{I}_2$ (4,5-Dichloro-1,2-diiodobenzene) (RN-CAS Registry Number XXXXX-XX-X)		14.11 ± 0.2	RPD	3583

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_4Cl_2^+$	$C_6H_4Cl_2$ (Benzene, 1,2-dichloro-) (RN-CAS Registry Number 95-50-1)	**	9.08 (V)	PE	3873
$C_6H_4Cl_2^+$	$C_6H_4Cl_2$ (Benzene, 1,3-dichloro-) (RN-CAS Registry Number 541-73-1)	**	9.15 (V)	PE	3873
$C_6H_4Cl_2^+$	$C_6H_4Cl_2$ (Benzene, 1,4-dichloro-) (RN-CAS Registry Number 106-46-7)	**	9.00 (V)	PE	3873
$C_8H_6Cl_2^+$	$C_6H_3(Cl)_2CH=CH_2$ (Benzene, 1,3-dichloro-2-ethenyl-) (RN-CAS Registry Number 28469-92-3)	**	8.70 ± 0.02	PE	3854
$CHCl_3^+$	$CHCl_3$ (RN-CAS Registry Number 67-66-3)	**	11.41	EM	3732
$C_6H_3Cl_3^+$	$C_6H_3Cl_3$ (Benzene, 1,2,3-trichloro-) (RN-CAS Registry Number 87-61-6)	**	9.22 (V)	PE	3873
$C_6H_3Cl_3^+$	$C_6H_3Cl_3$ (Benzene, 1,3,5-trichloro-) (RN-CAS Registry Number 108-70-3)	**	9.36 (V)	PE	3873
$C_6H_2Cl_4^+$	$C_6H_2Cl_4$ (Benzene, 1,2,3,4-tetrachloro-) (RN-CAS Registry Number 634-66-2)	**	9.11 (V)	PE	3873
$C_6H_2Cl_4^+$	$C_6H_2Cl_4$ (Benzene, 1,2,3,5-tetrachloro-) (RN-CAS Registry Number 634-90-2)	**	9.16 (V)	PE	3873
$C_6H_2Cl_4^+$	$C_6H_2Cl_4$ (Benzene, 1,2,4,5-tetrachloro-) (RN-CAS Registry Number 95-94-3)	**	9.06 (V)	PE	3873
$C_6HCl_5^+$	C_6HCl_5 (Benzene, pentachloro-) (RN-CAS Registry Number 608-93-5)	**	9.11 (V)	PE	3873
$B_3H_3N_3Cl_3^+$	$B_3H_3N_3Cl_3$ (Borazine, 2,4,6-trichloro-) (RN-CAS Registry Number 933-18-6)	**	10.55 (V)	PE	3944
$B_3H_3N_3Cl_3^+$	$B_3H_3N_3Cl_3$ (Borazine, 2,4,6-trichloro-) (RN-CAS Registry Number 933-18-6)	**	10.55 (V)	PE	3673
$C_6H_6NCl^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(2-chlorophenyl)-) (RN-CAS Registry Number 533-17-5)	$CH_2=C=O$	10.76 ± 0.03	EI	3483
$C_6H_6NCl^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(4-chlorophenyl)-) (RN-CAS Registry Number 539-03-7)	$CH_2=C=O$	10.11 ± 0.03	EI	3483

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{12}NCl^+$	$C_6H_4(Cl)C_3H_3(CN)C_6H_5$ (Cyclopropanecarbonitrile, 1-(<i>p</i> -chlorophenyl)-2-phenyl-) (RN-CAS Registry Number 32589-55-2)	**	8.18 ± 0.10	EDD	3575
$C_6H_5NCl_2^+$	$C_6H_3(Cl)_2NH_2$ (Benzenamine, 2,6-dichloro-) (RN-CAS Registry Number 608-31-1)	**	7.60 ± 0.02	PE	3890
$C_6H_5NCl_2^+$	$C_6H_3Cl_2NHCOCH_3$ $CH_2=C=O$ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-) (RN-CAS Registry Number 6975-29-7)		10.09 ± 0.03	EI	3480
$C_6H_5NCl_2^+$	$C_6H_3Cl_2NHCOCH_3$ $CH_2=C=O$ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-) (RN-CAS Registry Number 17700-54-8)		9.93 ± 0.03	EI	3480
$C_4H_{12}BN_2Cl^+$	$B(N(CH_3)_2)_2Cl$ (RN-CAS Registry Number 6562-41-0)	**	8.15 (V)	PE	3704
$C_4H_{12}BN_2Cl^+$	$((CH_3)_2N)_2BCl_2$ (RN-CAS Registry Number 6562-41-0)	**	8.08	PE	3584
$C_2H_6BNCl_2^+$	$(CH_3)_2NBCl_2$ (RN-CAS Registry Number 1113-31-1)	**	9.56	PE	3584
$C_2H_6BNCl_2^+$	$(CH_3)_2NBCl_2$ (RN-CAS Registry Number 1113-31-1)	**	9.68 (V)	PE	3704
$C_3H_9B_3N_3Cl_3^+$	$(CH_3)_3B_3N_3Cl_3$ (Borazine, 2,4,6-trichloro-1,3,5-trimethyl-) (RN-CAS Registry Number 703-86-6)	**	9.45 (V)	PE	3944
ClO_2^+	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	10.36 ± 0.02	PE	3499
(RD-Radical) $ClO_2(^2A_1)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	10.5 ± 0.1 (V)	PE	3671
(RD-Radical) $ClO_2(^3B_1?)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	12.32 ± 0.02	PE	3499
(RD-Radical) $ClO_2(^3B_1, ^1B_1, ^3B_2)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	12.9 ± 0.1 (V)	PE	3671
(RD-Radical) $ClO_2(^3B_1, ^1B_1, ^3B_2)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	13.4 ± 0.1 (V)	PE	3671
(RD-Radical) $ClO_2(^1B_1?)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	15.27 ± 0.02	PE	3499
(RD-Radical) $ClO_2(^1B_2)$	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	15.5 ± 0.1 (V)	PE	3671

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{ClO}_2^+(\text{}^3\text{A}_2)$ (RD-Radical)	ClO_2 (RN-CAS Registry Number 10049-04-4)	**	> 17 (V)	PE	3671
$\text{Cl}_2\text{O}^+(\text{}^2\text{B}_1)$	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	11.02 (V)	PE	3694
$\text{Cl}_2\text{O}^+(\text{}^2\text{B}_2)$	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	12.37 (V)	PE	3694
$\text{Cl}_2\text{O}^+(\text{}^2\text{A}_1)$	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	12.65 (V)	PE	3694
$\text{Cl}_2\text{O}^+(\text{}^2\text{A}_2)$	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	12.79 (V)	PE	3694
$\text{Cl}_2\text{O}^+(\text{}^2\text{B}_1)$	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	15.90 (V)	PE	3694
Cl_2O^{+*}	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	16.65 (V)	PE	3694
Cl_2O^{+*}	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	17.68 (V)	PE	3694
Cl_2O^{+*}	Cl_2O (RN-CAS Registry Number 7791-21-1)	**	20.64 (V)	PE	3694
COCl_2^+	CCl_2O (RN-CAS Registry Number 75-44-5)	**	~ 11.2	PE	3726
$\text{COCl}_2^+(\text{}^2\text{B}_2)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	11.55 ± 0.02	PE	3667
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	~ 12.3 (V)	PE	3726
$\text{COCl}_2^+(\text{}^2\text{B}_1, \text{}^2\text{B}_2)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	12.6 ± 0.1 (V)	PE	3667
$\text{COCl}_2^+(\text{}^2\text{B}_2?)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	12.6 (V)	PE	3726
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	~ 13.0 (V)	PE	3726
$\text{COCl}_2^+(\text{}^2\text{A}_1)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	13.05 ± 0.05 (V)	PE	3667
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	13.31	PE	3726
$\text{COCl}_2^+(\text{}^2\text{A}_2)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	13.39 ± 0.02	PE	3667
$\text{COCl}_2^+(\text{}^2\text{A}_1)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	15.80 ± 0.02	PE	3667
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	16.63	PE	3726
$\text{COCl}_2^+(\text{}^2\text{B}_1)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	16.66 ± 0.02	PE	3667
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	16.75	PE	3726
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	17.0 (V)	PE	3726
$\text{COCl}_2^+(\text{}^2\text{B}_2)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	17.11 ± 0.02 (V)	PE	3667

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{COCl}_2^+(\text{}^2\text{A}_1)$	CCl_2O (RN-CAS Registry Number 75-44-5)	**	19.29 ± 0.02	PE	3667
COCl_2^*	CCl_2O (RN-CAS Registry Number 75-44-5)	**	19.5 (V)	PE	3726
C_2OCl_3^+	$(\text{CCl}_3)_2\text{CO}$ (RN-CAS Registry Number 116-16-5)		12.0	EI	3550
$\text{C}_8\text{O}_3\text{Cl}_4^+$	$\text{C}_8\text{O}_3\text{Cl}_4$ (1,3-Isobenzofurandione, 4,5,6,7-tetrachloro-) (RN-CAS Registry Number 117-08-8) (ON-Other name: Tetrachlorophthalic anhydride)	**	10.77 ± 0.2	RPD	3583
$\text{C}_3\text{H}_5\text{OCl}^+$	$\text{CH}_3\text{COCH}_2\text{Cl}$ (RN-CAS Registry Number 78-95-5)	**	9.91 ± 0.03	PI	3765
$\text{C}_6\text{H}_4\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOCH}_3$ (Benzene, 1-chloro-3-methoxy-) (RN-CAS Registry Number 2845-89-8)	CH_3	11.89 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOCH}_3$ (Benzene, 1-chloro-4-methoxy-) (RN-CAS Registry Number 623-12-1)	CH_3	11.84 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClNO}_2$ (Benzene, 1-chloro-3-nitro-) (RN-CAS Registry Number 121-73-3)	NO	10.31 ± 0.1	EI	3447
$\text{C}_6\text{H}_4\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClNO}_2$ (Benzene, 1-chloro-4-nitro-) (RN-CAS Registry Number 100-00-5)	NO	10.61 ± 0.1	EI	3447
$\text{C}_6\text{H}_5\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOOCCH}_3$ (Acetic acid, 2-chlorophenyl ester) (RN-CAS Registry Number 4525-75-1)	$\text{CH}_2=\text{C}=\text{O}$	9.19 ± 0.03	EI	3483
$\text{C}_6\text{H}_5\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOOCCH}_3$ (Acetic acid, 3-chlorophenyl ester) (RN-CAS Registry Number 13031-39-5)	$\text{CH}_2=\text{C}=\text{O}$	10.11 ± 0.2	EI	3484
$\text{C}_6\text{H}_5\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOOCCH}_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)	$\text{CH}_2=\text{C}=\text{O}$	9.60 ± 0.03	EI	3483
$\text{C}_6\text{H}_5\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOOCCH}_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)	$\text{CH}_2=\text{C}=\text{O}$	10.17 ± 0.2	EI	3484
$\text{C}_7\text{H}_5\text{OCl}^+$	$\text{C}_6\text{H}_5\text{COCl}$ (Benzoyl chloride) (RN-CAS Registry Number 98-88-4)	**	9.85	EI	3792
$\text{C}_7\text{H}_7\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOCH}_3$ (Benzene, 1-chloro-3-methoxy-) (RN-CAS Registry Number 2845-89-8)	**	8.72 ± 0.1	EI	3446
$\text{C}_7\text{H}_7\text{OCl}^+$	$\text{C}_6\text{H}_4\text{ClOCH}_3$ (Benzene, 1-chloro-4-methoxy-) (RN-CAS Registry Number 623-12-1)	**	8.18	EI	3845

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7OCl^+$	$C_6H_4ClOCH_3$ (Benzene, 1-chloro-4-methoxy-) (RN-CAS Registry Number 623-12-1)	**	8.52 ± 0.1	EI	3446
$C_2H_3O_2Cl^+$	$CH_2ClCOOH$ (RN-CAS Registry Number 79-11-8)	**	10.99 (V)	PE	3874
$C_8H_7O_2Cl^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 2-chlorophenyl ester) (RN-CAS Registry Number 4525-75-1)	**	8.67 ± 0.03	EI	3483
$C_8H_7O_2Cl^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 3-chlorophenyl ester) (RN-CAS Registry Number 13031-39-5)	**	8.83 ± 0.2	EI	3484
$C_8H_7O_2Cl^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)	**	8.42 ± 0.03	EI	3483
$C_8H_7O_2Cl^+$	$C_6H_4ClOOCCH_3$ (Acetic acid, 4-chlorophenyl ester) (RN-CAS Registry Number 876-27-7)	**	8.79 ± 0.2	EI	3484
$C_6H_4OCl_2^+$	$C_6H_3(Cl)_2OH$ (Phenol, 2,6-dichloro-) (RN-CAS Registry Number 87-65-0)	**	8.65 ± 0.02	PE	3890
$C_6H_4OCl_2^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,4-dichloro-, acetate) (RN-CAS Registry Number 6341-97-5)	$CH_2=C=O$	9.37 ± 0.03	EI	3480
$C_6H_4OCl_2^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,6-dichloro-, acetate) (RN-CAS Registry Number 28165-71-1)	$CH_2=C=O$	9.88 ± 0.03	EI	3480
$C_8H_6O_2Cl_2^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,4-dichloro-, acetate) (RN-CAS Registry Number 6341-97-5)	**	8.16 ± 0.03	EI	3480
$C_8H_6O_2Cl_2^+$	$C_6H_3Cl_2OOCCH_3$ (Phenol, 2,6-dichloro-, acetate) (RN-CAS Registry Number 28165-71-1)	**	8.68 ± 0.03	EI	3480
$C_8H_7NOCl^+$	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-) (RN-CAS Registry Number 6975-29-7)		8.81 ± 0.03	EI	3480
$C_8H_7NOCl^+$	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-) (RN-CAS Registry Number 17700-54-8)		8.79 ± 0.03	EI	3480
$C_8H_8NOCl^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(2-chlorophenyl)-) (RN-CAS Registry Number 533-17-5)	**	8.07 ± 0.03	EI	3483
$C_8H_8NOCl^+$	$C_6H_4ClNHCOCH_3$ (Acetamide, <i>N</i> -(4-chlorophenyl)-) (RN-CAS Registry Number 539-03-7)	**	8.07 ± 0.03	EI	3483

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{17}H_{14}NOCl^+$	$C_6H_4(Cl)C_3H_3(CN)C_6H_4(OCH_3)$ (Cyclopropanecarbonitrile, 1-(<i>p</i> -chlorophenyl)-2-(<i>p</i> -methoxyphenyl)-) (RN-CAS Registry Number 32589-54-1)	**	7.70 ± 0.05	EDD	3575
$C_6H_4NO_2Cl^+$	$C_6H_4ClNO_2$ (Benzene, 1-chloro-3-nitro-) (RN-CAS Registry Number 121-73-3)	**	9.92 ± 0.1	EI	3447
$C_6H_4NO_2Cl^+$	$C_6H_4ClNO_2$ (Benzene, 1-chloro-4-nitro-) (RN-CAS Registry Number 100-00-5)	**	9.96 ± 0.1	EI	3447
$C_8H_7NOCl_2^+$	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dichlorophenyl)-) (RN-CAS Registry Number 6975-29-7)	**	8.09 ± 0.03	EI	3480
$C_8H_7NOCl_2^+$	$C_6H_3Cl_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dichlorophenyl)-) (RN-CAS Registry Number 17700-54-8)	**	8.25 ± 0.03	EI	3480
$ClF^+(^2\Pi_{3/2g})$	ClF (RN-CAS Registry Number 7790-89-8)	**	12.66 ± 0.01	PE	3507
$ClF^+(^2\Pi_{3/2})$	ClF (RN-CAS Registry Number 7790-89-8)	**	12.66 ± 0.01	PE	3680
(HB-Threshold value approximately corrected for hot bands)					
$ClF^+(^2\Pi_{1/2g})$	ClF (RN-CAS Registry Number 7790-89-8)	**	12.74 ± 0.01	PE	3507
$ClF^+(^2\Pi_{1/2})$	ClF (RN-CAS Registry Number 7790-89-8)	**	12.74 ± 0.01	PE	3680
$ClF^+(^2\Pi_{3/2}, ^2\Pi_{1/2})$	ClF (RN-CAS Registry Number 7790-89-8)	**	16.25 ± 0.08	PE	3680
$ClF^+(^2\Pi_u)$	ClF (RN-CAS Registry Number 7790-89-8)	**	16.39 ± 0.01	PE	3507
$ClF^+(^2\Sigma^+)$	ClF (RN-CAS Registry Number 7790-89-8)	**	17.80 ± 0.01	PE	3507
$ClF^+(^2\Sigma^+)$	ClF (RN-CAS Registry Number 7790-89-8)	**	17.81 ± 0.08	PE	3680
$ClF_3(^2B_2, ^2A_1)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	12.65 ± 0.05	PE	3680
$ClF_3(^2A_1)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	13.76 ± 0.06	PE	3680
$ClF_3(^2B_1)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	14.83 ± 0.03 (V)	PE	3680
$ClF_3(^2A_2)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	15.36 ± 0.03 (V)	PE	3680
$ClF_3(^2B_2)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	16.07 ± 0.01 (V)	PE	3680
$ClF_3(^2B_1)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	16.82 ± 0.06	PE	3680
$ClF_3(^2A_1, ^2B_2)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	~ 19 (V)	PE	3680

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{ClF}_3(^2\text{B}_1)$	ClF_3 (RN-CAS Registry Number 7790-91-2)	**	~ 19.5 (V)	PE	3680
BClF^+	BClF (RN-CAS Registry Number 22395-93-3)	**	11 ± 1	EI	3465
BClF_2^+	BClF_2 (RN-CAS Registry Number 14720-30-0)	**	13 ± 1	EI	3465
BCl_2F^+	BCl_2F (RN-CAS Registry Number 14720-31-1)	**	14 ± 1	EI	3465
CFCI^+	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS Registry Number 79-38-9)	CF_2	15.0 ± 0.1	EI	3539
CFCI^+	$\text{CFCI}=\text{CFCI}$ (RN-CAS Registry Number 598-88-9)	CFCI	15.3 ± 0.15	EI	3539
CFCI^+	CFCI_3 (RN-CAS Registry Number 75-69-4)	2Cl	17.1 ± 0.1	EI	3539
CFCI^+	$\text{CH}_2=\text{CFCI}$ (RN-CAS Registry Number 2317-91-1)	CH_2	16.8 ± 0.1	EI	3539
CF_2Cl^+	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS-Registry Number 79-38-9)	CF	14.9 ± 0.1	EI	4070
CF_2Cl^+	(TR-Other product(s) thermochemically reasonable) $(\text{CF}_2\text{Cl})_2\text{CO}$ (RN-CAS Registry Number 127-21-9)		11.95	EI	3550
$\text{C}_2\text{F}_2\text{Cl}^+$	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS-Registry Number 79-38-9)	F	15.9 ± 0.2	EI	4070
$\text{C}_2\text{F}_2\text{Cl}^+$	$\text{CFCI}=\text{CFCI}$ (RN-CAS-Registry Number 598-88-9)	Cl	14.8 ± 0.1	EI	4070
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	13.0 (V)	PE	3914
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	13.08 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Cl}^+(^2\text{A}_1)$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	15.0 (V)	PE	3914
$\text{CF}_3\text{Cl}^+(^2\text{A}_1)$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	15.15 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Cl}^+(^2\text{A}_2)$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	15.55 (V)	PE	3914
$\text{CF}_3\text{Cl}^+(^2\text{A}_2)$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	15.82 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	16.5 (V)	PE	3914
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	16.56 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	17.4 (V)	PE	3914
$\text{CF}_3\text{Cl}^+(^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	17.53 ± 0.02 (V)	PE	4026

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CF}_3\text{Cl}^+(\text{}^2\text{A}_1)$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	20.1 (V)	PE	4026
$\text{CF}_3\text{Cl}^+(\text{}^2\text{E})$	CF_3Cl (RN-CAS Registry Number 75-72-9)	**	~ 21.0 (V)	PE	4026
$\text{C}_2\text{F}_3\text{Cl}^+$	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS Registry Number 79-38-9)	**	9.76	S	3776
$\text{C}_2\text{F}_3\text{Cl}^+$	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS Registry Number 79-38-9)	**	9.82	PE	3589
$\text{C}_2\text{F}_3\text{Cl}^+$	$\text{C}_2\text{F}_3\text{Cl}$ (RN-CAS-Registry Number 79-38-9)	**	10.6 ± 0.1	EI	4070
CFCl_2^+	$\text{CFCl}=\text{CFCl}$ (RN-CAS-Registry Number 598-88-9) (TR—Other product(s) thermochemically reasonable)	CF	14.3 ± 0.1	EI	4070
C_2FCl_2^+	$\text{CFCl}=\text{CFCl}$ (RN-CAS-Registry Number 598-88-9)	F	15.7 ± 0.1	EI	4070
CF_2Cl_2^+	CF_2Cl_2 (RN-CAS Registry Number 75-71-8)	**	12.3 (V)	PE	3914
$\text{CF}_2\text{CCl}_2^+$	$\text{CF}_2=\text{CCl}_2$ (RN-CAS Registry Number 79-35-6)	**	9.62	PE	3589
$\text{C}_2\text{F}_2\text{Cl}_2^+$	$\text{CFCl}=\text{CFCl}$ (RN-CAS-Registry Number 598-88-9)	**	10.2 ± 0.1	EI	4070
CFCl_3^+	CFCl_3 (RN-CAS Registry Number 75-69-4)	**	11.9 (V)	PE	3914
CH_2FCl^+	CH_2FCl (RN-CAS Registry Number 593-70-4)	**	11.74	PE	3914
C_2HFCI^+	$\text{CH}_2=\text{CFCl}$ (RN-CAS-Registry Number 2317-91-1)	H	16.2 ± 0.2	EI	4070
$\text{C}_2\text{H}_2\text{FCI}^+$	$\text{CH}_2=\text{CFCl}$ (RN-CAS Registry Number 2317-91-1)	**	9.97	S	3776
$\text{C}_2\text{H}_2\text{FCI}^+$	$\text{CH}_2=\text{CFCl}$ (RN-CAS-Registry Number 2317-91-1)	**	10.7 ± 0.2	EI	4070
$\text{C}_2\text{H}_2\text{FCI}^+$	$\text{CH}_2=\text{CFCl}$ (RN-CAS Registry Number 2317-91-1)	**	10.7 ± 0.2	EI	3539
CHF_2Cl^+	CHF_2Cl (RN-CAS Registry Number 75-45-6)	**	12.6 (V)	PE	3914
$\text{C}_2\text{HF}_2\text{Cl}^+$	$\text{CF}_2=\text{CHCl}$ (RN-CAS Registry Number 359-10-4)	**	9.76	S	3776
CHFCI_2^+	CHFCI_2 (RN-CAS Registry Number 75-43-4)	**	12.0 (V)	PE	3914

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{ClO}_3\text{F}^+(\text{}^2\text{A}_2)$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	12.945 ± 0.005	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{E})$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	13.68 ± 0.02	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{A}_1)$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	14.29 ± 0.02 (V)	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{E})$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	15.385 ± 0.008	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{E})$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	19.70 ± 0.01	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{A}_1)$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	21.3 ± 0.1 (V)	PE	3675
$\text{ClO}_3\text{F}^+(\text{}^2\text{A}_1)$	ClO_3F (RN-CAS Registry Number 7616-94-6)	**	23.8 ± 0.1 (V)	PE	3675
AlOCl^+	AlOCl (RN-CAS Registry Number 13596-11-7)	**	12 ± 1	EI	3462
SiCl^+	$\text{Cl}_3\text{SiCo}(\text{Co})_2(\text{PF}_3)_2$ (RN-CAS Registry Number 37769-29-2)		16.4 ± 0.5	EI	3653
SiCl^+	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_3$ (RN-CAS Registry Number 37769-28-1)		16.2 ± 0.5	EI	3653
$\text{SiCl}_4^+(\text{}^2\text{T}_1)$	SiCl_4 (RN-CAS Registry Number 10026-04-7)	**	12.06 (V)	PE	3514
$\text{SiCl}_4^+(\text{}^2\text{T}_2)$	SiCl_4 (RN-CAS Registry Number 10026-04-7)	**	12.95 (V)	PE	3514
$\text{SiCl}_4^+(\text{}^2\text{E})$	SiCl_4 (RN-CAS Registry Number 10026-04-7)	**	13.44 (V)	PE	3514
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{E})$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	11.61 ± 0.02 (V)	PE	3510
SiH_3Cl^+	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	11.61 ± 0.05 (V)	PE	3502
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{E})$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	11.65 (V)	PE	3511
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{A}_1)$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	13.4 ± 0.1 (V)	PE	3510
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{A}_1?)$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	13.51 (V)	PE	3511
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{E})$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	13.7 ± 0.1 (V)	PE	3510
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{E}?)$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	13.99 (V)	PE	3511
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{A}_1)$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	18.04 ± 0.02 (V)	PE	3510
$\text{SiH}_3\text{Cl}^+(\text{}^2\text{A}_1)$	SiH_3Cl (RN-CAS Registry Number 13465-78-6)	**	18.13 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2^+$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	11.64 ± 0.02 (V)	PE	3510

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SiH}_2\text{Cl}_2(^2\text{B}_2)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	11.70 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2(^2\text{B}_2)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	11.70 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{B}_1)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	12.09 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2(^2\text{B}_1)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	12.09 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{A}_2)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	12.53 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2(^2\text{A}_2)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	12.53 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{A}_1)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	12.76 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{A}_1)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	~12.76 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2(^2\text{B}_2?)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.20 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2^*$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.20 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{A}_1?)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.45 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2^*$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.45 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{B}_1?)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.60 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2^*$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	14.60 (V)	PE	3694
$\text{SiH}_2\text{Cl}_2(^2\text{A}_1)$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	18.32 (V)	PE	3511
$\text{SiH}_2\text{Cl}_2^*$	SiH_2Cl_2 (RN-CAS Registry Number 4109-96-0)	**	18.32 (V)	PE	3694
$\text{SiHCl}_3(^2\text{A}_2)$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	11.94 (V)	PE	3511
$\text{SiHCl}_3(^2\text{A}_1)$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	12.41 (V)	PE	3511
$\text{SiHCl}_3(^2\text{E}')$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	12.41 (V)	PE	3511
$\text{SiHCl}_3(^2\text{E}')$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	13.07 (V)	PE	3511
$\text{SiHCl}_3(^2\text{E})$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	14.75 (V)	PE	3511
$\text{SiHCl}_3(^2\text{A}_1)$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	14.98 (V)	PE	3511
$\text{SiHCl}_3(^2\text{A}_1)$	SiHCl_3 (RN-CAS Registry Number 10025-78-2)	**	18.14 (V)	PE	3511
$\text{C}_3\text{H}_5\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiCl}$ (RN-CAS Registry Number 75-77-4)	**	10.76 (V)	PE	3503

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_4\text{H}_9\text{SiCl}^+$	$\text{C}_3\text{H}_6\text{Si}(\text{Cl})\text{CH}_3$ (Silacyclobutane, 1-chloro-1-methyl-) (RN-CAS Registry Number 2351-34-0)	**	9.95 (V)	PE	4077
$\text{C}_4\text{H}_{11}\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiCH}_2\text{Cl}$ (RN-CAS Registry Number 2344-80-1)	**	10.17 ± 0.1 (V)	PE	3830
$\text{C}_5\text{H}_9\text{SiCl}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{CCl}$ (RN-CAS Registry Number 7652-06-4)	**	9.4 ± 0.1	PE	4002
$\text{C}_2\text{H}_6\text{SiCl}_2^+$	$(\text{CH}_3)_2\text{SiCl}_2$ (RN-CAS Registry Number 75-78-5)	**	10.99 (V)	PE	3503
$\text{C}_3\text{H}_6\text{SiCl}_2^+$	$\text{C}_3\text{H}_6\text{SiCl}_2$ (Silacyclobutane, 1,1-dichloro-) (RN-CAS Registry Number 2351-33-9)	**	10.50 (V)	PE	4077
$\text{C}_6\text{H}_{12}\text{Si}_4\text{Cl}_4^+$	$\text{C}_6\text{H}_{12}\text{Si}_4\text{Cl}_4$ (1,3,5,7-Tetrasilatricyclo[3.3.1.1 ^{3,7}]decane, 1,3,5,7-tetrachloro-) (RN-CAS Registry Number 18222-89-4) (ON-Other name: 1,3,5,7-Tetrachloro-1,3,5,7-tetrasilaadamantane)	**	9.4 ± 0.05	PE	3855
$\text{C}_4\text{H}_{12}\text{N}_2\text{SiCl}_2^+$	$((\text{CH}_3)_2\text{N})_2\text{SiCl}_2$ (RN-CAS Registry Number 13328-30-8)	**	8.81 (V)	PE	3503
$\text{C}_2\text{H}_6\text{NSiCl}_3^+$	$((\text{CH}_3)_2\text{N})\text{SiCl}_3$ (RN-CAS Registry Number 13307-04-5)	**	9.30 (V)	PE	3503
$\text{C}_6\text{H}_{15}\text{O}_3\text{SiCl}^+$	$(\text{C}_2\text{H}_5\text{O})_3\text{SiCl}$ (RN-CAS Registry Number 4667-99-6)	**	10.52 (V)	PE	3503
$\text{C}_4\text{H}_{10}\text{O}_2\text{SiCl}_2^+$	$(\text{C}_2\text{H}_5\text{O})_2\text{SiCl}_2$ (RN-CAS Registry Number 4667-38-3)	**	10.78 (V)	PE	3503
$\text{C}_2\text{H}_5\text{OSiCl}_3^+$	$(\text{C}_2\text{H}_5\text{O})\text{SiCl}_3$ (RN-CAS Registry Number 1825-82-7)	**	11.30 (V)	PE	3503
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{E})$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	13.44 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{A}_1)$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	15.33 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{A}_2)$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	16.35 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{E})$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	16.70 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{E})$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	17.49 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{A}_1)$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	18.26 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Cl}^+(\text{}^2\text{E})$	SiF_3Cl (RN-CAS Registry Number 14049-36-6)	**	18.92 ± 0.02 (V)	PE	4026

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PCl^+	PCl_3 (RN-CAS Registry Number 7719-12-2)		16.0 ± 0.2	EDD	3556
PCl_2^+	PCl_3 (RN-CAS Registry Number 7719-12-2)	Cl	11.9 ± 0.1	EDD	3556
PCl_2^+	PCl_2Br (RN-CAS Registry Number 13536-48-6)	Br	11.3 ± 0.1	EDD	3556
$\text{PCl}_3(^2\text{A}_1)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	10.51 (V)	PE	4023
$\text{PCl}_3(^2\text{A}_1)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	10.52 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{A}_2)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	11.69 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{A}_2)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	11.70 (V)	PE	4023
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	11.97 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	12.00 (V)	PE	4023
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	12.94 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	12.97 (V)	PE	4023
$\text{PCl}_3(^2\text{A}_1)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	14.23 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{A}_1)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	14.23 (V)	PE	4023
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	15.19 ± 0.03 (V)	PE	3669
$\text{PCl}_3(^2\text{E})$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	15.20 (V)	PE	4023
$\text{PCl}_3(^2\text{A}_1)$	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	18.81 ± 0.03 (V)	PE	3669
PCl_3^+	PCl_3 (RN-CAS Registry Number 7719-12-2)	**	10.5 ± 0.1	EDD	3556
PCl_5^+	PCl_5 (RN-CAS Registry Number 10026-13-8)	**	10.88 (V)	PE	3669
$\text{POCl}^+(^2\text{E})$	POCl (RN-CAS Registry Number 21295-50-1)	**	11.85 (V)	PE	4023
$\text{POCl}^+(^2\text{A}_2)$	POCl (RN-CAS Registry Number 21295-50-1)	**	12.35 (V)	PE	4023
$\text{POCl}^+(^2\text{E}_{3/2})$	POCl (RN-CAS Registry Number 21295-50-1)	**	12.93 (V)	PE	4023
$\text{POCl}^+(^2\text{E}_{1/2})$	POCl (RN-CAS Registry Number 21295-50-1)	**	12.98 (V)	PE	4023
$\text{POCl}^+(^2\text{A}_1)$	POCl (RN-CAS Registry Number 21295-50-1)	**	13.48 (V)	PE	4023
$\text{POCl}^+(^2\text{E})$	POCl (RN-CAS Registry Number 21295-50-1)	**	13.85 (V)	PE	4023

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{POCl}^+(\text{}^2\text{A}_1)$	POCl (RN-CAS Registry Number 21295-50-1)	**	15.37 (V)	PE	4023
$\text{POCl}^+(\text{}^2\text{E})$	POCl (RN-CAS Registry Number 21295-50-1)	**	16.53 (V)	PE	4023
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	11.36±0.02	PE	3835
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	11.58±0.05	PE	3641
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	11.89±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{A}_2)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	12.36±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{A}_2)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	12.38±0.02 (V)	PE	3835
$\text{POCl}_3^+(\text{}^2\text{A}_2)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	12.52±0.04 (V)	PE	3641
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	12.97±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	12.98±0.01 (V)	PE	3835
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.18±0.05 (V)	PE	3641
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.46±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.47±0.01 (V)	PE	3835
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.63±0.04 (V)	PE	3641
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.84±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.85±0.02 (V)	PE	3835
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	13.99±0.05 (V)	PE	3641
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	15.10±0.01	PE	3835
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	15.35±0.06	PE	3641
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	15.36±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	16.13±0.02	PE	3835
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	16.34±0.02	PE	3641
$\text{POCl}_3^+(\text{}^2\text{E})$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	16.53±0.03 (V)	PE	3669
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	19.48±0.03	PE	3641
$\text{POCl}_3^+(\text{}^2\text{A}_1)$	POCl ₃ (RN-CAS Registry Number 10025-87-3)	**	19.53±0.03 (V)	PE	3669

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{POCl}_3(^2\text{A}_1)$	POCl_3 (RN-CAS Registry Number 10025-87-3)	**	19.55 ± 0.04 (V)	PE	3835
PF_2Cl^+	PF_2Cl (RN-CAS Registry Number 14335-40-1)	**	12.8 ± 0.1 (V)	PE	3662
$\text{CSCl}_2(^2\text{B}_2)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	9.61 ± 0.02	PE	3667
(HB-Threshold value approximately corrected for hot bands)					
$\text{CSCl}_2(^2\text{B}_2)$	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	9.68	PE	4080
CSCl_2^+	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	9.80 (V)	PE	3746
$\text{CSCl}_2(^2\text{B}_1)$	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	10.63	PE	4080
$\text{CSCl}_2(^2\text{B}_1)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	10.65 ± 0.02	PE	3667
$\text{CSCl}_2(^2\text{B}_2)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	11.67 ± 0.02	PE	3667
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	11.93 (V)	PE	4080
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	12.36 (V)	PE	4080
$\text{CSCl}_2(^2\text{A}_1)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	12.38 ± 0.02 (V)	PE	3667
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	12.68 (V)	PE	4080
$\text{CSCl}_2(^2\text{A}_2)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	12.69 ± 0.02 (V)	PE	3667
$\text{CSCl}_2(^2\text{A}_1)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	14.23 ± 0.02	PE	3667
$\text{CSCl}_2(^2\text{B}_1)$	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	14.27	PE	4080
$\text{CSCl}_2(^2\text{B}_1)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	14.99 ± 0.02	PE	3667
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	15.11 (V)	PE	4080
$\text{CSCl}_2(^2\text{B}_2)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	15.99 ± 0.02	PE	3667
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	16.22 (V)	PE	4080
$\text{CSCl}_2(^2\text{A}_1)$	CCl_2S (RN-CAS Registry Number 463-71-8)	**	18.09 ± 0.02	PE	3667
CSCl_2^*	Cl_2CS (RN-CAS Registry Number 463-71-8)	**	18.32 (V)	PE	4080
$\text{C}_2\text{S}_2\text{Cl}_4^+$	$\text{C}_2\text{S}_2\text{Cl}_4$ (1,3-Dithietane, 2,2,4,4-tetrachloro-) (RN-CAS Registry Number 20464-23-7)	**	9.69 (V)	PE	3898

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_3SCl^+$	C_4H_3SCl (Thiophene, 2-chloro-) (RN-CAS Registry Number 96-43-5)	**	9.06 ± 0.05	EI	3482
$C_4H_3SCl^+$	C_4H_3SCl (Thiophene, 2-chloro-) (RN-CAS Registry Number 96-43-5)	**	8.83	CTS	3787
$NSCl^+(^2A')$	$NSCl$ (RN-CAS Registry Number 17178-58-4)	**	10.96 (V)	PE	3660
$NSCl^+(^2A', ^2A'')$	$NSCl$ (RN-CAS Registry Number 17178-58-4)	**	11.80 (V)	PE	3660
$NSCl^+(^2A')$	$NSCl$ (RN-CAS Registry Number 17178-58-4)	**	13.77 (V)	PE	3660
$NSCl^+(^2A')$	$NSCl$ (RN-CAS Registry Number 17178-58-4)	**	14.46 (V)	PE	3660
$C_{17}H_{19}N_2SCl^+$	$C_{12}H_7NS(Cl)(CH_2)_3N(CH_3)_2$ (10 <i>H</i> -Phenothiazine-10-propanamine, 2-chloro- <i>N,N</i> -dimethyl-) (RN-CAS Registry Number 50-53-3) (ON-Other name: Aminazine)	**	8.25 ± 0.07	CTS	4079
$C_{20}H_{24}N_3SCl^+$	$C_{12}H_7NS(Cl)(CH_2)_3C_4H_8N_2CH_3$ (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(4-methyl-1-piperazinyl)propyl]-) (RN-CAS Registry Number 58-38-8) (ON-Other name: Metherrazine)	**	7.03 ± 0.07	CTS	4079
$SOCl_2^+$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.12 (V)	PE	3705
$SOCl_2^+$	$socl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.13 (V)	PE	3646
$SOCl_2^+(^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.3 (V)	PE	3694
$SOCl_2^+(^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.3 (V)	PE	3879
$SOCl_2^{+*}$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.89 (V)	PE	3705
$SOCl_2^+(^2A'')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.9 (V)	PE	3694
$SOCl_2^+(^2A'')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	11.9 (V)	PE	3879
$SOCl_2^+(^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.15 (V)	PE	3705
$SOCl_2^+(^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.21 (V)	PE	3694
$SOCl_2^+(^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.21 (V)	PE	3879
$SOCl_2^+(^2A'')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.55 (V)	PE	3694
$SOCl_2^{+*}$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.55 (V)	PE	3705
$SOCl_2^+(^2A'', ^2A')$	$SOCl_2$ (RN-CAS Registry Number 7719-09-7)	**	12.55 (V)	PE	3879

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SOCl}_2^+(\text{}^2\text{A}', \text{}^2\text{A}'')$	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	13.04 (V)	PE	3694
$\text{SOCl}_2^+(\text{}^2\text{A}'')$	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	13.04 (V)	PE	3879
SOCl_2^+	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	13.15 (V)	PE	3705
SOCl_2^+	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	13.25 (V)	PE	3705
$\text{SOCl}_2^+(\text{}^2\text{A}')$	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	15.69 (V)	PE	3705
$\text{SOCl}_2^+(\text{}^2\text{A}')$	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	15.8 (V)	PE	3694
$\text{SOCl}_2^+(\text{}^2\text{A}')$	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	16 (V)	PE	3879
SOCl_2^+	SOCl_2 (RN-CAS Registry Number 7719-09-7)	**	16.32 (V)	PE	3705
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	12.05	PE	3879
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_2, \text{}^2\text{B}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	12.4 (V)	PE	3694
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	12.42 (V)	PE	3705
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.0	PE	3879
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{B}_2)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.25 (V)	PE	3694
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.26 (V)	PE	3705
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.74 (V)	PE	3694
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.74 (V)	PE	3879
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{B}_2?)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.74 (V)	PE	3879
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	13.81 (V)	PE	3705
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_2, \text{}^2\text{B}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	14.1 (V)	PE	3694
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	14.20 (V)	PE	3705
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_1?)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	16.93	PE	3879
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{A}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	16.93 (V)	PE	3694
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	16.98 (V)	PE	3705
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	17.61 (V)	PE	3694
$\text{SO}_2\text{Cl}_2^+(\text{}^2\text{B}_1)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	17.61 (V)	PE	3879

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	17.70 (V)	PE	3705
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	18.12 (V)	PE	3694
$\text{SO}_2\text{Cl}_2(^2\text{B}_2)$	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	18.12 (V)	PE	3879
SO_2Cl_2^+	SO_2Cl_2 (RN-CAS Registry Number 7791-25-5)	**	18.20 (V)	PE	3705
$\text{SOCl}_3(^2\text{E})$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	9.63 ± 0.02	PE	3835
$\text{SOCl}_3(^2\text{A}_2)$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	10.67 ± 0.02	PE	3835
$\text{SOCl}_3(^2\text{A}_1)$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	~ 12.4 (V)	PE	3835
$\text{SOCl}_3(^2\text{E})$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	12.54 ± 0.01 (V)	PE	3835
$\text{SOCl}_3(^2\text{E})$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	13.39 ± 0.02 (V)	PE	3835
$\text{SOCl}_3(^2\text{A}_1)$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	14.54 ± 0.01	PE	3835
$\text{SOCl}_3(^2\text{E})$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	15.36 ± 0.01	PE	3835
$\text{SOCl}_3(^2\text{A}_1)$	SOCl_3 (RN-CAS Registry Number XXXXX-XX-X)	**	~ 18.7 (V)	PE	3835
$\text{CH}_3\text{O}_2\text{SCl}^+$	$\text{CH}_3\text{SO}_2\text{Cl}$ (RN-CAS Registry Number 124-63-0)	**	11.74 (V)	PE	3705
$\text{C}_{17}\text{H}_{17}\text{N}_2\text{OSCl}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{Cl})\text{COCH}_2\text{CH}_2\text{N}(\text{CH}_3)_2$ ** (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(dimethylamino)-1-oxopropyl]-) (RN-CAS Registry Number 3576-45-2)	**	8.24 ± 0.07	CTS	4079
$\text{C}_{19}\text{H}_{21}\text{N}_2\text{OSCl}^+$	$\text{C}_{12}\text{H}_7\text{NS}(\text{Cl})\text{COCH}_2\text{CH}_2\text{N}(\text{C}_2\text{H}_5)_2$ ** (10 <i>H</i> -Phenothiazine, 2-chloro-10-[3-(diethylamino)-1-oxopropyl]-) (RN-CAS Registry Number 800-22-6) (ON-Other name: Chloracizine)	**	7.87 ± 0.07	CTS	4079
$\text{C}_{21}\text{H}_{26}\text{N}_3\text{OSCl}^+$	$\text{C}_{21}\text{H}_{26}\text{N}_3\text{OSCl}$ ** (1-Piperazineethanol, 4-[3-(2-chloro-10 <i>H</i> -phenothiazin-10-yl)propyl]-) (RN-CAS Registry Number 58-39-9) (ON-Other name: Ethaperazine)	**	8.63 ± 0.07	CTS	4079
SF_5Cl^+	SF_5Cl (RN-CAS Registry Number 13780-57-9)	**	12.335 ± 0.005	PE	3655
CFSCl^+	FClCS (RN-CAS Registry Number 1495-18-7)	**	10.20 (V)	PE	3746
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	12.61 (V)	PE	3705

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	13.36 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	14.14 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	14.63 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	15.04 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	16.58 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	16.8 (V)	PE	3705
SO_2FCl^+	SO_2FCl (RN-CAS Registry Number 13637-84-8)	**	18.8 (V)	PE	3705
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	9.71 ± 0.003	PE	4086
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	10.11 (V)	PE	4023
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	10.13 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{A}_2)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	11.74 ± 0.1	PE	4086
$\text{PSCl}_3(^2\text{A}_2)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	11.99 (V)	PE	4023
$\text{PSCl}_3(^2\text{A}_2)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	12.01 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	12.15 ± 0.1	PE	4086
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	12.56 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	~ 12.65 (V)	PE	4023
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	~ 12.65 (V)	PE	4023
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	12.68 ± 0.1 (V)	PE	4086
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	13.11 ± 0.1	PE	4086
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	13.39 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	13.39 (V)	PE	4023
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	14.59 ± 0.1	PE	4086
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	14.77 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	14.78 (V)	PE	4023
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	15.37 ± 0.1	PE	4086

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	15.80 ± 0.03 (V)	PE	3669
$\text{PSCl}_3(^2\text{E})$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	15.80 (V)	PE	4023
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	18.34 ± 0.1	PE	4086
$\text{PSCl}_3(^2\text{A}_1)$	PSCl_3 (RN-CAS Registry Number 3982-91-0)	**	18.62 ± 0.03 (V)	PE	3669
$\text{C}_4\text{H}_{12}\text{N}_2\text{PSCl}^+$	$\text{PSCl}(\text{N}(\text{CH}_3)_2)_2$ (RN-CAS Registry Number 3732-81-8)	**	8.23 ± 0.003	PE	4086
$\text{C}_2\text{H}_6\text{NPSCl}_2^+$	$\text{PSCl}_2\text{N}(\text{CH}_3)_2$ (RN-CAS Registry Number 1498-65-3)	**	8.97 ± 0.003	PE	4086
$\text{Ar}^+(^2\text{P}_{3/2})$	Ar (RN-CAS Registry Number 7440-37-1)	**	15.75973 ± 0.00001 S		3923
$\text{Ar}^+(^2\text{P}_{3/2})$	Ar (RN-CAS Registry Number 7440-37-1)	**	15.753 ± 0.002	TPE	3525
$\text{Ar}^+(^2\text{P}_{1/2})$	Ar (RN-CAS Registry Number 7440-37-1)	**	15.930 ± 0.002	TPE	3525
$\text{Ar}^+(^2\text{P}_{3/2})$	Ar (RN-CAS Registry Number 7440-37-1)	**	15.713 ± 0.003	PEN	3541
Ar^{+2}	Ar (RN-CAS Registry Number 7440-37-1)	**	43.7 ± 0.5	SRP	3625
Ar^{+2}	Ar (RN-CAS Registry Number 7440-37-1)	**	~ 43	EI	3445
Ar^{+3}	Ar (RN-CAS Registry Number 7440-37-1)	**	~ 84	EI	3445
Ar^{+4}	Ar (RN-CAS Registry Number 7440-37-1)	**	~ 145	EI	3445
Ca^+	Ca (RN-CAS Registry Number 7440-70-2)	**	~ 6.1	EI	3486
Ca^{+2}	Ca (RN-CAS Registry Number 7440-70-2)	**	18	EI	3486
Ca^{+3}	Ca (RN-CAS Registry Number 7440-70-2)	**	~ 69	EI	3486
$\text{Ca}^{+3}(^2\text{P}_{3/2})$	Ca^{+2} (RN-CAS-Registry Number 14127-61-8)	**	50.91357 ± 0.0003	S	4059
$\text{Ca}^{+3}(^2\text{P}_{1/2})$	Ca^{+2} (RN-CAS-Registry Number 14127-61-8)	**	51.30014 ± 0.0003	S	4059
Sc^+	Sc (RN-CAS Registry Number 7440-20-2)	**	6.7	EI	3600

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Sc^{+3}	Sc^{+2} (RN-CAS Registry Number 14336-96-0)	**	24.75700 ± 0.00006 S	S	3905
Sc^{+3}	Sc^{+2} (RN-CAS Registry Number 14336-96-0)	**	24.75704 ± 0.00001 S	S	4007
$\text{Sc}^{+4}({}^2\text{P}_{3/2})$	Sc^{+3} (RN-CAS-Registry Number 22537-29-7)	**	$73.49004 \pm .00037$ S	S	4064
$\text{Sc}^{+4}({}^2\text{P}_{1/2})$	Sc^{+3} (RN-CAS-Registry Number 22537-29-7)	**	$74.02635 \pm .00037$ S	S	4064
ScC_2^+	ScC_2 (RN-CAS Registry Number 12175-91-6)	**	7.7 ± 0.2	EI	3470
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Sc}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Sc}$ (Scandium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 18990-42-6)	**	10.13 ± 0.07 (V)	PE	3682
Ti^+	Ti (RN-CAS Registry Number 7440-32-6)	**	6.6 ± 0.5	EI	3449
Ti^+	Ti (RN-CAS Registry Number 7440-32-6)	**	7.3 ± 0.6	EI	3902
Ti^+	Ti (RN-CAS Registry Number 7440-32-6)	**	7.4 ± 0.5	EI	3594
Ti^+	TiO (RN-CAS Registry Number 12137-20-1)		14.5 ± 0.7	EI	3594
Ti^+	TiO (RN-CAS Registry Number 12137-20-1)	O	14.51 ± 0.36	EI	4103
TiC_2^+	TiC_2 (RN-CAS Registry Number 12071-32-8)	**	8.2 ± 0.6	EI	3902
TiO^+	TiO (RN-CAS Registry Number 12137-20-1)	**	6.8 ± 0.5	EI	3449
TiO^+	TiO (RN-CAS Registry Number 12137-20-1)	**	7.22 ± 0.35	EI	4103
TiO^+	TiO (RN-CAS Registry Number 12137-20-1)	**	7.3 ± 0.5	EI	3594
TiO_2^+	TiO_2 (RN-CAS Registry Number 13463-67-7)	**	8.5 ± 0.5	EI	3594
TiO_2^+	TiO_2 (RN-CAS Registry Number 13463-67-7)	**	11.56 ± 0.14	EI	4103
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Ti}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Ti}$ (Titanium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 22854-59-7)	**	7.94 ± 0.07 (V)	PE	3682
$\text{C}_{15}\text{H}_3\text{O}_6\text{F}_{18}\text{Ti}^+$	$(\text{CF}_3\text{COCHCOCF}_3)_3\text{Ti}$ (Titanium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 22854-59-7)	**	7.98 (V)	PE	3681

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
TiS ⁺	TiS (RN-CAS Registry Number 12039-07-5)	**	7.1±0.3	EI	3449
V ⁺	V (RN-CAS Registry Number 7440-62-2)	**	7±1	EI	3801
VN ⁺	VN (RN-CAS Registry Number 24646-85-3)	**	8±1	EI	3801
VO ⁺	VO (RN-CAS Registry Number 12035-98-2)	**	8±1	EI	3620
VO ₂ ⁺	VO ₂ (RN-CAS Registry Number 12036-21-4)	**	10±2	EI	3620
V ₄ O ₈ ⁺	V ₄ O ₈ (RN-CAS Registry Number 12503-87-6)	**	13±1	EI	3620
V ₄ O ₁₀ ⁺	V ₄ O ₁₀ (RN-CAS Registry Number 12503-98-9)	**	12±1	EI	3620
C ₁₅ H ₃ O ₆ F ₁₈ V ⁺	(CF ₃ COCHCOCF ₃) ₃ V (Vanadium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (OC-6-11)-) (RN-CAS Registry Number 15695-77-9)	**	8.68±0.07 (V)	PE	3682
C ₁₅ H ₃ O ₆ F ₁₈ V ⁺	(CF ₃ COCHCOCF ₃) ₃ V (Vanadium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (OC-6-11)-) (RN-CAS Registry Number 15695-77-9)	**	8.68 (V)	PE	3681
Cr ⁺	C ₆ H ₆ Cr(CO) ₃ (Chromium, (η ⁶ -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5) (MT-Metastable transition(s) observed)	C ₆ H ₆ +3CO	12.2±0.2	EI	3786
Cr ⁺	C ₆ H ₆ Cr(CO) ₃ (Chromium, (η ⁶ -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5) (MT-Metastable transition(s) observed)	C ₆ H ₆ +3CO	13.50±0.1	EI	3788
Cr ⁺	C ₆ H ₅ CH ₃ Cr(CO) ₃ (Chromium, tricarbonyl[(1,2,3,4,5,6-η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8) (MT-Metastable transition(s) observed)	C ₆ H ₅ CH ₃ +3CO	13.42±0.1	EI	3788
Cr ⁺	C ₆ H ₄ (CH ₃) ₂ Cr(CO) ₃ (Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2) (MT-Metastable transition(s) observed)		13.06±0.1	EI	3788
Cr ⁺	C ₆ H ₃ (CH ₃) ₃ Cr(CO) ₃ (Chromium, tricarbonyl[(1,2,3,4,5,6-η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8) (OP-The other product(s) is(are): C ₆ H ₄ (CH ₃) ₂ +3CO) (MT-Metastable transition(s) observed)		13.90±0.1	EI	3788

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Cr^+	$\text{C}_6(\text{CH}_3)_6\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8)	$\text{C}_6(\text{CH}_3)_6 + 3\text{CO}$	13.00 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$\text{C}_6\text{H}_5\text{CH}_2\text{OHCr}(\text{CO})_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9)		14.01 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	(OP-The other product(s) is(are): $\text{C}_6\text{H}_5\text{CH}_2\text{OH} + 3\text{CO}$)				
Cr^+	$\text{C}_6\text{H}_5\text{OCH}_3\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)		12.65 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	(OP-The other product(s) is(are): $\text{C}_6\text{H}_5\text{OCH}_3 + 3\text{CO}$)				
Cr^+	$\text{C}_6\text{H}_5\text{COOCH}_3\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0)		14.00 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	(OP-The other product(s) is(are): $\text{C}_6\text{H}_5\text{COOCH}_3 + 3\text{CO}$)				
(MT-Metastable transition(s) observed)	$\text{C}_6\text{H}_5\text{NH}_2\text{Cr}(\text{CO})_3$ (Chromium, (η^6 -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1)	$\text{C}_6\text{H}_5\text{NH}_2 + 3\text{CO}$	13.17 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$((\text{CH}_3)_2\text{N})_3\text{PCr}(\text{CO})_5$ (RN-CAS Registry Number XXXXX-XX-X)		22.3 ± 0.05	EI	3952
Cr^+	$(((\text{CH}_3)_2\text{N})_3\text{P})_2\text{Cr}(\text{CO})_4$ (RN-CAS Registry Number 19976-85-3)		22.2 ± 0.05	EI	3952
Cr^+	$\text{C}_6\text{H}_5\text{ClCr}(\text{CO})_3$ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0)	$\text{C}_6\text{H}_5\text{Cl} + 3\text{CO}$	14.10 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					
$\text{C}_6\text{H}_6\text{Cr}^+$	$\text{C}_6\text{H}_6\text{Cr}(\text{CO})_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	3CO	9.0 ± 0.2	EI	3786
(MT-Metastable transition(s) observed)					
$\text{C}_6\text{H}_6\text{Cr}^+$	$\text{C}_6\text{H}_6\text{Cr}(\text{CO})_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	3CO	10.34 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					
$\text{C}_7\text{H}_8\text{Cr}^+$	$\text{C}_6\text{H}_5\text{CH}_3\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8)	3CO	10.04 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					
$\text{C}_8\text{H}_{10}\text{Cr}^+$	$\text{C}_6\text{H}_4(\text{CH}_3)_2\text{Cr}(\text{CO})_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2)	3CO	9.60 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_{12}Cr^+$	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8) (MT-Metastable transition(s) observed)	3CO	10.35 ± 0.1	EI	3788
$C_{10}H_{10}Cr^+$	$(C_5H_5)_2Cr$ (Chromocene) (RN-CAS Registry Number 1271-24-5)	**	5.50	PE	3725
$C_{11}H_{11}Cr^+$	$C_5H_5CrC_6H_6$ (Chromium, (η^6 -benzene)(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 12093-16-2)	**	6.20 ± 0.1 (V)	PE	3686
$C_{12}H_{12}Cr^+$	$(C_6H_6)_2Cr$ (Chromium, bis(benzene)-) (RN-CAS Registry Number 1271-54-1)	**	5.4 ± 0.1 (V)	PE	3686
$C_{12}H_{18}Cr^+$	$C_6(CH_3)_6Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8) (MT-Metastable transition(s) observed)	3CO	9.82 ± 0.1	EI	3788
$C_{14}H_{16}Cr^+$	$(C_6H_5CH_3)_2Cr$ (Chromium, bis(η^6 -methyl benzene)-) (RN-CAS Registry Number 12087-58-0)	**	5.24 ± 0.1 (V)	PE	3686
$C_{20}H_{44}Cr^+$	$((CH_3)_3CCH_2)_4Cr$ (RN-CAS Registry Number 37007-84-4)	**	7.25 ± 0.1 (V)	PE	3830
$C_6H_7NCr^+$	$C_6H_5NH_2Cr(CO)_3$ (Chromium, (η^6 -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1) (MT-Metastable transition(s) observed)	3CO	9.96 ± 0.1	EI	3788
$CrCO^{+2}$	$CrCO$ (RN-CAS Registry Number XXXXX-XX-X)	**	17.3 ± 1.0	EI	3572
$C_6O_6Cr^+$	$Cr(CO)_6$ (RN-CAS Registry Number 13007-92-6)	**	8.40 ± 0.02 (V)	PE	3979
$C_6O_6Cr^+$	$Cr(CO)_6$ (RN-CAS Registry Number 13007-92-6)	**	8.19 ± 0.1	EI	3582
$C_7H_6OCr^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5) (MT-Metastable transition(s) observed)	2CO	7.9 ± 0.2	EI	3786
$C_7H_6OCr^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5) (MT-Metastable transition(s) observed)	2CO	8.09 ± 0.1	EI	3788

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_8OCr^+$	$C_6H_5CH_2OHCr(CO)_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9)	3CO	10.35 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)	3CO	9.90 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_5CH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8)	2CO	8.11 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_4(CH_3)_2Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2)	2CO	7.85 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8)	2CO	8.00 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6(CH_3)_6Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8)	2CO	7.70 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	CO	7.25 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	CO	7.4 ± 0.2	EI	3786
(MT-Metastable transition(s) observed)	$C_6H_5CH_2OHCr(CO)_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9)	2CO	8.19 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)	2CO	7.90 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)	$C_6H_5COOCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0)	3CO	10.00 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_9H_8O_2Cr^+$	$C_6H_5CH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8) (MT-Metastable transition(s) observed)	CO	7.09 ± 0.1	EI	3788
$C_{10}H_{10}O_2Cr^+$	$C_6H_4(CH_3)_2Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2) (MT-Metastable transition(s) observed)	CO	7.00 ± 0.1	EI	3788
$C_{11}H_{12}O_2Cr^+$	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8) (MT-Metastable transition(s) observed)	CO	6.69 ± 0.1	EI	3788
$C_{14}H_{18}O_2Cr^+$	$C_6(CH_3)_6Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8) (MT-Metastable transition(s) observed)	CO	6.45 ± 0.1	EI	3788
$C_9H_6O_3Cr^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	**	6.74 ± 0.1	EI	3788
$C_9H_6O_3Cr^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5)	**	7.0 ± 0.2	EI	3786
$C_9H_6O_3Cr^+$	$C_6H_6Cr(CO)_3$ (Chromium, (η^6 -benzene)tricarbonyl-) (RN-CAS Registry Number 12082-08-5) (AV-Average of two values)	**	7.28	CTS	4029
$C_9H_8O_3Cr^+$	$C_6H_5CH_2OHCr(CO)_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9) (MT-Metastable transition(s) observed)	CO	7.32 ± 0.1	EI	3788
$C_9H_8O_3Cr^+$	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8) (MT-Metastable transition(s) observed)	CO	6.95 ± 0.1	EI	3788
$C_9H_8O_3Cr^+$	$C_6H_5COOCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0) (MT-Metastable transition(s) observed)	2CO	8.27 ± 0.1	EI	3788
$C_{10}H_8O_3Cr^+$	$C_6H_5CH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8)	**	6.69 ± 0.1	EI	3788
$C_{10}H_8O_3Cr^+$	$C_6H_5CH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzene]-) (RN-CAS Registry Number 12083-24-8) (AV-Average of two values)	**	7.29	CTS	4029

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{11}H_{10}O_3Cr^+$	$C_6H_4(CH_3)_2Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2)	**	6.70 ± 0.1	EI	3788
$C_{11}H_{10}O_3Cr^+$	$C_6H_4(CH_3)_2Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,2-dimethylbenzene]-) (RN-CAS Registry Number 12129-29-2)	**	7.29	CTS	4029
(AV-Average of two values)					
$C_{12}H_{12}O_3Cr^+$	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8)	**	6.60 ± 0.1	EI	3788
$C_{12}H_{12}O_3Cr^+$	$C_6H_3(CH_3)_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-1,3,5-trimethylbenzene]-) (RN-CAS Registry Number 12129-67-8)	**	7.29	CTS	4029
(AV-Average of two values)					
$C_{15}H_{18}O_3Cr^+$	$C_6(CH_3)_6Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-hexamethylbenzene]-) (RN-CAS Registry Number 12088-11-8)	**	6.35 ± 0.1	EI	3788
$C_{10}H_8O_4Cr^+$	$C_6H_5CH_2OHCr(CO)_3$ (Chromium, [(1,2,3,4,5,6- η)-benzenemethanol]tricarbonyl-) (RN-CAS Registry Number 12116-45-9)	**	6.92 ± 0.1	EI	3788
$C_{10}H_8O_4Cr^+$	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)	**	6.75 ± 0.1	EI	3788
$C_{10}H_8O_4Cr^+$	$C_6H_5OCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methoxybenzene]-) (RN-CAS Registry Number 12116-44-8)	**	7.32	CTS	4029
(AV-Average of two values)					
$C_{10}H_8O_4Cr^+$	$C_6H_5COOCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0)	CO	7.60 ± 0.1	EI	3788
(MT-Metastable transition(s) observed)					
$C_{11}H_8O_5Cr^+$	$C_6H_5COOCH_3Cr(CO)_3$ (Chromium, tricarbonyl[(1,2,3,4,5,6- η)-methylbenzoate]-) (RN-CAS Registry Number 12125-87-0)	**	7.02 ± 0.1	EI	3788
$C_8H_6O_6Cr^+$	$(CO)_5CrC(OCH_3)CH_3$ (Chromium, pentacarbonyl(1-methoxyethylidene)-, (OC-6-21)) (RN-CAS Registry Number 20540-69-6)	**	7.46 ± 0.1	EI	3582
$C_{13}H_8O_6Cr^+$	$C_6H_5C(OCH_3)Cr(CO)_5$ (Chromium, pentacarbonyl(methoxyphenylmethylene)-, (OC-6-21)-) (RN-CAS Registry Number 27436-93-7)	**	7.26 ± 0.1	EI	3582
$C_{14}H_{10}O_6Cr^+$	$C_6H_4(CH_3)C(OCH_3)Cr(CO)_5$ (Chromium, pentacarbonyl(methoxy(4-methylphenyl)methylene)-, (OC-6-21)-) (RN-CAS Registry Number 29160-36-9)	**	7.13 ± 0.1	EI	3582

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{21}O_6Cr^+$	(CH ₃ COCHCOCH ₃) ₃ Cr (Chromium, tris(2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 21679-31-2)	**	7.46±0.07 (V)	PE	3682
$C_{14}H_{10}O_7Cr^+$	C ₆ H ₄ (OCH ₃)C(OCH ₃)Cr(CO) ₅ (Chromium, pentacarbonyl(<i>o</i> , <i>α</i> -dimethoxybenzylidene)-) (RN-CAS Registry Number 27436-99-3)	**	7.05±0.1	EI	3582
$C_7H_7NOCr^+$	C ₆ H ₅ NH ₂ Cr(CO) ₃ (Chromium, (<i>η</i> ⁶ -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1) (MT-Metastable transition(s) observed)	2CO	7.84±0.1	EI	3788
$C_8H_7NO_2Cr^+$	C ₆ H ₅ NH ₂ Cr(CO) ₃ (Chromium, (<i>η</i> ⁶ -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1) (MT-Metastable transition(s) observed)	CO	6.75±0.1	EI	3788
$C_7H_5NO_3Cr^+$	C ₅ H ₅ Cr(NO)(CO) ₂ (Chromium, dicarbonyl(<i>η</i> ⁵ -2,4-cyclopentadien-1-yl)nitrosyl-) (RN-CAS Registry Number 36312-04-6)	**	7.80	EI	3579
$C_9H_7NO_3Cr^+$	C ₆ H ₅ NH ₂ Cr(CO) ₃ (Chromium, (<i>η</i> ⁶ -benzenamine)tricarbonyl-) (RN-CAS Registry Number 12108-11-1)	**	6.52±0.1	EI	3788
$C_{11}H_{11}NO_3Cr^+$	C ₆ H ₅ N(CH ₃) ₂ Cr(CO) ₃ (Chromium, tricarbonyl(<i>N,N</i> -dimethylbenzenamine)-) (RN-CAS Registry Number 12109-10-3)	**	7.38	CTS	4029
$C_{13}H_7O_6FCr^+$	C ₆ H ₄ FC(OCH ₃)Cr(CO) ₅ (Chromium, pentacarbonyl[(4-fluorophenyl)methoxymethylene]-, (<i>OC</i> -6-21)-) (RN-CAS Registry Number 27436-94-8)	**	7.32±0.1	EI	3582
$C_{14}H_7O_6F_3Cr^+$	C ₆ H ₄ (CF ₃)C(OCH ₃)Cr(CO) ₅ (Chromium, pentacarbonyl[<i>α</i> -methoxy- <i>o</i> -(trifluoromethyl)benzylidene]-) (RN-CAS Registry Number 32011-10-2)	**	7.34±0.1	EI	3582
$C_{14}H_7O_6F_3Cr^+$	C ₆ H ₄ (CF ₃)C(OCH ₃)Cr(CO) ₅ (Chromium, pentacarbonyl[methoxy[4-(trifluoromethyl)phenyl]methylene]-, (<i>OC</i> -6-21)-) (RN-CAS Registry Number 27637-27-0)	**	7.42±0.1	EI	3582
$C_{15}H_{12}O_6F_9Cr^+$	(CF ₃ COCHCOCH ₃) ₃ Cr (Chromium, tris(1,1,1-trifluoro-2,4-pentanedionato- <i>O,O'</i>)-) (RN-CAS Registry Number 14592-89-3)	**	8.58±0.07 (V)	PE	3682
$C_{15}H_3O_6F_{18}Cr^+$	(CF ₃ COCHCOCF ₃) ₃ Cr (Chromium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 14592-80-4)	**	9.53 (V)	PE	3681
$C_{15}H_3O_6F_{18}Cr^+$	(CF ₃ COCHCOCF ₃) ₃ Cr (Chromium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 14592-80-4)	**	9.57±0.07 (V)	PE	3682

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{16}H_{44}Si_4Cr^+$	((CH ₃) ₃ SiCH ₂) ₄ Cr (RN-CAS Registry Number 35394-18-4)	**	7.26±0.1 (V)	PE	3830
$C_6H_{18}N_3PCr^+$	((CH ₃) ₂ N) ₃ PCr(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	5CO	12.5±0.05	EI	3952
$C_6H_{18}N_3PCr^+$	(((CH ₃) ₂ N) ₃ P) ₂ Cr(CO) ₄ (RN-CAS Registry Number 19976-85-3)		11.0±0.05	EI	3952
$C_7H_{18}N_3OPCr^+$	((CH ₃) ₂ N) ₃ PCr(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	4CO	9.8±0.05	EI	3952
$C_9H_{18}N_3O_3PCr^+$	((CH ₃) ₂ N) ₃ PCr(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	2CO	8.6±0.05	EI	3952
$C_{10}H_{18}N_3O_4PCr^+$	((CH ₃) ₂ N) ₃ PCr(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	CO	7.6±0.05	EI	3952
$C_{11}H_{18}N_3O_5PCr^+$	((CH ₃) ₂ N) ₃ PCr(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	**	6.6±0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2Cr^+$	(((CH ₃) ₂ N) ₃ P) ₂ Cr(CO) ₄ (RN-CAS Registry Number 19976-85-3)	CO	9.5±0.05	EI	3952
$C_{16}H_{36}N_6O_4P_2Cr^+$	(((CH ₃) ₂ N) ₃ P) ₂ Cr(CO) ₄ (RN-CAS Registry Number 19976-85-3)	**	6.5±0.05	EI	3952
$CrP_6F_{18}^+$	Cr(PF ₃) ₆ (RN-CAS Registry Number 26117-61-3)	**	9.0	PE	4021
$C_9H_8O_5SCr^+$	C ₄ H ₈ SCr(CO) ₅ ((OC-6-22)-Pentacarbonyl(tetrahydrothiophene)chromium) (RN-CAS Registry Number 15038-40-1)	**	7.45±0.05	EI	3498
$C_7H_6O_6SCr^+$	SO(CH ₃) ₂ Cr(CO) ₅ ((OC-6-22)-Pentacarbonyl(sulfinylbis(methane)-S)chromium) (RN-CAS Registry Number 36083-80-4)	**	7.64±0.05	EI	3498
$C_7H_4O_8SCr^+$	C ₂ H ₄ O ₂ SOCr(CO) ₅ ((OC-6-22)-Pentacarbonyl(1,3,2-dioxathiolane 2-oxide-S)chromium) (RN-CAS Registry Number 36252-44-5)	**	7.80±0.05	EI	3498
$C_6H_5ClCr^+$	C ₆ H ₅ ClCr(CO) ₃ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0) (MT-Metastable transition(s) observed)	3CO	10.10±0.1	EI	3788
$C_7H_5OClCr^+$	C ₆ H ₅ ClCr(CO) ₃ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0) (MT-Metastable transition(s) observed)	2CO	8.18±0.1	EI	3788

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_5O_2ClCr^+$	$C_6H_5ClCr(CO)_3$ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0) (MT-Metastable transition(s) observed)	CO	7.45 ± 0.1	EI	3788
$C_9H_5O_3ClCr^+$	$C_6H_5ClCr(CO)_3$ (Chromium, tricarbonyl(η^6 -chlorobenzene)-) (RN-CAS Registry Number 12082-03-0)	**	7.00 ± 0.1	EI	3788
$C_{13}H_7O_6ClCr^+$	$C_6H_4ClC(OCH_3)Cr(CO)_5$ (Chromium, pentacarbonyl[(4-chlorophenyl)methoxymethylene]-, (OC-6-21)-) (RN-CAS Registry Number 29160-37-0)	**	7.34 ± 0.1	EI	3582
Mn^+	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)		17.3	EI	3814
Mn^+	$(CH_3)_3SiMn(CO)_5$ (RN-CAS Registry Number 26500-16-3)		21.7	EI	3814
Mn^+	$(CH_3)_3SiMn(CO)_4PF_3$ (RN-CAS Registry Number 33989-27-4)		21.9	EI	3814
MnH^+	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)	5CO	13.8	EI	3814
$C_{10}H_{10}Mn^+$	$(C_5H_5)_2Mn$ (Manganocene) (RN-CAS Registry Number 1271-27-8)	**	6.55	PE	3725
$C_{11}H_{11}Mn^+$	$C_5H_5MnC_6H_6$ (Manganese, (η^6 -benzene)(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 1271-43-8)	**	6.36 ± 0.1 (V)	PE	3686
$C_{32}H_{16}N_8Mn^+$	$C_{32}H_{16}N_8Mn$ (Manganese, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)- <i>N</i> ²⁹ , <i>N</i> ³⁰ , <i>N</i> ³¹ , <i>N</i> ³²]- (SP-4-1)-) (RN-CAS Registry Number 14325-24-7) (ON-Other name: Manganese phthalocyanine)	**	7.26 ± 0.10	EI	3829
$MnCO^+$	$(CH_3)_3SiMn(CO)_5$ (RN-CAS Registry Number 26500-16-3)		17.9	EI	3814
$MnC_2O_2^+$	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)		13.7	EI	3814
$MnC_3O_3^+$	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)		13.2	EI	3814
$MnC_4O_4^+$	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)		11.2	EI	3814
$CHOMn^+$	$HMn(CO)_5$ (RN-CAS Registry Number 16972-33-1)	4CO	12.7	EI	3814

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2HO_2Mn^+$	HMn(CO) ₅ (RN-CAS Registry Number 16972-33-1)	3CO	10.3	EI	3814
$C_3HO_3Mn^+$	HMn(CO) ₅ (RN-CAS Registry Number 16972-33-1)	2CO	9.9	EI	3814
$C_8H_5O_3Mn^+$	C ₅ H ₅ Mn(CO) ₃ (Manganese, tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)-) (RN-CAS Registry Number 12079-65-1)	**	8.12±0.1	EI	3578
$C_4HO_4Mn^+$	HMn(CO) ₅ (RN-CAS Registry Number 16972-33-1)	CO	8.7	EI	3814
$C_5HO_5Mn^+$	HMn(CO) ₅ (RN-CAS Registry Number 16972-33-1)	**	8.5±0.1	EI	3814
$C_{15}H_{21}O_6Mn^+$	(CH ₃ COCHCOCH ₃) ₃ Mn (Manganese, tris(2,4-pentanedionato- <i>O,O'</i>)-, (OC-6-11)-) (RN-CAS Registry Number 14284-89-0)	**	7.32±0.07 (V)	PE	3682
MnF^+	MnF (RN-CAS Registry Number 13569-25-0) (TW-Threshold value approximately corrected to 298°K)	**	8.51±0.2	EI	3623
MnF^+	MnF ₂ (RN-CAS Registry Number 7782-64-1) (TW-Threshold value approximately corrected to 298°K)		13.60±0.2	EI	3623
MnF_2^+	MnF ₂ (RN-CAS Registry Number 7782-64-1) (TW-Threshold value approximately corrected to 298°K)	**	11.38±0.2	EI	3623
MnF_2^+	MnF ₃ (RN-CAS Registry Number 7783-53-1) (TW-Threshold value approximately corrected to 298°K)		14.79±0.2	EI	3623
MnF_3^+	MnF ₃ (RN-CAS Registry Number 7783-53-1) (TW-Threshold value approximately corrected to 298°K)	**	12.57±0.2	EI	3623
MnF_3^+	MnF ₄ (RN-CAS Registry Number 15195-58-1) (TW-Threshold value approximately corrected to 298°K)		15.50±0.2	EI	3623
MnF_4^+	MnF ₄ (RN-CAS Registry Number 15195-58-1) (TW-Threshold value approximately corrected to 298°K)	**	13.46±0.2	EI	3623
$C_{15}H_3O_6F_{18}Mn^+$	(CF ₃ COCHCOCF ₃) ₃ Mn (Manganese, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (OC-6-11)-) (RN-CAS Registry Number 14354-50-8)	**	9.2 (V)	PE	3682

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{19}H_3O_{10}F_{18}Mn^+$	(CF ₃ COCHCOCF ₃) ₃ (CO) ₄ Mn (Tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)manganese tetracarbonyl) (RN-CAS Registry Number XXXXX-XX-X)	**	8.11 ± 0.07 (V)	PE	3682
$C_3H_9SiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)		12.8	EI	3814
$C_4H_9OSiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)	4CO	12.0	EI	3814
$C_4H_9OSiMn^+$	(CH ₃) ₃ SiMn(CO) ₄ PF ₃ (RN-CAS Registry Number 33989-27-4)	3CO + PF ₃	12.7	EI	3814
$C_5H_9O_2SiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)	3CO	10.8	EI	3814
$C_5H_9O_2SiMn^+$	(CH ₃) ₃ SiMn(CO) ₄ PF ₃ (RN-CAS Registry Number 33989-27-4)	2CO + PF ₃	11.1	EI	3814
$C_6H_9O_3SiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)	2CO	10.2	EI	3814
$C_7H_9O_4SiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)	CO	9.2	EI	3814
$C_7H_9O_4SiMn^+$	(CH ₃) ₃ SiMn(CO) ₄ PF ₃ (RN-CAS Registry Number 33989-27-4)	PF ₃	9.9	EI	3814
$C_5H_3O_5SiMn^+$	SiH ₃ Mn(CO) ₅ (RN-CAS Registry Number 15770-61-3)	**	8.99 ± 0.02 (V)	PE	3827
$C_8H_9O_5SiMn^+$	Si(CH ₃) ₃ Mn(CO) ₅ (RN-CAS Registry Number XXXXX-XX-X)	**	9.0 ± 0.1 (V)	PE	3827
$C_8H_9O_5SiMn^+$	(CH ₃) ₃ SiMn(CO) ₅ (RN-CAS Registry Number 26500-16-3)	**	8.7 ± 0.2	EI	3814
$C_7H_9O_4F_3SiPMn^+$	(CH ₃) ₃ SiMn(CO) ₄ PF ₃ (RN-CAS Registry Number 33989-27-4)	**	8.7 ± 0.2	EI	3814
$C_6H_9O_3F_6SiP_2Mn^+$	(CH ₃) ₃ SiMn(CO) ₃ (PF ₃) ₂ (RN-CAS Registry Number 36087-62-4)	**	8.1 ± 0.1	EI	3814
$C_5H_9O_2F_9SiP_3Mn^+$	(CH ₃) ₃ SiMn(CO) ₂ (PF ₃) ₃ (RN-CAS Registry Number 36087-61-3)	**	9.1 ± 0.2	EI	3814
$C_{10}H_{15}SMn^+$	C ₄ H ₈ SC ₅ H ₄ CH ₃ Mn(CO) ₂ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(tetrahydrothiophene)manganese) (RN-CAS Registry Number 12153-94-5)	2CO	7.9 ± 0.1	EI	3498
$C_{18}H_{17}SMn^+$	(C ₆ H ₅) ₂ SC ₅ H ₄ CH ₃ Mn(CO) ₂ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-thiobis(benzene)-S)manganese) (RN-CAS Registry Number 36154-47-9)	2CO	8.0 ± 0.1	EI	3498

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_{13}OSMn^+$	$C_5H_4CH_3Mn(CO)_2SO(CH_3)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(sulfinylbis(methane)-S)manganese) (RN-CAS Registry Number 12153-02-5)	2CO	7.9 ± 0.1	EI	3498
$C_{10}H_{15}OSMn^+$	$C_4H_8SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadiene-1-yl)(tetrahydrothiohene 1-oxide-S)manganese) (RN-CAS Registry Number 12153-95-6)	2CO	7.5 ± 0.1	EI	3498
$C_{18}H_{17}OSMn^+$	$(C_6H_5)_2SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-sulfinylbis(benzene)-S)manganese) (RN-CAS Registry Number 36154-49-1)	2CO	7.8 ± 0.1	EI	3498
$C_{12}H_{15}O_2SMn^+$	$C_4H_8SC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(tetrahydrothiophene)manganese) (RN-CAS Registry Number 12153-94-5)	**	6.45 ± 0.05	EI	3498
$C_{20}H_{17}O_2SMn^+$	$(C_6H_5)_2SC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-thiobis(benzene)-S)manganese) (RN-CAS Registry Number 36154-47-9)	**	6.27 ± 0.05	EI	3498
$C_8H_{11}O_3SMn^+$	$C_2H_4O_2SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl(1,3,2-dioxathiolane 2-oxide-S)((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)manganese) (RN-CAS Registry Number 12152-97-5)	2CO	7.75 ± 0.1	EI	3498
$C_{10}H_{13}O_3SMn^+$	$C_5H_4CH_3Mn(CO)_2SO(CH_3)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(sulfinylbis(methane)-S)manganese) (RN-CAS Registry Number 12153-02-5)	**	7.19 ± 0.05	EI	3498
$C_{12}H_{15}O_3SMn^+$	$C_4H_8SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadiene-1-yl)(tetrahydrothiophene 1-oxide-S)manganese) (RN-CAS Registry Number 12153-95-6)	**	6.79 ± 0.05	EI	3498
$C_{20}H_{17}O_3SMn^+$	$(C_6H_5)_2SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)(1,1'-sulfinylbis(benzene)-S)manganese) (RN-CAS Registry Number 36154-49-1)	**	6.76 ± 0.05	EI	3498
$C_{10}H_{11}O_5SMn^+$	$C_2H_4O_2SOC_5H_4CH_3Mn(CO)_2$ (Dicarbonyl(1,3,2-dioxathiolane 2-oxide-S)((1,2,3,4,5-)-1-methyl-2,4-cyclopentadien-1-yl)manganese) (RN-CAS Registry Number 12152-97-5)	**	7.38 ± 0.05	EI	3498

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_5O_5ClMn^+$	$Mn(CO)_5Cl$ (RN-CAS Registry Number 14100-30-2)	**	8.94 (V)	PE	3866
Fe^+	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)		12.0 ± 1.5	RPD	3793
Fe^+	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS-Registry Number 102-54-5)		14.10 ± 0.15	EDD	4072
Fe^+	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	$(C_5H_5)_2$	14.00 ± 0.25	DC	3628
	(MT-Metastable transition(s) observed)				
Fe^+	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	$(C_5H_5)_2$	14.4 ± 0.5	EI	3628
	(PC-Appearance potential of the corresponding metastable transition)				
Fe^+	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	$2C_5H_5$	18.9 ± 0.5	EI	3628
	(PC-Appearance potential of the corresponding metastable transition)				
Fe^+	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)		17.0 ± 0.05	EI	3952
$C_3H_3Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS-Registry Number 102-54-5)		17.75 ± 0.2	EDD	4072
$C_3H_3Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)		18.06 ± 0.10	EI	3628
$C_5H_5Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)		13.9 ± 0.2	RPD	3793
$C_5H_5Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS-Registry Number 102-54-5)		12.95 ± 0.15	EDD	4072
$C_5H_5Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	C_5H_5	14.25 ± 0.25	DC	3628
	(MT-Metastable transition(s) observed)				
$C_5H_5Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	C_5H_5	14.0 ± 0.5	EI	3628
	(PC-Appearance potential of the corresponding metastable transition)				
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	6.78 ± 0.05	PI	3729
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	6.72	PE	3725

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	6.88 (V)	PE	3688
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	~7.0 (V)	PE	3527
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS-Registry Number 102-54-5)	**	7.10 (V)	PE	4072
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	6.9 ± 0.1	RPD	3793
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS-Registry Number 102-54-5)	**	6.90 ± 0.1	EDD	4072
$C_{10}H_{10}Fe^+$	$(C_5H_5)_2Fe$ (Ferrocene) (RN-CAS Registry Number 102-54-5)	**	6.75 ± 0.25	DC	3628
$C_{12}H_{12}Fe^+$	$C_5H_5FeC_5H_4C_2H_3$ (Ferrocene, ethenyl-) (RN-CAS Registry Number 1271-51-8)	**	6.75 ± 0.05	PI	3729
$C_{12}H_{14}Fe^+$	$(C_5H_4CH_3)_2Fe$ (Ferrocene, 1,1'-dimethyl-) (RN-CAS Registry Number 1291-47-0)	**	6.72 (V)	PE	3688
$C_{12}H_{14}Fe^+$	$C_5H_5FeC_5H_4C_2H_5$ (Ferrocene, ethyl-) (RN-CAS Registry Number 1273-89-8)	**	6.70 ± 0.05	PI	3729
$C_{32}H_{16}N_8Fe^+$	$C_{32}H_{16}N_8Fe$ (Iron, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)- <i>N</i> ²⁹ , <i>N</i> ³⁰ , <i>N</i> ³¹ , <i>N</i> ³²]- (<i>SP</i> -4-1)-) (RN-CAS Registry Number 132-16-1) (ON-Other name: Iron phthalocyanine)	**	7.22 ± 0.10	EI	3829
$C_{15}H_{21}O_6Fe^+$	$(CH_3COCHCOCH_3)_3Fe$ (Iron, tris(2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 14024-18-1)	**	8.10 ± 0.07 (V)	PE	3682
$C_{33}H_{57}O_6Fe^+$	$((CH_3)_3CCOCHCOC(CH_3)_3)_3Fe$ (Iron, tris(2,2,6,6-tetramethyl-3,5-heptanedionato- <i>O,O'</i>)-) (RN-CAS Registry Number 14876-47-2)	**	7.92 ± 0.07 (V)	PE	3682
$C_{15}H_{12}O_6F_9Fe^+$	$(CF_3COCHCOCH_3)_3Fe$ (Iron, tris(1,1,1-trifluoro-2,4-pentanedionato- <i>O,O'</i>)- (RN-CAS Registry Number 14526-22-8)	**	9.18 ± 0.07 (V)	PE	3682
$C_{15}H_3O_6F_{18}Fe^+$	$(CF_3COCHCOCF_3)_3Fe$ (Iron, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 17786-67-3)	**	10.13 ± 0.07 (V)	PE	3682

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{18}SiFe^+$	$C_5H_5FeC_5H_4Si(CH_3)_3$ (Ferrocene, (trimethylsilyl)-) (RN-CAS Registry Number 12215-68-8)	**	9.5 ± 0.10	PI	3729
$C_6H_{18}N_3PFe^+$	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)	4CO	10.2 ± 0.05	EI	3952
$C_{12}H_{36}N_6P_2Fe^+$	$((CH_3)_2N)_3P)_2Fe(CO)_3$ (RN-CAS Registry Number 19372-46-4)	3CO	11.7 ± 0.05	EI	3952
$C_7H_{18}N_3OPFe^+$	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)	3CO	10.2 ± 0.05	EI	3952
$C_8H_{18}N_3O_2PFe^+$	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)	2CO	9.8 ± 0.05	EI	3952
$C_9H_{18}N_3O_3PFe^+$	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)	CO	9.4 ± 0.05	EI	3952
$C_{10}H_{18}N_3O_4PFe^+$	$((CH_3)_2N)_3PFe(CO)_4$ (RN-CAS Registry Number 19372-47-5)	**	9.0 ± 0.05	EI	3952
$C_{13}H_{36}N_6OP_2Fe^+$	$((CH_3)_2N)_3P)_2Fe(CO)_3$ (RN-CAS Registry Number 19372-46-4)	2CO	10.2 ± 0.05	EI	3952
$C_{14}H_{36}N_6O_2P_2Fe^+$	$((CH_3)_2N)_3P)_2Fe(CO)_3$ (RN-CAS Registry Number 19372-46-4)	CO	9.7 ± 0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2Fe^+$	$((CH_3)_2N)_3P)_2Fe(CO)_3$ (RN-CAS Registry Number 19372-46-4)	**	7.7 ± 0.05	EI	3952
$FeP_5F_{15}^+$	$Fe(PF_3)_5$ (RN-CAS Registry Number 13815-34-4)	**	8.9	PE	4021
$C_{10}H_9ClFe^+$	$C_5H_5FeC_5H_4Cl$ (Ferrocene, chloro-) (RN-CAS Registry Number 1273-74-1)	**	6.83 ± 0.05	PI	3729
$C_{10}H_8Cl_2Fe^+$	$(C_5H_4Cl)_2Fe$ (Ferrocene, 1,1'-dichloro-) (RN-CAS Registry Number 1293-67-0)	**	7.03 (V)	PE	3688
Co^+	$(C_5H_5)_2Co$ (Cobaltocene) (RN-CAS-Registry Number 1277-43-6)		14.10 ± 0.15	EDD	4072
Co^+	$Cl_3SiCo(CO)_3PF_3$ (RN-CAS Registry Number 37769-28-1)		18.9 ± 0.5	EI	3653
Co^+	$Cl_3SiCo(CO)_2(PF_3)_2$ (RN-CAS Registry Number 37769-29-2)		18.9 ± 0.4	EI	3653

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_3Co^+$	(C ₅ H ₅) ₂ Co (Cobaltocene) (RN-CAS-Registry Number 1277-43-6)		17.50±0.2	EDD	4072
$C_5H_5Co^+$	(C ₅ H ₅) ₂ Co (Cobaltocene) (RN-CAS Registry Number 1277-43-6)		14.0±0.3	RPD	3793
$C_5H_5Co^+$	(C ₅ H ₅) ₂ Co (Cobaltocene) (RN-CAS-Registry Number 1277-43-6)		13.20±0.2	EDD	4072
$C_{10}H_{10}Co^+$	(C ₅ H ₅) ₂ Co (Cobaltocene) (RN-CAS Registry Number 1277-43-6)	**	5.7±0.2	RPD	3793
$C_{10}H_{10}Co^+$	(C ₅ H ₅) ₂ Co (Cobaltocene) (RN-CAS-Registry Number 1277-43-6)	**	5.95±0.1	EDD	4072
$C_{11}H_{13}BCo^+$	C ₅ H ₅ CoC ₅ H ₅ BCH ₃ (Cobalt, (η ⁵ -2,4-cyclopentadien-1-yl)[(1,2,3,4,5,6-η)-1-methylboratabenzene]-) (RN-CAS Registry Number 36534-25-5)	**	6.56±0.1	EI	3545
$C_{12}H_{16}B_2Co^+$	(C ₅ H ₅ BCH ₃) ₂ Co (Cobalt, bis[(1,2,3,4,5,6-η)-1-methylboratabenzene]-) (RN-CAS Registry Number 36534-27-7)	**	7.15±0.1	EI	3545
$C_{16}H_{15}BCo^+$	C ₅ H ₅ CoC ₅ H ₅ BC ₆ H ₅ (Cobalt, (η ⁵ -2,4-cyclopentadien-1-yl)[(1,2,3,4,5,6-η)-1-phenylboratabenzene]-) (RN-CAS Registry Number 36682-12-9)	**	6.63±0.1	EI	3545
$C_{22}H_{20}B_2Co^+$	(C ₅ H ₅ BC ₆ H ₅) ₂ Co (Cobalt, bis[(1,2,3,4,5,6-η)-1-phenylboratabenzene]-) (RN-CAS Registry Number 36534-31-3)	**	7.25±0.1	EI	3545
$C_{32}H_{16}N_8Co^+$	C ₃₂ H ₁₆ N ₈ Co (Cobalt, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)- <i>N</i> ²⁹ , <i>N</i> ³⁰ , <i>N</i> ³¹ , <i>N</i> ³²]- (<i>SP</i> -4-1)-) (RN-CAS Registry Number 3317-67-7) (ON-Other name: Cobalt phthalocyanine)	**	7.46±0.10	EI	3829
$CoCo^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		16.7±0.3	EI	3653
$CoCo^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		16.9±0.4	EI	3653
$C_2O_2Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		15.5±0.4	EI	3653
$C_2O_2Co^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		15.5±0.3	EI	3653
$C_4HO_4Co^+$	HCo(CO) ₄ (RN-CAS Registry Number 16842-03-8)	**	8.90±0.02 (V)	PE	3827

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{21}O_6Co^+$	(CH ₃ COCHCOCH ₃) ₃ Co (Cobalt, tris(2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 21679-46-9)	**	7.52 ± 0.07 (V)	PE	3682
$C_{12}H_{16}B_2O_2Co^+$	(C ₅ H ₅ BOCH ₃) ₂ Co (Cobalt, bis[(1,2,3,4,5,6- η)-1-methoxyboratabenzene]-) (RN-CAS Registry Number 36534-20-0)	**	7.02 ± 0.1	EI	3545
$C_{15}H_3O_6F_{18}Co^+$	(CF ₃ COCHCOCF ₃) ₃ Co (Cobalt, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 16702-37-7)	**	9.73 ± 0.07 (V)	PE	3682
$C_4H_3O_4SiCo^+$	SiH ₃ Co(CO) ₄ (RN-CAS Registry Number 14652-62-1)	**	8.85 ± 0.02 (V)	PE	3827
F_3PCo^+	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		16.9 ± 0.4	EI	3653
F_3PCo^+	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		16.7 ± 0.3	EI	3653
$ClCo^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		18.7 ± 0.4	EI	3653
$ClCo^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		18.9 ± 0.5	EI	3653
$SiCl_2Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		18.4 ± 0.6	EI	3653
$SiCl_2Co^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		18.4 ± 0.3	EI	3653
$SiCl_3Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		13.5 ± 0.4	EI	3653
$SiCl_3Co^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		13.6 ± 0.2	EI	3653
$COSiCl_3Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		11.9 ± 0.3	EI	3653
$COSiCl_3Co^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		11.9 ± 0.3	EI	3653
$C_2O_2SiCl_3Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		10.8 ± 0.4	EI	3653
$C_2O_2SiCl_3Co^+$	Cl ₃ SiCo(CO) ₂ (PF ₃) ₂ (RN-CAS Registry Number 37769-29-2)		11.0 ± 0.2	EI	3653
$C_3O_3SiCl_3Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		9.6 ± 0.3	EI	3653
$F_3SiPCL_3Co^+$	Cl ₃ SiCo(CO) ₃ PF ₃ (RN-CAS Registry Number 37769-28-1)		10.2 ± 0.5	EI	3653

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{F}_3\text{SiPCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$ (RN-CAS Registry Number 37769-29-2)		10.2 ± 0.4	EI	3653
$\text{C}_3\text{O}_3\text{F}_3\text{SiPCl}_2\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_3$ (RN-CAS Registry Number 37769-28-1)		9.8 ± 0.2	EI	3653
$\text{COF}_3\text{SiPCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_3$ (RN-CAS Registry Number 37769-28-1)		10.7 ± 0.3	EI	3653
$\text{COF}_3\text{SiPCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$ (RN-CAS Registry Number 37769-29-2)		10.9 ± 0.2	EI	3653
$\text{C}_3\text{O}_3\text{F}_3\text{SiPCl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_3\text{PF}_3$ (RN-CAS Registry Number 37769-28-1)	**	9.4 ± 0.2	EI	3653
$\text{COF}_6\text{SiP}_2\text{Cl}_3\text{Co}^+$	$\text{Cl}_3\text{SiClCo}(\text{CO})_2(\text{PF}_3)_2$ (RN-CAS Registry Number 37769-29-2)		9.7 ± 0.2	EI	3653
$\text{C}_2\text{O}_2\text{F}_6\text{SiP}_2\text{Cl}_3\text{Co}^+$	$\text{Cl}_3\text{SiCo}(\text{CO})_2(\text{PF}_3)_2$ (RN-CAS Registry Number 37769-29-2)	**	9.3 ± 0.2	EI	3653
Ni^+	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)		13.9 ± 0.4	RPD	3793
Ni^+	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)	$(\text{C}_5\text{H}_5)_2$	13.00 ± 0.25	DC	3628
(MT-Metastable transition(s) observed)					
Ni^+	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)	$(\text{C}_5\text{H}_5)_2$	14.3 ± 0.5	EI	3628
(PC-Appearance potential of the corresponding metastable transition)					
Ni^+	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)	$2\text{C}_5\text{H}_5$	17.7 ± 0.5	EI	3628
Ni^+	$\text{C}_5\text{H}_5\text{NiNO}$ (Nickel, (η^5 -2,4-cyclopentadien-1-yl)nitrosyl-) (RN-CAS Registry Number 12071-73-7)		14.8	EI	4015
$\text{C}_3\text{H}_3\text{Ni}^+$	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)		16.7 ± 0.1	EI	3628
$\text{C}_5\text{H}_5\text{Ni}^+$	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)		12.6 ± 0.2	RPD	3793
$\text{C}_5\text{H}_5\text{Ni}^+$	$(\text{C}_5\text{H}_5)_2\text{Ni}$ (Nickelocene) (RN-CAS Registry Number 1271-28-9)	C_5H_5	13.00 ± 0.25	DC	3628
(MT-Metastable transition(s) observed)					

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
C ₅ H ₅ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9) (PC—Appearance potential of the corresponding metastable transition)	C ₅ H ₅	13.0±0.5	EI	3628
C ₅ H ₅ Ni ⁺	C ₅ H ₅ NiNO (Nickel, (η ⁵ -2,4-cyclopentadien-1-yl)nitrosyl-) (RN-CAS Registry Number 12071-73-7)		10.5	EI	4015
C ₆ H ₁₀ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickel, bis(η ³ -2-propenyl)-) (RN-CAS Registry Number 12077-85-9)	**	7.33±0.04	PE	3711
C ₈ H ₈ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9) (MT—Metastable transition(s) observed)	C ₂ H ₂	12.6±0.1	EI	3628
C ₁₀ H ₁₀ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9)	**	6.2	PE	3725
C ₁₀ H ₁₀ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9)	**	6.8±0.1	RPD	3793
C ₁₀ H ₁₀ Ni ⁺	(C ₅ H ₅) ₂ Ni (Nickelocene) (RN-CAS Registry Number 1271-28-9)	**	6.50±0.25	DC	3628
C ₃₂ H ₁₆ N ₈ Ni ⁺	C ₃₂ H ₁₆ N ₈ Ni (Nickel, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)-N ²⁹ ,N ³⁰ ,N ³¹ ,N ³²]- (SP-4-1)-) (RN-CAS Registry Number 14055-02-8) (ON—Other name: Nickel phthalocyanine)	**	7.45±0.10	EI	3829
C ₅ H ₅ NONi ⁺	C ₅ H ₅ NiNO (Nickel, (η ⁵ -2,4-cyclopentadien-1-yl)nitrosyl-) (RN-CAS Registry Number 12071-73-7)	**	8.5	EI	4015
C ₁₂ H ₁₈ N ₂ O ₂ Ni ⁺	C ₁₂ H ₁₈ O ₂ N ₂ Ni (Nickel, [[4,4'-(1,2-ethanediyl)dinitrilo]bis[2-pentanonato]](2 ⁻)-N,N',O,O']-) (RN-CAS Registry Number 13878-48-3)	**	6.80 (V)	PE	3822
Cu ⁺	Cu (RN-CAS Registry Number 7440-50-8)	**	7.72634±0.00002 S		4011
Cu ⁺	Cu (RN-CAS Registry Number 7440-50-8)	**	7.71±0.05	RPD	3745
Cu ⁺	Cu ₃ Cl ₃ ? (RN-CAS Registry Number 11093-65-5)		14.0±0.5	EI	3455
Cu ⁺	Cu ₄ Cl ₄ ? (RN-CAS Registry Number 11093-67-7)		14.0±0.5	EI	3455
Cu ⁺	Cu ₃ I ₃ (RN-CAS Registry Number XXXXX-XX-X)		15.2±0.5	EI	3603

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Cu_2^+	Cu_2 (RN-CAS Registry Number 34015-11-7)	**	7.8	EI	3775
Cu_2^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		15.2 ± 0.5	EI	3603
Cu_3^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		17.0 ± 0.5	EI	3603
$\text{C}_{32}\text{H}_{16}\text{N}_8\text{Cu}^+$	$\text{C}_{32}\text{H}_{16}\text{N}_8\text{Cu}$ (Copper, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)- <i>N</i> ²⁹ , <i>N</i> ³⁰ , <i>N</i> ³¹ , <i>N</i> ³²]- (<i>SP</i> -4-1)-) (RN-CAS Registry Number 147-14-8) (ON-Other name: Copper phthalocyanine)	**	7.37 ± 0.10	EI	3829
$\text{C}_{12}\text{H}_{18}\text{N}_2\text{O}_2\text{Cu}^+$	$\text{C}_{12}\text{H}_{18}\text{O}_2\text{N}_2\text{Cu}$ (Copper, [[4,4'-(1,2-ethanediyldinitrilo)bis[2-pentanonato]](2 ⁻)- <i>N,N',O,O'</i>]-) (RN-CAS Registry Number 14263-53-7)	**	7.00 (V)	PE	3822
CuCl^+	CuCl (RN-CAS Registry Number 7758-89-6)	**	10.7 ± 0.3	EI	3901
Cu_2Cl^+	Cu_3Cl_3 (RN-CAS Registry Number 11093-65-5)	CuCl_2	12.0 ± 0.5	EI	3455
Cu_2Cl^+	Cu_3Cl_3 (RN-CAS Registry Number 11093-65-5)	$\text{CuCl}^? + \text{Cl}^?$	14.8 ± 0.5	EI	3455
Cu_2Cl^+	$\text{Cu}_4\text{Cl}_4^?$ (RN-CAS Registry Number 11093-67-7)	$\text{CuCl}_2^? + \text{Cl}^?$	14.8 ± 0.5	EI	3455
Cu_2Cl^+	$\text{Cu}_4\text{Cl}_4^?$ (RN-CAS Registry Number 11093-67-7)	$\text{Cu}_2\text{Cl}_2^? + \text{Cl}^?$	14.8 ± 0.5	EI	3455
Cu_2Cl_2^+	Cu_2Cl_2 (RN-CAS Registry Number 12258-96-7)	**	9.6 ± 0.03	EI	3901
Cu_2Cl_2^+	Cu_4Cl_4 (RN-CAS Registry Number 11093-67-7)		14.0 ± 0.5	EI	3455
Cu_3Cl_2^+	$\text{Cu}_3\text{Cl}_3^?$ (RN-CAS Registry Number 11093-65-5)		12.7 ± 0.5	EI	3455
Cu_3Cl_2^+	$\text{Cu}_4\text{Cl}_4^?$ (RN-CAS Registry Number 11093-67-7)	$\text{CuCl}_2^?$	12.7 ± 0.5	EI	3455
Cu_3Cl_3^+	Cu_3Cl_3 (RN-CAS Registry Number 11093-65-5)	**	9.9 ± 0.5	EI	3455
Cu_4Cl_3^+	Cu_4Cl_4 (RN-CAS Registry Number 11093-67-7)		12.4 ± 0.5	EI	3455
Cu_4Cl_4^+	Cu_4Cl_4 (RN-CAS Registry Number 11093-67-7)	**	9.9 ± 0.5	EI	3455
Cu_5Cl_4^+	Cu_5Cl_5 (RN-CAS Registry Number 11093-68-8)		10.6 ± 0.5	EI	3455

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Cu_5Cl_5^+	Cu_5Cl_5 (RN-CAS Registry Number 11093-68-8)	**	9.7 ± 0.5	EI	3455
Zn^+	Zn (RN-CAS Registry Number 7440-66-6)	**	9.57 ± 0.07	RPD	3745
$\text{C}_{32}\text{H}_{16}\text{N}_8\text{Zn}^+$	$\text{C}_{32}\text{H}_{16}\text{N}_8\text{Zn}$ (Zinc, [29 <i>H</i> ,31 <i>H</i> -phthalocyaninato(2 ⁻)- <i>N</i> ²⁹ , <i>N</i> ³⁰ , <i>N</i> ³¹ , <i>N</i> ³²]- (<i>SP</i> -4-1)-) (RN-CAS Registry Number 14320-04-8) (ON-Other name: Zinc phthalocyanine)	**	7.37 ± 0.10	EI	3829
$\text{ZnCl}_2(^2\Pi_g)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	11.7 (V)	PE	3963
ZnCl_2^+	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	11.87 ± 0.05 (V)	PE	3833
$\text{ZnCl}_2(^2\Pi_u)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	12.3 (V)	PE	3963
$\text{ZnCl}_2(^2\Pi_u)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	12.39 ± 0.05 (V)	PE	3833
$\text{ZnCl}_2(^2\Sigma_u)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	13.0 (V)	PE	3963
$\text{ZnCl}_2(^2\Sigma_u)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	13.07 ± 0.05 (V)	PE	3833
$\text{ZnCl}_2(^2\Sigma_g)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	14.0 (V)	PE	3963
$\text{ZnCl}_2(^2\Sigma_g)$	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	14.10 ± 0.05 (V)	PE	3833
ZnCl_2^*	ZnCl_2 (RN-CAS Registry Number 7646-85-7)	**	19.02 ± 0.05 (V)	PE	3833
Ga^+	Ga (RN-CAS Registry Number 7440-55-3)	**	6.1	EI	3472
Ga^+	$(\text{CH}_3)_3\text{Ga}$ (RN-CAS Registry Number 1445-79-0) (MT-Metastable transition(s) observed)	$\text{C}_2\text{H}_6 + \text{CH}_3$	13.24 ± 0.03	EI	3474
Ga^+	$(\text{CH}_2=\text{CH})_3\text{Ga}$ (RN-CAS Registry Number 1188-13-2) (MT-Metastable transition(s) observed)	$\text{C}_4\text{H}_6 + \text{C}_2\text{H}_3$	11.17 ± 0.05	EI	3474
CH_3Ga^+	$(\text{CH}_3)_3\text{Ga}$ (RN-CAS Registry Number 1445-79-0) (MT-Metastable transition(s) observed)	2CH_3	13.65 ± 0.07	EI	3474
$\text{C}_2\text{H}_3\text{Ga}^+$	$(\text{CH}_2=\text{CH})_3\text{Ga}$ (RN-CAS Registry Number 1188-13-2)	C_4H_6	10.95 ± 0.05	EI	3474
$\text{C}_2\text{H}_4\text{Ga}^+$	$(\text{CH}_2=\text{CH})_3\text{Ga}$ (RN-CAS Registry Number 1188-13-2) (MT-Metastable transition(s) observed)	$\text{C}_2\text{H}_3 + \text{C}_2\text{H}_2$	11.85 ± 0.05	EI	3474

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_6Ga^+$ (MT—Metastable transition(s) observed)	$(CH_3)_3Ga$ (RN—CAS Registry Number 1445-79-0)	CH_3	10.16 ± 0.03	EI	3474
$C_3H_9Ga^+$	$(CH_3)_3Ga$ (RN—CAS Registry Number 1445-79-0)	**	9.87 ± 0.02	EI	3474
$C_4H_6Ga^+$	$(CH_2=CH)_3Ga$ (RN—CAS Registry Number 1188-13-2)	C_2H_3	11.04 ± 0.08	EI	3474
$C_6H_9Ga^+$	$(CH_2=CH)_3Ga$ (RN—CAS Registry Number 1188-13-2)	**	10.81 ± 0.1	EI	3474
$C_{12}H_{10}Ga^+$	$(C_6H_5)_3Ga$ (Gallium, triphenyl-) (RN—CAS—Registry Number 1088-02-4)	C_6H_5	8.63	PI	4055
$C_{18}H_{15}Ga^+$	$(C_6H_5)_3Ga$ (Gallium, triphenyl-) (RN—CAS—Registry Number 1088-02-4)	**	8.46 ± 0.03	PI	4055
GaF^+	GaF (RN—CAS Registry Number 13966-78-4)	**	10.7 ± 0.6	EI	3613
GaF_2^+	GaF_3 (RN—CAS Registry Number 7783-51-9)		15.1 ± 0.5	EI	3613
$Ga_2F_5^+$	Ga_2F_6 (RN—CAS Registry Number 38586-87-7)		15.6 ± 0.5	EI	3613
$C_{15}H_3O_6F_{18}Ga^+$	$(CF_3COCHCOCF_3)_3Ga$ (Gallium, tris(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN—CAS Registry Number 19648-92-1)	**	10.19 ± 0.07 (V)	PE	3682
GaP^+	GaP (RN—CAS Registry Number 12063-98-8)	**	≤ 9	EI	3472
Ge^+	Ge (RN—CAS Registry Number 7440-56-4)	**	8.0 ± 0.3	EI	3610
Ge_2^+	Ge_2 (RN—CAS Registry Number 12596-05-3)	**	7.8	EI	3775
$GeH_4(^2B_2)$	GeH_4 (RN—CAS Registry Number 7782-65-2)	**	11.34	PE	3716
$GeH_4(^2T_2)$	GeH_4 (RN—CAS Registry Number 7782-65-2)	**	12.0 (V)	PE	3508
$GeH_4(^2A_1)$	GeH_4 (RN—CAS Registry Number 7782-65-2)	**	18.21	PE	3716
$GeH_4(^2A_1)$	GeH_4 (RN—CAS Registry Number 7782-65-2)	**	18.65 (V)	PE	3508

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_9Ge^+$	$(CH_3)_4Ge$ (RN-CAS Registry Number 865-52-1)	CH_3	10.05 ± 0.14	EI	3548
$C_3H_9Ge^+$	$(CH_3)_3CGe(CH_3)_3$ (RN-CAS Registry Number 1184-91-4)	$(CH_3)_3C$	9.91 ± 0.22	EI	3548
$C_3H_9Ge^+$	$(CH_3)_3GeGe(CH_3)_3$ (RN-CAS Registry Number 993-52-2)	$(CH_3)_3Ge$	9.96 ± 0.16	EI	3548
$C_3H_9Ge^+$	$(CH_3)_3SiGe(CH_3)_3$ (RN-CAS Registry Number 31608-80-7)	$(CH_3)_3Si$	9.99 ± 0.14	EI	3548
$C_3H_9Ge^+$	$(CH_3)_3GeCl$ (RN-CAS Registry Number 1529-47-1)	Cl	11.75 ± 0.04	EI	3939
$C_3H_9Ge^+$	$C_5H_5(CO)_3CrGe(CH_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium) (RN-CAS Registry Number 34962-34-0)	$C_5H_5(CO)_3Cr?$	9.06 ± 0.1	EI	3495
$C_3H_9Ge^+$	$C_5H_5(CO)_3MoGe(CH_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)molybdenum) (RN-CAS Registry Number 33306-91-1)	$C_5H_5(CO)_3Mo?$	9.63 ± 0.14	EI	3495
$C_3H_9Ge^+$	$(CH_3)_3GeSn(CH_3)_3$ (RN-CAS Registry Number 16393-89-8)	$(CH_3)_3Sn$	10.01 ± 0.18	EI	3548
$C_3H_9Ge^+$	$C_5H_5(CO)_3WGe(CH_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)tungsten) (RN-CAS Registry Number 33306-93-3)	$C_5H_5(CO)_3W?$	9.84 ± 0.1	EI	3495
$C_4H_{12}Ge^+$	$(CH_3)_4Ge$ (RN-CAS Registry Number 865-52-1)	**	9.33 ± 0.04	PE	3880
$C_4H_{12}Ge^+$	$(CH_3)_4Ge$ (RN-CAS Registry Number 865-52-1)	**	9.38 ± 0.1	PE	3677
$C_4H_{12}Ge^+$	$(CH_3)_4Ge$ (RN-CAS Registry Number 865-52-1)	**	9.29 ± 0.14	EI	3548
$C_7H_{18}Ge^+$	$(CH_3)_3CGe(CH_3)_3$ (RN-CAS Registry Number 1184-91-4)	**	8.98 ± 0.12	EI	3548
$C_8H_{18}Ge^+$	$CH_2=CHGe(C_2H_5)_3$ (RN-CAS Registry Number 6207-41-6)	**	9.2 (V)	PE	3850
$C_8H_{20}Ge^+$	$(C_2H_5)_4Ge$ (RN-CAS Registry Number 597-63-7)	**	9.3 (V)	PE	3850
$C_9H_{14}Ge^+$	$C_6H_5Ge(CH_3)_3$ (Germane, trimethylphenyl-) (RN-CAS Registry Number 1626-00-2)	**	~ 8.75	CTS	3922
$C_9H_{20}Ge^+$	$CH_2=CHCH_2Ge(C_2H_5)_3$ (RN-CAS Registry Number 1793-90-4)	**	8.8 (V)	PE	3850
$C_{10}H_{14}Ge^+$	$C_8H_8Ge(CH_3)_2$ (1 <i>H</i> -2-Benzogermole, 2,3-dihydro-2,2-dimethyl-) (RN-CAS Registry Number 27490-21-7)	**	8.39	CTS	3546
$C_{10}H_{16}Ge^+$	$C_6H_5CH_2Ge(CH_3)_3$ (Germane, trimethyl(phenylmethyl)-) (RN-CAS Registry Number 2848-62-6)	**	8.19	CTS	3922

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{10}H_{16}Ge^+$	$C_6H_5CH_2Ge(CH_3)_3$ (Germane, trimethyl(phenylmethyl)-) (RN-CAS Registry Number 2848-62-6)	**	8.26	CTS	3546
$C_{12}H_{18}Ge^+$	$C_9H_9Ge(CH_3)_3$ (Germane, 1-indanyltrimethyl-) (RN-CAS Registry Number 27490-24-0)	**	8.02	CTS	3546
$C_{13}H_{15}Ge^+$	$C_{10}H_7Ge(CH_3)_3$ (Germane, trimethyl-1-naphthalenyl-) (RN-CAS Registry Number XXXXX-XX-X)	**	8.00	CTS	3922
$C_{14}H_{18}Ge^+$	$C_{10}H_7CH_2Ge(CH_3)_3$ (Germane, trimethyl(1-naphthalenylmethyl)-) (RN-CAS Registry Number 51220-35-0)	**	7.78	CTS	3922
$C_6H_{18}Ge_2^+$	$(CH_3)_3GeGe(CH_3)_3$ (RN-CAS Registry Number 993-52-2)	**	8.18 ± 0.11	EI	3548
$GeH_3N_3(^2A'')$	GeH_3N_3 (RN-CAS Registry Number 21138-22-7)	**	10.01 ± 0.02 (V)	PE	3670
$Ge_3H_9N^+$	$(GeH_3)_3N$ (RN-CAS Registry Number 22856-27-5)	**	9.2 ± 0.1 (V)	PE	3661
GeO^+	GeO (RN-CAS Registry Number 20619-16-3)	**	11.0 ± 0.3	EI	3610
$Ge_2H_6O^+(^2B_1)$	$(GeH_3)_2O$ (RN-CAS Registry Number 14939-17-4)	**	10.40 (V)	PE	3656
CH_3NOGe^+	GeH_3NCO (RN-CAS Registry Number 6928-42-3)	**	10.76 ± 0.02 (V)	PE	3670
GeF_2^+	GeF_2 (RN-CAS Registry Number 13940-63-1)	**	12.9 ± 0.3	EI	3570
$GeF_4(^2T_1)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	16.06 ± 0.04 (V)	PE	3880
$GeF_4(^2T_2)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	16.08 (V)	PE	3508
GeF_4^*	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	16.50 (V)	PE	3508
$GeF_4(^2T_2)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	16.55 ± 0.04 (V)	PE	3880
GeF_4^*	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	17.04 (V)	PE	3508
$GeF_4(^2A_1)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	17.06 ± 0.04 (V)	PE	3880
$GeF_4(^2T_2)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	18.55 ± 0.04 (V)	PE	3880

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
GeF_4^+	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	18.60 (V)	PE	3508
$\text{GeF}_4^+(\text{}^2\text{A}_1)$	GeF_4 (RN-CAS Registry Number 7783-58-6)	**	21.3 (V)	PE	3508
Ge_2F_4^+	Ge_2F_4 (RN-CAS Registry Number 12332-08-0)	**	13.1 ± 0.3	EI	3570
$\text{GeH}_3\text{F}^+(\text{}^2\text{E})$	GeH_3F (RN-CAS Registry Number 13537-30-9)	**	12.3 ± 0.1 (V)	PE	3510
$\text{GeH}_3\text{F}^+(\text{}^2\text{A}_1)$	GeH_3F (RN-CAS Registry Number 13537-30-9)	**	~15 (V)	PE	3510
GeH_3F^+	GeH_3F (RN-CAS Registry Number 13537-30-9)	**	15.0 ± 0.1 (V)	PE	3502
$\text{GeH}_3\text{F}^+(\text{}^2\text{E})$	GeH_3F (RN-CAS Registry Number 13537-30-9)	**	15.0 ± 0.1 (V)	PE	3510
GeH_2F_2^+	GeH_2F_2 (RN-CAS Registry Number 14986-65-3)	**	13.0 ± 0.1 (V)	PE	3510
GeOF_2^+	GeOF_2 (RN-CAS Registry Number XXXXX-XX-X)	**	12.3 ± 0.3	EI	3570
$\text{C}_6\text{H}_{18}\text{SiGe}^+$	$(\text{CH}_3)_3\text{SiGe}(\text{CH}_3)_3$ (RN-CAS Registry Number 31608-80-7)	**	8.31 ± 0.10	EI	3548
GeH_5P^+	GeH_3PH_2 (RN-CAS Registry Number 13573-06-3)	**	9.7 ± 0.1 (V)	PE	3661
$\text{Ge}_3\text{H}_9\text{P}^+$	$(\text{GeH}_3)_3\text{P}$ (RN-CAS Registry Number 15587-38-9)	**	9.0 ± 0.1 (V)	PE	3661
$\text{GeH}_4\text{S}^+(\text{}^2\text{A}''')$	GeH_3SH (RN-CAS Registry Number 21847-06-3)	**	9.69 (V)	PE	3656
$\text{Ge}_2\text{H}_6\text{S}^+(\text{}^2\text{B}_1)$	$(\text{GeH}_3)_2\text{S}$ (RN-CAS Registry Number 18852-54-5)	**	9.25 (V)	PE	3656
CH_3NSGe^+	GeH_3NCS (RN-CAS Registry Number 16475-45-9)	**	9.14 ± 0.02 (V)	PE	3670
Cl_3Ge^+	GeCl_4 (RN-CAS Registry Number 10038-98-9)	Cl	12.12 ± 0.04	EI	3939
Cl_3Ge^+	CH_3GeCl_3 (RN-CAS Registry Number 993-10-2)	CH_3	12.22 ± 0.05	EI	3939
Cl_4Ge^+	GeCl_4 (RN-CAS Registry Number 10038-98-9)	**	11.68 ± 0.05	EI	3939
$\text{GeH}_3\text{Cl}^+(\text{}^2\text{E})$	GeH_3Cl (RN-CAS Registry Number 13637-65-5)	**	11.30 ± 0.02 (V)	PE	3510

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
GeH_3Cl^+	GeH_3Cl (RN-CAS Registry Number 13637-65-5)	**	11.34 ± 0.05 (V)	PE	3502
$\text{GeH}_3\text{Cl}^+ (^2\text{A}_1)$	GeH_3Cl (RN-CAS Registry Number 13637-65-5)	**	13.05 ± 0.02 (V)	PE	3510
$\text{GeH}_3\text{Cl}^+ (^2\text{E})$	GeH_3Cl (RN-CAS Registry Number 13637-65-5)	**	13.3 ± 0.1 (V)	PE	3510
$\text{GeH}_2\text{Cl}_2^+$	GeH_2Cl_2 (RN-CAS Registry Number 15230-48-5)	**	11.42 ± 0.02 (V)	PE	3510
$\text{C}_2\text{H}_6\text{ClGe}^+$	$(\text{CH}_3)_3\text{GeCl}$ (RN-CAS Registry Number 1529-47-1)	CH_3	10.44 ± 0.04	EI	3939
$\text{C}_2\text{H}_6\text{ClGe}^+$	$(\text{CH}_3)_2\text{GeCl}_2$ (RN-CAS Registry Number 1529-48-2)	Cl	11.56 ± 0.04	EI	3939
$\text{C}_3\text{H}_9\text{ClGe}^+$	$(\text{CH}_3)_3\text{GeCl}$ (RN-CAS Registry Number 1529-47-1)	**	9.62 ± 0.04	EI	3939
$\text{CH}_3\text{Cl}_2\text{Ge}^+$	$(\text{CH}_3)_2\text{GeCl}_2$ (RN-CAS Registry Number 1529-48-2)	CH_3	11.08 ± 0.05	EI	3939
$\text{CH}_3\text{Cl}_2\text{Ge}^+$	CH_3GeCl_3 (RN-CAS Registry Number 993-10-2)	Cl	11.78 ± 0.05	EI	3939
$\text{C}_2\text{H}_6\text{Cl}_2\text{Ge}^+$	$(\text{CH}_3)_2\text{GeCl}_2$ (RN-CAS Registry Number 1529-48-2)	**	10.18 ± 0.05	EI	3939
$\text{CH}_3\text{Cl}_3\text{Ge}^+$	CH_3GeCl_3 (RN-CAS Registry Number 993-10-2)	**	11.11 ± 0.04	EI	3939
$\text{C}_8\text{H}_{14}\text{CrGe}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{CrGe}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium) (RN-CAS Registry Number 34962-34-0)	3CO	10.57 ± 0.24	EI	3495
$\text{C}_9\text{H}_{14}\text{OCrGe}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{CrGe}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium) (RN-CAS Registry Number 34962-34-0)	2CO	9.53 ± 0.15	EI	3495
$\text{C}_{10}\text{H}_{14}\text{O}_2\text{CrGe}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{CrGe}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium) (RN-CAS Registry Number 34962-34-0)	CO	9.13 ± 0.1	EI	3495
$\text{C}_{11}\text{H}_{14}\text{O}_3\text{CrGe}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{CrGe}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylgermyl)chromium) (RN-CAS Registry Number 34962-34-0)	**	7.79 ± 0.1	EI	3495
$\text{C}_5\text{H}_3\text{O}_5\text{MnGe}^+$	$\text{GeH}_3\text{Mn}(\text{CO})_5$ (RN-CAS Registry Number 25069-08-3)	**	8.90 ± 0.02 (V)	PE	3827
$\text{C}_4\text{H}_3\text{O}_4\text{GeCo}^+$	$\text{GeH}_3\text{Co}(\text{CO})_4$ (RN-CAS Registry Number 28360-37-4)	**	8.80 ± 0.02 (V)	PE	3827

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
GeCu^+	GeCu (RN-CAS Registry Number 12394-89-7)	**	7.5	EI	3775
As^+	As (RN-CAS Registry Number 7440-38-2)	**	> 10.0	EI	3475
As_2^+	As_2 (RN-CAS Registry Number 23878-46-8)	**	10.1 ± 0.2	S	3567
As_2^+	$\text{As}_2?$ (RN-CAS Registry Number 23878-46-8)	**	9.7 ± 0.7	EI	3475
As_2^+	As_2 (RN-CAS Registry Number 23878-46-8)	**	11.0 ± 0.5	EI	3555
As_4^+	$\text{As}_4?$ (RN-CAS Registry Number 12597-17-0)	**	8.5 ± 0.7	EI	3475
As_4^+	As_4 (RN-CAS Registry Number 12597-17-0)	**	9.9 ± 0.2	EI	3555
$\text{AsH}_3(^2\text{A}_1)$	AsH_3 (RN-CAS Registry Number 7784-42-1)	**	9.89	PE	3719
$\text{AsH}_3(^2\text{E})$	AsH_3 (RN-CAS Registry Number 7784-42-1)	**	12.12 ± 0.03	PE	3719
$\text{C}_2\text{H}_7\text{As}^+$	$(\text{CH}_3)_2\text{AsH}$ (RN-CAS Registry Number 593-57-7)	**	8.58	PE	3589
$\text{C}_5\text{H}_5\text{As}^+$	$\text{C}_5\text{H}_5\text{As}$ (Arsenin) (RN-CAS Registry Number 289-31-6)	**	8.8 (V)	PE	3832
$\text{C}_{12}\text{H}_{13}\text{As}^+$	$\text{C}_6\text{H}_5\text{C}_4\text{H}_2\text{As}(\text{CH}_3)_2$ (1 <i>H</i> -Arsole, 2,5-dimethyl-1-phenyl-) (RN-CAS Registry Number 20527-10-0)	**	8.0 (V)	PE	4090
$\text{C}_{19}\text{H}_{13}\text{As}^+$	$\text{C}_{13}\text{H}_8\text{AsC}_6\text{H}_5$ (Acridarsine, 10-phenyl-) (RN-CAS Registry Number 28660-45-9)	**	7.05 (V)	PE	3896
AsF_3^+	AsF_3 (RN-CAS Registry Number 7784-35-2)	**	12.84 ± 0.05	EI	3578
$\text{C}_6\text{H}_7\text{F}_6\text{As}^+$	<i>cis</i> -(CH_3) ₂ AsC(CF ₃)=C(CF ₃)H (RN-CAS Registry Number 4648-64-0)	**	8.61	PE	3589
$\text{C}_6\text{H}_7\text{F}_6\text{As}^+$	<i>trans</i> -(CH_3) ₂ AsC(CF ₃)=C(CF ₃)H (RN-CAS Registry Number 4648-63-9)	**	8.71	PE	3589
$\text{C}_8\text{H}_{11}\text{F}_6\text{As}^+$	$(\text{C}_2\text{H}_5)_2\text{AsC}(\text{CF}_3)=\text{C}(\text{CF}_3)\text{H}$ (RN-CAS Registry Number XXXXX-XX-X)	**	8.44	PE	3589
$\text{Si}_3\text{H}_9\text{As}^+$	$(\text{SiH}_3)_3\text{As}$ (RN-CAS Registry Number 15110-34-6)	**	9.3 ± 0.1 (V)	PE	3661

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
AsP ⁺	AsP (RN-CAS Registry Number 12255-33-3)	**	11.2±0.5	EI	3555
AsP ₃ ⁺	AsP ₃ (RN-CAS Registry Number 12511-95-4)	**	10.3±0.3	EI	3555
As ₂ P ₂ ⁺	As ₂ P ₂ (RN-CAS Registry Number 12512-03-7)	**	10.3±0.3	EI	3555
As ₃ P ⁺	As ₃ P (RN-CAS Registry Number 12512-11-7)	**	10.0±0.3	EI	3555
AsS ⁺	AsS? (RN-CAS Registry Number 12044-79-0)	**	9.0±0.7	EI	3475
As ₂ S ₂ ⁺	As ₂ S ₂ ? (RN-CAS Registry Number 1303-32-8)	**	9.0±0.7	EI	3475
As ₃ S ₂ ⁺	As ₃ S ₂ ? (RN-CAS Registry Number 39350-11-3)	**	~11.0±0.7	EI	3475
As ₃ S ₃ ⁺	As ₄ S ₄ (RN-CAS Registry Number 12279-90-2)		9.0±0.7	EI	3475
As ₄ S ₃ ⁺	As ₄ S ₃ ? (RN-CAS Registry Number 12512-13-9)	**	8.7±0.7	EI	3475
As ₄ S ₄ ⁺	As ₄ S ₄ (RN-CAS Registry Number 12279-90-2)	**	9.0±0.7	EI	3475
AsCl ₃ ⁺	AsCl ₃ (RN-CAS Registry Number 7784-34-1)	**	10.55±0.025	PE	3626
AsCl ₃ ⁺	AsCl ₃ (RN-CAS Registry Number 7784-34-1)	**	10.57±0.03	EDD	3626
Se ⁺	Se (RN-CAS Registry Number 7782-49-2)	**	9.9±0.5	EI	3600
Se ⁺	H ₂ Se (RN-CAS Registry Number 7783-07-5)		12.6±0.1	EI	3633
Se ⁺⁴	Se ⁺³ (RN-CAS Registry Number 14700-98-2)	**	42.947±0.003	S	3562
SeH ⁺	SeH (RN-CAS Registry Number 13940-22-2)	**	9.79	S	3742
SeH ⁺	H ₂ Se (RN-CAS Registry Number 7783-07-5)	H	13.8±0.2	EI	3633
H ₂ Se ⁺ (² B ₁)	H ₂ Se (RN-CAS Registry Number 7783-07-5)	**	9.88	PE	3719
H ₂ Se ⁺ (² B ₁)	H ₂ Se (RN-CAS-Registry Number 7783-07-5)	**	9.93	PE	4073

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_2\text{Se}^+(\text{}^2\text{A}_1)$	H_2Se (RN-CAS Registry Number 7783-07-5)	**	12.40	PE	3719
$\text{H}_2\text{Se}^+(\text{}^2\text{B}_2)$	H_2Se (RN-CAS Registry Number 7783-07-5)	**	14.11	PE	3719
$\text{H}_2\text{Se}^+(\text{}^2\text{A}_1)$	H_2Se (RN-CAS Registry Number 7783-07-5)	**	21.0 (V)	PE	3719
$\text{CSe}_2(\text{}^2\text{X}^2\Pi_{3/2})$	CSe_2 (RN-CAS Registry Number 506-80-9)	**	9.27 ± 0.01	PE	3965
$\text{CSe}_2(\text{}^2\text{X}^2\Pi_{1/2})$	CSe_2 (RN-CAS Registry Number 506-80-9)	**	9.54 ± 0.01	PE	3965
$\text{CSe}_2(\text{}^2\text{A}^2\Pi_u)$	CSe_2 (RN-CAS Registry Number 506-80-9)	**	11.49 ± 0.01	PE	3965
$\text{CSe}_2(\text{}^2\text{B}^2\Sigma_u^+)$	CSe_2 (RN-CAS Registry Number 506-80-9)	**	13.63 ± 0.01	PE	3965
$\text{CSe}_2(\text{}^2\text{C}^2\Sigma_g^+)$	CSe_2 (RN-CAS Registry Number 506-80-9)	**	15.90 ± 0.01	PE	3965
$\text{C}_2\text{H}_5\text{Se}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$ (RN-CAS Registry Number 1464-42-2)		12.03 ± 0.06	EI	3443
$\text{C}_2\text{H}_6\text{Se}^+$	$(\text{CH}_3)_2\text{Se}$ (RN-CAS Registry Number 593-79-3) (RS-Average of three Rydberg series limits)	**	8.400 ± 0.010	S	3970
$\text{C}_2\text{H}_6\text{Se}^+(\text{}^2\text{B}_1)$	$(\text{CH}_3)_2\text{Se}$ (RN-CAS Registry Number 593-79-3)	**	8.40 (V)	PE	3656
$\text{C}_3\text{H}_7\text{Se}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$ $\text{C}_2\text{H}_4\text{NO}_2$ (RN-CAS Registry Number 1464-42-2) (MT-Metastable transition(s) observed)		9.34 ± 0.15	EI	3443
$\text{C}_4\text{H}_4\text{Se}^+$	$\text{C}_4\text{H}_4\text{Se}$ (Selenophene) (RN-CAS Registry Number 288-05-1)	**	8.80 (V)	PE	3858
$\text{C}_4\text{H}_4\text{Se}^+$	$\text{C}_4\text{H}_4\text{Se}$ (Selenophene) (RN-CAS Registry Number 288-05-1)	**	≤ 8.92 (V)	PE	3804
$\text{C}_4\text{H}_4\text{Se}^+$	$\text{C}_4\text{H}_4\text{Se}$ (Selenophene) (RN-CAS Registry Number 288-05-1)	**	9.01 ± 0.05	EI	3482
$\text{C}_5\text{H}_6\text{Se}^+$	$\text{C}_4\text{H}_3\text{SeCH}_3$ (Selenophene, 2-methyl-) (RN-CAS Registry Number 7559-42-4)	**	8.38 ± 0.1	EI	3804
$\text{C}_3\text{H}_6\text{NSe}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$ (RN-CAS Registry Number 1464-42-2)		10.33 ± 0.07	EI	3443
$\text{C}_4\text{H}_{10}\text{NSe}^+$	$\text{CH}_3\text{SeCH}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$ CO_2H (RN-CAS Registry Number 1464-42-2) (MT-Metastable transition(s) observed)		9.83 ± 0.16	EI	3443

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
COSe ⁺ (X ² Π _{3/2}) (RD-Radical)	COSe (RN-CAS Registry Number 1603-84-5)	**	10.36±0.01	PE	3965
COSe ⁺ (X ² Π _{1/2}) (RD-Radical)	COSe (RN-CAS Registry Number 1603-84-5)	**	10.57±0.01	PE	3965
COSe ⁺ (A ² Π) (RD-Radical)	COSe (RN-CAS Registry Number 1603-84-5)	**	14.58±0.01	PE	3965
COSe ⁺ (B ² Σ ⁺) (RD-Radical)	COSe (RN-CAS Registry Number 1603-84-5)	**	15.75±0.01	PE	3965
COSe ⁺ (C ² Σ ⁺) (RD-Radical)	COSe (RN-CAS Registry Number 1603-84-5)	**	17.90±0.01	PE	3965
C ₅ H ₄ OSe ⁺	C ₄ H ₃ SeCHO (2-Selenophenecarboxaldehyde) (RN-CAS Registry Number 25109-26-6)	**	9.47±0.05	EI	3482
C ₆ H ₆ OSe ⁺	C ₄ H ₃ SeCOCH ₃ (Ethanone, 1-selenophene-2-yl-) (RN-CAS Registry Number 15429-03-5)	**	9.30±0.05	EI	3482
C ₅ H ₄ O ₂ Se ⁺	C ₄ H ₃ SeCOOH (2-Selenophenecarboxylic acid) (RN-CAS Registry Number 22968-45-2)	**	9.25±0.1	EI	3804
C ₄ H ₆ NOSe ⁺ (MT-Metastable transition(s) observed)	CH ₃ SeCH ₂ CH ₂ CH(NH ₂)COOH H ₂ O + CH ₃ (RN-CAS Registry Number 1464-42-2)		10.00±0.05	EI	3443
C ₅ H ₉ NOSe ⁺ (MT-Metastable transition(s) observed)	CH ₃ SeCH ₂ CH ₂ CH(NH ₂)COOH H ₂ O (RN-CAS Registry Number 1464-42-2)		8.73±0.10	EI	3443
C ₄ H ₈ NO ₂ Se ⁺ (MT-Metastable transition(s) observed)	CH ₃ SeCH ₂ CH ₂ CH(NH ₂)COOH CH ₃ (RN-CAS Registry Number 1464-42-2)		9.35±0.10	EI	3443
C ₅ H ₁₁ NO ₂ Se ⁺	CH ₃ SeCH ₂ CH ₂ CH(NH ₂)COOH ** (RN-CAS Registry Number 1464-42-2)	**	8.26±0.03	EI	3443
C ₆ H ₃ OF ₃ Se ⁺	C ₄ H ₃ SeCOCF ₃ (Ethanone, 2,2,2-trifluoro-1-(selenophene-2-yl)-) (RN-CAS Registry Number 26149-08-6)	**	9.64±0.05	EI	3482
Si ₂ H ₆ Se ⁺ (² B ₁)	(SiH ₃) ₂ Se (RN-CAS Registry Number 14939-45-8)	**	9.18 (V)	PE	3656

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SeP ⁺	SeP (RN-CAS Registry Number 12509-41-0)	**	8.2	EI	4001
CSSe ⁺ (X ² Π _{3/2})	SCSe (RN-CAS Registry Number 5951-19-9)	**	9.58±0.01	PE	3965
(RD-Radical) CSSe ⁺ (X ² Π _{1/2})	SCSe (RN-CAS Registry Number 5951-19-9)	**	9.77±0.01	PE	3965
(RD-Radical) CSSe ⁺ (A ² Π)	SCSe (RN-CAS Registry Number 5951-19-9)	**	12.13±0.01	PE	3965
(RD-Radical) CSSe ⁺ (B ² Σ ⁺)	SCSe (RN-CAS Registry Number 5951-19-9)	**	14.07±0.01	PE	3965
(RD-Radical) CSSe ⁺ (C ² Σ ⁺)	SCSe (RN-CAS Registry Number 5951-19-9)	**	16.06±0.01	PE	3965
(RD-Radical)					
ScSe ⁺	ScSe (RN-CAS Registry Number 12138-19-1)	**	7.5	EI	3600
(RD-Radical)					
Ge ₂ H ₆ Se ⁺ (² B ₁)	(GeH ₃) ₂ Se (RN-CAS Registry Number 24254-18-0)	**	8.84 (V)	PE	3656
Br ⁺	CH ₂ Br ₂ (RN-CAS Registry Number 74-95-3)	CH ₂ Br	16.0	RPD	3490
(AD-0.192 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)					
Br ⁺	CH ₂ Br ₂ (RN-CAS Registry Number 74-95-3)	CH ₂ Br	15.5±0.1	EI	3442
(AD-0.19 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)					
Br ⁺ (⁴ P _{1/2} ⁰)	Br ⁺³ (RN-CAS Registry Number 22788-29-0)	**	45.0556	S	3593
Br ⁺⁵	Br ⁺⁴ (RN-CAS Registry Number 22541-82-8)	**	62.35	S	3592
HBr ⁺ (X ² Π _{3/2})	HBr (RN-CAS Registry Number 10035-10-6)	**	11.645±0.005	PE	3839
HBr ⁺ (X ² Π _{1/2})	HBr (RN-CAS Registry Number 10035-10-6)	**	11.979±0.005	PE	3839
HBr ⁺ (A ² Σ ⁺)	HBr (RN-CAS Registry Number 10035-10-6)	**	15.288±0.005	PE	3839
DBr ⁺ (X ² Π _{3/2})	DBr (RN-CAS Registry Number 13536-59-9)	**	11.673±0.005	PE	3839
DBr ⁺ (X ² Π _{1/2})	DBr (RN-CAS Registry Number 13536-59-9)	**	12.002±0.005	PE	3839

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{DBr}^+(\text{A}^2\Sigma^+)$	DBr (RN-CAS Registry Number 13536-59-9)	**	15.284 ± 0.005	PE	3839
C_2HBr^+	CH \equiv CBr (RN-CAS Registry Number 593-61-3) (RS-Average of two Rydberg series limits)	**	10.762 ± 0.004	S	3876
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}''')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	9.80 ± 0.02	PE	3659
$\text{C}_2\text{H}_3\text{Br}^+$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	9.83	PE	3863
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	10.90 ± 0.02	PE	3659
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}''')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	12.28 ± 0.02 (V)	PE	3659
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	12.94 ± 0.02 (V)	PE	3659
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	15.02 ± 0.02 (V)	PE	3659
$\text{C}_2\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	16.21 ± 0.02 (V)	PE	3659
$\text{C}_2\text{H}_3\text{Br}^{+*}$	CH $_2$ =CHBr (RN-CAS Registry Number 593-60-2)	**	19.20 ± 0.02 (V)	PE	3659
$\text{C}_2\text{H}_5\text{Br}^+(\text{E}_{3/2})$	C $_2\text{H}_5\text{Br}$ (RN-CAS Registry Number 74-96-4)	**	10.28 (V)	PE	4076
$\text{C}_2\text{H}_5\text{Br}^+(\text{E}_{1/2})$	C $_2\text{H}_5\text{Br}$ (RN-CAS Registry Number 74-96-4)	**	10.60 (V)	PE	4076
$\text{C}_3\text{H}_3\text{Br}^+$	CH $_2$ =CHCH $_2\text{Br}$ (RN-CAS Registry Number 106-95-6)	**	10.06	PE	3863
$\text{C}_3\text{H}_3\text{Br}^+$	CH $_2$ =CHCH $_2\text{Br}$ (RN-CAS Registry Number 106-95-6)	**	10.18 (V)	PE	4091
$\text{C}_3\text{H}_3\text{Br}^+(\text{A}^2\text{A}''')$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	9.58 ± 0.02 (V)	PE	3659
$\text{C}_3\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	10.51 ± 0.02	PE	3659
$\text{C}_3\text{H}_3\text{Br}^+(\text{A}^2\text{A}''')$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	11.62 ± 0.02 (V)	PE	3659
$\text{C}_3\text{H}_3\text{Br}^+(\text{A}^2\text{A}')$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	12.40 ± 0.02 (V)	PE	3659
$\text{C}_3\text{H}_3\text{Br}^{+*}$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	13.53 ± 0.01 (V)	PE	3659
$\text{C}_3\text{H}_3\text{Br}^{+*}$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	15.15 ± 0.02 (V)	PE	3659
$\text{C}_3\text{H}_3\text{Br}^{+*}$	CH $_2$ =CBrCH $_3$ (RN-CAS Registry Number 557-93-7)	**	15.84 ± 0.02 (V)	PE	3659
$\text{C}_3\text{H}_7\text{Br}^+(\text{E}_{3/2})$	<i>n</i> -C $_3\text{H}_7\text{Br}$ (RN-CAS Registry Number 106-94-5)	**	10.18	PE	4076
$\text{C}_3\text{H}_7\text{Br}^+(\text{E}_{1/2})$	<i>n</i> -C $_3\text{H}_7\text{Br}$ (RN-CAS Registry Number 106-94-5)	**	10.50	PE	4076

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_3H_7Br^+$	<i>iso</i> - C_3H_7Br (RN-CAS Registry Number 75-26-3)	**	$10.4 \pm <0.1$	EI	3735
$C_4H_7Br^+$	$CH_2=CHCH_2CH_2Br$ (RN-CAS Registry Number 5162-44-7)	**	9.9	EI	3900
$C_4H_9Br^+ (^2E_{3/2})$	<i>n</i> - C_4H_9Br (RN-CAS Registry Number 109-65-9)	**	10.15	PE	4076
$C_4H_9Br^+ (^2E_{1/2})$	<i>n</i> - C_4H_9Br (RN-CAS Registry Number 109-65-9)	**	10.44	PE	4076
$C_5H_9Br^+$	$CH_2=CH(CH_2)_3Br$ (RN-CAS Registry Number 1119-51-3)	**	9.6	EI	3900
$C_5H_9Br^+$	C_5H_9Br (Cyclopentane, bromo-) (RN-CAS Registry Number 137-43-9)	**	9.94 ± 0.02	PE	4003
$C_5H_{11}Br^+ (^2E_{3/2})$	<i>n</i> - $C_5H_{11}Br$ (RN-CAS Registry Number 110-53-2)	**	10.09	PE	3532
$C_5H_{11}Br^+ (^2E_{1/2})$	<i>n</i> - $C_5H_{11}Br$ (RN-CAS Registry Number 110-53-2)	**	10.40	PE	3532
$C_6H_4Br^+$	$C_6H_4(Br)COOH$ (Benzoic acid, 3-bromo-) (RN-CAS Registry Number 585-76-2) (MT-Metastable transition(s) observed)	CO + OH	14.91 ± 0.2	EI	3973
$C_6H_4Br^+$	$C_6H_4(Br)COOH$ (Benzoic acid, 4-bromo-) (RN-CAS Registry Number 586-76-5) (MT-Metastable transition(s) observed)	CO + OH	15.13 ± 0.2	EI	3973
$C_6H_4Br^+$	$C_6H_4BrNO_2$ (Benzene, 1-bromo-3-nitro-) (RN-CAS Registry Number 585-79-5)	NO ₂	12.01 ± 0.1	EI	3447
$C_6H_4Br^+$	$C_6H_4BrNO_2$ (Benzene, 1-bromo-4-nitro-) (RN-CAS Registry Number 586-78-7)	NO ₂	12.19 ± 0.1	EI	3447
$C_6H_5Br^+$	C_6H_5Br (Benzene, bromo-) (RN-CAS Registry Number 108-86-1)	**	9.00 (V)	PE	3873
$C_6H_5Br^+$	$C_6H_4BrOCH_3$ (Benzene, 1-bromo-3-methoxy-) (RN-CAS Registry Number 2398-37-0)	CH ₂ O	11.59 ± 0.1	EI	3446
$C_6H_5Br^+$	$C_6H_4BrOCH_3$ (Benzene, 1-bromo-4-methoxy-) (RN-CAS Registry Number 104-92-7)	CH ₂ O	11.52 ± 0.1	EI	3446
$C_6H_{11}Br^+$	$C_6H_{11}Br$ (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)	**	9.85 ± 0.01	PI	4078

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{11}Br^+$	$C_6H_{11}Br$ (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)	**	9.90 ± 0.02	PE	4003
$C_6H_{11}Br^+$	$C_6H_{11}Br$ (Cyclohexane, bromo-) (RN-CAS Registry Number 108-85-0)	**	10.00 (V)	PE	4078
$C_7H_7Br^+$	$C_6H_5CH_2Br$ (Benzene, (bromomethyl)-) (RN-CAS Registry Number 100-39-0)	**	9.23 (V)	PE	3992
$C_7H_7Br^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-2-methyl-) (RN-CAS Registry Number 95-46-5)	**	8.58 ± 0.1	EI	3777
$C_7H_7Br^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-3-methyl-) (RN-CAS Registry Number 591-17-3)	**	8.77	PE	4089
$C_7H_7Br^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-3-methyl-) (RN-CAS Registry Number 591-17-3)	**	8.60 ± 0.1	EI	3777
$C_7H_7Br^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-4-methyl-) (RN-CAS Registry Number 106-38-7)	**	8.67	PE	4089
$C_7H_7Br^+$	$C_6H_4BrCH_3$ (Benzene, 1-bromo-4-methyl-) (RN-CAS Registry Number 106-38-7)	**	8.70 ± 0.1	EI	3777
$C_7H_9Br^+$	C_7H_9Br (bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>exo</i> -) (RN-CAS Registry Number 5810-82-2)	**	9.2	EI	3900
$C_7H_9Br^+$	C_7H_9Br (Bicyclo[2.2.1]hept-2-ene, 5-bromo-, <i>endo</i> -) (RN-CAS Registry Number 5810-82-2)	**	9.2	EI	3900
$C_{10}H_{15}Br^+$	$C_{10}H_{15}Br$ (tricyclo[3.3.1.1 ^{3,7}]decane, 1-bromo-) (RN-CAS Registry Number 768-90-1) (ON-Other name: 1-Bromoadamantane)	**	9.2	PE	3907
$C_{10}H_{15}Br^+$	$C_{10}H_{15}Br$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 1-bromo-) (RN-CAS Registry Number 768-90-1) (ON-Other name: 1-Bromoadamantane)	**	9.30 ± 0.06	PE	3886
$C_{10}H_{15}Br^+$	$C_{10}H_{15}Br$ (Tricyclo[3.3.1.1 ^{3,7}]decane, 2-bromo-) (RN-CAS Registry Number 7314-85-4) (ON-Other name: 2-Bromoadamantane)	**	9.31 ± 0.05	PE	3886
$C_{12}H_9Br^+$	$C_6H_5C_6H_4Br$ (1,1'-Biphenyl, 4-bromo-) (RN-CAS Registry Number 92-66-0)	**	8.05 ± 0.02	PE	3702
$C_2H_2Br_2(^2B_1)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	9.32 ± 0.02	PE	3659

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_2Br_2^+(\text{}^2B_2)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	10.74±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_2)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	11.24±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_1)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	11.56±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2B_2)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	12.85±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2B_1)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	13.27±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2B_2)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	14.80±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_1)$	<i>cis</i> -CHBr=CHBr (RN-CAS Registry Number 590-11-4)	**	16.49±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_u)$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	9.30±0.02	PE	3659
$C_2H_2Br_2^+$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	9.56 (V)	PE	3648
$C_2H_2Br_2^+(\text{}^2A_g, \text{}^2B_g)$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	11.05±0.02	PE	3659
$C_2H_2Br_2^+(\text{}^2Bu)$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	11.60±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_g, \text{}^2A_u)$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	13.00±0.02 (V)	PE	3659
$C_2H_2Br_2^+(\text{}^2A_g, \text{}^2B_u)$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	15.90±0.02 (V)	PE	3659
$C_2H_2Br_2^*$	<i>trans</i> -CHBr=CHBr (RN-CAS Registry Number 590-12-5)	**	19.14±0.02 (V)	PE	3659
$C_5H_8Br_2^+$	$C_5H_8Br_2$ (Cyclopentane, 1,2-dibromo-, <i>cis</i> -) (RN-CAS Registry Number 33547-17-0)	**	10.02±0.02	PE	4003
$C_5H_8Br_2^+$	$C_5H_8Br_2$ (Cyclopentane, 1,2-dibromo-, <i>trans</i> -) (RN-CAS Registry Number 10230-26-9)	**	10.08±0.02	PE	4003
$C_6H_4Br_2^+$	$C_6H_4Br_2$ (Benzene, 1,2-dibromo-) (RN-CAS Registry Number 583-53-9)	**	9.02 (V)	PE	3873
$C_6H_4Br_2^+$	$C_6H_4Br_2$ (Benzene, 1,3-dibromo-) (RN-CAS Registry Number 108-36-1)	**	9.10 (V)	PE	3873
$C_6H_4Br_2^+$	$C_6H_4Br_2$ (Benzene, 1,4-dibromo-) (RN-CAS Registry Number 106-37-6)	**	8.91 (V)	PE	3873
$C_6H_{10}Br_2^+$	$C_6H_{10}Br_2$ (Cyclohexane, 1,2-dibromo- <i>cis</i> -) (RN-CAS Registry Number 19246-38-9)	**	9.94±0.02	PE	4003

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{C}_6\text{H}_{10}\text{Br}_2^+$	$\text{C}_6\text{H}_{10}\text{Br}_2$ (Cyclohexane, 1,2-dibromo-, <i>trans</i> -) (RN-CAS Registry Number 7429-37-0)	**	10.02 ± 0.02	PE	4003
$\text{C}_{12}\text{H}_8\text{Br}_2^+$	$(\text{C}_6\text{H}_4\text{Br})_2$ (1,1'-Biphenyl, 2,2'-dibromo-) (RN-CAS Registry Number 13029-09-9)	**	8.40 ± 0.02	PE	3702
$\text{C}_6\text{H}_3\text{Br}_3^+$	$\text{C}_6\text{H}_3\text{Br}_3$ (Benzene, 1,3,5-tribromo-) (RN-CAS Registry Number 626-39-1)	**	8.91 (V)	PE	3873
$\text{C}_6\text{H}_6\text{NBr}^+$	$\text{C}_6\text{H}_4\text{BrNHCOCH}_3$ (Acetamide, <i>N</i> -(2-bromophenyl)-) (RN-CAS Registry Number 614-76-6)	$\text{CH}_2=\text{C}=\text{O}$	11.17 ± 0.03	EI	3483
$\text{C}_6\text{H}_6\text{NBr}^+$	$\text{C}_6\text{H}_4\text{BrNHCOCH}_3$ (Acetamide, <i>N</i> -(4-bromophenyl)-) (RN-CAS Registry Number 103-88-8)	$\text{CH}_2=\text{C}=\text{O}$	10.56 ± 0.03	EI	3483
$\text{C}_{18}\text{H}_{17}\text{N}_2\text{Br}^+$	$\text{C}_6\text{H}_4(\text{Br})\text{C}_3\text{H}_3(\text{CN})\text{C}_6\text{H}_4\text{N}(\text{CH}_3)_2$ (Cyclopropanecarbonitrile, 1-(<i>p</i> -bromophenyl)-2-(<i>p</i> -(dimethylamino)phenyl)-) (RN-CAS Registry Number 32589-49-4)	**	7.10 ± 0.05	EDD	3575
$\text{C}_6\text{H}_5\text{NBr}_2^+$	$\text{C}_6\text{H}_3\text{Br}_2\text{NHCOCH}_3$ (Acetamide, <i>N</i> -(2,4-dibromophenyl)-) (RN-CAS Registry Number 23373-04-8)	$\text{CH}_2=\text{C}=\text{O}$	10.24 ± 0.03	EI	3480
$\text{C}_6\text{H}_5\text{NBr}_2^+$	$\text{C}_6\text{H}_3\text{Br}_2\text{NHCOCH}_3$ (Acetamide, <i>N</i> -(2,6-dibromophenyl)-) (RN-CAS Registry Number 33098-80-5)	$\text{CH}_2=\text{C}=\text{O}$	10.02 ± 0.03	EI	3480
$\text{C}_4\text{H}_{12}\text{BN}_2\text{Br}^+$	$((\text{CH}_3)_2\text{N})_2\text{BBr}$ (RN-CAS Registry Number 6990-27-8)	**	8.13	PE	3584
$\text{C}_4\text{H}_{12}\text{BN}_2\text{Br}^+$	$\text{B}(\text{N}(\text{CH}_3)_2)_2\text{Br}$ (RN-CAS Registry Number 6990-27-8)	**	8.16 (V)	PE	3704
$\text{C}_2\text{H}_6\text{BNBr}_2^+$	$(\text{CH}_3)_2\text{NBBBr}$ (RN-CAS Registry Number 7360-64-7)	**	9.55 (V)	PE	3704
$\text{C}_2\text{H}_6\text{BNBr}_2^+$	$(\text{CH}_3)_2\text{NBBBr}$ (RN-CAS Registry Number 7360-64-7)	**	9.60	PE	3584
COBr_2^+	CBr_2O (RN-CAS Registry Number 593-95-3)	**	11.0 (V)	PE	3726
COBr_2^*	CBr_2O (RN-CAS Registry Number 593-95-3)	**	11.5 (V)	PE	3726
$\text{COBr}_2(^2\text{B}_2)$	CBr_2O (RN-CAS Registry Number 593-95-3)	**	11.6 (V)	PE	3726
COBr_2^+	CBr_2O (RN-CAS Registry Number 593-95-3)	**	12.0 (V)	PE	3726
COBr_2^*	CBr_2O (RN-CAS Registry Number 593-95-3)	**	12.4 (V)	PE	3726
$\text{COBr}_2(^2\text{B}_1)$	CBr_2O (RN-CAS Registry Number 593-95-3)	**	14.8	PE	3726

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
COBr_2^+	CBr_2O (RN-CAS Registry Number 593-95-3)	**	16.2 (V)	PE	3726
$\text{C}_5\text{H}_9\text{OBr}^+$	$\text{C}_5\text{H}_8(\text{Br})\text{OH}$ (Cyclopentanol, 2-bromo-, <i>cis</i> -) (RN-CAS Registry Number 28435-62-3)	**	10.19 ± 0.02	PE	4003
$\text{C}_5\text{H}_9\text{OBr}^+$	$\text{C}_5\text{H}_8(\text{Br})\text{OH}$ (Cyclopentanol, 2-bromo-, <i>trans</i> -) (RN-CAS Registry Number 20377-79-1)	**	10.11 ± 0.02	PE	4003
$\text{C}_6\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOCH}_3$ (Benzene, 1-bromo-3-methoxy-) (RN-CAS Registry Number 2398-37-0)	CH_3	12.29 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOCH}_3$ (Benzene, 1-bromo-4-methoxy-) (RN-CAS Registry Number 104-92-7)	CH_3	11.89 ± 0.1	EI	3446
$\text{C}_6\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrNO}_2$ (Benzene, 1-bromo-3-nitro-) (RN-CAS Registry Number 585-79-5)	NO	10.26 ± 0.1	EI	3447
$\text{C}_6\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrNO}_2$ (Benzene, 1-bromo-4-nitro-) (RN-CAS Registry Number 586-78-7)	NO	10.55 ± 0.1	EI	3447
$\text{C}_6\text{H}_5\text{OBr}^+$	$\text{C}_6\text{H}_4(\text{OH})\text{Br}$ (Phenol, 2-bromo-) (RN-CAS Registry Number 95-56-7)	**	9.09 ± 0.1	EI	3553
$\text{C}_6\text{H}_5\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOOCCH}_3$ (Phenol, 2-bromo-, acetate) (RN-CAS Registry Number 1829-37-4)	$\text{CH}_2=\text{C}=\text{O}$	9.62 ± 0.03	EI	3483
$\text{C}_6\text{H}_5\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOOCCH}_3$ (Phenol, 3-bromo-, acetate) (RN-CAS Registry Number 35065-86-2)	$\text{CH}_2=\text{C}=\text{O}$	10.02 ± 0.2	EI	3484
$\text{C}_6\text{H}_5\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOOCCH}_3$ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3)	$\text{CH}_2=\text{C}=\text{O}$	9.84 ± 0.03	EI	3483
$\text{C}_6\text{H}_5\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOOCCH}_3$ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3)	$\text{CH}_2=\text{C}=\text{O}$	10.08 ± 0.2	EI	3484
$\text{C}_7\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4(\text{Br})\text{COOH}$ (Benzoic acid, 3-bromo-) (RN-CAS Registry Number 585-76-2)	OH	12.23 ± 0.2	EI	3973
$\text{C}_7\text{H}_4\text{OBr}^+$	$\text{C}_6\text{H}_4(\text{Br})\text{COOH}$ (Benzoic acid, 4-bromo-) (RN-CAS Registry Number 586-76-5)	OH	12.34 ± 0.2	EI	3973
$\text{C}_7\text{H}_7\text{OBr}^+$	$\text{C}_6\text{H}_4\text{BrOCH}_3$ (Benzene, 1-bromo-3-methoxy-) (RN-CAS Registry Number 2398-37-0)	**	8.69 ± 0.1	EI	3446

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_7H_7OBr^+$	$C_6H_4BrOCH_3$ (Benzene, 1-bromo-4-methoxy-) (RN-CAS Registry Number 104-92-7)	**	8.39 ± 0.1	EI	3446
$C_2H_3O_2Br^+$	$CH_2BrCOOH$ (RN-CAS Registry Number 79-08-3)	**	11.0 (V)	PE	3874
$C_7H_5O_2Br^+$	$C_6H_4(Br)COOH$ (Benzoic acid, 3-bromo-) (RN-CAS Registry Number 585-76-2)	**	9.66 ± 0.2	EI	3973
$C_7H_5O_2Br^+$	$C_6H_4(Br)COOH$ (Benzoic acid, 4-bromo-) (RN-CAS Registry Number 586-76-5)	**	9.72 ± 0.2	EI	3973
$C_7H_{11}O_2Br^+$	$C_5H_8(Br)OCOCH_3$ (Cyclopentanol, 2-bromo-, acetate, <i>cis</i> -) (RN-CAS Registry Number 53093-41-7)	**	10.00 ± 0.02	PE	4003
$C_7H_{11}O_2Br^+$	$C_5H_8(Br)OCOCH_3$ (Cyclopentanol, 2-bromo-, acetate, <i>trans</i> -) (RN-CAS Registry Number 53093-42-8)	**	10.07 ± 0.02	PE	4003
$C_8H_7O_2Br^+$	$C_6H_4BrOOCCH_3$ (Phenol, 2-bromo-, acetate) (RN-CAS Registry Number 1829-37-4)	**	8.66 ± 0.03	EI	3483
$C_8H_7O_2Br^+$	$C_6H_4BrOOCCH_3$ (Phenol, 3-bromo-, acetate) (RN-CAS Registry Number 35065-86-2)	**	8.79 ± 0.2	EI	3484
$C_8H_7O_2Br^+$	$C_6H_4BrOOCCH_3$ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3)	**	8.42 ± 0.03	EI	3483
$C_8H_7O_2Br^+$	$C_6H_4BrOOCCH_3$ (Phenol, 4-bromo-, acetate) (RN-CAS Registry Number 1927-95-3)	**	8.61 ± 0.2	EI	3484
$C_6H_4OBr_2^+$	$C_6H_3Br_2OOCCH_3$ (Phenol, 2,4-dibromo-, acetate) (RN-CAS Registry Number 36914-79-1)	$CH_2=C=O$	9.45 ± 0.03	EI	3480
$C_6H_4OBr_2^+$	$C_6H_3Br_2OOCCH_3$ (Phenol, 2,6-dibromo-, acetate) (RN-CAS Registry Number 28165-72-2)	$CH_2=C=O$	9.74 ± 0.03	EI	3480
$C_8H_6O_2Br_2^+$	$C_6H_3Br_2OOCCH_3$ (Phenol, 2,4-dibromo-, acetate) (RN-CAS Registry Number 36914-79-1)	**	8.21 ± 0.03	EI	3480
$C_8H_6O_2Br_2^+$	$C_6H_3Br_2OOCCH_3$ (Phenol, 2,6-dibromo-, acetate) (RN-CAS Registry Number 28165-72-2)	**	8.42 ± 0.03	EI	3480
$C_8H_7NOBr^+$	$C_6H_3Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dibromophenyl)-) (RN-CAS Registry Number 23373-04-8)		8.84 ± 0.03	EI	3480

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_7NOBr^+$	$C_6H_3Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dibromophenyl)-) (RN-CAS Registry Number 33098-80-5)		8.88 ± 0.03	EI	3480
$C_8H_8NOBr^+$	$C_6H_4BrNHCOCH_3$ (Acetamide, <i>N</i> -(2-bromophenyl)-) (RN-CAS Registry Number 614-76-6)	**	8.17 ± 0.03	EI	3483
$C_8H_8NOBr^+$	$C_6H_4BrNHCOCH_3$ (Acetamide, <i>N</i> -(4-bromophenyl)-) (RN-CAS Registry Number 103-88-8)	**	8.17 ± 0.03	EI	3483
$C_6H_4NO_2Br^+$	$C_6H_4BrNO_2$ (Benzene, 1-bromo-3-nitro-) (RN-CAS Registry Number 585-79-5)	**	9.82 ± 0.1	EI	3447
$C_6H_4NO_2Br^+$	$C_6H_4BrNO_2$ (Benzene, 1-bromo-4-nitro-) (RN-CAS Registry Number 586-78-7)	**	9.76 ± 0.1	EI	3447
$C_8H_7NOBr_2^+$	$C_6H_3Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,4-dibromophenyl)-) (RN-CAS Registry Number 23373-04-8)	**	8.08 ± 0.03	EI	3480
$C_8H_7NOBr_2^+$	$C_6H_3Br_2NHCOCH_3$ (Acetamide, <i>N</i> -(2,6-dibromophenyl)-) (RN-CAS Registry Number 33098-80-5)	**	8.32 ± 0.03	EI	3480
$BrF^+(X^2\Pi_{3/2})$	BrF (RN-CAS Registry Number 13863-59-7)	**	11.78 ± 0.01	PE	3680
$BrF^+(X^2\Pi_{1/2})$	BrF (RN-CAS Registry Number 13863-59-7)	**	12.09 ± 0.01	PE	3680
$BrF_3(^2B_2, ^2A_1)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	12.15 ± 0.04	PE	3680
$BrF_3(^2A_1)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	13.58 ± 0.01	PE	3680
$BrF_3(^2B_1)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	14.60 ± 0.04 (V)	PE	3680
$BrF_3(^2A_2)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	15.05 ± 0.03 (V)	PE	3680
$BrF_3(^2B_2)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	15.61 ± 0.03 (V)	PE	3680
$BrF_3(^2B_1)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	16.26 ± 0.03	PE	3680
$BrF_3(^2A_1, ^2B_2)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	17.59 ± 0.02 (V)	PE	3680
$BrF_3(^2B_1)$	BrF_3 (RN-CAS Registry Number 7787-71-5)	**	18.76 ± 0.04 (V)	PE	3680
BrF_5^+	BrF_5 (RN-CAS Registry Number 7789-30-2)	**	13.172 ± 0.005	PE	3655
CF_3Br^+	CF_3Br (RN-CAS Registry Number 75-63-8)	**	12.0 (V)	PE	3914

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CF}_3\text{Br}^+(\text{}^2\text{E})$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	12.12 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Br}^+(\text{}^2\text{A}_1)$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	14.26 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Br}^+(\text{}^2\text{A}_2)$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	15.78 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Br}^+(\text{}^2\text{E})$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	16.51 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Br}^+(\text{}^2\text{E})$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	17.42 ± 0.02 (V)	PE	4026
$\text{CF}_3\text{Br}^+(\text{}^2\text{A}_1)$	CF_3Br (RN-CAS Registry Number 75-63-8)	**	19.8 (V)	PE	4026
$\text{C}_2\text{F}_3\text{Br}^+$	$\text{C}_2\text{F}_3\text{Br}$ (RN-CAS Registry Number 598-73-2)	**	9.67	PE	3589
$\text{C}_5\text{H}_8\text{FBr}^+$	$\text{C}_5\text{H}_8\text{FBr}$ (Cyclopentane, 1-bromo-2-fluoro-, <i>cis</i> -) (RN-CAS Registry Number 51422-72-1)	**	10.10 ± 0.02	PE	4003
$\text{C}_5\text{H}_8\text{FBr}^+$	$\text{C}_5\text{H}_8\text{FBr}$ (Cyclopentane, 1-bromo-2-fluoro-, <i>trans</i> -) (RN-CAS Registry Number 51422-73-2)	**	10.25 ± 0.02	PE	4003
$\text{C}_6\text{H}_{10}\text{FBr}^+$	$\text{C}_6\text{H}_{10}\text{FBr}$ (Cyclohexane, 1-bromo-2-fluoro-, <i>cis</i> -) (RN-CAS Registry Number 51422-74-3)	**	10.04 ± 0.02	PE	4003
$\text{C}_6\text{H}_{10}\text{FBr}^+$	$\text{C}_6\text{H}_{10}\text{FBr}$ (Cyclohexane, 1-bromo-2-fluoro-, <i>trans</i> -) (Rn 17170-96-6)	**	10.18 ± 0.02	PE	4003
$\text{C}_{12}\text{H}_8\text{FBr}^+$	$\text{C}_6\text{H}_4(\text{Br})\text{C}_6\text{H}_4\text{F}$ (1,1'-Biphenyl, 4-bromo-4'-fluoro-) (RN-CAS Registry Number 398-21-0)	**	8.10 ± 0.02	PE	3702
SiBr^+	SiBr (RN-CAS Registry Number 14791-57-2)	**	7.3	D	3558
$\text{SiH}_3\text{Br}^+(\text{}^2\text{E})$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	10.90 (V)	PE	3511
$\text{SiH}_3\text{Br}^+(\text{}^2\text{E}_{3/2})$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	10.96 ± 0.02 (V)	PE	3510
SiH_3Br^+	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	11.03 ± 0.05 (V)	PE	3502
$\text{SiH}_3\text{Br}^+(\text{}^2\text{E}_{1/2})$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	11.10 ± 0.02 (V)	PE	3510
$\text{SiH}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	12.85 ± 0.02 (V)	PE	3510
$\text{SiH}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	12.96 (V)	PE	3511
$\text{SiH}_3\text{Br}^+(\text{}^2\text{E})$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	13.3 ± 0.1 (V)	PE	3510

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SiH}_3\text{Br}^+(\text{}^2\text{E})$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	13.43 (V)	PE	3511
$\text{SiH}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	18.04 (V)	PE	3511
$\text{SiH}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	18.1 ± 0.1 (V)	PE	3510
$\text{SiH}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiH_3Br (RN-CAS Registry Number 13465-73-1)	**	19.5 ± 0.1 (V)	PE	3510
$\text{SiH}_2\text{Br}_2^+$	SiH_2Br_2 (RN-CAS Registry Number 13768-94-0)	**	10.92 ± 0.02 (V)	PE	3510
$\text{C}_5\text{H}_9\text{SiBr}^+$	$(\text{CH}_3)_3\text{SiC}\equiv\text{CBr}$ (RN-CAS Registry Number 18243-59-9)	**	9.4 ± 0.1	PE	4002
$\text{SiF}_3\text{Br}^+(\text{}^2\text{E})$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	12.46 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	14.55 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{A}_2)$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	16.10 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{E})$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	16.63 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{E})$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	17.36 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	18.10 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{E})$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	18.80 ± 0.02 (V)	PE	4026
$\text{SiF}_3\text{Br}^+(\text{}^2\text{A}_1)$	SiF_3Br (RN-CAS Registry Number 14049-39-9)	**	20.80 ± 0.02 (V)	PE	4026
PBr^+	PBr_3 (RN-CAS Registry Number 7789-60-8)		14.2 ± 0.2	EDD	3556
PBr_2^+	PBr_3 (RN-CAS Registry Number 7789-60-8)	Br	11.2 ± 0.1	EDD	3556
$\text{PBr}_3(\text{}^2\text{A}_1)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	9.96 (V)	PE	4023
$\text{PBr}_3(\text{}^2\text{A}_1)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.00 ± 0.03 (V)	PE	3669
$\text{PBr}_3(\text{}^2\text{A}_2)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.61 (V)	PE	4023
$\text{PBr}_3(\text{}^2\text{A}_2)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.67 ± 0.03 (V)	PE	3669
$\text{PBr}_3(\text{}^2\text{E}_{3/2})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.83 (V)	PE	4023
$\text{PBr}_3(\text{}^2\text{E})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.87 ± 0.03 (V)	PE	3669
$\text{PBr}_3(\text{}^2\text{E}_{1/2})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	11.16 (V)	PE	4023

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{PBr}_3(^2\text{E})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	11.79 (V)	PE	4023
$\text{PBr}_3(^2\text{E})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	11.85 ± 0.03 (V)	PE	3669
$\text{PBr}_3(^2\text{A}_1)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	13.09 ± 0.03 (V)	PE	3669
$\text{PBr}_3(^2\text{A}_1)$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	13.13 (V)	PE	4023
$\text{PBr}_3(^2\text{E})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	14.09 ± 0.03 (V)	PE	3669
$\text{PBr}_3(^2\text{E})$	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	14.12 (V)	PE	4023
PBr_3^+	PBr_3 (RN-CAS Registry Number 7789-60-8)	**	10.1 ± 0.1	EDD	3556
$\text{POBr}_3(^2\text{E}_{3/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	10.75 ± 0.02	PE	3835
$\text{POBr}_3(^2\text{E}_{3/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	10.99 (V)	PE	4023
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.03 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.13 ± 0.02 (V)	PE	3835
$\text{POBr}_3(^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.13 (V)	PE	4023
$\text{POBr}_3(^2\text{A}_2)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.36 (V)	PE	4023
$\text{POBr}_3(^2\text{A}_2)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.38 ± 0.02 (V)	PE	3835
$\text{POBr}_3(^2\text{A}_2)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.38 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{E}_{3/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.73 (V)	PE	4023
$\text{POBr}_3(^2\text{E}_{3/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.74 ± 0.02 (V)	PE	3835
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.75 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.97 (V)	PE	4023
$\text{POBr}_3(^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	11.98 ± 0.02 (V)	PE	3835
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.39 (V)	PE	4023
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.41 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.43 ± 0.02 (V)	PE	3835
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.60 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.61 (V)	PE	4023

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{POBr}_3(^2\text{E}_{3/2}, ^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	12.66 ± 0.03 (V)	PE	3835
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	14.37 ± 0.02	PE	3835
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	14.57 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{A}_1)$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	14.60 (V)	PE	4023
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	15.34 ± 0.03 (V)	PE	3669
$\text{POBr}_3(^2\text{E})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	15.35 (V)	PE	4023
$\text{POBr}_3(^2\text{E}_{3/2}, ^2\text{E}_{1/2})$	POBr_3 (RN-CAS Registry Number 7789-59-5)	**	15.39 ± 0.02 (V)	PE	3835
PF_2Br^+	PF_2Br (RN-CAS Registry Number 15597-40-7)	**	11.08 ± 0.1 (V)	PE	3662
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 2-bromo-) (RN-CAS Registry Number 1003-09-4)	**	8.664 ± 0.005	PE	3911
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 2-bromo-) (RN-CAS Registry Number 1003-09-4)	**	8.664	PE	3645
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 2-bromo-) (RN-CAS Registry Number 1003-09-4)	**	8.93 ± 0.05	EI	3482
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 2-bromo-) (RN-CAS Registry Number 1003-09-4)	**	8.80	CTS	3787
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 3-bromo-) (RN-CAS Registry Number 872-31-1)	**	8.812 ± 0.005	PE	3911
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 3-bromo-) (RN-CAS Registry Number 872-31-1)	**	8.812	PE	3645
$\text{C}_4\text{H}_3\text{SBr}^+$	$\text{C}_4\text{H}_3\text{SBr}$ (Thiophene, 3-bromo-) (RN-CAS Registry Number 872-31-1)	**	9.02 ± 0.05	EI	3482
SOBr_2^+	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	10.54 (V)	PE	3646
SOBr_2^+	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	10.63 (V)	PE	3705
SOBr_2^*	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	10.92 (V)	PE	3705
SOBr_2^*	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	11.24 (V)	PE	3705
SOBr_2^*	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	11.68 (V)	PE	3705
$\text{SOBr}_2(^2\text{A}')$	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	12.13 (V)	PE	3705

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SOBr}_2(^2\text{A}')$	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	12.37 (V)	PE	3705
$\text{SOBr}_2(^2\text{A}')$	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	14.70 (V)	PE	3705
SOBr_2^+	SOBr_2 (RN-CAS Registry Number 507-16-4)	**	15.81 (V)	PE	3705
$\text{SOBr}_3(^2\text{E}_{3/2}, ^2\text{E}_{1/2})$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	9.41 ± 0.02	PE	3835
$\text{SOBr}_3(^2\text{A}_2)$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	10.92 ± 0.01 (V)	PE	3835
$\text{SOBr}_3(^2\text{E}_{3/2})$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	11.20 ± 0.02 (V)	PE	3835
$\text{SOBr}_3(^2\text{E}_{1/2})$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	11.42 ± 0.01 (V)	PE	3835
$\text{SOBr}_3(^2\text{A}_1)$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	11.83 ± 0.01 (V)	PE	3835
$\text{SOBr}_3(^2\text{E}_{3/2}, ^2\text{E}_{1/2})$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	12.20 ± 0.01 (V)	PE	3835
$\text{SOBr}_3(^2\text{A}_1)$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	13.68 ± 0.02	PE	3835
$\text{SOBr}_3(^2\text{E}_{3/2}, ^2\text{E}_{1/2})$	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	14.68 ± 0.02 (V)	PE	3835
SOBr_3^+	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	~ 18.2 (V)	PE	3835
SOBr_3^+	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	~ 18.9 (V)	PE	3835
SOBr_3^+	SOBr_3 (RN-CAS Registry Number XXXXX-XX-X)	**	~ 20.2 (V)	PE	3835
$\text{PSBr}_3(^2\text{E})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	9.82 (V)	PE	4023
$\text{PSBr}_3(^2\text{E})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	9.89 ± 0.03 (V)	PE	3669
$\text{PSBr}_3(^2\text{A}_2)$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	10.86 (V)	PE	4023
$\text{PSBr}_3(^2\text{A}_2)$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	10.94 ± 0.03 (V)	PE	3669
$\text{PSBr}_3(^2\text{E}_{3/2})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	11.16 (V)	PE	4023
$\text{PSBr}_3(^2\text{E})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	11.21 ± 0.03 (V)	PE	3669
$\text{PSBr}_3(^2\text{E}_{1/2})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	11.38 (V)	PE	4023
$\text{PSBr}_3(^2\text{A}_1)$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	11.80 (V)	PE	4023
$\text{PSBr}_3(^2\text{A}_1)$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	11.87 ± 0.03 (V)	PE	3669
$\text{PSBr}_3(^2\text{E})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	12.15 (V)	PE	4023
$\text{PSBr}_3(^2\text{E})$	PSBr_3 (RN-CAS Registry Number 3931-89-3)	**	12.23 ± 0.03 (V)	PE	3669

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PSBr ₃ ⁺ (² A ₁)	PSBr ₃ (RN-CAS Registry Number 3931-89-3)	**	13.91 (V)	PE	4023
PSBr ₃ ⁺ (² A ₁)	PSBr ₃ (RN-CAS Registry Number 3931-89-3)	**	13.97±0.03 (V)	PE	3669
PSBr ₃ ⁺ (² E)	PSBr ₃ (RN-CAS Registry Number 3931-89-3)	**	14.59 (V)	PE	4023
PSBr ₃ ⁺ (² E)	PSBr ₃ (RN-CAS Registry Number 3931-89-3)	**	14.63±0.03 (V)	PE	3669
C ₅ H ₈ ClBr ⁺	C ₅ H ₈ ClBr (Cyclopentane, 1-bromo-2-chloro-, <i>cis</i> -) (RN-CAS Registry Number 37722-39-7)	**	10.13±0.02	PE	4003
C ₅ H ₈ ClBr ⁺	C ₅ H ₈ ClBr (Cyclopentane, 1-bromo-2-chloro-, <i>trans</i> -) (RN-CAS Registry Number 14376-82-0)	**	10.23±0.02	PE	4003
C ₆ H ₁₀ ClBr ⁺	C ₆ H ₁₀ ClBr (Cyclohexane, 1-bromo-2-chloro-, <i>cis</i> -) (RN-CAS Registry Number 51422-75-4)	**	10.03±0.02	PE	4003
C ₆ H ₁₀ ClBr ⁺	C ₆ H ₁₀ ClBr (Cyclohexane, 1-bromo-2-chloro-, <i>trans</i> -) (RN-CAS Registry Number 13898-96-9)	**	10.13±0.02	PE	4003
PClBr ⁺	PClBr ₂ (RN-CAS Registry Number 13550-32-8) (TR-Other product(s) thermochemically reasonable)	Br	11.3±0.1	EDD	3556
PCl ₂ Br ⁺	PCl ₂ Br (RN-CAS Registry Number 13536-48-6)	**	10.4±0.1	EDD	3556
PClBr ₂ ⁺	PClBr ₂ (RN-CAS Registry Number 13550-32-8)	**	10.2±0.1	EDD	3556
C ₅ O ₅ BrMn ⁺	Mn(CO) ₅ Br (RN-CAS Registry Number 14516-54-2)	**	8.86 (V)	PE	3866
C ₆ H ₃ NO ₄ MnBr ⁺	<i>cis</i> -BrMn(CO) ₄ (CCH ₃) (RN-CAS Registry Number 37474-14-9)	**	8.26 (V)	PE	3866
Cu ₃ Br ₃ ⁺	Cu ₃ Br ₃ (RN-CAS Registry Number 37190-22-0)	**	9.7	EI	3954
Cu ₄ Br ₃ ⁺	Cu ₄ Br ₄ (RN-CAS Registry Number XXXXX-XX-X)		10.4	EI	3954
Cu ₄ Br ₄ ⁺	Cu ₄ Br ₄ (RN-CAS Registry Number XXXXX-XX-X)	**	9.2	EI	3954
ZnBr ₂ ⁺ (² Π _{3/2g})	ZnBr ₂ (RN-CAS Registry Number XXXXX-XX-X)	**	10.89±0.05 (V)	PE	3833
ZnBr ₂ ⁺ (² Π _{1/2g})	ZnBr ₂ (RN-CAS Registry Number XXXXX-XX-X)	**	11.22±0.05 (V)	PE	3833

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{ZnBr}_2(^2\Pi_u)$	ZnBr_2 (RN-CAS Registry Number XXXXX-XX-X)	**	11.40 ± 0.05 (V)	PE	3833
$\text{ZnBr}_2(^2\Sigma_u)$	ZnBr_2 (RN-CAS Registry Number XXXXX-XX-X)	**	12.28 ± 0.05 (V)	PE	3833
$\text{ZnBr}_2(^2\Sigma_g)$	ZnBr_2 (RN-CAS Registry Number XXXXX-XX-X)	**	13.55 ± 0.05 (V)	PE	3833
ZnBr_2^*	ZnBr_2 (RN-CAS Registry Number XXXXX-XX-X)	**	18.69 ± 0.05 (V)	PE	3833
$\text{ZnBr}_2(^2\Pi_{3/2g})$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	10.8 (V)	PE	3963
$\text{ZnBr}_2(^2\Pi_{3/2u})$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	11.1 (V)	PE	3963
$\text{ZnBr}_2(^2\Pi_{1/2g})$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	11.2 (V)	PE	3963
$\text{ZnBr}_2(^2\Pi_{1/2u})$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	11.4 (V)	PE	3963
$\text{ZnBr}_2(^2\Sigma_u)$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	12.3 (V)	PE	3963
$\text{ZnBr}_2(^2\Sigma_g)$	ZnBr_2 (RN-CAS Registry Number 7699-45-8)	**	13.0 (V)	PE	3963
$\text{GeH}_3\text{Br}^+(^2E_{3/2})$	GeH_3Br (RN-CAS Registry Number 13569-43-2)	**	10.61 ± 0.02 (V)	PE	3510
GeH_3Br^+	GeH_3Br (RN-CAS Registry Number 13569-43-2)	**	10.72 ± 0.05 (V)	PE	3502
$\text{GeH}_3\text{Br}^+(^2E_{1/2})$	GeH_3Br (RN-CAS Registry Number 13569-43-2)	**	10.83 ± 0.02 (V)	PE	3510
$\text{GeH}_3\text{Br}^+(^2A_1)$	GeH_3Br (RN-CAS Registry Number 13569-43-2)	**	12.51 ± 0.02 (V)	PE	3510
$\text{GeH}_3\text{Br}^+(^2E)$	GeH_3Br (RN-CAS Registry Number 13569-43-2)	**	12.9 ± 0.1 (V)	PE	3510
$\text{GeH}_2\text{Br}_2^+$	GeH_2Br_2 (RN-CAS Registry Number 13769-36-3)	**	10.69 ± 0.02 (V)	PE	3510
$\text{Kr}^+(^2P_{3/2})$	Kr (RN-CAS Registry Number 7439-90-9) (RS-Average of eight Rydberg series limits)	**	14.0010 ± 0.0012	S	3881
$\text{Kr}^+(^2P_{3/2})$	Kr (RN-CAS Registry Number 7439-90-9)	**	13.992 ± 0.002	TPE	3525
$\text{Kr}^+(^2P_{1/2})$	Kr (RN-CAS Registry Number 7439-90-9)	**	14.661 ± 0.002	TPE	3525
$\text{Kr}^+(^2P_{3/2})$	Kr (RN-CAS Registry Number 7439-90-9)	**	13.974 ± 0.004	PEN	3541
$\text{KrF}_2(^2\Pi_u)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	13.06–13.16	PE	3642
$\text{KrF}_2(^2\Pi_{3/2u})$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	13.34 (V)	PE	3501
$\text{KrF}_2(^2\Pi_{1/2u})$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	13.47 (V)	PE	3501

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{KrF}_2(^2\Sigma_g)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	13.75	PE	3642
$\text{KrF}_2(^2\Sigma_g)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	13.90 (V)	PE	3501
$\text{KrF}_2(^2\Pi_g)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	14.0	PE	3642
$\text{KrF}_2(^2\Pi_g)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	14.37 (V)	PE	3501
$\text{KrF}_2(^2\Pi_u)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	16.25	PE	3642
$\text{KrF}_2(^2\Pi_u)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	16.92 (V)	PE	3501
$\text{KrF}_2(^2\Sigma_u)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	17.7 (V)	PE	3501
$\text{KrF}_2(^2\Sigma_u)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	17.7 (V)	PE	3642
$\text{KrF}_2(^2\Sigma_g?)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	22.0	PE	3642
$\text{KrF}_2(^2\Sigma_g)$	KrF_2 (RN-CAS Registry Number 13773-81-4)	**	23.0 (V)	PE	3501
Rb^+	RbOH (RN-CAS Registry Number 1310-82-3)	OH	~ 10	EI	3461
Rb^+	RbCl (RN-CAS Registry Number 7791-11-9)	Cl	8.695 ± 0.03	PI	3536
Rb^+	RbBr (RN-CAS Registry Number 7789-39-1)	Br	8.12 ± 0.03	PI	3536
Rb^+	RbI (RN-CAS Registry Number 7790-29-6)	I	7.53 ± 0.03	PI	3536
Rb^{+2}	Rb^+ (RN-CAS Registry Number 22537-38-8)	**	27.285 ± 0.003	S	3924
RbCl^+	RbCl (RN-CAS Registry Number 7791-11-9)	**	8.50 ± 0.03	PI	3536
RbBr^+	RbBr (RN-CAS Registry Number 7789-39-1)	**	7.935 ± 0.03	PI	3536
Rb_2Br^+	Rb_2Br_2 (RN-CAS Registry Number 12409-58-4)	Br	8.485 ± 0.05	PI	3536
Sr^+	Sr (RN-CAS Registry Number 7440-24-6)	**	~ 5.7	EI	3486

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Sr^{+2}	Sr (RN-CAS Registry Number 7440-24-6)	**	16	EI	3486
Sr^{+3}	Sr (RN-CAS Registry Number 7440-24-6)	**	~ 60	EI	3486
$\text{Sr}^{+3}(^2\text{P}_{3/2})$	Sr^{+2} (RN-CAS Registry Number 22537-39-9)	**	42.88388 ± 0.00019 S	S	3926
$\text{Sr}^{+3}(^2\text{P}_{1/2})$	Sr^{+2} (RN-CAS Registry Number 22537-39-9)	**	44.08999 ± 0.00019 D	D	3926
SrCl^+	SrCl (RN-CAS Registry Number 14989-33-4)	**	5.10 ± 0.06	SI	3526
Y^+	Y (RN-CAS Registry Number 7440-65-5)	**	6.7 ± 0.5	EI	3600
$\text{Y}^{+6}(^4\text{S}_{3/2})$	Y^{+5} (RN-CAS Registry Number 39956-79-1)	**	89.26 ± 0.25	S	3917
$\text{Y}^{+6}(^2\text{D}_{5/2})$	Y^{+5} (RN-CAS Registry Number 39956-79-1) (RS-Average of two Rydberg series limits)	**	92.57 ± 0.20	S	3917
YS^+	YS (RN-CAS Registry Number 12210-79-6)	**	6.0	EI	4001
YSe^+	YSe (RN-CAS Registry Number 12067-44-6)	**	7.9 ± 0.5	EI	3600
$\text{Zr}^{+5}(^2\text{P}_{3/2})$	$\text{Zr}^{+4}(^1\text{S}_0)$ (RN-CAS Registry Number 15543-40-5)	**	78.95 ± 0.01	S	3591
$\text{Zr}^{+5}(^2\text{P}_{1/2})$	$\text{Zr}^{+4}(^1\text{S}_0)$ (RN-CAS Registry Number 15543-40-5)	**	80.89 ± 0.01	S	3591
Zr^{+6}	Zr^{+5} (RN-CAS Registry Number 20679-76-9)	**	95.8 ± 0.6	S	3895
Zr^{+6}	Zr^{+5} (RN-CAS Registry Number 20679-76-9)	**	95.8 ± 0.6	S	3912
ZrCl^+	ZrCl_4 (RN-CAS Registry Number 10026-11-6)		21.9	EI	3783
ZrCl_2^+	ZrCl_4 (RN-CAS Registry Number 10026-11-6)		16.8	EI	3783
ZrCl_3^+	ZrCl_4 (RN-CAS Registry Number 10026-11-6)		12.3	EI	3783
ZrCl_4^+	ZrCl_4 (RN-CAS Registry Number 10026-11-6)	**	10.6	EI	3783
$\text{Nb}^{+6}(^2\text{P}_{3/2})$	$\text{Nb}^{+5}(^1\text{S}_0)$ (RN-CAS Registry Number 22537-41-3)	**	102.73 ± 0.01	S	3591

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{Nb}^{+6}(^2\text{P}_{1/2})$	$\text{Nb}^{+5}(^1\text{S}_0)$ (RN-CAS Registry Number 22537-41-3)	**	105.11 ± 0.01	S	3591
Nb^{+7}	Nb^{+6} (RN-CAS Registry Number 23844-85-1)	**	118.9 ± 0.07	PE	3894
NbF_3^+	$\text{NbF}_4?$ (RN-CAS Registry Number 13842-88-1)	F?	21.0	EI	3783
NbF_4^+	$\text{NbF}_4?$ (RN-CAS Registry Number 13842-88-1)	**	14.0	EI	3783
Nb_2F_9^+	$\text{Nb}_2\text{F}_9?$ (RN-CAS Registry Number XXXXX-XX-X)	**	14.2	EI	3783
$\text{Nb}_3\text{F}_{14}^+$	$\text{Nb}_3\text{F}_{14}?$ (RN-CAS Registry Number XXXXX-XX-X)	**	13.0	EI	3783
NbCl^+	NbCl_5 (RN-CAS Registry Number 10026-12-7)		24.2	EI	3783
NbCl_2^+	NbCl_5 (RN-CAS Registry Number 10026-12-7)		19.5	EI	3783
NbCl_3^+	NbCl_5 (RN-CAS Registry Number 10026-12-7)		14.6	EI	3783
NbCl_4^+	NbCl_5 (RN-CAS Registry Number 10026-12-7)		10.7	EI	3783
Mo^+	$((\text{CH}_3)_2\text{N})_3\text{PMo}(\text{CO})_5$ (RN-CAS Registry Number 14971-43-8)		18.4 ± 0.05	EI	3952
Mo^+	$((\text{CH}_3)_2\text{N})_3\text{P}_2\text{Mo}(\text{CO})_4$ (RN-CAS Registry Number 27342-90-1)		15.3 ± 0.05	EI	3952
Mo^+	MoCl_5 (RN-CAS Registry Number 10241-05-1)		23.1	EI	3783
$\text{Mo}^{+7}(^2\text{P}_{3/2})$	$\text{Mo}^{+6}(^1\text{S}_0)$ (RN-CAS Registry Number 16065-87-5)	**	126.81 ± 0.01	S	3591
$\text{Mo}^{+7}(^2\text{P}_{1/2})$	$\text{Mo}^{+6}(^1\text{S}_0)$ (RN-CAS Registry Number 16065-87-5)	**	129.70 ± 0.01	S	3591
Mo^{+8}	Mo^{+7} (RN-CAS Registry Number 20908-14-9)	**	144.0 ± 1.0	PE	3893
$\text{C}_6\text{O}_6\text{Mo}^+$	$\text{Mo}(\text{CO})_6$ (RN-CAS Registry Number 13939-06-5)	**	8.50 ± 0.02 (V)	PE	3979
$\text{C}_6\text{H}_{18}\text{N}_3\text{PMo}^+$	$((\text{CH}_3)_2\text{N})_3\text{PMo}(\text{CO})_5$ (RN-CAS Registry Number 14971-43-8)	5CO	10.3 ± 0.05	EI	3952

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_6H_{18}N_3PMo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)		16.1 ± 0.05	EI	3952
$C_{12}H_{36}N_6P_2Mo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)	4CO	14.8 ± 0.05	EI	3952
$C_7H_{18}N_3OPMo^+$	$((CH_3)_2N)_3PMo(CO)_5$ (RN-CAS Registry Number 14971-43-8)	4CO	12.1 ± 0.05	EI	3952
$C_8H_{18}N_3O_2PMo^+$	$((CH_3)_2N)_3PMo(CO)_5$ (RN-CAS Registry Number 14971-43-8)	3CO	9.9 ± 0.05	EI	3952
$C_9H_{18}N_3O_3PMo^+$	$((CH_3)_2N)_3PMo(CO)_5$ (RN-CAS Registry Number 14971-43-8)	2CO	9.6 ± 0.05	EI	3952
$C_{10}H_{18}N_3O_4PMo^+$	$((CH_3)_2N)_3PMo(CO)_5$ (RN-CAS Registry Number 14971-43-8)	CO	7.8 ± 0.05	EI	3952
$C_{11}H_{18}N_3O_5PMo^+$	$((CH_3)_2N)_3PMo(CO)_5$ (RN-CAS Registry Number 14971-43-8)	**	5.7 ± 0.05	EI	3952
$C_{13}H_{36}N_6OP_2Mo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)	3CO	14.0 ± 0.05	EI	3952
$C_{14}H_{36}N_6O_2P_2Mo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)	2CO	11.2 ± 0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2Mo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)	CO	11.1 ± 0.05	EI	3952
$C_{16}H_{36}N_6O_4P_2Mo^+$	$((CH_3)_2N)_3P)_2Mo(CO)_4$ (RN-CAS Registry Number 27342-90-1)	**	6.8 ± 0.05	EI	3952
$MoCl^+$	$MoCl_5$ (RN-CAS Registry Number 10241-05-1)		20.3	EI	3783
$MoCl_2^+$	$MoCl_5$ (RN-CAS Registry Number 10241-05-1)		17.1	EI	3783
$MoCl_3^+$	$MoCl_5$ (RN-CAS Registry Number 10241-05-1)		12.9	EI	3783
$MoCl_4^+$	$MoCl_5$ (RN-CAS Registry Number 10241-05-1)		10.1	EI	3783
$MoCl_5^+$	$MoCl_5$ (RN-CAS Registry Number 10241-05-1)	**	9.2	EI	3783
$MoO_2Cl_2^+$	MoO_2Cl_2 (RN-CAS Registry Number 13637-68-8)	**	$12.2 \pm \sim 0.5$	EI	3604

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
MoOCl_3^+	MoOCl_4 (RN-CAS Registry Number 13814-75-0)		10.9 ± 0.5	EI	3604
MoOCl_4^+	MoOCl_4 (RN-CAS Registry Number 13814-75-0)	**	10.6 ± 1	EI	3604
$\text{MoO}_2\text{Br}_2^+$	MoO_2Br_2 (RN-CAS Registry Number 13595-98-7)	**	$10.9 \pm \sim 0.5$	EI	3604
$\text{MoO}_2\text{ClBr}^+$	MoO_2ClBr (RN-CAS Registry Number XXXXX-XX-X)	**	$11.1 \pm \sim 0.5$	EI	3604
Ru^+	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4) (MT-Metastable transition(s) observed)	$(\text{C}_5\text{H}_5)_2$	16.50 ± 0.25	DC	3628
$\text{C}_3\text{H}_3\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4)		19.6 ± 0.2	EI	3628
$\text{C}_5\text{H}_5\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4) (MT-Metastable transition(s) observed)	C_5H_5	14.75 ± 0.25	DC	3628
$\text{C}_5\text{H}_5\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4) (PC-Appearence potential of the corresponding metastable transition)	C_5H_5	14.2 ± 1	EI	3628
$\text{C}_5\text{H}_5\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4)	$\text{C}_3\text{H}_3 + \text{C}_2\text{H}_2$	16.5 ± 1	EI	3628
$\text{C}_8\text{H}_8\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4) (PC-Appearence potential of the corresponding metastable transition)	C_2H_2	14.1 ± 1	EI	3628
$\text{C}_8\text{H}_8\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4) (MT-Metastable transition(s) observed)	C_2H_2	14.6 ± 0.2	EI	3628
$\text{C}_{10}\text{H}_{10}\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4)	**	7.45 (V)	PE	3688
$\text{C}_{10}\text{H}_{10}\text{Ru}^+$	$(\text{C}_5\text{H}_5)_2\text{Ru}$ (Ruthenocene) (RN-CAS Registry Number 1287-13-4)	**	7.50 ± 0.25	DC	3628

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{14}Ru^+$	(C ₅ H ₄ CH ₃) ₂ Ru (Ruthenocene, 1,1'-dimethyl-) (RN-CAS Registry Number 33292-37-4)	**	7.25 (V)	PE	3688
$RuO_4(^2T_2)$	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	12.09	PE	3836
RuO_4^+	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	12.16	PE	3838
$RuO_4(^2T_1)$	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	12.91	PE	3836
$RuO_4(^2A_1)$	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	13.78	PE	3836
$RuO_4(^2E)$	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	13.88	PE	3836
$RuO_4(^2T_2)$	RuO ₄ (RN-CAS Registry Number 20427-56-9)	**	16.03 (V)	PE	3836
$C_{15}H_3O_6F_{18}Ru^+$	(CF ₃ COCHCOCF ₃) ₃ Ru (Ruthenium, tris(1,1,1,5,5,5-hexafluoropentanedionato- <i>O,O'</i>)-, (<i>OC</i> -6-11)-) (RN-CAS Registry Number 16827-63-7)	**	8.85±0.07 (V)	PE	3682
RhC^+	RhC (RN-CAS Registry Number 12127-42-3)	**	8.1±0.6	EI	3978
RhC^+	RhC (RN-CAS Registry Number 12127-42-3)	**	8.6±0.04	EI	3902
RhC_2^+	RhC ₂ (RN-CAS Registry Number 37306-47-1)	**	8.1±0.04	EI	3902
$C_7H_7O_4Rh^+$	(CH ₃ COCHCOCH ₃)Rh(CO) ₂ (Dicarbonyl(2,4-pentanedionato)rhodium) (RN-CAS Registry Number 14874-82-9)	**	8.6±0.1	EI	3497
$C_{12}H_9O_4Rh^+$	(CH ₃ COCHCOC ₆ H ₅)Rh(CO) ₂ (Dicarbonyl(1-phenyl-1,3-butanedionato)rhodium) (RN-CAS Registry Number 24151-55-1)	**	8.4±0.1	EI	3497
$C_{17}H_{11}O_4Rh^+$	(C ₆ H ₅ COCHCOC ₆ H ₅)Rh(CO) ₂ (Dicarbonyl(1,3-diphenyl-1,3-propanedionato)rhodium) (RN-CAS Registry Number 24151-56-2)	**	8.4±0.1	EI	3497
$C_{15}H_{21}O_6Rh^+$	(CH ₃ COCHCOCH ₃) ₃ Rh (Tris(2,4-pentanedionato)rhodium) (RN-CAS Registry Number 14284-92-5)	**	7.34±0.01	EI	3496
$C_{15}H_{21}O_6Rh^+$	(CH ₃ COCHCOCH ₃) ₃ Rh (Tris(2,4-pentanedionato)rhodium) (RN-CAS Registry Number 14284-92-5)	**	7.75±0.05	EI	3497
$C_{15}H_{20}NO_8Rh^+$	((CH ₃ CO) ₂ CH) ₂ Rh(NO ₂ C(OCCH ₃) ₂) (<i>OC</i> -6-22-(3-Nitro-2,4-pentanedionato- <i>O</i> ² , <i>O</i> ⁴)bis(2,4-pentanedionato- <i>O,O'</i>)rhodium) (RN-CAS Registry Number 36530-11-7)	**	7.65±0.02	EI	3496

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{15}H_{19}N_2O_{10}Rh^+$	((CH ₃ CO) ₂ CNO ₂) ₂ Rh(CH(OCCH ₃) ₂) ^{**} (OC-6-21-Bis(3-nitro-2,4-pentanedionato- <i>O</i> ² , <i>O</i> ⁴)(2,4-pentanedionato- <i>O</i> , <i>O'</i>)rhodium) (RN-CAS Registry Number 36530-12-8)		7.97±0.03	EI	3496
$C_{15}H_{18}N_3O_{12}Rh^+$	(CH ₃ COC(NO ₂)COCH ₃) ₃ Rh ^{**} (OC-6-11-Tris(3-nitro-2,4-pentanedionato- <i>O</i> ² , <i>O</i> ⁴)rhodium) (RN-CAS Registry Number 36530-13-9)		8.39±0.04	EI	3496
$C_7H_4O_4F_3Rh^+$	(CH ₃ COCHCOCF ₃)Rh(CO) ₂ ^{**} (Dicarbonyl(1,1,1-trifluoro-2,4-pentanedionato)rhodium) (RN-CAS Registry Number 18517-13-0)		8.85±0.05	EI	3497
$C_7HO_4F_6Rh^+$	(CF ₃ COCHCOCF ₃)Rh(CO) ₂ ^{**} (Dicarbonyl(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)rhodium) (RN-CAS Registry Number 18517-12-9)		9.2±0.1	EI	3497
$RhP_4F_{12}H^+$	HRh(PF ₃) ₄ ^{**} (RN-CAS Registry Number 16949-48-7)		9.7	PE	4021
Pd^+	Pd ^{**} (RN-CAS Registry Number 7440-05-3)		8.0±0.4	EI	3597
$C_6H_{10}Pd^+$	(C ₃ H ₅) ₂ Pd ^{**} (Palladium, bis(η ³ -2-propenyl)-) (RN-CAS Registry Number 12240-87-8)		7.24±0.03	PE	3711
$C_{12}H_{18}N_2O_2Pd^+$	C ₁₂ H ₁₈ O ₂ N ₂ Pd ^{**} (Palladium, [[4,4'-(1,2-ethanediyldinitrilo)bis[2-pentanonato]](2 ⁻)- <i>N,N',O,O'</i>]- (SP-4-2)-) (RN-CAS Registry Number 38337-62-1)		6.88 (V)	PE	3822
Ag^+	Ag ^{**} (RN-CAS Registry Number 7440-22-4)		7.51±0.07	RPD	3574
Ag^+	Ag ^{**} (RN-CAS Registry Number 7440-22-4)		7.6	EI	3472
Ag^+	Ag ^{**} (RN-CAS Registry Number 7440-22-4)		7.8±0.2	EI	3609
Ag^+	AgCl ^{**} (RN-CAS Registry Number 7783-90-6)		11.1±0.3	EI	3622
Ag^+	Ag ₃ Cl ₃ ^{**} (RN-CAS Registry Number 12444-97-2)		14.5	EI	3622
Ag^+	Ag ₃ Br ₂ ? ^{**} (RN-CAS Registry Number 11078-32-3)		11.2±0.4	EI	3467
Ag^+	Ag ₃ Br ₃ ? ^{**} (RN-CAS Registry Number 11078-33-4)		11.2±0.4	EI	3467
Ag_2^+	Ag ₂ ^{**} (RN-CAS Registry Number 12187-06-3)		7.35±0.05	RPD	3574
Ag_2^+	Ag ₂ ^{**} (RN-CAS Registry Number 12187-06-3)		6.4±0.7	EI	3440
Ag_2^+	Ag ₂ ^{**} (RN-CAS Registry Number 12187-06-3)		7.4±0.8	EI	3597

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Ag_2^+	Ag_2 (RN-CAS Registry Number 12187-06-3)	**	8.0 ± 1.0	EI	3609
Ag_2^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		18.0 ± 0.5	EI	3622
Ag_2^+	$\text{Ag}_3\text{Br}_2?$ (RN-CAS Registry Number 11078-32-3)		12.5 ± 1.0	EI	3467
Ag_2^+	$\text{Ag}_3\text{Br}_3?$ (RN-CAS Registry Number 11078-33-4)		12.5 ± 1.0	EI	3467
Ag_3^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		18.4 ± 0.5	EI	3605
NaAg^+	NaAg (RN-CAS Registry Number 38782-42-2)	**	$\leq 9 \pm 2$	EI	3609
AgAl^+	AgAl (RN-CAS Registry Number 12379-67-8)	**	7.8 ± 0.5	EI	3796
AgPO_2^+	AgPO_2 (RN-CAS Registry Number XXXXX-XX-X)	**	9.3	EI	4098
AgCl^+	AgCl (RN-CAS Registry Number 7783-90-6)	**	10.8 ± 0.4	EI	3622
AgCl^+	AgCl (RN-CAS Registry Number 7783-90-6)	**	11.3 ± 0.5	EI	3605
AgCl^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		14.2	EI	3622
Ag_2Cl^+	$\text{Ag}_2\text{Cl}_2?$ (RN-CAS Registry Number XXXXX-XX-X)		10.8 ± 0.5	EI	3622
Ag_2Cl^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		12.9	EI	3622
Ag_2Cl_2^+	Ag_2Cl_2 (RN-CAS Registry Number XXXXX-XX-X)	**	10.3 ± 0.5	EI	3605
Ag_3Cl^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		14.9 ± 0.5	EI	3605
Ag_3Cl_2^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		11.1 ± 0.3	EI	3622
Ag_3Cl_2^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)		11.1 ± 0.5	EI	3605
Ag_3Cl_3^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)	**	10.0 ± 0.5	EI	3605
Ag_3Cl_3^+	Ag_3Cl_3 (RN-CAS Registry Number 12444-97-2)	**	10.4 ± 0.3	EI	3622
Ag_4Cl_3^+	Ag_4Cl_4 (RN-CAS Registry Number XXXXX-XX-X)		10.9 ± 0.5	EI	3605

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Ag_4Cl_4^+	Ag_4Cl_4 (RN-CAS Registry Number XXXXX-XX-X)	**	9.6 ± 1.0	EI	3605
Ag_5Cl_4^+	$\text{Ag}_5\text{Cl}_5?$ (RN-CAS Registry Number XXXXX-XX-X)		10.0 ± 1.5	EI	3605
AgBr^+	AgBr (RN-CAS Registry Number 7785-23-1)	**	9.5 ± 0.3	EI	3467
Ag_2Br^+	$\text{Ag}_3\text{Br}_2?$ (RN-CAS Registry Number 11078-32-3)		11.4 ± 0.7	EI	3467
Ag_2Br^+	$\text{Ag}_3\text{Br}_3?$ (RN-CAS Registry Number 11078-33-4)		11.4 ± 0.7	EI	3467
Ag_3Br_2^+	Ag_3Br_2 (RN-CAS Registry Number 11078-32-3)	**	10.0 ± 0.2	EI	3467
Ag_3Br_3^+	Ag_3Br_3 (RN-CAS Registry Number 11078-33-4)	**	9.8 ± 0.2	EI	3467
$\text{Cd}^+ (^2\text{S}_{1/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	8.99	PEN	3537
$\text{Cd}^+ (^2\text{P}_{1/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	14.5	PEN	3537
$\text{Cd}^+ (^2\text{P}_{3/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	14.9	PEN	3537
$\text{Cd}^+ (^2\text{D}_{5/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	17.6	PEN	3537
$\text{Cd}^+ (^2\text{D}_{3/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	18.4	PEN	3537
$\text{Cd}^+ (^2\text{D}_{3/2})$	Cd (RN-CAS Registry Number 7440-43-9)	**	20.2	PEN	3537
Cd^+	Cd (RN-CAS Registry Number 7440-43-9)	**	9.07 ± 0.07	RPD	3745
$\text{CdCl}_2 (^2\Pi_g)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	11.3 (V)	PE	3963
CdCl_2^+	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	11.44 ± 0.05 (V)	PE	3833
$\text{CdCl}_2 (^2\Pi_u)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	11.8 (V)	PE	3963
$\text{CdCl}_2 (^2\Pi_u)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	11.93 ± 0.05 (V)	PE	3833
$\text{CdCl}_2 (^2\Sigma_u)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	12.4 (V)	PE	3963
$\text{CdCl}_2 (^2\Sigma_u)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	12.53 ± 0.05 (V)	PE	3833
$\text{CdCl}_2 (^2\Sigma_g)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	13.1 (V)	PE	3963
$\text{CdCl}_2 (^2\Sigma_g)$	CdCl_2 (RN-CAS Registry Number 10108-64-2)	**	13.12 ± 0.05 (V)	PE	3833

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{CdBr}_2(^2\Pi_{3/2g})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.3 (V)	PE	3963
$\text{CdBr}_2(^2\Pi_{3/2g})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.58 ± 0.05 (V)	PE	3833
$\text{CdBr}_2(^2\Pi_{3/2u})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.6 (V)	PE	3963
$\text{CdBr}_2(^2\Pi_{1/2g})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.7 (V)	PE	3963
$\text{CdBr}_2(^2\Pi_{1/2u})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.8 (V)	PE	3963
$\text{CdBr}_2(^2\Pi_{1/2g})$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	10.94 ± 0.05 (V)	PE	3833
$\text{CdBr}_2(^2\Pi_u)$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	11.15 ± 0.05 (V)	PE	3833
$\text{CdBr}_2(^2\Sigma_u)$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	11.7 (V)	PE	3963
$\text{CdBr}_2(^2\Sigma_u)$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	11.85 ± 0.05 (V)	PE	3833
$\text{CdBr}_2(^2\Sigma_g)$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	12.4 (V)	PE	3963
$\text{CdBr}_2(^2\Sigma_g)$	CdBr_2 (RN-CAS Registry Number 7789-42-6)	**	12.78 ± 0.05 (V)	PE	3833
In^+	In (RN-CAS Registry Number 7440-74-6)	**	5.85 ± 0.07	RPD	3745
In_2^+	$\text{In}_2\text{O}^?$ (RN-CAS Registry Number 12030-22-7)		12.9 ± 0.5	EI	3491
InO^+	$\text{In}_2\text{O}^?$ (RN-CAS Registry Number 12030-22-7)	$\text{In}^?$	14.8 ± 0.5	EI	3491
In_2O^+	$\text{In}_2\text{O}^?$ (RN-CAS Registry Number 12030-22-7)	**	8.3 ± 0.3	EI	3491
$\text{InCl}^+(X^2\Sigma)$	InCl (RN-CAS Registry Number 13465-10-6)	**	9.51	PE	3640
$\text{InCl}^+(^2\Pi)$	InCl (RN-CAS Registry Number 13465-10-6)	**	10.17	PE	3640
$\text{InCl}^+(^2\Sigma)$	InCl (RN-CAS Registry Number 13465-10-6)	**	12.82	PE	3640
$\text{InBr}^+(^2\Pi)$	InBr (RN-CAS Registry Number 14280-53-6)	**	6.62	PE	3640
$\text{InBr}^+(X^2\Sigma)$	InBr (RN-CAS Registry Number 14280-53-6)	**	9.09	PE	3640
$\text{InBr}^+(^2\Sigma)$	InBr (RN-CAS Registry Number 14280-53-6)	**	12.38	PE	3640
Sn^+	Sn (RN-CAS Registry Number 7440-31-5)	**	7.28 ± 0.07	RPD	3745

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{SnH}_4(^2\text{B}_2)$	SnH_4 (RN-CAS Registry Number 2406-52-2)	**	10.75	PE	3716
$\text{SnH}_4(^2\text{A}_1)$	SnH_4 (RN-CAS Registry Number 2406-52-2)	**	16.68	PE	3716
$\text{C}_3\text{H}_9\text{Sn}^+$	$(\text{CH}_3)_4\text{Sn}$ (RN-CAS Registry Number 594-27-4)	CH_3	9.58 ± 0.19	EI	3548
$\text{C}_3\text{H}_9\text{Sn}^+$	$(\text{CH}_3)_3\text{CSn}(\text{CH}_3)_3$ (RN-CAS Registry Number 3531-47-3)	$(\text{CH}_3)_3\text{C}$	9.32 ± 0.16	EI	3548
$\text{C}_3\text{H}_9\text{Sn}^+$	$(\text{CH}_3)_3\text{SnSn}(\text{CH}_3)_3$ (RN-CAS Registry Number 661-69-8)	$(\text{CH}_3)_3\text{Sn}$	9.51 ± 0.22	EI	3548
$\text{C}_3\text{H}_9\text{Sn}^+$	$(\text{CH}_3)_3\text{SiSn}(\text{CH}_3)_3$ (RN-CAS Registry Number 16393-88-7)	$(\text{CH}_3)_3\text{Si}$	9.80 ± 0.24	EI	3548
$\text{C}_3\text{H}_9\text{Sn}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{CrSn}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylstannyl)chromium) (RN-CAS Registry Number 31854-87-2)	$\text{C}_5\text{H}_5(\text{CO})_3\text{Cr?}$	9.09 ± 0.1	EI	3495
$\text{C}_3\text{H}_9\text{Sn}^+$	$(\text{CH}_3)_3\text{GeSn}(\text{CH}_3)_3$ (RN-CAS Registry Number 16393-89-8)	$(\text{CH}_3)_3\text{Ge}$	9.85 ± 0.22	EI	3548
$\text{C}_3\text{H}_9\text{Sn}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{MoSn}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylstannyl)molybdenum) (RN-CAS Registry Number 12214-92-5)	$\text{C}_5\text{H}_5(\text{CO})_3\text{Mo?}$	9.85 ± 0.1	EI	3495
$\text{C}_3\text{H}_9\text{Sn}^+$	$\text{C}_5\text{H}_5(\text{CO})_3\text{WSn}(\text{CH}_3)_3$ (Tricarbonyl(η^5 -2,4-cyclopentadien-1-yl)(trimethylstannyl)tungsten) (RN-CAS Registry Number 12093-29-7)	$\text{C}_5\text{H}_5(\text{CO})_3\text{W?}$	10.05 ± 0.15	EI	3495
$\text{C}_4\text{H}_{12}\text{Sn}^+$	$(\text{CH}_3)_4\text{Sn}$ (RN-CAS Registry Number 594-27-4)	**	8.85 ± 0.1	PE	3677
$\text{C}_4\text{H}_{12}\text{Sn}^+$	$(\text{CH}_3)_4\text{Sn}$ (RN-CAS Registry Number 594-27-4)	**	8.93 ± 0.04	PE	3880
$\text{C}_4\text{H}_{12}\text{Sn}^+$	$(\text{CH}_3)_4\text{Sn}$ (RN-CAS Registry Number 594-27-4)	**	8.76 ± 0.12	EI	3548
$\text{C}_7\text{H}_{18}\text{Sn}^+$	$(\text{CH}_3)_3\text{CSn}(\text{CH}_3)_3$ (RN-CAS Registry Number 3531-47-3)	**	8.34 ± 0.11	EI	3548
$\text{C}_9\text{H}_{14}\text{Sn}^+$	$\text{C}_6\text{H}_5\text{Sn}(\text{CH}_3)_3$ (Stannane, trimethylphenyl-) (RN-CAS Registry Number 934-56-5)	**	~ 8.75	CTS	3922
$\text{C}_{10}\text{H}_{16}\text{Sn}^+$	$\text{C}_6\text{H}_5\text{CH}_2\text{Sn}(\text{CH}_3)_3$ (Stannane, trimethyl(phenylmethyl)-) (RN-CAS Registry Number 4314-94-7)	**	7.91	CTS	3922
$\text{C}_{12}\text{H}_{16}\text{Sn}^+$	$\text{C}_9\text{H}_7\text{Sn}(\text{CH}_3)_3$ (Stannane, 1 <i>H</i> -inden-1-yltrimethyl-) (RN-CAS Registry Number 23022-40-4)	**	7.29 ± 0.01	EI	3805
$\text{C}_{12}\text{H}_{18}\text{Sn}^+$	$\text{C}_9\text{H}_9\text{Sn}(\text{CH}_3)_3$ (Stannane, (2,3-dihydro-1 <i>H</i> -inden-1-yl)trimethyl-) (RN-CAS Registry Number 41273-55-6)	**	7.29 ± 0.01	EI	3805

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{13}H_{16}Sn^+$	$C_{10}H_7Sn(CH_3)_3$ (Stannane, trimethyl-1-naphthalenyl-) (RN-CAS Registry Number 944-85-4)	**	7.99	CTS	3922
$C_{14}H_{18}Sn^+$	$C_{10}H_7CH_2Sn(CH_3)_3$ (Stannane, trimethyl(1-naphthalenylmethyl)-) (RN-CAS Registry Number 51220-36-1)	**	~7.6	CTS	3922
$C_{14}H_{30}Sn^+$	$CH_2=CHSn(n-C_4H_9)_3$ (RN-CAS Registry Number 7486-35-3)	**	8.6 (V)	PE	3850
$C_{15}H_{32}Sn^+$	$CH_2=CHCH_2Sn(n-C_4H_9)_3$ (RN-CAS Registry Number 24850-33-7)	**	8.4 (V)	PE	3850
$C_{16}H_{36}Sn^+$	$(n-C_4H_9)_4Sn$ (RN-CAS Registry Number 1461-25-2)	**	8.7 (V)	PE	3850
$C_{24}H_{20}Sn^+$	$(C_6H_5)_4Sn$ (Stannane, tetraphenyl-) (RN-CAS-Registry Number 595-90-4)	**	8.34 ± 0.03	PI	4055
$C_6H_{18}Sn_2^+$	$(CH_3)_3SnSn(CH_3)_3$ (RN-CAS Registry Number 661-69-8)	**	8.02 ± 0.15	EI	3548
SnO^+	SnO (RN-CAS Registry Number 21651-19-4)	**	9.5 ± 1	EI	3819
$C_6H_{18}SiSn^+$	$(CH_3)_3SiSn(CH_3)_3$ (RN-CAS Registry Number 16393-88-7)	**	8.18 ± 0.14	EI	3548
$C_{16}H_{44}Si_4Sn^+$	$((CH_3)_3SiCH_2)_4Sn$ (RN-CAS Registry Number 18547-12-1)	**	8.71 ± 0.1 (V)	PE	3830
$C_6H_{18}GeSn^+$	$(CH_3)_3GeSn(CH_3)_3$ (RN-CAS Registry Number 16393-89-8)	**	8.20 ± 0.10	EI	3548
$SnBrCl^+$	$SnBrCl$ (RN-CAS Registry Number 13595-90-9)	**	10.3 ± 0.3	EI	3800
$SnBr_2Cl^+$	$SnBr_2Cl_2?$ (RN-CAS Registry Number 13550-35-1)		12.0	EI	3800
$SnBr_2Cl^+$	$SnBr_3Cl?$ (RN-CAS Registry Number 14779-73-8)		12.0	EI	3800
$SnBr_3Cl^+$	$SnBr_3Cl$ (RN-CAS Registry Number 14779-73-8)	**	11.1 ± 0.3	EI	3800
Sb^+	Sb (RN-CAS Registry Number 7440-36-0)	**	8.68 ± 0.06	EI	3956
Sb_2^+	Sb_2 (RN-CAS Registry Number 32679-33-7)	**	9.3 ± 0.2	S	3567

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Sb_2^+	Sb_2 (RN-CAS Registry Number 32679-33-7)	**	8.4 ± 0.3	RPD	3599
Sb_2^+	Sb_2 (RN-CAS Registry Number 32679-33-7)	**	8.64 ± 0.06	EI	3956
Sb_2^+	Sb_2 (RN-CAS Registry Number 32679-33-7)	**	8.9 ± 0.3	EI	3961
Sb_2^+	Sb_2 (RN-CAS Registry Number 32679-33-7)	**	9.5 ± 0.5	EI	3555
Sb_2^+	Sb_4 (RN-CAS Registry Number 12597-17-0)		11.4 ± 0.4	RPD	3599
Sb_3^+	Sb_3 (RN-CAS Registry Number 37267-70-2)	**	8.5 ± 0.3	RPD	3599
Sb_3^+	Sb_3 (RN-CAS Registry Number 37267-70-2)	**	7.50 ± 0.13	EI	3956
Sb_3^+	Sb_3 (RN-CAS Registry Number 37267-70-2)	**	9.0 ± 0.2	EI	3961
Sb_3^+	Sb_4 (RN-CAS Registry Number 12597-17-0)		10.8 ± 0.5	RPD	3599
Sb_3^+	Sb_4 (RN-CAS Registry Number 12597-17-0)	Sb	10.8 ± 0.3	EI	3961
Sb_4^+	Sb_4 (RN-CAS Registry Number 12597-17-0)	**	7.70 ± 0.06	EI	3956
Sb_4^+	Sb_4 (RN-CAS Registry Number 12597-17-0)	**	8.4 ± 0.3	EI	3961
Sb_4^+	Sb_4 (RN-CAS Registry Number 12597-17-0)	**	9.1 ± 0.3	EI	3555
$\text{SbH}_3(^2\text{A}_1)$	SbH_3 (RN-CAS Registry Number 7803-52-3)	**	9.51	PE	3719
$\text{SbH}_3(^2\text{E})$	SbH_3 (RN-CAS Registry Number 7803-52-3)	**	11.39 ± 0.02	PE	3719
$\text{C}_5\text{H}_5\text{Sb}^+$	$\text{C}_5\text{H}_5\text{Sb}$ (Antimonin) (RN-CAS Registry Number 289-75-8)	**	8.3 (V)	PE	3832
SbF_3^+	SbF_3 (RN-CAS Registry Number 7783-56-4)	**	12.61 ± 0.1	EI	3578
SbP^+	SbP (RN-CAS Registry Number 25889-81-0)	**	9.9 ± 0.3	EI	3596
TeH^+	TeH (RN-CAS Registry Number 13940-36-8)	**	9.09	S	3742
$\text{H}_2\text{Te}^+(^2\text{B}_1)$	H_2Te (RN-CAS Registry Number 7783-09-7)	**	9.14	PE	3719
$\text{H}_2\text{Te}^+(^2\text{A}_1)$	H_2Te (RN-CAS Registry Number 7783-09-7)	**	11.63	PE	3719

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{H}_2\text{Te}^+(\text{}^2\text{B}_2)$	H_2Te (RN-CAS Registry Number 7783-09-7)	**	13.04	PE	3719
$\text{H}_2\text{Te}^+(\text{}^2\text{A}_1)$	H_2Te (RN-CAS Registry Number 7783-09-7)	**	18.6 (V)	PE	3719
$\text{C}_2\text{H}_6\text{Te}^+$	$(\text{CH}_3)_2\text{Te}$ (RN-CAS Registry Number 593-80-6) (RS-Average of three Rydberg series limits)	**	7.926 ± 0.010	S	3970
$\text{C}_2\text{H}_6\text{Te}^+(\text{}^2\text{B}_1)$	$(\text{CH}_3)_2\text{Te}$ (RN-CAS Registry Number 593-80-6)	**	7.89 (V)	PE	3656
$\text{C}_4\text{H}_4\text{Te}^+$	$\text{C}_4\text{H}_4\text{Te}$ (Tellurophene) (RN-CAS Registry Number 288-08-4)	**	8.27	PE	3858
$\text{C}_4\text{H}_4\text{Te}^+$	$\text{C}_4\text{H}_4\text{Te}$ (Tellurophene) (RN-CAS Registry Number 288-08-4)	**	8.40 ± 0.03	PE	3804
$\text{C}_4\text{H}_4\text{Te}^+$	$\text{C}_4\text{H}_4\text{Te}$ (Tellurophene) (RN-CAS Registry Number 288-08-4)	**	8.60 ± 0.1	EI	3804
$\text{C}_5\text{H}_6\text{Te}^+$	$\text{C}_4\text{H}_3\text{TeCH}_3$ (Tellurophene, 2-methyl-) (RN-CAS Registry Number 35246-25-4)	**	8.25 ± 0.1	EI	3804
$\text{C}_5\text{H}_4\text{OTe}^+$	$\text{C}_4\text{H}_3\text{TeCHO}$ (2-Telluorophenecarboxaldehyde) (RN-CAS Registry Number 35273-64-4)	**	8.88 ± 0.1	EI	3804
$\text{C}_6\text{H}_6\text{OTe}^+$	$\text{C}_4\text{H}_3\text{TeCOCH}_3$ (Ethanone, 1-telluorophene-2-yl-) (RN-CAS Registry Number 35273-65-5)	**	8.60 ± 0.1	EI	3804
$\text{C}_5\text{H}_4\text{O}_2\text{Te}^+$	$\text{C}_4\text{H}_3\text{TeCOOH}$ (2-Telluorophenecarboxylic acid) (RN-CAS Registry Number 35246-22-1)	**	8.80 ± 0.1	EI	3804
$\text{C}_6\text{H}_6\text{O}_2\text{Te}^+$	$\text{C}_4\text{H}_3\text{TeCOOCH}_3$ (2-Telluorophenecarboxylic acid methyl ester) (RN-CAS Registry Number 35246-23-2)	**	8.64 ± 0.1	EI	3804
TeP^+	TeP (RN-CAS Registry Number 51890-39-2)	**	7.8 ± 1.0	EI	4001
$\text{C}_5\text{H}_6\text{STe}^+$	$\text{C}_4\text{H}_3\text{TeSCH}_3$ (Tellurophene, 2-(methylthio)-) (RN-CAS Registry Number 51299-95-7)	**	8.15 ± 0.1	EI	3804
$\text{Ge}_2\text{H}_6\text{Te}^+(\text{}^2\text{B}_1)$	$(\text{GeH}_3)_2\text{Te}$ (RN-CAS Registry Number 24312-07-0)	**	8.34 (V)	PE	3656

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
I^+	CH_2I_2 (RN-CAS Registry Number 75-11-6) (AD-0.131 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)	CH_2I	13.8	RPD	3490
I^+	CH_2I_2 (RN-CAS Registry Number 75-11-6) (AD-0.13 eV average translational energy of decomposition at threshold) (TR-Other product(s) thermochemically reasonable)	CH_2I	13.2 ± 0.1	EI	3442
$I_2(^2\Pi_{3/2g})$	I_2 (RN-CAS Registry Number 7553-56-2) (HB-Threshold value approximately corrected for hot bands)	**	9.311 ± 0.002	PE	3870
$I_2(^2\Pi_{1/2g})$	I_2 (RN-CAS Registry Number 7553-56-2) (HB-Threshold value approximately corrected for hot bands)	**	9.953 ± 0.002	PE	3870
I_2^+	WO_2I_2 (RN-CAS Registry Number 14447-89-3)		15.0 ± 0.8	EI	3451
I_2^2	I_2 (RN-CAS Registry Number 7553-56-2)	**	25.5 ± 0.4	EI	4052
$CH_3I^+(^2E_{3/2})$	CH_3I (RN-CAS Registry Number 74-88-4) (RS-Average of three Rydberg series limits)	**	9.538	S	3748
$CH_3I^+(^2E_{1/2})$	CH_3I (RN-CAS Registry Number 74-88-4) (RS-Average of three Rydberg series limits)	**	10.17	S	3748
$CH_3I^+(^2E_{3/2})$	CH_3I (RN-CAS Registry Number 74-88-4)	**	9.52	PE	3532
$CH_3I^+(^2E_{1/2})$	CH_3I (RN-CAS Registry Number 74-88-4)	**	10.14	PE	3532
CH_3I^+	CH_3I (RN-CAS Registry Number 74-88-4)	**	9.48 ± 0.03	EDD	3626
$C_2HI^+(^2E_{3/2})$	$CH \equiv CI$ (RN-CAS Registry Number 14545-08-5)	**	9.7397	S	3751
$C_2HI^+(^2E_{1/2})$	$CH \equiv CI$ (RN-CAS Registry Number 14545-08-5)	**	10.143	S	3751
$C_2H_3I^+$	$CH_2=CHI$ (RN-CAS Registry Number 593-66-8)	**	9.33	PE	3863
$C_2H_5I^+(^2E_{3/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6) (RS-Average of three Rydberg series limits)	**	9.346	S	3748
$C_2H_5I^+(^2E_{1/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6) (RS-Average of three Rydberg series limits)	**	9.929	S	3748
$C_2H_5I^+(^2E_{3/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6)	**	9.34 (V)	PE	4076

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_2H_5I^+(^2E_{3/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6)	**	9.35	PE	3532
$C_2H_5I^+$	C_2H_5I (RN-CAS Registry Number 75-03-6)	**	9.45 ± 0.02 (V)	PE	3987
$C_2H_5I^+(^2E_{1/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6)	**	9.93	PE	3532
$C_2H_5I^+(^2E_{1/2})$	C_2H_5I (RN-CAS Registry Number 75-03-6)	**	9.93 (V)	PE	4076
$C_3H_5I^+$	$CH_2=CHCH_2I$ (RN-CAS Registry Number 556-56-9)	**	9.30	PE	4091
$C_3H_5I^+$	$CH_2=CHCH_2I$ (RN-CAS Registry Number 556-56-9)	**	9.30 (V)	PE	3863
$C_3H_7I^+(^2E_{3/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.269	S	3748
(RS-Average of three Rydberg series limits)					
$C_3H_7I^+(^2E_{1/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.847	S	3748
(RS-Average of three Rydberg series limits)					
$C_3H_7I^+(^2E_{3/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.25	PE	3532
$C_3H_7I^+(^2E_{3/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.27	PE	4076
$C_3H_7I^+(^2E_{1/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.82	PE	4076
$C_3H_7I^+(^2E_{1/2})$	$n-C_3H_7I$ (RN-CAS Registry Number 107-08-4)	**	9.83	PE	3532
$C_3H_7I^+(^2E_{3/2})$	$iso-C_3H_7I$ (RN-CAS Registry Number 75-30-9)	**	9.19	PE	3532
$C_3H_7I^+(^2E_{1/2})$	$iso-C_3H_7I$ (RN-CAS Registry Number 75-30-9)	**	9.75	PE	3532
$C_3H_7I^+$	$iso-C_3H_7I$ (RN-CAS Registry Number 75-30-9)	**	$9.2 \pm < 0.1$	EI	3735
$C_4H_9I^+(^2E_{3/2})$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.229	S	3748
(RS-Average of four Rydberg series limits)					
$C_4H_9I^+(^2E_{1/2})$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.791	S	3748
(RS-Average of three Rydberg series limits)					
$C_4H_9I^+(^2E_{3/2})$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.23	PE	3532
$C_4H_9I^+$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.24	PE	4076
$C_4H_9I^+(^2E_{1/2})$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.79	PE	4076
$C_4H_9I^+(^2E_{1/2})$	$n-C_4H_9I$ (RN-CAS Registry Number 542-69-8)	**	9.81	PE	3532
$C_4H_9I^+(^2E_{3/2})$	$tert-C_4H_9I$ (RN-CAS Registry Number 558-17-8)	**	9.08	PE	3532

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_4H_9I^+ (^2E_{1/2})$	<i>tert</i> -C ₄ H ₉ I (RN-CAS Registry Number 558-17-8)	**	9.64	PE	3532
$C_5H_{11}I^+ (^2E_{3/2})$	<i>n</i> -C ₅ H ₁₁ I (RN-CAS Registry Number 628-17-1) (RS-Average of three Rydberg series limits)	**	9.201	S	3748
$C_5H_{11}I^+ (^2E_{1/2})$	<i>n</i> -C ₅ H ₁₁ I (RN-CAS Registry Number 628-17-1) (RS-Average of two Rydberg series limits)	**	9.760	S	3748
$C_5H_{11}I^+ (^2E_{3/2})$	<i>n</i> -C ₅ H ₁₁ I (RN-CAS Registry Number 628-17-1)	**	9.22	PE	3532
$C_5H_{11}I^+ (^2E_{1/2})$	<i>n</i> -C ₅ H ₁₁ I (RN-CAS Registry Number 628-17-1)	**	9.78	PE	3532
$C_6H_{13}I^+ (^2E_{3/2})$	<i>n</i> -C ₆ H ₁₃ I (RN-CAS Registry Number 638-45-9) (RS-Average of three Rydberg series limits)	**	9.179	S	3748
$C_6H_{13}I^+ (^2E_{1/2})$	<i>n</i> -C ₆ H ₁₃ I (RN-CAS Registry Number 638-45-9) (RS-Average of three Rydberg series limits)	**	9.742	S	3748
$C_7H_7I^+$	C ₆ H ₅ CH ₂ I (Benzene, (iodomethyl)-) (RN-CAS Registry Number 620-05-3)	**	8.91 (V)	PE	3992
$C_7H_7I^+$	C ₆ H ₄ ICH ₃ (Benzene, 1-iodo-2-methyl-) (RN-CAS Registry Number 615-37-2)	**	8.53±0.1	EI	3777
$C_7H_7I^+$	C ₆ H ₄ ICH ₃ (Benzene, 1-iodo-3-methyl-) (RN-CAS Registry Number 625-95-6)	**	8.55±0.1	EI	3777
$C_7H_7I^+$	C ₆ H ₄ ICH ₃ (Benzene, 1-iodo-4-methyl-) (RN-CAS Registry Number 624-31-7)	**	8.60±0.1	EI	3777
$C_{12}H_9I^+$	C ₆ H ₅ C ₆ H ₄ I (1,1'-Biphenyl, 2-iodo-) (RN-CAS Registry Number 2113-51-1)	**	8.20±0.02	PE	3702
$C_2H_2I_2^+$	<i>trans</i> -CHI=CHI (RN-CAS Registry Number 590-27-2)	**	8.92 (V)	PE	3648
$C_6H_6NI^+$	C ₆ H ₄ INHCOCH ₃ (Acetamide, <i>N</i> -(2-iodophenyl)-) (RN-CAS Registry Number 19591-17-4)	CH ₂ =C=O	10.48±0.03	EI	3483
$C_6H_6NI^+$	C ₆ H ₄ INHCOCH ₃ (Acetamide, <i>N</i> -(4-iodophenyl)-) (RN-CAS Registry Number 622-50-4)	CH ₂ =C=O	9.72±0.03	EI	3483

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{25}H_{25}N_2I^+$	$C_{25}H_{25}N_2I$ (Quinolinium, 1-ethyl-2-[3-(1-ethyl-2(1 <i>H</i>)-quinolinylidene)-1-propenyl]-, iodide) (RN-CAS Registry Number 605-91-4) (ON-Other name: Pinacyanol)	**	7.25	PI	3586
$C_{29}H_{35}N_2I^+$	$C_{29}H_{35}N_2I$ (Quinolinium, 1-(3-methylbutyl)-4-[[1-(3-methylbutyl)-4(1 <i>H</i>)-quinolinylidene]methyl]-, iodide) (RN-CAS Registry Number 523-42-2) (ON-Other name: Quinoline Blue)	**	7.35	PI	3586
$C_4H_{12}BN_2I^+$	$((CH_3)_2N)_2BI$ (RN-CAS Registry Number 7318-71-0)	**	8.11 (V)	PE	3704
$C_2H_6BNi_2^+$	$(CH_3)_2NBi_2$ (RN-CAS Registry Number 7318-72-1)	**	8.95 (V)	PE	3704
$C_2H_5OI^+$	CH_2ICH_2OH (RN-CAS Registry Number 624-76-0)	**	9.66±0.07 (V)	PE	3987
$C_3H_7OI^+$	$CH_3OCH_2CH_2I$ (RN-CAS Registry Number 4296-15-5)	**	9.43±0.04 (V)	PE	3987
$C_6H_5OI^+$	$C_6H_4IOOCCH_3$ (Phenol, 2-iodo-, acetate) (RN-CAS Registry Number 32865-61-5)	$CH_2=C=O$	9.72±0.03	EI	3483
$C_6H_5OI^+$	$C_6H_4IOOCCH_3$ (Phenol, 4-iodo-, acetate) (RN-CAS Registry Number 33527-94-5)	$CH_2=C=O$	9.38±0.03	EI	3483
$C_2H_3O_2I^+$	CH_2ICOOH (RN-CAS Registry Number 64-69-7)	**	11.03 (V)	PE	3874
$C_8H_7O_2I^+$	$C_6H_4IOOCCH_3$ (Phenol, 2-iodo-, acetate) (RN-CAS Registry Number 32865-61-5)	**	8.25±0.03	EI	3483
$C_8H_7O_2I^+$	$C_6H_4IOOCCH_3$ (Phenol, 4-iodo-, acetate) (RN-CAS Registry Number 33527-94-5)	**	8.20±0.03	EI	3483
$C_6H_4OI_2^+$	$C_6H_3I_2OOCCH_3$ (Phenol, 2,4-diiodo-, acetate) (RN-CAS Registry Number 36914-80-4)	$CH_2=C=O$	8.94±0.03	EI	3480
$C_6H_4OI_2^+$	$C_6H_3I_2OOCCH_3$ (Phenol, 2,6-diiodo-, acetate) (RN-CAS Registry Number 28165-73-3)	$CH_2=C=O$	9.18±0.03	EI	3480
$C_8H_6O_2I_2^+$	$C_6H_3I_2OOCCH_3$ (Phenol, 2,4-diiodo-, acetate) (RN-CAS Registry Number 36914-80-4)	**	7.90±0.03	EI	3480

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_8H_6O_2I_2^+$	$C_6H_3I_2OOCCH_3$ (Phenol, 2,6-diiodo-, acetate) (RN-CAS Registry Number 28165-73-3)	**	8.07 ± 0.03	EI	3480
$C_8H_8NOI^+$	$C_6H_4INHCOCH_3$ (Acetamide, <i>N</i> -(2-iodophenyl)-) (RN-CAS Registry Number 19591-17-4)	**	7.98 ± 0.03	EI	3483
$C_8H_8NOI^+$	$C_6H_4INHCOCH_3$ (Acetamide, <i>N</i> -(4-iodophenyl)-) (RN-CAS Registry Number 622-50-4)	**	7.87 ± 0.03	EI	3483
IF_5^+	IF_5 (RN-CAS Registry Number 7783-66-6)	**	12.943 ± 0.005	PE	3655
NaI^+	NaI (RN-CAS Registry Number 7681-82-5) (HB-Threshold value approximately corrected for hot bands)	**	7.64 ± 0.02	PI	3536
MgI_2^+	MgI_2 (RN-CAS Registry Number 10377-58-9)	**	9.57 ± 0.03	PI	3536
$SiH_3I^+ (^2E_{3/2})$	SiH_3I (RN-CAS Registry Number 13598-42-0)	**	9.78 ± 0.02 (V)	PE	3510
SiH_3I^+	SiH_3I (RN-CAS Registry Number 13598-42-0)	**	10.05 ± 0.05 (V)	PE	3502
$SiH_3I^+ (^2E_{1/2})$	SiH_3I (RN-CAS Registry Number 13598-42-0)	**	10.33 ± 0.02 (V)	PE	3510
$SiH_3I^+ (^2A_1)$	SiH_3I (RN-CAS Registry Number 13598-42-0)	**	12.04 ± 0.02 (V)	PE	3510
$SiH_3I^+ (^2E)$	SiH_3I (RN-CAS Registry Number 13598-42-0)	**	12.8 ± 0.1 (V)	PE	3510
$SiH_2I_2^+$	SiH_2I_2 (RN-CAS Registry Number 13760-02-6)	**	9.69 ± 0.02 (V)	PE	3510
$C_5H_9SiI^+$	$(CH_3)_3SiC \equiv CI$ (RN-CAS Registry Number 18163-47-8)	**	9.1 ± 0.1	PE	4002
$PI_3 (^2A_1)$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	9.15 (V)	PE	4023
$PI_3 (^2A_2)$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	9.42 (V)	PE	4023
$PI_3 (^2E_{3/2})$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	9.57 (V)	PE	4023
$PI_3 (^2E_{1/2})$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	10.24 (V)	PE	4023
$PI_3 (^2E_{1/2})$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	10.53 (V)	PE	4023
$PI_3 (^2E_{3/2})$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	10.68 (V)	PE	4023
$PI_3 (^2A_1)$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	11.80 (V)	PE	4023

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{PI}_3(^2\text{E})$	PI_3 (RN-CAS Registry Number 13455-01-1)	**	12.70 (V)	PE	4023
PF_2I^+	PF_2I (RN-CAS Registry Number 13819-11-9)	**	10.1 ± 0.1 (V)	PE	3662
$\text{C}_4\text{H}_2\text{SI}_2^+$	$\text{C}_4\text{H}_2\text{S}(\text{I})_2$ (Thiophene, 2,5-diiodo-) (RN-CAS Registry Number 625-88-7)	**	8.32	EI	3787
$\text{C}_4\text{H}_2\text{SI}_2^+$	$\text{C}_4\text{H}_2\text{S}(\text{I})_2$ (Thiophene, 2,5-diiodo-) (RN-CAS Registry Number 625-88-7)	**	8.35	CTS	3787
$\text{ICl}^+(^2\Pi_{3/2})$	ICl (RN-CAS Registry Number 7790-99-0)	**	10.088 ± 0.01	S	4027
$\text{ICl}^+(^2\Pi_{1/2})$	ICl (RN-CAS Registry Number 7790-99-0)	**	10.662 ± 0.01	S	4027
$\text{C}_5\text{O}_5\text{IMn}^+$	$\text{Mn}(\text{CO})_5\text{I}$ (RN-CAS Registry Number 14879-42-6)	**	8.44–8.74 (V)	PE	3866
CuI^+	CuI (RN-CAS Registry Number 7681-65-4)	**	8.7 ± 0.5	EI	3603
CuI^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		14.4 ± 0.5	EI	3603
Cu_2I^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		13.4 ± 0.5	EI	3603
Cu_3I^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		15.2 ± 0.5	EI	3603
CuI_2^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		16.1 ± 0.5	EI	3603
Cu_2I_2^+	Cu_2I_2 (RN-CAS Registry Number XXXXX-XX-X)	**	9.3 ± 0.5	EI	3603
Cu_2I_2^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		14.8 ± 0.5	EI	3603
Cu_3I_2^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		10.8 ± 0.5	EI	3603
Cu_2I_3^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)		13.6 ± 0.5	EI	3603
Cu_3I_3^+	Cu_3I_3 (RN-CAS Registry Number XXXXX-XX-X)	**	9.1 ± 0.5	EI	3603
Cu_4I_3^+	Cu_4I_4 (RN-CAS Registry Number XXXXX-XX-X)		9.5 ± 0.5	EI	3603

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Cu_4I_4^+	Cu_4I_4 (RN-CAS Registry Number XXXXX-XX-X)	**	8.7 ± 0.5	EI	3603
$\text{ZnI}_2(^2\Pi_{3/2g})$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	9.73 ± 0.05 (V)	PE	3833
$\text{ZnI}_2(^2\Pi_{3/2g})$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	9.7 (V)	PE	3963
$\text{ZnI}_2(^2\Pi_{3/2u})$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	10.2 (V)	PE	3963
$\text{ZnI}_2(^2\Pi_{1/2g}, ^2\Pi_u)$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	10.32 ± 0.05 (V)	PE	3833
$\text{ZnI}_2(^2\Pi_{1/2g})$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	10.35 (V)	PE	3963
$\text{ZnI}_2(^2\Pi_{1/2u})$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	10.5 (V)	PE	3963
$\text{ZnI}_2(^2\Sigma_u)$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	11.4 (V)	PE	3963
$\text{ZnI}_2(^2\Sigma_u)$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	11.45 ± 0.05 (V)	PE	3833
$\text{ZnI}_2(^2\Sigma_g)$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	12.4 (V)	PE	3963
$\text{ZnI}_2(^2\Sigma_g)$	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	12.74 ± 0.05 (V)	PE	3833
ZnI_2^*	ZnI_2 (RN-CAS Registry Number 10139-47-6)	**	18.39 ± 0.05 (V)	PE	3833
$\text{GeH}_3\text{I}^+(^2E_{3/2})$	GeH_3I (RN-CAS Registry Number 13573-02-9)	**	9.59 ± 0.02 (V)	PE	3510
GeH_3I^+	GeH_3I (RN-CAS Registry Number 13573-02-9)	**	9.84 ± 0.05 (V)	PE	3502
$\text{GeH}_3\text{I}^+(^2E_{1/2})$	GeH_3I (RN-CAS Registry Number 13573-02-9)	**	10.14 ± 0.02 (V)	PE	3510
$\text{GeH}_3\text{I}^+(^2A_1)$	GeH_3I (RN-CAS Registry Number 13573-02-9)	**	11.71 ± 0.02 (V)	PE	3510
$\text{GeH}_3\text{I}^+(^2E)$	GeH_3I (RN-CAS Registry Number 13573-02-9)	**	12.6 ± 0.1 (V)	PE	3510
GeH_2I_2^+	GeH_2I_2 (RN-CAS Registry Number 14694-31-6)	**	9.56 ± 0.02 (V)	PE	3510
$\text{IBr}^+(^2\Pi_{3/2})$	IBr (RN-CAS Registry Number 7789-33-5) (HB-Threshold value approximately corrected for hot bands)	**	9.790 ± 0.004	PE	3870
$\text{IBr}^+(^2\Pi_{1/2})$	IBr (RN-CAS Registry Number 7789-33-5) (HB-Threshold value approximately corrected for hot bands)	**	10.386 ± 0.004	PE	3870
RbI^+	RbI (RN-CAS Registry Number 7790-29-6) (HB-Threshold value approximately corrected for hot bands)	**	7.308 ± 0.03	PI	3536

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Rb_2I^+	Rb_2I_2 (RN-CAS Registry Number 12532-37-5) (TV-Threshold value approximately corrected to 0°K)	I	7.674	PI	3536
AgI^+	AgI (RN-CAS Registry Number 7783-96-2)	**	~8.4	PI	3536
$\text{CdI}_2(^2\Pi_{3/2g})$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	9.5 (V)	PE	3963
$\text{CdI}_2(^2\Pi_{3/2g})$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	9.57 ± 0.05 (V)	PE	3833
$\text{CdI}_2(^2\Pi_{3/2u})$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	10.0 (V)	PE	3963
$\text{CdI}_2(^2\Pi_{1/2g}, ^2\Pi_u)$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	10.11 ± 0.05 (V)	PE	3833
$\text{CdI}_2(^2\Pi_{1/2g})$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	10.2 (V)	PE	3963
$\text{CdI}_2(^2\Pi_{1/2u})$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	10.4 (V)	PE	3963
$\text{CdI}_2(^2\Sigma_u)$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	11.15 ± 0.05 (V)	PE	3833
$\text{CdI}_2(^2\Sigma_u)$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	11.2 (V)	PE	3963
$\text{CdI}_2(^2\Sigma_g)$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	12.10 ± 0.05 (V)	PE	3833
$\text{CdI}_2(^2\Sigma_g)$	CdI_2 (RN-CAS Registry Number 7790-80-9)	**	12.3 (V)	PE	3963
$\text{InI}^+(X^2\Sigma)$	InI (RN-CAS Registry Number 13966-94-4)	**	8.50	PE	3640
$\text{InI}^+(^2\Pi_{3/2})$	InI (RN-CAS Registry Number 13966-94-4)	**	8.78	PE	3640
$\text{InI}^+(^2\Pi_{1/2})$	InI (RN-CAS Registry Number 13966-94-4)	**	9.46	PE	3640
$\text{InI}^+(^2\Sigma)$	InI (RN-CAS Registry Number 13966-94-4)	**	11.89	PE	3640
$\text{Xe}^+(^2P_{3/2})$	Xe (RN-CAS Registry Number 7440-63-3)	**	12.127 ± 0.002	TPE	3525
$\text{Xe}^+(^2P_{1/2})$	Xe (RN-CAS Registry Number 7440-63-3)	**	13.434 ± 0.002	TPE	3525
$\text{Xe}^+(^2P_{3/2})$	Xe (RN-CAS Registry Number 7440-63-3)	**	12.125 ± 0.004	PEN	3541
Xe^+	Xe (RN-CAS Registry Number 7440-63-3)	**	12.09 ± 0.03	EDD	3626
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	≥ 12.0	PE	3943
XeOF_4^*	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	~14.6	PE	3943
XeOF_4^*	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	<15.3	PE	3943

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	< 16.2	PE	3943
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	16.90 (V)	PE	3943
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	18.10	PE	3943
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	~ 19.3	PE	3943
XeOF_4^+	XeOF_4 (RN-CAS Registry Number 13774-85-1)	**	< 20.3	PE	3943
Cs^+	CsOH (RN-CAS Registry Number 21351-79-1)	OH	~ 10	EI	3461
Cs^+	CsNO_3 (RN-CAS Registry Number XXXXX-XX-X)		10.50 ± 0.5	EI	4100
Cs^{+3}	Cs^{+2} (RN-CAS Registry Number 18933-37-4)	**	$37.3 \pm \sim 2$	SEQ	3568
Cs^{+4}	Cs^{+3} (RN-CAS Registry Number 18933-38-5)	**	$50 \pm \sim 2$	SEQ	3568
Cs^{+5}	Cs^{+4} (RN-CAS Registry Number XXXXX-XX-X)	**	$62 \pm \sim 2$	SEQ	3568
Cs^{+6}	Cs^{+5} (RN-CAS Registry Number XXXXX-XX-X)	**	$74 \pm \sim 2$	SEQ	3568
Cs^{+7}	Cs^{+6} (RN-CAS Registry Number XXXXX-XX-X)	**	$86 \pm \sim 2$	SEQ	3568
Cs^{+8}	Cs^{+7} (RN-CAS Registry Number XXXXX-XX-X)	**	$114 \pm \sim 2$	SEQ	3568
Cs^{+9}	Cs^{+8} (RN-CAS Registry Number XXXXX-XX-X)	**	$130 \pm \sim 2$	SEQ	3568
Cs^{+10}	Cs^{+9} (RN-CAS Registry Number XXXXX-XX-X)	**	~ 250	SEQ	3568
Cs_2^+	Cs_2 (RN-CAS Registry Number 12184-83-7)	**	3.60-3.71	PI	3772
Cs_2NO_3^+	$(\text{CsNO}_3)_2$ (RN-CAS Registry Number XXXXX-XX-X)		14.1 ± 1.0	EI	4100
CsF^+	CsF (RN-CAS Registry Number 13400-13-0)	**	8.80 ± 0.10	PE	3958
CsCl^+	CsCl (RN-CAS Registry Number 7647-17-8)	**	7.84 ± 0.05	PE	3958

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
CsBr^+	CsBr (RN-CAS Registry Number 7787-69-1)	**	7.46 ± 0.05	PE	3958
$\text{CsI}^+ (^2\Pi_{3/2})$	CsI (RN-CAS Registry Number 7789-17-5)	**	7.10 ± 0.05	PE	3958
$\text{CsI}^+ (^2\Pi_{1/2})$	CsI (RN-CAS Registry Number 7789-17-5)	**	8.00 ± 0.10	PE	3958
Ba^+	Ba (RN-CAS Registry Number 7440-39-3)	**	~ 5.2	EI	3486
Ba^+	BaO (RN-CAS Registry Number 1304-28-5) (HB-Threshold value approximately corrected for hot bands)	O	10.95 ± 0.18	EI	3821
Ba^{+2}	Ba (RN-CAS Registry Number 7440-39-3)	**	12	EI	3486
Ba^{+3}	Ba (RN-CAS Registry Number 7440-39-3)	**	~ 53	EI	3486
Ba^{+3}	Ba ⁺² (RN-CAS Registry Number 22541-12-4)	**	36.3 ± 3	SEQ	3568
Ba^{+4}	Ba ⁺³ (RN-CAS Registry Number XXXXX-XX-X)	**	55 ± 3	SEQ	3568
Ba^{+5}	Ba ⁺⁴ (RN-CAS Registry Number XXXXX-XX-X)	**	67 ± 3	SEQ	3568
Ba^{+6}	Ba ⁺⁵ (RN-CAS Registry Number XXXXX-XX-X)	**	80 ± 3	SEQ	3568
Ba^{+7}	Ba ⁺⁶ (RN-CAS Registry Number XXXXX-XX-X)	**	94 ± 3	SEQ	3568
Ba^{+8}	Ba ⁺⁷ (RN-CAS Registry Number XXXXX-XX-X)	**	105 ± 3	SEQ	3568
Ba^{+9}	Ba ⁺⁸ (RN-CAS Registry Number XXXXX-XX-X)	**	141 ± 3	SEQ	3568
Ba^{+10}	Ba ⁺⁹ (RN-CAS Registry Number XXXXX-XX-X)	**	167 ± 3	SEQ	3568
BaO^+	BaO (RN-CAS Registry Number 1304-28-5)	**	6.97 ± 0.12	EI	3821
La^+	La (RN-CAS Registry Number 7439-91-0)	**	5.0 ± 0.5	EI	3600
La^+	La (RN-CAS Registry Number 7439-91-0)	**	6.9 ± 1.2	EI	3978
La^+	LaF ₃ (RN-CAS Registry Number 13709-38-1)		26	EI	3456

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
La^+	LaF_3 (RN-CAS Registry Number 13709-38-1)		26.9	EI	3466
LaC^+	LaC_2 (RN-CAS Registry Number 12071-15-7)	C?	14.9 ± 0.5	EI	3457
LaC_2^+	LaC_2 (RN-CAS Registry Number 12071-15-7)	**	5.4 ± 0.3	EI	3457
LaC_3^+	LaC_3 (RN-CAS Registry Number 12602-63-0)	**	6.8 ± 0.5	EI	3457
LaC_4^+	LaC_4 (RN-CAS Registry Number 12603-31-5)	**	4.7 ± 0.5	EI	3457
LaF^+	LaF_3 (RN-CAS Registry Number 13709-38-1)		16	EI	3456
LaF^+	LaF_3 (RN-CAS Registry Number 13709-38-1)		18.5	EI	3466
LaF_2^+	LaF_3 (RN-CAS Registry Number 13709-38-1)		9	EI	3456
LaF_2^+	LaF_3 (RN-CAS Registry Number 13709-38-1)		11.8	EI	3466
La_2F_5^+	$(\text{LaF}_3)_2$ (RN-CAS Registry Number 12592-31-3)		12.4	EI	3466
LaSe^+	LaSe (RN-CAS Registry Number 12031-31-1)	**	6.0 ± 0.5	EI	3600
LaRh^+	LaRh (RN-CAS Registry Number 12142-68-6)	**	7.7 ± 1.0	EI	3978
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	5.6 ± 0.5	EI	3969
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	5.7 ± 0.3	EI	3597
Ce^+	Ce? (RN-CAS Registry Number 7440-45-1)	**	5.9 ± 0.4	EI	3471
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	5.9 ± 0.4	EI	3468
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	5.9 ± 0.6	EI	3621
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	6.0 ± 0.5	EI	3986
Ce^+	Ce (RN-CAS Registry Number 7440-45-1)	**	6.0 ± 0.5	EI	3473
Ce^+	CeO (RN-CAS-Registry Number 12014-74-3)		~ 13.5	EI	4061
Ce^+	CeF_3 (RN-CAS Registry Number 7758-88-5)		25.2	EI	3607

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Ce^+	CeI_3 (RN-CAS Registry Number 7790-87-6)	3I	17.7 ± 0.5	EI	3820
Ce^{+2}	Ce? (RN-CAS Registry Number 7440-45-1)	**	22.7 ± 0.8	EI	3471
Ce^{+3}	Ce^{+2} (RN-CAS Registry Number 16679-11-1)	**	20.197 ± 0.003	S	3744
Ce^{+4}	Ce^{+3} (RN-CAS Registry Number 18923-26-7)	**	36.758 ± 0.005	S	3744
Ce_2^+	Ce_2 (RN-CAS Registry Number 12595-88-9)	**	5.9 ± 0.4	EI	3471
C_2Ce^+	C_2Ce (RN-CAS Registry Number 12012-32-7)	**	5.6 ± 0.4	EI	3597
CeC_2^+	CeC_2 (RN-CAS Registry Number 12012-32-7)	**	6.2 ± 0.5	EI	3969
CeN^+	CeN (RN-CAS Registry Number 25764-08-3)	**	5.8 ± 0.6	EI	3469
CeO^+	CeO (RN-CAS-Registry Number 12014-74-3)	**	5.2 ± 0.2	EI	4061
CeO^+	CeO (RN-CAS Registry Number 12014-74-3)	**	5.3 ± 0.5	EI	3986
CeO^+	CeO (RN-CAS Registry Number 12014-74-3)	**	6.0 ± 0.5	EI	3473
CeO^+	CeO_2 (RN-CAS-Registry Number 1306-38-3)		~ 11	EI	4061
CeO^+	$\text{CeO}_2?$ (RN-CAS Registry Number 1306-38-3)	**	13 ± 1	EI	3986
CeO_2^+	CeO_2 (RN-CAS Registry Number 1306-38-3)	**	9.7 ± 0.5	EI	3986
CeO_2^+	CeO_2 (RN-CAS-Registry Number 1306-38-3)	**	10.3 ± 0.2	EI	4061
Ce_2O_2^+	$(\text{CeO})_2$ (RN-CAS Registry Number 12258-89-8)	**	8 ± 1	EI	3986
CeF^+	CeF_3 (RN-CAS Registry Number 7758-88-5)		17.2	EI	3607
CeF_2^+	CeF_3 (RN-CAS Registry Number 7758-88-5)		13.5	EI	3607
CeF_3^+	CeF_3 (RN-CAS Registry Number 7758-88-5)	**	11.4	EI	3607

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Ce_2F_5^+	Ce_2F_6 (RN-CAS Registry Number 37346-47-7)		13.1	EI	3607
CSiCe^+	CSiCe (RN-CAS Registry Number 51257-45-5)	**	~9	EI	3969
CeS^+	CeS (RN-CAS Registry Number 12014-82-3)	**	6.0 ± 0.6	EI	3621
CeS_2^+	CeS_2 (RN-CAS Registry Number 12133-58-3)	**	13.5 ± 1	EI	3621
CePd^+	CePd (RN-CAS Registry Number 12292-14-7)	**	6.2 ± 0.5	EI	3597
CeI^+	CeI_3 (RN-CAS Registry Number 7790-87-6)	2I	13.6 ± 0.5	EI	3820
CeI^{+2}	CeI_3 (RN-CAS Registry Number 7790-87-6)		28 ± 1	EI	3820
CeI_2^+	CeI_3 (RN-CAS Registry Number 7790-87-6)	I	9.7 ± 0.5	EI	3820
CeI_3^+	CeI_3 (RN-CAS Registry Number 7790-87-6)	**	9.6 ± 0.5	EI	3820
Pr^+	PrI_3 (RN-CAS Registry Number 13813-23-5)	3I	17.0 ± 0.2	EI	3820
Pr^{+3}	Pr^{+2} (RN-CAS Registry Number 14700-75-5)	**	21.624 ± 0.003	S	3744
Pr^{+4}	Pr^{+3} (RN-CAS Registry Number 22541-14-6)	**	38.981 ± 0.025	S	3744
Pr^{+5}	Pr^{+4} (RN-CAS Registry Number 20334-17-2)	**	57.45 ± 0.05	S	3563
PrI^+	PrI_3 (RN-CAS Registry Number 13813-23-5)	2I	12.9 ± 0.2	EI	3820
PrI_2^+	PrI_3 (RN-CAS Registry Number 13813-23-5)	I	10.0 ± 0.2	EI	3820
PrI_3^+	PrI_3 (RN-CAS Registry Number 13813-23-5)	**	9.2 ± 0.2	EI	3820
Nd^+	Nd (RN-CAS Registry Number 7440-00-8)	**	6.5	EI	4030
Nd^+	NdCl_3 (RN-CAS Registry Number 10024-93-8)	3Cl?	20.9 ± 1.0	EI	3802

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Nd^+	NdBr_3 (RN-CAS Registry Number 13536-80-6)		16.9 ± 0.7	EI	3976
Nd^+	NdI_3 (RN-CAS Registry Number 13813-24-6)	3I	15.9 ± 0.2	EI	3820
Nd^{+3}	Nd^{+2} (RN-CAS Registry Number 16727-26-7)	**	22.14 ± 0.30	S	3744
Nd^{+4}	Nd^{+3} (RN-CAS Registry Number 14913-52-1)	**	40.42 ± 0.30	S	3744
NdCl^+	NdCl_3 (RN-CAS Registry Number 10024-93-8)	2Cl?	17.3 ± 1.0	EI	3802
NdCl_2^+	NdCl_3 (RN-CAS Registry Number 10024-93-8)	Cl?	11.9 ± 0.3	EI	3802
NdCl_3^+	NdCl_3 (RN-CAS Registry Number 10024-93-8)	**	< 11.4	EI	3802
NdBr_2^+	NdBr_3 (RN-CAS Registry Number 13536-80-6)		10.5 ± 0.7	EI	3976
NdI^+	NdI_3 (RN-CAS Registry Number 13813-24-6)	2I	13.6 ± 0.5	EI	3820
NdI_2^+	NdI_3 (RN-CAS Registry Number 13813-24-6)	I	9.3 ± 0.5	EI	3820
NdI_3^+	NdI_3 (RN-CAS Registry Number 13813-24-6)	**	9.2 ± 0.5	EI	3820
Pm^{+3}	Pm^{+2} (RN-CAS Registry Number 24151-74-4)	**	22.42 ± 0.41	S	3744
Pm^{+4}	Pm^{+3} (RN-CAS Registry Number 22541-16-8)	**	41.09 ± 0.32	S	3744
Sm^+	SmI_2 (RN-CAS Registry Number 32248-43-4)		12.5	EI	3820
Sm^{+3}	Sm^{+2} (RN-CAS Registry Number 16396-66-0)	**	23.45 ± 0.30	S	3744
Sm^{+4}	Sm^{+3} (RN-CAS Registry Number 22541-17-9)	**	41.47 ± 0.43	S	3744
SmI^+	SmI_2 (RN-CAS Registry Number 32248-43-4)		9.2	EI	3820

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
SmI_2^+	SmI_2 (RN-CAS Registry Number 32248-43-4)	**	8.7	EI	3820
Eu^+	Eu (RN-CAS Registry Number 7440-53-1)	**	5.6 ± 0.5	EI	3611
Eu^+	Eu (RN-CAS Registry Number 7440-53-1)	**	5.9 ± 0.2	EI	3459
Eu^+	EuI_2 (RN-CAS Registry Number 22015-35-6)		12.45 ± 0.2	EI	3612
Eu^{+3}	Eu^{+2} (RN-CAS Registry Number 16910-54-6)	**	24.71 ± 0.32	S	3744
Eu^{+4}	Eu^{+3} (RN-CAS Registry Number 22541-18-0)	**	42.65 ± 0.32	S	3744
Eu_2^+	Eu_2 (RN-CAS Registry Number 12596-00-8)	**	6.3 ± 1.0	EI	4012
EuC_2^+	EuC_2 (RN-CAS Registry Number 12127-44-5)	**	6.6 ± 0.7	EI	3611
EuCN^+	EuCN (RN-CAS Registry Number 50647-38-6)	**	5.5 ± 1.5	EI	3798
EuAg^+	EuAg (RN-CAS Registry Number 12249-50-2)	**	6.1 ± 0.5	EI	4012
EuI^+	EuI_2 (RN-CAS Registry Number 22015-35-6)		9.90 ± 0.2	EI	3612
EuI_2^+	EuI_2 (RN-CAS Registry Number 22015-35-6)	**	8.85 ± 0.2	EI	3612
Gd^+	GdCl_3 (RN-CAS Registry Number 10138-52-0)	$3\text{Cl}?$	20.9 ± 1.0	EI	3802
Gd^+	GdI_3 (RN-CAS Registry Number 13572-98-0)	3I	17.0 ± 0.2	EI	3820
Gd^{+3}	Gd^{+2} (RN-CAS Registry Number 18195-96-5)	**	20.38 ± 0.21	S	3744
Gd^{+4}	Gd^{+3} (RN-CAS Registry Number 22541-19-1)	**	44.03 ± 0.35	S	3744
GdCl^+	GdCl_3 (RN-CAS Registry Number 10138-52-0)	$2\text{Cl}?$	16.5 ± 1.0	EI	3802
GdCl_2^+	GdCl_3 (RN-CAS Registry Number 10138-52-0)	$\text{Cl}?$	11.9 ± 0.3	EI	3802

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
NaGdCl_3^+	NaGdCl_3 (RN-CAS Registry Number XXXXX-XX-X)		10.1 ± 0.5	EI	3802
GdI^+	GdI_3 (RN-CAS Registry Number 13572-98-0)	2I	13.5 ± 0.2	EI	3820
GdI_2^+	GdI_3 (RN-CAS Registry Number 13572-98-0)	I	10.1 ± 0.2	EI	3820
GdI_3^+	GdI_3 (RN-CAS Registry Number 13572-98-0)	**	9.2 ± 0.2	EI	3820
Tb^+	TbI_3 (RN-CAS Registry Number 13813-40-6)	3I	17.6 ± 0.2	EI	3820
Tb^{+3}	Tb^{+2} (RN-CAS Registry Number 18195-97-6)	**	21.98 ± 0.21	S	3744
Tb^{+4}	Tb^{+3} (RN-CAS Registry Number 22541-20-4)	**	39.84 ± 0.35	S	3744
TbI^+	TbI_3 (RN-CAS Registry Number 13813-40-6)	2I	13.7 ± 0.2	EI	3820
TbI_2^+	TbI_3 (RN-CAS Registry Number 13813-40-6)	I	10.5 ± 0.2	EI	3820
TbI_3^+	TbI_3 (RN-CAS Registry Number 13813-40-6)	**	9.5 ± 0.2	EI	3820
Dy^+	DyI_3 (RN-CAS Registry Number 15474-63-2)	3I	16.4 ± 0.2	EI	3820
Dy^{+3}	Dy^{+2} (RN-CAS Registry Number 14701-44-1)	**	22.83 ± 0.32	S	3744
Dy^{+4}	Dy^{+3} (RN-CAS Registry Number 22541-21-5)	**	41.56 ± 0.35	S	3744
DyI^+	DyI_3 (RN-CAS Registry Number 15474-63-2)	2I	13.1 ± 0.2	EI	3820
DyI_2^+	DyI_3 (RN-CAS Registry Number 15474-63-2)	I	10.5 ± 0.2	EI	3820
DyI_3^+	DyI_3 (RN-CAS Registry Number 15474-63-2)	**	9.6 ± 0.2	EI	3820
Ho^+	Ho (RN-CAS Registry Number 7440-60-0)	**	5.8 ± 0.2	EI	3440

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Ho ⁺	HoI ₃ (RN-CAS Registry Number 13813-41-7)	3I	16.7±0.2	EI	3820
Ho ⁺³	Ho ⁺² (RN-CAS Registry Number 16468-44-3)	**	22.84±0.10	S	3744
Ho ⁺⁴	Ho ⁺³ (RN-CAS Registry Number 22541-22-6)	**	42.51±0.35	S	3744
Ho ₂ ⁺	Ho ₂ (RN-CAS Registry Number 12596-28-0)	**	6.0±1.0	EI	3440
HoAg ⁺	HoAg (RN-CAS Registry Number 12002-74-3)	**	5.7±0.6	EI	3440
HoI ⁺	HoI ₃ (RN-CAS Registry Number 13813-41-7)	2I	13.2±0.2	EI	3820
HoI ₂ ⁺	HoI ₃ (RN-CAS Registry Number 13813-41-7)	I	10.4±0.2	EI	3820
HoI ₃ ⁺	HoI ₃ (RN-CAS Registry Number 13813-41-7)	**	9.2±0.2	EI	3820
Er ⁺	ErI ₃ (RN-CAS Registry Number 13813-42-8)	3I	16.2±0.2	EI	3820
Er ⁺³	Er ⁺² (RN-CAS Registry Number 18195-92-1)	**	22.74±0.10	S	3744
Er ⁺⁴	Er ⁺³ (RN-CAS Registry Number 18472-30-5)	**	42.66±0.20	S	3744
ErI ⁺	ErI ₃ (RN-CAS Registry Number 13813-42-8)	2I	13.3±0.2	EI	3820
ErI ₂ ⁺	ErI ₃ (RN-CAS Registry Number 13813-42-8)	I	10.2±0.2	EI	3820
ErI ₃ ⁺	ErI ₃ (RN-CAS Registry Number 13813-42-8)	**	9.0±0.2	EI	3820
Tm ⁺	Tm (RN-CAS Registry Number 7440-30-4)	**	5.7	EI	3460
Tm ⁺	TmBr ₃ (RN-CAS Registry Number 14456-51-0)		17.5±0.7	EI	3976
Tm ⁺³	Tm ⁺² (RN-CAS Registry Number 16910-52-4)	**	23.68±0.10	S	3744

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Tm^{+4}	Tm^{+3} (RN-CAS Registry Number 22541-23-7)	**	42.69 ± 0.30	S	3744
TmBr_2^+	TmBr_3 (RN-CAS Registry Number 14456-51-0)		11.1 ± 0.7	EI	3976
TmBr_3^+	TmBr_3 (RN-CAS Registry Number 14456-51-0)	**	9.6 ± 0.7	EI	3976
Yb^+	Yb (RN-CAS Registry Number 7440-64-4)	**	6.3 ± 0.3	EI	4105
Yb^+	YbCl_2 (RN-CAS Registry Number 13874-77-6)		15.05 ± 0.26	EI	3614
Yb^+	$\text{YbBr}_3?$ (RN-CAS Registry Number 13759-89-2)		14.7 ± 0.7	EI	3976
Yb^{+2}	Yb^+ (RN-CAS Registry Number 20205-78-1)	**	12.184 ± 0.006	S	3974
Yb^{+3}	Yb^{+2} (RN-CAS Registry Number 22541-96-4)	**	25.03 ± 0.02	S	3744
Yb^{+4}	Yb^{+3} (RN-CAS Registry Number 18923-27-8)	**	43.74 ± 0.30	S	3744
Yb_2^+	Yb_2 (RN-CAS Registry Number 12771-79-8)	**	4-5	EI	4105
YbCl^+	YbCl_2 (RN-CAS Registry Number 13874-77-6)		10.70 ± 0.21	EI	3614
YbCl_2^+	YbCl_2 (RN-CAS Registry Number 13874-77-6)	**	9.73 ± 0.21	EI	3614
YbBr^+	$\text{YbBr}_2?$ (RN-CAS Registry Number 25502-05-0)		10.0 ± 0.7	EI	3976
YbBr_2^+	$\text{YbBr}_3?$ (RN-CAS Registry Number 13759-89-2)		10.0 ± 0.7	EI	3976
Lu^+	Lu (RN-CAS-Registry Number 7439-94-3)	**	5.425889 ± 0.00001 S		4060
Lu^+	Lu (RN-CAS Registry Number 7439-94-3)	**	5.3 ± 0.3	EI	3618
Lu^{+4}	Lu^{+3} (RN-CAS Registry Number 22541-24-8)	**	45.20 ± 0.025	PE	3899
LuC_2^+	LuC_2 (RN-CAS Registry Number 12175-89-2)	**	7.8 ± 1	EI	3618

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
LuC_4^+	LuC_4 (RN-CAS Registry Number 37215-84-2)	**	11.1 ± 1	EI	3618
Hf^{+4}	Hf^{+3} (RN-CAS Registry Number 36756-51-1)	**	33.319 ± 0.025	S	3744
Ta^{+5}	Ta^{+4} (RN-CAS Registry Number 16044-71-6)	**	48.4 ± 0.1	S	4101
TaF_3^+	$\text{TaF}_4?$ (RN-CAS Registry Number 15192-46-8)	F?	22.0	EI	3783
TaF_4^+	$\text{TaF}_4?$ (RN-CAS Registry Number 15192-46-8)	**	14.6	EI	3783
Ta_2F_9^+	$\text{Ta}_2\text{F}_9?$ (RN-CAS Registry Number XXXXX-XX-X)	**	14.9	EI	3783
$\text{Ta}_3\text{F}_{14}^+$	$\text{Ta}_3\text{F}_{14}?$ (RN-CAS Registry Number XXXXX-XX-X)	**	14.0	EI	3783
TaCl_2^+	TaCl_5 (RN-CAS Registry Number 7721-01-9)		20.3	EI	3783
TaCl_3^+	TaCl_5 (RN-CAS Registry Number 7721-01-9)		15.2	EI	3783
TaCl_4^+	TaCl_5 (RN-CAS Registry Number 7721-01-9)		10.9	EI	3783
$\text{C}_6\text{H}_{18}\text{W}^+$	$(\text{CH}_3)_6\text{W}$ (RN-CAS Registry Number 36133-73-0)	**	9.8	PE	3663
$\text{C}_6\text{O}_6\text{W}^+$	$\text{W}(\text{CO})_6$ (RN-CAS Registry Number 14040-11-0)	**	8.30 ± 0.02 (V)	PE	3979
$\text{C}_{10}\text{H}_5\text{NO}_5\text{W}^+$	$\text{C}_5\text{H}_5\text{NW}(\text{CO})_5$ (OC-6-22)-Pentacarbonyl(pyridine)tungsten (RN-CAS Registry Number 14586-49-3)	**	7.53 ± 0.05	EI	3498
$\text{C}_{11}\text{H}_7\text{NO}_5\text{W}^+$	$\text{C}_5\text{H}_4\text{N}(\text{CH}_3)\text{W}(\text{CO})_5$ (Pentacarbonyl(4-methylpyridine)tungsten) (RN-CAS Registry Number 17000-14-5)	**	7.46 ± 0.05	EI	3498
$\text{C}_{12}\text{H}_9\text{NO}_5\text{W}^+$	$\text{C}_5\text{H}_3\text{N}(\text{CH}_3)_2\text{W}(\text{CO})_5$ (OC-6-22)-Pentacarbonyl(2,6-dimethylpyridine)tungsten (RN-CAS Registry Number 36252-39-8)	**	7.43 ± 0.05	EI	3498
$\text{C}_{11}\text{H}_4\text{N}_2\text{O}_5\text{W}^+$	$\text{C}_5\text{H}_4\text{N}(\text{CN})\text{W}(\text{CO})_5$ (OC-6-22)-Pentacarbonyl(2-pyridinecarbonitrile- N^1)tungsten (RN-CAS Registry Number 36252-42-3)	**	7.65 ± 0.05	EI	3498

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$C_{12}H_{36}N_6P_2W^+$	(((CH ₃) ₂ N) ₃ P) ₂ W(CO) ₄ (RN-CAS Registry Number 19976-86-4)	4CO	10.7±0.05	EI	3952
$C_{14}H_{36}N_6O_2P_2W^+$	(((CH ₃) ₂ N) ₃ P) ₂ W(CO) ₄ (RN-CAS Registry Number 19976-86-4)	2CO	12.2±0.05	EI	3952
$C_{15}H_{36}N_6O_3P_2W^+$	(((CH ₃) ₂ N) ₃ P) ₂ W(CO) ₄ (RN-CAS Registry Number 19976-86-4)	CO	10.3±0.05	EI	3952
$C_{16}H_{36}N_6O_4P_2W^+$	(((CH ₃) ₂ N) ₃ P) ₂ W(CO) ₄ (RN-CAS Registry Number 19976-86-4)	**	5.5±0.05	EI	3952
WCl^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)		22.9	EI	3783
WCl_2^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)		19.4	EI	3783
WCl_3^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)		15.4	EI	3783
WCl_4^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)		11.4	EI	3783
WCl_4^+	WOCl ₄ (RN-CAS Registry Number 13520-78-0)		16.0±1	EI	3604
WCl_5^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)		10.9	EI	3783
WCl_6^+	WCl ₆ (RN-CAS Registry Number 13283-01-7)	**	9.5	EI	3783
$WOCl_3^+$	WOCl ₄ (RN-CAS Registry Number 13520-78-0)		10.0±0.5	EI	3604
$WOCl_4^+$	WOCl ₄ (RN-CAS Registry Number 13520-78-0)	**	10.8±0.5	EI	3604
WS_2Cl^+	WS ₂ Cl ₂ (RN-CAS Registry Number 24664-20-8)		12.6±0.5	EI	3604
$WS_2Cl_2^+$	WS ₂ Cl ₂ (RN-CAS Registry Number 24664-20-8)	**	10.5±0.5	EI	3604
$WSCl_3^+$	WSCl ₄ (RN-CAS Registry Number 25127-53-1)		9.5±0.5	EI	3604
$WSCl_4^+$	WSCl ₄ (RN-CAS Registry Number 25127-53-1)	**	10.4±1	EI	3604

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
WOSCl^+	WOSCl_2 (RN-CAS Registry Number XXXXX-XX-X)		13.8 ± 0.5	EI	3604
WOSCl_2^+	WOSCl_2 (RN-CAS Registry Number XXXXX-XX-X)	**	10.6 ± 0.5	EI	3604
WBr_2^+	WBr_4 (RN-CAS Registry Number 13520-77-9)		21.4 ± 0.5	EI	3450
WBr_3^+	WBr_4 (RN-CAS Registry Number 13520-77-9)		18.1 ± 0.5	EI	3450
WOBr^+	WO_2Br_2 (RN-CAS Registry Number 13520-75-7)		20.0 ± 0.8	EI	3450
WOBr^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)		18.1 ± 0.8	EI	3450
WO_2Br^+	WO_2Br_2 (RN-CAS Registry Number 13520-75-7)		13.0 ± 0.4	EI	3450
WOBr_2^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)		14.4 ± 0.5	EI	3450
WO_2Br_2^+	WO_2Br_2 (RN-CAS Registry Number 13520-75-7)	**	11.4 ± 0.2	EI	3450
WOBr_3^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)		10.3 ± 0.2	EI	3450
WOBr_3^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)		10.5 ± 0.5	EI	3604
WOBr_4^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)	**	10.3 ± 0.3	EI	3450
WOBr_4^+	WOBr_4 (RN-CAS Registry Number 13520-77-9)	**	11.5 ± 0.5	EI	3604
WO_2I^+	WO_2I_2 (RN-CAS Registry Number 14447-89-3)		12.5 ± 0.5	EI	3451
WO_2I_2^+	WO_2I_2 (RN-CAS Registry Number 14447-89-3)	**	10.4 ± 0.4	EI	3451
ReO^+	ReO_3 (RN-CAS Registry Number 1314-28-9) (TR-Other product(s) thermochemically reasonable)		~ 18	EI	4016
ReO_2^+	ReO_3 (RN-CAS Registry Number 1314-28-9) (TR-Other product(s) thermochemically reasonable)		14.4 ± 1.0	EI	4016
ReO_2^+	Re_2O_7 (RN-CAS Registry Number 1314-68-7)		21.9 ± 1.0	EI	4016

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
ReO_3^+	ReO_3 (RN-CAS Registry Number 1314-28-9) (TR-Other product(s) thermochemically reasonable)	**	12.5 ± 0.4	EI	4016
ReO_3^+	Re_2O_7 (RN-CAS Registry Number 1314-68-7)		16.2 ± 0.5	EI	4016
ReO_3^+	ReO_3Cl (RN-CAS Registry Number 7791-09-5)		15.6 ± 0.5	EI	3604
Re_2O_5^+	Re_2O_7 (RN-CAS Registry Number 1314-68-7)		17.5 ± 0.2	EI	4016
Re_2O_6^+	Re_2O_7 (RN-CAS Registry Number 1314-68-7)		16.2 ± 0.5	EI	4016
Re_2O_7^+	Re_2O_7 (RN-CAS Registry Number 1314-68-7)	**	12.7 ± 0.2	EI	4016
$\text{C}_5\text{H}_3\text{O}_5\text{Re}^+$	$\text{HRe}(\text{CO})_5$ (RN-CAS Registry Number 16457-30-0)	**	8.86 ± 0.02 (V)	PE	3827
ReF_6^+	ReF_6 (RN-CAS Registry Number 10049-17-9)	**	7.99	S	3565
$\text{C}_5\text{H}_3\text{O}_5\text{SiRe}^+$	$\text{SiH}_3\text{Re}(\text{CO})_5$ (RN-CAS Registry Number 40628-33-9)	**	8.9 ± 0.1 (V)	PE	3827
ReCl_4^+	ReOCl_4 (RN-CAS Registry Number 13814-76-1)		16.5 ± 0.5	EI	3604
ReO_2Cl^+	ReO_3Cl (RN-CAS Registry Number 7791-09-5)		12.3 ± 0.5	EI	3604
ReOCl_3^+	ReOCl_4 (RN-CAS Registry Number 13814-76-1)		12.3 ± 0.5	EI	3604
ReOCl_4^+	ReOCl_4 (RN-CAS Registry Number 13814-76-1)	**	10.7 ± 0.5	EI	3604
$\text{C}_5\text{H}_3\text{O}_5\text{GeRe}^+$	$\text{GeH}_3\text{Re}(\text{CO})_5$ (RN-CAS Registry Number 30012-26-1)	**	8.9 ± 0.1 (V)	PE	3827
ReO_3I^+	ReO_3I (RN-CAS Registry Number 39327-80-5)	**	10.9 ± 0.5	EI	4013
BaReO_4^+	$\text{Ba}(\text{ReO}_4)_2?$ (RN-CAS Registry Number XXXXX-XX-X)		13.4 ± 0.5	EI	4108
$\text{C}_{12}\text{H}_{14}\text{Os}^+$	$(\text{C}_5\text{H}_4\text{CH}_3)_2\text{Os}$ (Osmocene, 1,1'-dimethyl-) (RN-CAS Registry Number 40672-07-9)	**	6.93 (V)	PE	3688

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
$\text{OsO}_4(^3\text{T}_2)$	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	12.320	PE	3836
OsO_4^+	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	12.39	PE	3838
$\text{OsO}_4(^3\text{T}_1)$	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	13.138	PE	3836
$\text{OsO}_4(^3\text{E})$	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	13.502	PE	3836
$\text{OsO}_4(^3\text{A}_1)$	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	14.543	PE	3836
$\text{OsO}_4(^3\text{T}_2)$	OsO_4 (RN-CAS Registry Number 20816-12-0)	**	16.31 (V)	PE	3836
OsOCl_3^+	OsOCl_4 (RN-CAS Registry Number 14998-32-4)		12.4 ± 0.5	EI	3604
OsOCl_4^+	OsOCl_4 (RN-CAS Registry Number 14998-32-4)	**	11.3 ± 0.5	EI	3604
$\text{C}_7\text{H}_7\text{O}_4\text{Ir}^+$	$(\text{CH}_3\text{COCHCOCH}_3)\text{Ir}(\text{CO})_2$ (Dicarbonyl(2,4-pentanedionato)iridium) (RN-CAS Registry Number 14023-80-4)	**	8.6 ± 0.1	EI	3497
$\text{C}_7\text{HO}_4\text{F}_6\text{Ir}^+$	$(\text{CF}_3\text{COCHCOCF}_3)\text{Ir}(\text{CO})_2$ (Dicarbonyl(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)iridium) (RN-CAS Registry Number 14049-69-5)	**	8.85 ± 0.05	EI	3497
Au^+	Au (RN-CAS Registry Number 7440-57-5)	**	9.21 ± 0.05	RPD	3745
Au^+	Au (RN-CAS Registry Number 7440-57-5)	**	8.5 ± 0.8	EI	3978
Au^+	Au (RN-CAS Registry Number 7440-57-5)	**	9.0 ± 0.5	EI	3473
Au_2^+	Au_2 (RN-CAS Registry Number XXXXX-XX-X)	**	9.5 ± 0.3	EI	4014
Au_2^+	Au_2 (RN-CAS Registry Number 12187-09-6)	**	9.5 ± 0.3	EI	4005
Au_2^+	Au_2 (RN-CAS Registry Number 12187-09-6)	**	9.7 ± 0.4	EI	3468
AuB^+	AuB (RN-CAS Registry Number 12408-81-0)	**	8.7 ± 0.5	EI	3468
AuB^+	AuBO? (RN-CAS Registry Number 12588-90-8)		14.5 ± 0.5	EI	3473
AuBO^+	AuBO (RN-CAS Registry Number 12588-90-8)	**	9.7 ± 0.2	EI	3473
AuAl^+	AuAl (RN-CAS Registry Number XXXXX-XX-X)	**	7.6 ± 0.3	EI	4014

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
AuAl^+	AuAl (RN-CAS Registry Number 12250-38-3)	**	7.6 ± 0.3	EI	4005
AuAl^+	AuAl (RN-CAS Registry Number 12250-38-3)	**	7.8 ± 0.3	EI	3440
AuAl^+	AuAl (RN-CAS Registry Number 12250-38-3)	**	9.0 ± 1.0	EI	3796
AuAl_2^+	AuAl ₂ (RN-CAS Registry Number 12004-03-4)	**	6.2 ± 1.0	EI	3966
Au_2Al^+	Au ₂ Al (RN-CAS Registry Number 12250-39-4)	**	7.7 ± 1.0	EI	3966
AuGe^+	AuGe (RN-CAS Registry Number 12256-41-6)	**	7.7	EI	3775
AuCe^+	AuCe (RN-CAS Registry Number 12408-82-1)	**	6.0 ± 0.3	EI	3468
AuHo^+	AuHo (RN-CAS Registry Number 12044-80-3)	**	6.2 ± 0.5	EI	3440
$\text{Hg}^+(^2\text{S}_{1/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	10.4	PE	3672
$\text{Hg}^+(^2\text{D}_{5/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	14.8	PE	3672
$\text{Hg}^+(^2\text{S}_{1/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	10.487 ± 0.005	PEN	3541
$\text{Hg}^+(^2\text{D}_{5/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	14.907 ± 0.015	PEN	3541
$\text{Hg}^+(^2\text{D}_{3/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	16.787 ± 0.015	PEN	3541
$\text{Hg}^+(^2\text{P}_{3/2})$	Hg (RN-CAS Registry Number 7439-97-6)	**	18.050 ± 0.050	PEN	3541
Hg^+	Hg (RN-CAS Registry Number 7439-97-6)	**	10.47 ± 0.05	RPD	3745
$\text{C}_{12}\text{H}_{10}\text{Hg}$	(C ₆ H ₅) ₂ Hg (Mercury, diphenyl-) (RN-CAS-Registry Number 587-85-9)	**	8.30 ± 0.03	PI	4055
HgCl_2^+	HgCl ₂ (RN-CAS Registry Number 7487-94-7)	**	11.5 (V)	PE	3963
$\text{C}_3\text{H}_5\text{ClHg}^+$	CH ₂ =CHCH ₂ HgCl (RN-CAS Registry Number 14155-77-2)	**	9.35 (V)	PE	3859
Tl^+	TlBO ₂ (RN-CAS Registry Number XXXXX-XX-X)	BO ₂	10.43 ± 0.07	EI	4096

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Tl^{+3}	Tl^{+2} (RN-CAS Registry Number 14877-28-2)	**	29.8523 ± 0.0006	S	4093
Tl_2^+	Tl_2O (RN-CAS Registry Number 1314-12-1)		11.97 ± 0.09	EI	4096
TlO^+	TlBO_2 (RN-CAS Registry Number XXXXX-XX-X)		10.68 ± 0.11	EI	4096
Tl_2O^+	Tl_2O (RN-CAS Registry Number 1314-12-1)	**	8.02 ± 0.10	EI	4096
TlBO^+	$\text{TlBO}?$ (RN-CAS Registry Number XXXXX-XX-X)	**	11.8 ± 0.6	EI	4096
TlBO^+	$\text{TlBO}_2?$ (RN-CAS Registry Number XXXXX-XX-X)	**	15.02 ± 0.23	EI	4096
TlBO_2^+	TlBO_2 (RN-CAS Registry Number XXXXX-XX-X)	**	9.92 ± 0.11	EI	4096
Tl_2BO_2^+	$(\text{TlBO}_2)_2$ (RN-CAS Registry Number XXXXX-XX-X)		9.17 ± 0.10	EI	4096
$\text{TlF}^+(\text{}^2\Sigma)$	TlF (RN-CAS Registry Number 7789-27-7)	**	10.52	PE	3971
$\text{TlF}^+(\text{}^2\Pi)$	TlF (RN-CAS Registry Number 7789-27-7)	**	11.15	PE	3971
$\text{TlF}^+(\text{}^2\Sigma)$	TlF (RN-CAS Registry Number 7789-27-7)	**	~ 14.05	PE	3971
Tl_2F^+	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)		9.97 ± 0.02	PI	3971
Tl_2F_2^+	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)	**	9.71 ± 0.02	PI	3971
$\text{Tl}_2\text{F}_2(\text{}^2\Pi_u)$	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)	**	9.62	PE	3971
$\text{Tl}_2\text{F}_2(\text{}^2\Pi_g, \text{}^2\Pi_u, \text{}^2\Sigma_g)$	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)	**	13.63	PE	3971
$\text{Tl}_2\text{F}_2(\text{}^2\Sigma_u)$	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)	**	17.07	PE	3971
$\text{Tl}_2\text{F}_2(\text{}^2\Sigma_g)$	$(\text{TlF})_2$ (RN-CAS Registry Number 31970-97-5)	**	~ 17.80	PE	3971
$\text{TlCl}^+(\text{}^2\Sigma)$	TlCl	**	13.79	PE	3913
$\text{TlCl}^+(\text{}^2\Sigma)$	TlCl (RN-CAS Registry Number 7791-12-0)	**	9.894 (V)	PE	3913
$\text{TlCl}^+(\text{}^2\Pi)$	TlCl (RN-CAS Registry Number 7791-12-0)	**	9.925 (V)	PE	3536
$\text{TlCl}^+(\text{}^2\Pi)$	TlCl (RN-CAS Registry Number 7791-12-0)	**	10.384 (V)	PE	3913

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
TlAs ⁺	TlAs (RN-CAS Registry Number 12006-09-6)	**	9±1	EI	3947
TlBr ⁺ (² Π)	TlBr (RN-CAS Registry Number 7789-40-4)	**	9.832 (V)	PE	3913
TlBr ⁺ (² Σ)	TlBr (RN-CAS Registry Number 7789-40-4)	**	13.57	PE	3913
TlI ⁺	TlI (RN-CAS Registry Number 7790-30-9) (HB-Threshold value approximately corrected for hot bands)	**	8.47±0.02	PI	3536
TlI ⁺ (² Σ _{1/2} , ² Π _{3/2})	TlI (RN-CAS Registry Number 7790-30-9)	**	8.47±0.02	PE	3913
TlI ⁺	TlI (RN-CAS Registry Number 7790-30-9)	**	8.93 (V)	PE	3676
TlI ⁺ (² Π)	TlI (RN-CAS Registry Number 7790-30-9)	**	9.39	PE	3913
TlI ⁺⁺	TlI (RN-CAS Registry Number 7790-30-9)	**	9.71 (V)	PE	3676
TlI ⁺ (² Σ)	TlI (RN-CAS Registry Number 7790-30-9)	**	13.0	PE	3913
TlI ⁺⁺	TlI (RN-CAS Registry Number 7790-30-9)	**	13.52 (V)	PE	3676
Pb ⁺⁴	Pb ⁺³ (RN-CAS Registry Number 18466-73-4)	**	42.3333±0.0006	S	4093
C ₃ H ₉ Pb ⁺	(CH ₃) ₄ Pb (RN-CAS Registry Number 75-74-1)	CH ₃	8.77±0.16	EI	3548
C ₃ H ₉ Pb ⁺	(CH ₃) ₃ CPb(CH ₃) ₃ (RN-CAS Registry Number 32997-03-8)	(CH ₃) ₃ C	8.67±0.21	EI	3548
C ₃ H ₉ Pb ⁺	(CH ₃) ₃ PbPb(CH ₃) ₃ (RN-CAS Registry Number 6713-83-3)	(CH ₃) ₃ Pb	9.02±0.14	EI	3548
C ₄ H ₁₂ Pb ⁺	(CH ₃) ₄ Pb (RN-CAS Registry Number 75-74-1)	**	8.50±0.04	PE	3880
C ₄ H ₁₂ Pb ⁺	(CH ₃) ₄ Pb (RN-CAS Registry Number 75-74-1)	**	8.83±0.1	PE	3677
C ₄ H ₁₂ Pb ⁺	(CH ₃) ₄ Pb (RN-CAS Registry Number 75-74-1)	**	8.26±0.17	EI	3548
C ₇ H ₁₈ Pb ⁺	(CH ₃) ₃ CPb(CH ₃) ₃ (RN-CAS Registry Number 32997-03-8)	**	7.99±0.13	EI	3548
C ₆ H ₁₈ Pb ₂ ⁺	(CH ₃) ₃ PbPb(CH ₃) ₃ (RN-CAS Registry Number 6713-83-3)	**	7.41±0.10	EI	3548
C ₁₆ H ₄₄ Si ₄ Pb ⁺	((CH ₃) ₃ SiCH ₂) ₄ Pb (RN-CAS Registry Number 18547-13-2)	**	8.14±0.1 (V)	PE	3830

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
PbCl_2^+	PbCl_2 (RN-CAS Registry Number 7758-95-4)	**	10.11 (V)	PE	3650
PbI_2^+	PbI_2 (RN-CAS Registry Number 10101-63-0)	**	8.86 ± 0.03	PI	3536
Bi_3^+	$\text{Bi}_3?$ (RN-CAS Registry Number 12595-63-0)	**	7.6 ± 0.3	EI	3599
Bi_4^+	Bi_4 (RN-CAS Registry Number XXXXX-XX-X)	**	7.7 ± 0.3	EI	3599
BiF_3^+	BiF_3 (RN-CAS Registry Number 7787-62-4)	**	~ 12	EI	3551
BiF_4^+	BiF_5 (RN-CAS Registry Number 7787-62-4)		14.5-15	EI	3551
Bi_2F_9^+	$(\text{BiF}_5)_2?$ (RN-CAS Registry Number XXXXX-XX-X)		14.5-15	EI	3551
GaBi^+	GaBi (RN-CAS Registry Number 12010-43-4)	**	7 ± 1	EI	3608
BiTl^+	BiTl (RN-CAS Registry Number 26257-16-9)	**	7.5 ± 0.4	EI	3949
Ac^+	Ac (RN-CAS Registry Number 7440-34-8)	**	5.17 ± 0.12	D	3875
Th^+	Th (RN-CAS Registry Number 7440-29-1)	**	5.9 ± 0.15	EI	3962
Th^+	Th (RN-CAS Registry Number 7440-29-1)	**	7.83 ± 0.25	SI	4042
Th^+	Th (RN-CAS Registry Number 7440-29-1)	**	6.08 ± 0.12	D	3875
ThO^+	ThO (RN-CAS Registry Number 12035-93-7)	**	6.1 ± 0.15	EI	3962
ThO_2^+	ThO_2 (Rn 1314-20-1)	**	8.7 ± 0.15	EI	3962
ThCl_4^+	ThCl_4 (RN-CAS Registry Number 10026-08-1)	**	12.7 ± 0.3	EI	3795
ThPt^+	ThPt (RN-CAS Registry Number 12038-30-1)	**	8 ± 2	EI	3968
Pa^+	Pa (RN-CAS Registry Number 7440-13-3)	**	5.89 ± 0.12	D	3875

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
U ⁺	U (RN-CAS Registry Number 7440-61-1)	**	6.22±0.5	S	3566
U ⁺	U (RN-CAS Registry Number 7440-61-1)	**	6.1±0.3	RPD	3557
U ⁺	U (RN-CAS Registry Number 7440-61-1)	**	6.8±1.5	EI	3595
U ⁺	U (RN-CAS Registry Number 7440-61-1)	**	~6±0.5	EI	3448
U ⁺	U (RN-CAS Registry Number 7440-61-1)	**	6.05±0.07	D	3875
U ⁺²	U ⁺ (RN-CAS Registry Number 15721-70-7)	**	10.6±1	S	3566
UO ⁺	UO (RN-CAS Registry Number 12035-97-1)	**	5.7±0.4	RPD	3557
UO ⁺	UO (RN-CAS Registry Number 12035-97-1)	**	4.3±1.5	EI	3595
UO ⁺	UO (RN-CAS Registry Number 12035-97-1)	**	~6±0.5	EI	3448
UO ₂ ⁺	UO ₂ (RN-CAS Registry Number 1344-57-6)	**	5.5±0.4	RPD	3557
UO ₂ ⁺	UO ₂ (RN-CAS Registry Number 1344-57-6)	**	4.5±1.5	EI	3595
UO ₂ ⁺	UO ₂ ? (RN-CAS Registry Number 1344-57-6)	**	~6±0.5	EI	3448
UO ₃ ⁺	UO ₃ (RN-CAS Registry Number 1344-58-7)	**	11.1±0.4	RPD	3557
UO ₃ ⁺	UO ₃ (RN-CAS Registry Number 1344-58-7)	**	9.5±1.5	EI	3595
US ⁺	US? (RN-CAS Registry Number 12039-11-1)	**	~6±0.5	EI	3448
UOS ⁺	UOS (RN-CAS Registry Number 22201-28-1)	**	~8±0.5	EI	3448
UCl ₃ ⁺	UCl ₃ ? (RN-CAS Registry Number 10025-93-1)	**	~10.0±0.5	EI	3795
UCl ₄ ⁺	UCl ₄ (RN-CAS Registry Number 10026-10-5)	**	11.0±0.3	EI	3795
Np ⁺	Np (RN-CAS Registry Number 7439-99-8)	**	6.32±0.12	SI	4042
Np ⁺	Np (RN-CAS Registry Number 7439-99-8)	**	6.20±0.12	D	3875
Pu ⁺	Pu (RN-CAS Registry Number 7440-07-5)	**	4.99±0.15	SI	4042

Table of Ion Energetics Measurements—Continued

Ion	Reactant	Other products	Ionization or appearance potential (eV)	Method	Ref.
Pu ⁺	Pu (RN-CAS Registry Number 7440-07-5)	**	6.06±0.02	D	3875
Am ⁺	Am (RN-CAS Registry Number 7440-35-9)	**	5.993±0.010	D	3875
Cm ⁺	Cm (RN-CAS Registry Number 7440-51-9)	**	6.09±0.02	D	3875
Bk ⁺	Bk (RN-CAS Registry Number 7440-40-6)	**	6.30±0.09	D	3875
Cf ⁺	Cf (RN-CAS Registry Number 7440-71-3)	**	6.41±0.10	D	3875
Es ⁺	Es (RN-CAS Registry Number 7429-92-7)	**	6.52±0.10	D	3875
Fm ⁺	Fm (RN-CAS Registry Number 7440-72-4)	**	6.64±0.11	D	3875
Md ⁺	Md (RN-CAS Registry Number 7440-11-1)	**	6.74±0.12	D	3875
No ⁺	No (RN-CAS Registry Number 10028-14-5)	**	6.84±0.12	D	3875

4. Bibliography

- [3440] Cocke, D. L., and Gingerich, K. A. Mass spectrometric determination of the dissociation energies of the molecules Ho_2 , HoAg , and HoAu , *J. Phys. Chem.* **75**, 3264 (1971).
- [3441] Baylis, A. B., Pressley, G. A., Jr., and Stafford, F. E. Mass spectrometric investigation of the pyrolysis of boranes. IV. Diborane, *J. Am. Chem. Soc.* **88**, 2428 (1966).
- [3442] DeCorpo, J. J., Bafus, D. A., and Franklin, J. L. Enthalpies of formation of the monohalomethyl radicals from mass spectrometric studies of the dihalomethanes, *J. Chem. Thermodyn.* **3**, 125 (1971).
- [3443] Bentley, T. W., Johnstone, R. A. W., and Mellon, F. A. Aspects of mass spectra of organic compounds. Part IX. Evidence against charge localization in the fragmentation of methionine and selenomethionine, *J. Chem. Soc. (B)*, 1800 (1971).
- [3444] Borossay, J., Csákvári, B., and Szepes, L. Determination of bond energies of organic silicon compounds on the basis of appearance potentials, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 47 (1971).
- [3445] Daly, N. R. Higher autoionization processes in argon and xenon, *Proc. Phys. Soc.* **85**, 897 (1965).
- [3446] Brown, P. Kinetic studies in mass spectrometry. VIII. Competing $[\text{M}-\text{CH}_3]$ and $[\text{M}-\text{CH}_2\text{O}]$ reactions in substituted anisoles. Approximate activation energies from ionization and appearance potentials, *Org. Mass Spectrom.* **4**, 519 (1970).
- [3447] Brown, P. Kinetic studies in mass spectrometry. IX. Competing $[\text{M}-\text{NO}_2]$ and $[\text{M}-\text{NO}]$ reactions in substituted nitrobenzenes. Approximate activation energies from ionization and appearance potentials, *Org. Mass Spectrom.* **4**, 533 (1970).
- [3448] Cater, E. D., Rauh, E. G., and Thorn, R. J. Thermochemistry of UOS; evaporation of $\text{US}-\text{UO}_2$ mixtures; on the attainment of equilibrium in Knudsen cells, *J. Chem. Phys.* **49**, 5244 (1968).
- [3449] Edwards, J. G., Franzen, H. F., and Gilles, P. W. High-temperature mass spectrometry, vaporization, and thermodynamics of titanium monosulfide, *J. Chem. Phys.* **54**, 545 (1971).
- [3450] Gupta, S. K. A thermodynamic investigation of the tungsten-oxygen-bromine system, *J. Phys. Chem.* **75**, 112 (1971).
- [3451] Gupta, S. K. Thermal stabilities of tungsten oxyiodides, *J. Phys. Chem.* **73**, 4086 (1969).
- [3452] Daly, N. R., and Powell, R. E. Electron collisions in nitrogen, *Proc. Phys. Soc.* **89**, 273 (1966).
- [3453] Cantone, B., Emma, V., and Grasso, F. Fine structure near the ionization threshold of Kr , O_2 , NO by electron impact, *Advan. Mass Spectrom.* **4**, 599 (1968).
- [3454] Dougherty, R. C., Bertorello, H. E., and Martínez de Bertorello, M. Mass spectra and thermochemistry of methyl phenanthrenes. A contribution to the analogy between mass spectral and thermal fragmentation reactions, *Org. Mass Spectrom.* **5**, 1321 (1971).
- [3455] Guido, M., Balducci, G., Gigli, G., and Spoliti, M. Mass spectrometric study of the vaporization of cuprous chloride and the dissociation energy of Cu_3Cl_3 , Cu_4Cl_4 , and Cu_5Cl_5 , *J. Chem. Phys.* **55**, 4566 (1971).
- [3456] Smagina, E. I., and Kutsev, V. S. A mass-spectrometric study of the mechanism of the decomposition of lanthanum oxide fluoride, *Zh. Fiz. Khim.* **45**, 46 (1971) [Engl. transl.: *Rus. J. Phys. Chem.* **45**, 24 (1971)].
- [3457] Stearns, C. A., and Kohl, F. J. Vaporization thermodynamics of the lanthanum carbon system. Mass spectrometric determination of the dissociation energy of LaC_2 , LaC_3 , and LaC_4 , *J. Chem. Phys.* **54**, 5180 (1971).
- [3458] Smoes, S., Myers, C. E., and Drowart, J. Determination of the atomization energies of CP , C_2P , CP_2 and C_2P_2 by high temperature Knudsen cell mass spectrometry, *Chem. Phys. Letters* **8**, 10 (1971).
- [3459] Hariharan, A. V., and Eick, H. A. Vaporization thermodynamics of europium(II) sulfide, *High Temp. Sci.* **3**, 123 (1971).
- [3460] Seiver, R. L., and Eick, H. A. Vapor pressure measurements in the samarium dicarbide-carbon and thulium dicarbide-carbon systems, *High Temp. Sci.* **3**, 292 (1971).
- [3461] Schoonmaker, R. C., and Porter, R. F. Mass spectrometric study of alkali hydroxide vapors, *J. Chem. Phys.* **31**, 830 (1959).
- [3462] Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of AlOCl(g) and AlOF(g) , *J. Phys. Chem.* **75**, 1760 (1971).
- [3463] Farber, M., Srivastava, R. D., and Uy, O. M. Mass spectrometric determination of the heat of formation of the AlO_2 molecule, *J. Chem. Phys.* **55**, 4142 (1971).
- [3464] Porter, R. F., and Schoonmaker, R. C. Mass spectrometric study of the vaporization of LiF , NaF , and LiF-NaF mixtures, *J. Chem. Phys.* **29**, 1070 (1958).
- [3465] Srivastava, R. D., and Farber, M. Thermodynamic properties of the B-Cl-F system from mass spectrometer investigations, *Trans. Faraday Soc.* **67**, 2298 (1971).
- [3466] Skinner, H. B., and Searcy, A. W. Demonstration of the existence of La_2F_6 gas and determination of its stability, *J. Phys. Chem.* **75**, 108 (1971).
- [3467] Visnapuu, A., and Marek, B. C., Properties of silver bromide vapors, *J. Less-Common Metals* **25**, 89 (1971).
- [3468] Gingerich, K. A. Gaseous metal borides. III. The dissociation energy and heat of formation of gold monoboride, *J. Chem. Phys.* **54**, 2646 (1971).
- [3469] Gingerich, K. A. Gaseous metal nitrides. IV. The dissociation energy of cerium mononitride, *J. Chem. Phys.* **54**, 3720 (1971).
- [3470] Kohl, F. J., and Stearns, C. A. Mass spectrometric determination of the dissociation energy of ScC_2 and ScC_4 , *J. Chem. Phys.* **54**, 1414 (1971).
- [3471] Gingerich, K. A., and Finkbeiner, H. C. Dissociation energy of diatomic cerium and predicted stability of gaseous intermetallic cerium compounds, *J. Chem. Phys.* **54**, 2621 (1971).
- [3472] Gingerich, K. A., and Piacente, V. Gaseous phosphorus compounds. IV. Thermodynamic study of gallium monophosphide with a mass spectrometer and dissociation energy of aluminum diphosphide, *J. Chem. Phys.* **54**, 2498 (1971).
- [3473] Gingerich, K. A., and Pupp, C. Mass spectrometric determination of the heats of formation and atomization of gaseous AuBO , *J. Chem. Phys.* **54**, 3713 (1971).
- [3474] Glockling, F., and Strafford, R. G. Electron impact studies on some group III metal alkyls, *J. Chem. Soc. (A)*, 1761 (1971).

- [3475] Munir, Z. A., Street, G. B., and Winters, H. F. Mass-spectrometric and vapor pressure studies on the sublimation of realgar (As_4S_4), *J. Chem. Phys.* **55**, 4520 (1971).
- [3476] Hedaya, E., Kent, M. E., McNeil, D. W., Lossing, F. P., and McAllister, T. The thermal rearrangement of phenylnitrene to cyanocyclopentadiene, *Tetrahedron Letters* **30**, 3415 (1968).
- [3477] Harris, M. M., Loudon, A. G., and Mazengo, R. Z. Ring expansion reactions in aromatic systems. A study of steric strain in some n,n' -dimethyl-1,1'-binaphthyls, *Org. Mass Spectrom.* **5**, 1123 (1971).
- [3478] Simmie, J. M., and Tschuikow-Roux, E. Mass spectrum, appearance potentials and bond dissociation energies of 1,1,1-Trifluoroethane, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 41 (1971).
- [3479] Williams, D. H., Cooks, R. G., and Howe, I. Studies in mass spectrometry. XXXI. A comparison of reaction rates in common ions generated via fragmentation and direct ionization, *J. Am. Chem. Soc.* **90**, 6759 (1968).
- [3480] Benezra, S. A., and Bursey, M. M. *ortho*-Effects in mass spectra. Alteration of the molecular-ion energy distribution in disubstituted acetanilides, *Z. Naturforsch.* **27a**, 670 (1972).
- [3481] Pihlaja, K., and Jalonen, J. Appearance potentials determined by the electron-impact method as an analytical aid in the evaluation of conformational energies and clarification of ring conformation-I: Appearance potentials of the $[\text{M-R}]^+$ ions formed in the primary fragmentation of stereo-isomeric 1,3-dioxans. A direct route to conformational energies, *Org. Mass Spectrom.* **5**, 1363 (1971).
- [3482] Linda, P., Marino, G., and Pignataro, S. A comparison of sensitivities to substituent effects of five-membered heteroaromatic rings in gas phase ionization, *J. Chem. Soc. (B)*, 1585 (1971).
- [3483] Benezra, S. A., and Bursey, M. M. *ortho*-Effects on ordering factors in mass spectral rearrangements. Loss of keten from halogenated phenyl acetates and acetanilides, *J. Chem. Soc. (B)*, 1515 (1971).
- [3484] Gamble, A. A., Gilbert, J. R., and Tillett, J. G. Substituent effects on the mass spectra of substituted phenyl acetates, *Org. Mass Spectrom.* **5**, 1093 (1971).
- [3485] Johnstone, R. A. W., Mellon, F. A., and Ward, S. D. On-line computer methods used in conjunction with the measurement of ionization and appearance potentials, *Advan. Mass Spectrom.* **5**, 334 (1971).
- [3486] Okudaira, S. Multiple ionization of Ca, Sr and Ba by electron impact, *J. Phys. Soc. Japan* **29**, 409 (1970).
- [3487] Haney, M. A., and Franklin, J. L. Heats of formation of H_3O^+ , H_3S^+ , and NH_4^+ by electron impact, *J. Chem. Phys.* **50**, 2028 (1969).
- [3488] Hickling, R. D., and Jennings, K. R. Kinetic shifts and metastable transitions, *Org. Mass Spectrom.* **3**, 1499 (1970).
- [3489] Redhead, P. A. Multiple ionization in carbon monoxide by successive electron impacts, *Can. J. Phys.* **47**, 2449 (1969).
- [3490] Franklin, J. L., and Haney, M. A. Energy distribution in ionic decomposition processes, *Recent Developments in Mass Spectroscopy*, ed. K. Ogata and T. Hayakawa (Baltimore University Park Press, Baltimore, 1970) p. 909.
- [3491] Makowiecki, D. M., Lynch, D. A., and Carlson, K. D. Infrared spectra of the aluminum family suboxides, *J. Phys. Chem.* **75**, 1963 (1971).
- [3492] Brion, C. E., Farmer, J. S. H., Pincock, R. E., and Stewart, W. B. Mass spectra of some geometric isomers at 1216 Å and 584 Å: The photoionization of isomeric tricyclo [3.2.1.0^{2,4}] octanes and related compounds, *Org. Mass Spectrom.* **4**, 587 (1970).
- [3493] Meisels, G. G., and Giessner, B. G. Threshold behavior and the determination of appearance potentials from second differential ionization efficiencies, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 489 (1971).
- [3494] Hvistendahl, G., and Undheim, K. Ionization potentials of stable free radicals, *Chemica Scripta* **1**, 123 (1971).
- [3495] Cardin, D. J., Keppie, S. A., Lappert, M. F., Litzow, M. R., and Spalding, T. R. Binuclear organometallic compounds. Part III. Metal-metal bond dissociation energies, Raman, and infrared spectra for the series $(\pi\text{-C}_5\text{H}_5)(\text{CO})_3\text{M}^1\text{M}^2\text{Me}_3$: ($\text{M}^1 = \text{Cr, Mo, or W}$; $\text{M}^2 = \text{Ge or Sn}$), *J. Chem. Soc. (A)*, 2262 (1971).
- [3496] Bursey, M. M., and Rogerson, P. F. The electron-impact ionization potentials of successively substituted acetylacetonates of rhodium(III), *Inorg. Chem.* **10**, 1313 (1971).
- [3497] Bonati, F., Distefano, G., Innorta, G., Minghetti, G., and Pignataro, S. Ionization energies of rhodium and iridium β -diketonates: on the nature of the last occupied orbital, *Z. Anorg. Allg. Chem.* **386**, 107 (1971).
- [3498] Distefano, G., Foffani, A., Innorta, G., and Pignataro, S. Mass spectrometric study of transition metal complexes with ligands having nitrogen or sulphur as donor atom, *Advan. Mass Spectrom.* **5**, 696 (1971).
- [3499] Cornford, A. B., Frost, D. C., Herring, F. G., and McDowell, C. A. The photoelectron spectrum of the free radical chlorine dioxide, *Chem. Phys. Letters* **10**, 345 (1971).
- [3500] Berkowitz, J. Experimental potential energy curves for $\text{X}^2\Pi$ and $^2\Sigma^+$ states of HF^+ , *Chem. Phys. Letters* **11**, 21 (1971).
- [3501] Brundle, C. R., and Jones, G. R. The molecular orbital energy levels and bonding in krypton difluoride, *Chem. Commun.*, 1198 (1971).
- [3502] Cradock, S., and Ebsworth, E. A. V. Photo-electron spectra of silyl and germlyl halides and $(p \rightarrow d)\pi$ bonding, *Chem. Commun.*, 57 (1971).
- [3503] Green, M. C., Lappert, M. F., Pedley, J. B., Schmidt, W., and Wilkins, B. T. Photoelectron spectra and energy level trends in $\text{Me}_n\text{SiCl}_{4-n}$ and related series, *J. Organometal. Chem.* **31**, C55 (1971).
- [3504] Bock, H., and Ensslin, W. Bond-bond interaction in polysilanes, *Angew. Chem. Intern. Ed.* **10**, 404 (1971).
- [3505] Haselbach, E., Heilbronner, E., Mannschreck, A., and Seitz, W. Lone pair interaction in 3,3dimethyldiazirine, *Angew. Chem. Intern. Ed.* **9**, 902 (1970).
- [3506] Lloyd, D. R., and Lynaugh, N. Photoelectron spectra of the symmetric trimethylborazines, *Chem. Commun.* **3**, 125 (1971).
- [3507] Anderson, C. P., Mamantov, G., Bull, W. E., Grimm, F. A., Carver, J. C., and Carlson, T. A. Photoelectron spectrum of chlorine monofluoride, *Chem. Phys. Letters* **12**, 137 (1971).

- [3508] Cradock, S. The photoelectron spectra of GeH_4 and GeF_4 , *Chem. Phys. Letters* **10**, 291 (1971).
- [3509] Bischof, P., Heilbronner, E., Prinzbach, H., and Martin, H. D. A photoelectron-spectroscopic investigation of the homoconjugative interaction between π - and *Walsh*-orbitals in *endo*- and *exocyclopropano*-norbornene, *Helv. Chim. Acta* **54**, 1072 (1971).
- [3510] Cradock, S., and Whiteford, R. A. Photo-electron spectra of the mono and dihalo silanes and germanes, *Trans. Faraday Soc.* **67**, 3425 (1971).
- [3511] Frost, D. C., Herring, F. G., Katrib, A., McLean, R. A. N., Drake, J. E., and Westwood, N. P. C. Photoelectron spectra and bonding in some halosilanes, *Can. J. Chem.* **49**, 4033 (1971).
- [3512] Cetinkaya, B., King, G. H., Krishnamurthy, S. S., Lappert, M. F., and Pedley, J. B. Photoelectron spectra of electron-rich olefins and an isostructural boron compound; olefins of exceptionally low first ionisation potential, *Chem. Commun.*, 1370 (1971).
- [3513] Gleiter, R., Heilbronner, E., and Hornung, V. Lone pair interaction in pyridazine, pyrimidine, and pyrazine, *Angew. Chem. Intern. Ed.* **9**, 901 (1970).
- [3514] Frost, D. C., Herring, F. G., Katrib, A., McLean, R. A. N., Drake, J. E., and Westwood, N. P. C. ($p \rightarrow d$) π Bonding in halosilanes; evidence from photoelectron spectroscopy, *Chem. Phys. Letters* **10**, 347 (1971).
- [3515] Frost, D. C., Katrib, A., McDowell, C. A., and McLean, R. A. N. The 2A_1 band in the photoelectron spectrum of hydrogen sulphide, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 485 (1971).
- [3516] Edqvist, O., Åsbrink, L., and Lindholm, E. On the photoelectron spectrum of NO, *Z. Naturforsch.* **26a**, 1407 (1971).
- [3517] Chadwick, D., Frost, D. C., and Weiler, L. The photoelectron spectra of cyclic ketones, *Tetrahedron Letters* **47**, 4543 (1971).
- [3518] Cowan, D. O., Gleiter, R., Glemser, O., Heilbronner, E., and Schäublin, J. The photoelectron spectrum of thiazyl fluoride (NSF), *Helv. Chim. Acta* **54**, 1559 (1971).
- [3519] Comes, J. Private communication reported in: Momigny, J. and Lorquet, J. C., Reply to the paper "The interpretation of photoelectron spectra, especially those of benzene and water" by A. D. Baker, C. R. Brundle and D. W. Turner, *Intern. J. Mass Spectrom. Ion Phys.* **2**, 495 (1969).
- [3520] Baker, A. D., Brundle, C. R., and Turner, D. W. The interpretation of photoelectron spectra—especially those of benzene and water, *Intern. J. Mass Spectrom. Ion Phys.* **1**, 443 (1968).
- [3521] Appell, J., and Kubach, C. On the formation of energetic protons by electron impact on methane, *Chem. Phys. Letters* **11**, 486 (1971).
- [3522] Clark, I. D., and Frost, D. C. Unpublished results reported in: Caldwell, G. L. Some calculations on the vertical ionization potentials of fluorine-substituted benzenes, *Chem. Phys. Letters* **2**, 88 (1968).
- [3523] Potapov, V. K., and Sorokin, V. V. Photoionization and ion-molecule reactions in quinones and alcohols, *Khim. Vys. Energ.* **5**, 487 (1971) [Engl. transl.: *High Energy Chem.* **5**, 435 (1971)].
- [3524] Nicholson, A. J. C. Determination of bond dissociation energies from photoionization efficiency curves, *Recent Developments in Mass Spectrometry*, ed. K. Ogata and T. Hayakawa (University Park Press, Baltimore, 1970) p. 745.
- [3525] Spohr, R., Guyon, P. M., Chupka, W. A., and Berkowitz, J. Threshold photoelectron detector for use in the vacuum ultraviolet, *Rev. Sci. Instr.* **42**, 1872 (1971).
- [3526] Loginov, M. V., and Mittsev, M. A. Thermal dissociation of SrCl_2 molecules at a tungsten surface, *Zh. Tekh. Fiz.* **41**, 709 (1971) [Engl. transl.: *Sov. Phys.-Tech. Phys.* **16**, 557 (1971)].
- [3527] Evans, S., Orchard, A. F., and Turner, D. W. A simple, medium resolution helium(I) photoelectron spectrometer, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 261 (1971).
- [3528] Carlson, T. A., and Anderson, C. P. Angular distribution of the photoelectron spectrum for benzene, *Chem. Phys. Letters* **10**, 561 (1971).
- [3529] Rabalais, J. W., Bergmark, T., Werme, L. O., Karlsson, L., and Siegbahn, K. The Jahn-Teller effect in the electron spectrum of methane, *Phys. Scr.* **3**, 13 (1971).
- [3530] Åsbrink, L., and Rabalais, J. W. Comments on the high resolution photoelectron spectrum of H_2O and D_2O , *Chem. Phys. Letters* **12**, 182 (1971).
- [3531] Åsbrink, L. The photoelectron spectrum of H_2 , *Chem. Phys. Letters* **7**, 549 (1970).
- [3532] Brogli, F., and Heilbronner, E. The competition between spin orbit coupling and conjugation in alkyl halides and its repercussion on their photoelectron spectra, *Helv. Chim. Acta* **54**, 1423 (1971).
- [3533] Frost, D. C., and Sandhu, J. S. Ionization potentials of ethylene and some methyl-substituted ethylenes as determined by photoelectron spectroscopy, *Indian J. Chem.* **9**, 1105 (1971).
- [3534] Jonathan, N., Morris, A., Ross, K. J., and Smith, D. J. High resolution vacuum ultraviolet photoelectron spectra of transient species: $\text{O}_2(^1\Delta_g)$ and previously unobserved states of O_2^+ , *J. Chem. Phys.* **54**, 4954 (1971).
- [3535] Holmes, J. L., and McGillivray, D. The mass spectra of isomeric hydrocarbons-I: Norbornene and nortricyclene; The mechanisms and energetics of their fragmentations, *Org. Mass Spectrom.* **5**, 1349 (1971).
- [3536] Berkowitz, J. Photoionization mass spectrometry and photoelectron spectroscopy of high temperature vapors, *Advan. High Temp. Chem.* **3**, 123 (1971).
- [3537] Čermák, V. Penning ionization electron spectroscopy. III. Ionization of cadmium, *Coll. Czech. Chem. Com.* **36**, 948 (1971).
- [3538] Matsumoto, A., Taniguchi, S., and Hayakawa, T. Studies of dissociation of hydrogen and n-butane metastable ions by a pulsed ion source, *Recent Developments in Mass Spectrometry*, ed. K. Ogata and T. Hayakawa (University Park Press, Baltimore, 1970) p. 820.
- [3539] Syrvatka, B. G., Bel'ferman, A. L., Gil'burd, M. M., and Moin, F. B. Determination of the dissociation energy of the double bond in some fluorochlorosubstituted ethylenes and their ions by electron bombardment, *Zh. Org. Khim.* **7**, 9 (1971) [Engl. transl.: *J. Org. Chem. USSR* **7**, 8 (1971)].
- [3540] Murphy, Jr., C. B., and Enrione, R. E. Mass spectrometric determination of bond dissociation energies in $\text{BF}_3 \cdot \text{OEt}_2$, *Chem. Comm.*, 1622 (1971).
- [3541] Hotop, H., and Niehaus, A. Reactions of excited atoms and molecules with atoms and molecules. II. Energy analysis of Penning electrons, *Z. Physik* **228**, 68 (1969).

- [3542] Stalherm, D., Cleff, B., Hillig, H., and Mehlhorn, W. Energies of excited states of doubly ionized molecules by means of Auger electron spectroscopy. Part I. Electronic states of N_2^{+2} , *Z. Naturforsch.* **24a**, 1728 (1969).
- [3543] Foster, R. Ionization potentials of electron donors, *Nature* **183**, 1253 (1959).
- [3544] Gross, M. L., and Wilkins, C. L. Computer-assisted ion cyclotron resonance appearance potential measurements for C_3H_{10} isomers, *Anal. Chem.* **43**, 1624 (1971).
- [3545] Herberich, G. E., Greiss, G., Heil, H. F., and Müller, J. Paramagnetic borabenzene cobalt complexes, *Chem. Comm.*, 1328 (1971).
- [3546] Pitt, C. G. Hyperconjugation: an alternative to the concept of the p_π - d_π bond in Group IV chemistry, *J. Organometal. Chem.* **23**, C35 (1970).
- [3547] Murphy, C. B., and Enrione, R. E. Bond dissociation energies of the 1- and 2- isomers of pentaborane derivatives by electron impact and by extended Hückel calculations, *Intern. J. Mass Spectrom. Ion Phys.* **7**, 327 (1971).
- [3548] Lappert, M. F., Pedley, J. B., Simpson, J., and Spalding, T. R. Bonding studies of compounds of boron and the Group IV elements. VI. Mass spectrometric studies on compounds Me_4M and $Me_3M-M'Me_3$ (M and $M'=C, Si, Ge, Sn$, and Pb): thermochemical data, *J. Organometal. Chem.* **29**, 195 (1971).
- [3549] Gaidis, J. M., Briggs, P. R., and Shannon, T. W. Mass spectra of disilanes. Phenyl-silicon interaction and silicon-silicon bond strength, *J. Phys. Chem.* **75**, 974 (1971).
- [3550] Majer, J. R., Olavesen, C., and Robb, J. C. Wavelength effect in the photolysis of halogenated ketones, *J. Chem. Soc. (B)*, 48 (1971).
- [3551] Lawless, E. W. Mass spectrometric evidence of dimers in bismuth pentafluoride and antimony pentafluoride, *Inorg. Chem.* **10**, 2084 (1971).
- [3552] Grützmacher, H. F., and Hübner, J. Bildung und Struktur von C_6H_4O bei der Pyrolyse von Salicylsäureestern und verwandten Verbindungen, *Liebigs Ann. Chem.* **748**, 154 (1971).
- [3553] Grützmacher, H. F., and Hübner, J. Massenspektrometrie instabiler Moleküle. VII. Thermische Bildung von Fulven-6-on durch zweifache Ringverengung von 3-Bromtropolon, *Tetrahedron Letters* **19**, 1455 (1971).
- [3554] Warneck, P. Photoionisation von Methanol und Formaldehyd, *Z. Naturforsch.* **26a**, 2047 (1971).
- [3555] Gutbier, H. Massenspektrometrische Untersuchungen der Verdampfungsvorgänge bei einigen Verbindungen mit Zinkblende-Gitter im Temperaturbereich um 1000°K, *Z. Naturforsch.* **16a**, 268 (1961).
- [3556] Varmuza, K., and Krenmayr, P. Massenspektrometrische Untersuchungen einfacher und gemischter Phosphortrihalogenide, *Monatsh. Chem.* **102**, 1037 (1971).
- [3557] Pattoret, A., Drowart, J., and Smoes, S. Etudes thermodynamiques par spectrometrie de masse sur le systeme uranium-oxygene, *Thermodyn. Nucl. Mater., Proc. Symp., Vienna*, 1967, 613 (1968).
- [3558] Kuznetsova, L. A., Kuzmenko, N. E., and Kuzyakov, Yu. Ya. Emission spectrum of the $SiBr^+$ molecule, *Opt. Spektrosk.* **24**, 812 (1968) [Engl. transl.: *Opt. Spectry.* **24**, 434 (1968)].
- [3559] Smith, D. R., and Raymond, J. W. Rydberg states in fluorinated benzenes; hexa-, penta-, and monofluorobenzene, *Chem. Phys. Letters* **12**, 269 (1971).
- [3560] Verma, R. D., Dixit, M. N., Jois, S. S., Nagaraj, S., and Singhal, S. R. Emission spectrum of the PO molecule. Part II. $^2\Sigma^- \rightarrow ^2\Sigma$ transitions, *Can. J. Phys.* **49**, 3180 (1971).
- [3561] Worley, R. E., and Jenkins, F. A. A new Rydberg series in N_2 , *Phys. Rev.* **54**, 305 (1938).
- [3562] Joshi, Y. N., and George, S. Ionization potential of Se IV, *Sci. Light (Tokyo)* **19**, 43 (1970).
- [3563] Kaufman, V., and Sugar, J. The fifth spectrum of praseodymium, *J. Res. NBS* **71A**, 583 (1967).
- [3564] Rao, T. V. R., and Lakshman, S. V. J. The true potential energy curves and Franck-Condon factors of SiH and SiH^+ molecules, *Physica*, **56**, 322 (1971).
- [3565] McDiarmid, R. Higher electronic states of ReF_6 , *J. Mol. Spectry.* **39**, 332 (1971).
- [3566] Radziemski, L. J., Jr., Steinhaus, D. W., and Cowan, R. D. Present status of the analysis of U_I and U_{II} as derived from measurements of optical spectra, *J. Opt. Soc. Am.* **60**, 1556 (1970).
- [3567] Donovan, R. J., and Strachan, P. Vacuum U.-V. spectra of transient molecules and radicals, *Trans. Faraday Soc.* **67**, 3407 (1971).
- [3568] Redhead, P. A., and Gopalaraman, C. P. Multiple ionization of cesium and barium by successive electron impacts, *Can. J. Phys.* **49**, 585 (1971).
- [3569] Gleiter, R., Hornung, V., Lindberg, B., Högberg, S., and Lozac'h, N. The He-584 Å and X-ray photoelectron spectra of thiathiophthenes, *Chem. Phys. Letters* **11**, 401 (1971).
- [3570] Adams, G. P., Margrave, J. L., Steiger, R. P., and Wilson, P. W. The enthalpy of sublimation of germanium difluoride and the thermodynamics of sublimation of the Group IVa difluorides, *J. Chem. Thermodyn.* **3**, 297 (1971).
- [3571] Zaretskii, V. I., Sadovskaya, V. L., Wulfson, N. S., Sizoy, V. F., and Merimson, V. G. Mass spectrometry of steroid systems-XXI. Appearance and ionization potentials for the stereoisomers of the D-homoestrane series, *Org. Mass Spectrom.* **5**, 1179 (1971).
- [3572] Bidinasti, D. R., and McIntyre, N. S. Private communication reported in: Winters, R. E., and Kiser, R. W. Doubly charged transition metal carbonyl ions, *J. Phys. Chem.* **70**, 1680 (1966).
- [3573] Weissler, G. L., Ogawa, M., and Judge, D. L. Absorption of O_2 , CO_2 and CS_2 ; fluorescence from CS_2 ; and photoionization of atomic carbon, *J. Physique Supp.* **32**, C4-154 (1971).
- [3574] Cabaud, B., Uzan, R., and Nounou, P. Étude des processus d'ionisation à haute température des vapeurs métalliques par couplage d'une cellule de Knudsen et d'une source Fox. I. Interprétation des processus d'ionisation de Ag et influence de la température sur les courbes d'efficacité d'ionisation, *Intern. J. Mass Spectrom. Ion Phys.* **6**, 89 (1971).
- [3575] Lageot, C. Potentiel d'ionisation, courbes d'efficacité d'ionisation différentielle, localisation de la charge de 9 cyclopropanes, *Org. Mass Spectrom.* **5**, 845 (1971).
- [3576] Gleiter, R., Heilbronner, E., and de Meijere, A. Die konjugative Wechselwirkung zwischen π -und Walsh-Orbitalen: das Photoelektron-Spektrum des Homofulvens, *Helv. Chim. Acta* **54**, 1029 (1971).

- [3577] Briegleb, G., Czekalla, J., and Reuss, G. Mesomeriemomente und Elektronenüberführungsbanden von Elektronen-Donator-Akzeptor-Komplexen des Chloranils und Tetracyanäthylens mit aromatischen Kohlenwasserstoffen, *Z. Physik. Chem.* **30**, 333 (1961).
- [3578] Müller, J., and Fenderl, K. Reaktionen des π -Cyclopentadienyl-mangantricarbonyl-Kations mit einfachen Fluorverbindungen in der Gasphase, *Chem. Ber.* **104**, 2207 (1971).
- [3579] Müller, J., and Fenderl, K. Sekundär-Ionen in den Massenspektren von Organochrom-Komplexen, *Chem. Ber.* **104**, 2199 (1971).
- [3580] Sucrow, W., Bethke, H., and Chondromatidis, G. Thermolyse von 1.2.4.5-Tetramethyl-hexahydro-1.2.4.5-tetrazinen im Massenspektrometer, *Tetrahedron Letters* **19**, 1481 (1971).
- [3581] Lageot, C. Potentiel d'ionisation, potentiel d'apparition et courbes d'ionisation différentielle pour les 1-2 dimethylcyclohexanes *cis* et *trans*, *Org. Mass Spectrom.* **5**, 839 (1971).
- [3582] Fischer, E. O., Kreiter, C. G., Kollmeier, H. J., Müller, J., and Fischer, R. D. Übergangsmetall-Carben-Komplexe. XXVII. Ringsubstituierte (Methoxyphenylcarben)-pentacarbonylchrom(0)Komplexe, *J. Organometal. Chem.* **28**, 237 (1971).
- [3583] Grützmacher, H. -F., and Hübner, J. Massenspektrometrie instabiler Moleküle. III: Nachweis und Untersuchungen zur Stabilität chloresubstituierter Dehydrobenzole in der Gasphase, *Org. Mass Spectrom.* **2**, 649 (1969).
- [3584] Bock, H., and Fuss, W. Ionisierungsenergien und Geometrie von Aminoboranen, *Chem. Ber.* **104**, 1687 (1971).
- [3585] Praet, M. -Th. Ionisation et dissociation du 1-methylcyclopentene, du methylenecyclopentane et de quelques isomeres par impact d'électrons et de photons, *Org. Mass Spectrom.* **4**, 65 (1970).
- [3586] Terenin, A. Charge transfer in organic solids, induced by light, *Proc. Chem. Soc.*, 321 (1961).
- [3587] Salmona, G., Ferré, Y., and Vincent, E. J. Études expérimentales et théoriques de potentiels d'ionisation de dérivés de la série de l'isothiazole, *C. R. Acad. Sci., Ser. C* **273**, 863 (1971).
- [3588] Bonnier, J. -M., Gelus, M., and Nounou, P. Contribution à l'étude de l'effet inductif et de l'effet d'hyperconjugaison dans quelques méthylaromatiques, *J. Chim. Phys.* **10**, 1191 (1965).
- [3589] Cullen, W. R., Frost, D. C., and Leeder, W. R. The ultraviolet and photoelectron spectra of some unsaturated fluorocarbon derivatives, *J. Fluorine Chem.* **1**, 227 (1971/72).
- [3590] Audier, H. E., Bouchoux, G., and Fetizon, M. Ionisation et fragmentation en spectrométrie de masse. II. Influence du substituant sur des fragmentations compétitives en série aromatique, *Bull. Soc. Chim. Fr.* **3**, 858 (1971).
- [3591] Chaghtai, M. S. Z., and Ali, Z. Ionization potentials and Rydberg series in KrI sequence, *Indian J. Phys.* **44**, 330 (1970).
- [3592] Budhiraja, C. J., and Joshi, Y. N. Spectrum of Br V, *Can. J. Phys.* **49**, 391 (1971).
- [3593] Joshi, Y. N., and Budhiraja, C. J. Spectrum of trebly ionized bromine, *Can. J. Phys.* **49**, 670 (1971).
- [3594] Balducci, G., De Maria, G., Guido, M., and Piacente, V. Dissociation energy of TiO and TiO₂ gaseous molecules, *J. Chem. Phys.* **56**, 3422 (1972).
- [3595] Blackburn, P. E., and Danielson, P. M. Electron impact relative ionization cross sections and fragmentation of U, UO, UO₂, and UO₃, *J. Chem. Phys.* **56**, 6156 (1972).
- [3596] Kordis, J., and Gingerich, K. A. Gaseous phosphorus compounds. VIII. Thermodynamic study of antimony monophosphide with a mass spectrometer, *J. Phys. Chem.* **76**, 2336 (1972).
- [3597] Cocke, D. L., and Gingerich, K. A. Mass spectrometric determination of the bond dissociation energies of the molecules CePd and CeC₂, *J. Phys. Chem.* **76**, 2332 (1972).
- [3598] Conde-Caprace, G., and Collin, J. E. Ionization and dissociation of cyclic ethers and thioethers by electron-impact. A comparison between 1,3-dioxolane, 1,3-dithiolane and 1,3-oxathiolane, *Org. Mass Spectrom.* **6**, 415 (1972).
- [3599] Sullivan, C. L., Prusaczyk, J. E., and Carlson, K. D. Heats of reaction for the Sb₄=2Sb₂ equilibrium and sublimation of Sb₃ and Bi₃ in the vaporization of antimony and bismuth, *High Temp. Sci.* **4**, 212 (1972).
- [3600] Ni, R. Y., and Wahlbeck, P. G. Dissociation energies of gaseous ScSe, YSe, and LaSe, *High Temp. Sci.* **4**, 326 (1972).
- [3601] Wyatt, J. R., and Stafford, F. E. Mass spectrometric determination of the heat of formation of ethynyl radical, C₂H, and of some related species, *J. Phys. Chem.* **76**, 1913 (1972).
- [3602] Carmichael, P. J., Gowenlock, B. G., and Johnson, C. A. F. Carbon-nitrogen bond dissociation energy values in C-nitrosocompounds, *Intern. J. Chem. Kinet.* **4**, 339 (1972).
- [3603] Joyce, T. E., and Rolinski, E. J. A mass spectrometric study of the vaporization of cuprous iodide, *J. Phys. Chem.* **76**, 2310 (1972).
- [3604] Singleton, D. L., and Stafford, F. E. A mass spectrometric study of transition metal oxo- and thiohalides, *Inorg. Chem.* **11**, 1208 (1972).
- [3605] Wagner, L. C., and Grimley, R. T. A study of ionization processes by the angular distribution technique. The AgCl system, *J. Phys. Chem.* **76**, 2819 (1972).
- [3606] Uy, O. M., Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of the gaseous molecules AlOF₂ and AlF₂, *High Temp. Sci.* **4**, 227 (1972).
- [3607] Roberts, J. A., Jr., and Searcy, A. W. The stabilities of Ce₂F₆(g) and La₂F₆(g), *High Temp. Sci.* **4**, 411 (1972).
- [3608] Piacente, V., and Desideri, A. Mass spectrometric determination of the dissociation energy of GaBi molecule, *J. Chem. Phys.* **57**, 2213 (1972).
- [3609] Piacente, V., and Gingerich, K. A. Thermodynamic study of the molecule NaAg with a mass spectrometer, *High Temp. Sci.* **4**, 312 (1972).
- [3610] Hildenbrand, D. L. The gaseous equilibrium Ge + SiO = GeO + Si and the dissociation energy of SiO, *High Temp. Sci.* **4**, 244 (1972).
- [3611] Balducci, G., De Maria, G., and Guido, M. Mass spectrometric determination of the dissociation energy of EuC₂(g), *J. Chem. Phys.* **56**, 1431 (1972).

- [3612] Hariharan, A. V., and Eick, H. A. Vaporization thermodynamics of EuI_2 , *High Temp. Sci.* **4**, 379 (1972).
- [3613] Feather, D. H., Büchler, A., and Searcy, A. W. The vapor pressures of gallium trifluoride monomer and dimer, *High Temp. Sci.* **4**, 290 (1972).
- [3614] Hariharan, A. V., Fishel, N. A., and Eick, H. A. Vaporization thermodynamics of YbCl_2 , *High Temp. Sci.* **4**, 405 (1972).
- [3615] Muenow, D. W., and Margrave, J. L. Mass spectrometric observations of gaseous phosphorus sulfides and oxysulfides, *J. Inorg. Nucl. Chem.* **34**, 89 (1972).
- [3616] Hildenbrand, D. L. Thermochemistry of the molecules CS and CS^+ , *Chem. Phys. Letters* **15**, 379 (1972).
- [3617] Farber, M., Srivastava, R. D., and Uy, O. M. Mass spectrometric determination of the thermodynamic properties of the vapour species from alumina, *J. Chem. Soc. Faraday Trans. I* **68**, 249 (1972).
- [3618] Guido, M., Balducci, G., and De Maria, G. Thermodynamics of rare-earth-carbon systems. IV. The lutetium-carbon system, *J. Chem. Phys.* **57**, 1475 (1972).
- [3619] Gingerich, K. A. Gaseous phosphorus compounds. VII. The dissociation energy and heat of formation of boron monophosphide, *J. Chem. Phys.* **56**, 4239 (1972).
- [3620] Farber, M., Uy, O. M., and Srivastava, R. D. Effusion-mass spectrometric determination of the heats of formation of the gaseous molecules V_4O_{10} , V_4O_8 , VO_2 , and VO , *J. Chem. Phys.* **56**, 5312 (1972).
- [3621] Gingerich, K. A., Pupp, C., and Campbell, B. E. Mass spectrometric determination of the heats of atomization of the molecules Ce_2S , CeS_2 , Ce_2S_2 , and Ce_2S_3 , *High Temp. Sci.* **4**, 236 (1972).
- [3622] Gräber, P., and Weil, K. G. Mass spectrometric investigations of silver halides I: mass spectrum, appearance potentials, and fragmentation scheme of silver chloride, *Ber. Bunsenges. Phys. Chem.* **76**, 410 (1972).
- [3623] Ehlert, T. C., and Hsia, M. Mass spectrometric and thermochemical studies of the manganese fluorides, *J. Fluorine Chem.* **2**, 33 (1972-73).
- [3624] Tajima, S., Shimizu, Y., and Tsuchiya, T. The effect of the shield voltage on appearance potential measurements using a mass spectrometer, *Bull. Chem. Soc. Japan* **45**, 931 (1972).
- [3625] Crowe, A., Preston, J. A., and McConkey, J. W. Ionization of argon by electron impact, *J. Chem. Phys.* **57**, 1620 (1972).
- [3626] Johnstone, R. A. W., and Mellon, F. A. Electron-impact ionization and appearance potentials, *J. Chem. Soc. Faraday Trans. II* **68**, 1209 (1972).
- [3627] Hvistendahl, G., and Undheim, K. Mass spectrometry of onium compounds. Part XIV. Methiodides of methyl pyridylacetates, *J. Chem. Soc., Perkin Trans. II* **14**, 2030 (1972).
- [3628] Flesch, G. D., Junk, G. A., and Svec, H. J. Ionization efficiency data and fragmentation mechanisms for ferrocene, nickelocene, and ruthenocene, *J. Chem. Soc. Dalton Trans.*, 1102 (1972).
- [3629] Lightner, D. A., Majeti, S., Nicoletti, R., and Thommen, E. Benzyl vs. tropylium ions in the electron impact induced decomposition of *n*-butylbenzenes, *Intra-Sci. Chem. Rep.* **6**, 113 (1972).
- [3630] Hvistendahl, G., and Undheim, K. Mass spectrometry of onium compounds. IX: on the evaporation of anilinium oxides. Ionization potential measurements, *Org. Mass Spectrom.* **6**, 217 (1972).
- [3631] Benezra, S. A., and Bursey, M. M. Hydrogen bonding in mass spectral activated complexes. A correction, *J. Chem. Soc., Perkin Trans. II* 1537 (1972).
- [3632] Foster, M. S., and Beauchamp, J. L. Gas-phase ion chemistry of azomethane by ion cyclotron resonance spectroscopy, *J. Am. Chem. Soc.* **94**, 2425 (1972).
- [3633] Dixon, D. A., Holtz, D., and Beauchamp, J. L. Acidity, basicity, and gas-phase ion chemistry of hydrogen selenide by ion cyclotron resonance spectroscopy, *Inorg. Chem.* **11**, 960 (1972).
- [3634] Hertzberg, M., White, G., Olfsky, R. S., and Saalfeld, F. E. Bisdifluoraminoalkanes: the mass spectral decomposition of isomeric propanes, *J. Phys. Chem.* **76**, 60 (1972).
- [3635] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds. X: on the evaporation of pyridinium-3-oxides—ionization potential measurements, *Org. Mass Spectrom.* **6**, 225 (1972).
- [3636] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds. XI: ionization potentials of hydroxy and mercapto pyridines, *Org. Mass Spectrom.* **6**, 823 (1972).
- [3637] Brundle, C. R., Robin, M. B., and Kuebler, N. A. Perfluoro effect in photoelectron spectroscopy. II. Aromatic molecules, *J. Am. Chem. Soc.* **94**, 1466 (1972).
- [3638] Brogli, F., Heilbronner, E., and Kobayashi, T. Photoelectron spectra of azabenzenes and azanaphthalenes: II. A reinvestigation of azanaphthalenes by high-resolution photoelectron spectroscopy, *Helv. Chim. Acta* **55**, 274 (1972).
- [3639] Åsbrink, L., Fridh, C., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XVII. Photoelectron, UV, mass and electron impact spectra of pyridazine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 229 (1972).
- [3640] Berkowitz, J., and Dehmer, J. L. Photoelectron spectroscopy of high-temperature vapors. II. Chemical bonding in the Group III monohalides, *J. Chem. Phys.* **57**, 3194 (1972).
- [3641] Basset, P. J., and Lloyd, D. R. Photoelectron spectra of halides. Part III. Trifluorides and oxide trifluorides of nitrogen and phosphorus, and phosphorus oxide trichloride, *J. Chem. Soc. Dalton Trans.* 248 (1972).
- [3642] Brundle, C. R., and Jones, G. R. Electronic structure of KrF_2 , studied by photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II* **68**, 959 (1972).
- [3643] Brundle, C. R., Kuebler, N. A., Robin, M. B., and Basch, H. Ionization potentials of the tetraphosphorus molecule, *Inorg. Chem.* **11**, 20 (1972).
- [3644] Boschi, R., Murrell, J. N., and Schmidt, W. Photoelectron spectra of polycyclic aromatic hydrocarbons, *Faraday Discuss. Chem.* **54**, 116 (1972).
- [3645] Bergmark, T., Rabalais, J. W., Werme, L. O., Karlsson, L., and Siegbahn, K. High-resolution electron spectra of methane, thiophene, 2-bromothiophene, and 3-bromothiophene, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972).

- [3646] Bock, H., and Solouki, B. The "sulfoxide bond", *Angew. Chem. Intern. Ed.* **11**, 436 (1972).
- [3647] Boekelheide, V., and Schmidt, W. A photoelectron spectroscopic study of a classically conjugated but orbitally unconjugated tris-bridged cyclophane: [2.2.2](1,3,5)cyclophane-1,9,17-triene, *Chem. Phys. Lett.* **17**, 410 (1972).
- [3648] Bock, H., and Wittel, K. Photoelectron spectra and molecular properties of *trans*-dihalogenoethylenes: substituent effects spin-orbit coupling, *J. Chem. Soc. Chem. Commun.* 602 (1972).
- [3649] Brundle, C. R., Robin, M. B., Kuebler, N. A., and Basch, H. Perfluoro effect in photoelectron spectroscopy. I. Nonaromatic molecules, *J. Am. Chem. Soc.* **94**, 1451 (1972).
- [3650] Berkowitz, J. Photoelectron spectroscopic studies with a cylindrical-mirror analyzer, in: *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972).
- [3651] Åsbrink, L., Fridh, C., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XVI. Photoelectron, UV, mass and electron impact spectra of pyrimidine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 215 (1972).
- [3652] Paine, R. T., Sodeck, G., and Stafford, F. E. Molecular beam mass spectra and pyrolyses of fluorophosphine-triborane(7) complexes. Formation and mass spectrum of triborane(7), *Inorg. Chem.* **11**, 2593 (1972).
- [3653] Saalfeld, F. E., McDowell, M. V., MacDiarmid, A. G., and Highsmith, R. E. Nature of the bonding between silicon and the cobalt tetracarbonyl group in silylcobalt tetracarbonyl. III. Mass spectral studies of trichlorosilyltrifluorophosphine cobalt carbonyl derivatives, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 197 (1972).
- [3654] Carmichael, P. J., Gowenlock, B. G., and Johnson, C. A. F. Carbon-nitrogen bond dissociation energy values in C-nitrosocompounds, *Intern. J. Chem. Kinet.* **4**, 339 (1972).
- [3655] DeKock, R. L., Higginson, B. R., and Lloyd, D. R. Photoelectron spectra of halides. Part 6.—The spectra of SF₃Cl, BrF₃ and IF₃, *Faraday Discuss. Chem. Soc.* **54**, 84 (1972).
- [3656] Cradock, S., and Whiteford, R. A. Photoelectron spectra of the methyl, silyl and germyl derivatives of the group VI elements, *J. Chem. Soc. Faraday Trans. II* **68**, 281 (1972). (RN-CAS Registry Number XXXXX-XX-X)
- [3657] Dewar, M. J. S., and Goodman, D. W. Photoelectron spectra of molecules. Part 5.—Polycyclic aromatic hydrocarbons, *J. Chem. Soc. Faraday Trans. II* **68**, 1784 (1972).
- [3658] Chizhov, Yu. V., Kleimenov, V. I., Medynskii, G. S., and Vilesov, F. I. Photoelectron spectroscopy study of benzene, *Opt. Spektrosk.* **33**, 661 (1972) [Engl. transl.: *Opt. Spectry. (USSR)* **33**, 365 (1972)].
- [3659] Chadwick, D., Frost, D. C., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of some bromoethylenes and 2-bromopropene, *Can. J. Chem.* **50**, 2642 (1972).
- [3660] Cowan, D. O., Gleiter, R., Glemser, O., and Heilbronner, E. The photoelectron spectra of NSCl, NSF and NSF₃, *Helv. Chim. Acta* **55**, 2418 (1972).
- [3661] Cradock, S., Ebsworth, E. A. V., Savage, W. J., and Whiteford, R. A. Photoelectron spectra of some methyl, silyl and germyl amines, phosphines and arsines, *J. Chem. Soc. Faraday Trans. II* **68**, (1972).
- [3662] Cradock, S., and Rankin, D. W. H. Photoelectron spectra of PF₂H and some substituted difluorophosphines, *J. Chem. Soc. Faraday Trans. II* **68**, 940 (1972).
- [3663] Cradock, S., and Savage, W. The photoelectron spectrum and electronic structure of hexamethyltungsten, *Inorg. Nucl. Chem. Lett.* **8**, 753 (1972).
- [3664] Collin, J. E., Delwiche, J., and Natalis, P. Autoionization observed by photoelectron spectrometry at different wavelengths, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Publishing Co., Amsterdam, 1972) p. 401.
- [3665] Dixon, R. N., Duxbury, G., Fleming, G. R., and Hugo, J. M. V. The photoelectron spectrum of thiazyl fluoride, *Chem. Phys. Lett.* **14**, 60 (1972).
- [3666] DeKock, R. L., Lloyd, D. R., Breeze, A., Collins, G. A. D., Cruickshank, D. W. J., and Lempka, H. J. Photoelectron spectroscopy and ab initio LCAO MO SCF calculations on thiazyl fluoride, *Chem. Phys. Lett.* **14**, 52 (1972).
- [3667] Chadwick, D. Photoelectron spectra of phosgene and thiophosgene, *Can. J. Chem.* **50**, 737 (1972).
- [3668] Clark, P. A., and Brogli, F., and Heilbronner, E. The π -orbital energies of the acenes, *Helv. Chim. Acta* **55**, 1415 (1972).
- [3669] Cox, P. A., Evans, S., Orchard, A. F., Richardson, N. V., and Roberts, P. J. Simple quantitative molecular orbital methods used in connection with photoelectron spectroscopy, *Faraday Discuss. Chem. Soc.* **54**, 26 (1972).
- [3670] Cradock, S., Ebsworth, E. A. V., and Murdoch, J. D. Photoelectron spectra of some Group 4 pseudohalides and related compounds, *J. Chem. Soc. Faraday Trans. II* **68**, 86 (1972).
- [3671] Cornford, A. B., Frost, D. C., Herring, F. G., and McDowell, C. A. Photoelectron spectra of some free radicals, *Faraday Discuss. Chem. Soc.* **54**, 56 (1972).
- [3672] Blake, A. J. Photoionization study of mercury by photoelectron spectroscopy, *Proc. Roy. Soc. (London)* **325**, 555 (1971).
- [3673] Bock, H., and Fuss, W. Arguments concerning the orbital sequence in borazin, *Angew. Chem. Intern. Ed.* **10**, 182 (1971).
- [3674] Plotnikov, V. F., Bogolyubov, G. M., Maretina, I. A., and Petrov, A. A. Organic derivatives of elements of Groups V and VI. V. Mass spectra of 1-buten-3-ynylamines, *Zh. Org. Khim.* **5**, 1157 (1969) [Engl. transl.: *J. Org. Chem. USSR* **5**, 1137 (1969)].
- [3675] DeKock, R. L., Lloyd, D. R., Hillier, I. H., and Saunders, V. R. Experimental and theoretical study of the electronic structures of sulphuryl fluoride and perchloryl fluoride, *Proc. Roy. Soc. (London)* **328**, 401 (1972).
- [3676] Evans, S. General discussion, *Faraday Discuss. Chem. Soc.* **54**, 143 (1972).
- [3677] Evans, S., Green, J. C., Joachim, P. J., Orchard, A. F., Turner, D. W., and Maier, J. P. Electronic structures of the Group IV_B tetramethyls by helium-(I) photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II* **68**, 905 (1972).

- [3678] Frost, D. C., Herring, F. G., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of CH_3SH , $(\text{CH}_3)_2\text{S}$, $\text{C}_6\text{H}_5\text{SH}$, and $\text{C}_6\text{H}_5\text{CH}_2\text{SH}$; the bonding between sulfur and carbon, *J. Phys. Chem.* **76**, 1030 (1972).
- [3679] Gleiter, R., Heilbronner, E., and Hornung, V. Photoelectron spectra of azabenzenes and azanaphthalenes: I. Pyridine, diazines *s*-triazine and *s*-tetrazine, *Helv. Chim. Acta* **55**, 255 (1972).
- [3680] DeKock, R. L., Higginson, B. R., Lloyd, D. R., Breeze, A., Cruickshank, D. W. J., and Armstrong, D. R. Photoelectron spectra of halides. V. Experimental and theoretical study of the electronic structures of ClF , ClF_3 , BrF and BrF_3 , *Mol. Phys.* **24**, 1059 (1972).
- [3681] Evans, S., Hamnett, A., and Orchard, A. F. The relative orbital energies of metal and ligand electrons in some tris(hexafluoroacetylacetonato) transition-metal complexes, *J. Coord. Chem.* **2**, 57 (1972).
- [3682] Evans, S., Hamnett, A., Orchard, A. F., and Lloyd, D. R. Study of the metal-oxygen bond in simple tris-chelate complexes by He(I) photoelectron spectroscopy, *Faraday Discuss. Chem. Soc.* **54**, 227 (1972).
- [3683] Evans, S., Joachim, P. J., Orchard, A. F., and Turner, D. W. A study of the orbital electronic structure of the P_4 molecule by photoelectron spectroscopy, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 41 (1972).
- [3684] Eland, J. H. D. Photoelectron spectra and ionization potentials of aromatic hydrocarbons, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 214 (1972).
- [3685] Heilbronner, E., Hornung, V., Pinkerton, F. H., and Thames, S. F. 31. Photoelectron spectra of azabenzenes and azanaphthalenes: III. The orbital sequence in methyl- and trimethylsilyl- substituted pyridines, *Helv. Chim. Acta* **55**, 289 (1972).
- [3686] Evans, S., Green, J. C., and Jackson, S. E. He(I) photoelectron spectra of some π -arene complexes, *J. Chem. Soc. Faraday Trans. II* **68**, 249 (1972).
- [3687] Heilbronner, E., and Martin, H. D. The π -orbital sequence in norbornadiene and related hydrocarbons, *Helv. Chim. Acta* **55**, 1490 (1972).
- [3688] Evans, S., Green, M. L. H., Jewitt, B., Orchard, A. F., and Pygall, C. F. Electronic structure of metal complexes containing π -cyclopentadienyl and related ligands, *J. Chem. Soc. Faraday Trans. II* **68**, 1847 (1972).
- [3689] McDowell, C. A. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 67 (1972).
- [3690] Frost, D. C., Lee, S. T., and McDowell, C. A. The high resolution photoelectron spectrum of CS , *Chem. Phys. Letters* **17**, 153 (1972).
- [3691] Jonathan, N., Morris, A., Okuda, M., Ross, K. J., and Smith, D. J. Photoelectron spectroscopy of transient species. The CS molecule, *Faraday Discuss. Chem. Soc.* **54**, 48 (1972).
- [3692] McDowell, C. A. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 68 (1972).
- [3693] Herring, F. G. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 68 (1972).
- [3694] Chadwick, D., Cornford, A. B., Frost, D. C., Herring, F. G., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of some dihalocompounds, in *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Publishing Co., Amsterdam, 1972) p. 453.
- [3695] Potts, A. W., Glenn, K. G., and Price, W. C. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 65 (1972).
- [3696] King, G. H., Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of a short-lived species in the decomposition products of CS_2 , *Chem. Phys. Letters* **13**, 457 (1972).
- [3697] Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of an unstable species in the pyrolysis products of dimethyldisulphide, *Chem. Phys. Letters* **15**, 545 (1972).
- [3698] Morris, A. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3699] Lloyd, D. R., and Lynaugh, N. Photoelectron studies of boron compounds. Part 3. Complexes of borane with Lewis bases, *J. Chem. Soc. Faraday Trans. II* **68**, 947 (1972).
- [3700] Potts, A. W., Glenn, K. G., and Price, W. C. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3701] Jonathan, N., Morris, A., Okuda, M., and Smith, D. J. Electron spectroscopy of transient species, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972) p. 345.
- [3702] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy. Part I. Biphenyls, *Faraday Discuss. Chem. Soc.* **54**, 149 (1972).
- [3703] Maier, J. P., and Turner, D. W. Photoelectron spectroscopy and the geometry of the phosphine and phosphorous trifluoride molecular ions, *J. Chem. Soc. Faraday Trans. II* **68**, 711 (1972).
- [3704] King, G. H., Krishnamurthy, S. S., Lappert, M. F., and Pedley, J. B. Bonding studies of compounds of boron and the Group 4 elements. Part 9. Photoelectron spectra and bonding studies of halogeno-, dimethylamino-, and methyl-boranes, BX_3 and BX_2Y , *Faraday Discuss. Chem. Soc.* **54**, 70 (1972).
- [3705] Mines, G. W., Thomas, R. K., and Thompson, H. Photoelectron spectra of compounds containing thionyl and sulphuryl groups, *Proc. Roy. Soc. (London)* **A329**, 275 (1972).
- [3707] King, G. H., Murrell, J. N., and Suffolk, R. J. The vacuum-ultraviolet photoelectron spectra of fluoropyridines, *J. Chem. Soc. Dalton Trans.*, 564 (1972).
- [3708] Kroto, H. W., and Suffolk, R. J. The photoelectron spectrum of F_2CS and fluorine substitution shifts, *Chem. Phys. Letters* **17**, 213 (1972).
- [3709] Lynaugh, N., Lloyd, D. R., Guest, M. F., Hall, M. B., and Hillier, I. H. Photoelectron studies of boron compounds. Part 4. Experimental and theoretical studies of diboron tetrachloride and diboron tetrafluoride, *J. Chem. Soc. Faraday Trans. II* **68**, (1972).
- [3710] Murrell, J. N., and Schmidt, W. Photoelectron spectroscopic correlation of the molecular orbitals of methane, ethane, propane, isobutane and neopentane, *J. Chem. Soc. Faraday Trans. II* **68**, 1709 (1972).
- [3711] Lloyd, D. R., and Lynaugh, N. Photoelectron spectra of the bis- $(\pi$ -allyl) complexes of nickel and palladium, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972) p. 445.

- [3712] Morishima, I., Yoshikawa, K., Yonezawa, T., and Matsumoto, H. Photoelectron spectral studies of organic free radicals. The nitroxide radical, *Chem. Phys. Letters* **16**, 336 (1972).
- [3713] Klessinger, M. Ionization potentials of substituted benzenes, *Angew. Chem. Intern. Ed.* **11**, 525 (1972).
- [3714] Okuda, M. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 140 (1972).
- [3715] Potts, A. W., Williams, T. A., and Price, W. C. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 140 (1972).
- [3716] Potts, A. W., and Price, W. C. The photoelectron spectra of methane, silane germane and stannane, *Proc. Roy. Soc. (London)* **A165**, (1972).
- [3717] Jonathan, N. General Discussion, *Faraday Discuss. Chem. Soc.* **54**, 64 (1972).
- [3718] Sweigart, D. A., and Turner, D. W. Lone pair orbitals and their interactions studied by photoelectron spectroscopy. I. Carboxylic acids and their derivatives, *J. Am. Chem. Soc.* **94**, 5592 (1972).
- [3719] Potts, A. W., and Price, W. C. Photoelectron spectra and valence shell orbital structures of groups V and VI hydrides, *Proc. Roy. Soc. (London)* **A326**, 181 (1972).
- [3720] Fridh, C., Åsbrink, L., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XIV. Photoelectron, UV, mass and electron impact spectra of *s*-triazine, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 85 (1972).
- [3721] Rabalais, J. W. Photoelectron spectroscopic investigation of the electronic structure of nitromethane and nitrobenzene, *J. Chem. Phys.* **57**, 960 (1972).
- [3722] Van Den Ham, D. M. W., and Van Der Meer, D. The photoelectron spectra of the diazanaphthalenes, *Chem. Phys. Letters* **12**, 447 (1972).
- [3723] Van Den Ham, D. M. W., and Van Der Meer, D. Perfluoro effect in the photoelectron spectra of quinoline and isoquinoline, *Chem. Phys. Letters* **15**, 549 (1972).
- [3724] Palmer, M. H., and Findlay, R. H. Ab initio molecular orbital calculations, the electronic structure and electron spectrum of norbornadiene, *Chem. Phys. Letters* **15**, 416 (1972).
- [3725] Rabalais, J. W., Werme, L. O., Bergmark, T., Karlsson, L., Hussain, M., and Siegbahn, K. Electron spectroscopy of open-shell systems: spectra of $\text{Ni}(\text{C}_5\text{H}_5)_2$, $\text{Fe}(\text{C}_5\text{H}_5)_2$, $\text{Mn}(\text{C}_5\text{H}_5)_2$, and $\text{Cr}(\text{C}_5\text{H}_5)_2$, *J. Chem. Phys.* **57**, 1185 (1972).
- [3726] Thomas, R. K., Thompson, H. Photoelectron spectra of carbonyl halides and related compounds, *Proc. Roy. Soc. (London)* **A327**, 13 (1972).
- [3727] Robin, M. B., Brundle, C. R., Kuebler, N. A., Ellison, G. B., and Wiberg, K. B. Photoelectron spectra of small rings. IV. The unsaturated three-membered rings, *J. Chem. Phys.* **57**, 1758 (1972).
- [3728] Rabalais, J. W., Bergmark, T., Werme, L. O., Karlsson, L., Hussain, M., and Siegbahn, K. The high-resolution electron spectrum of carbon suboxide, *Electron Spectroscopy*, ed. D. A. Shirley (North-Holland Pub. Co., Amsterdam, 1972), p. 425.
- [3729] Adamchuk, V. K., Dmitriev, A. B., Prudnikova, G. V., and Sorokin, L. S. Photoionization of low-volatility molecules in a geiger counter, *Opt. Spektrosk.*, **33**, 358 (1972) [Eng. transl. *Opt. Spectrosc. USSR* **33**, 191 (1972)].
- [3730] Daisey, J. M., and Sonnessa, A. J. A study of the thermodynamic and spectral properties of molecular complexes of iodine with several aminopyridines, *J. Phys. Chem.* **76**, 1895 (1972).
- [3731] DiLorenzo, G., Galloni, G., Trombetti, A., and Zauli, C. Electronic spectrum of thiophen and some deuterated thiophens, *J. Chem. Soc. Faraday Trans. II* **68**, 2009 (1972).
- [3732] Lossing, F. P. Free radicals by mass spectrometry. XLIV. Ionization potentials and bond dissociation energies for chloro- and fluoromethyl radicals, *Bull. Soc. Chim. Belges* **81**, 125 (1972).
- [3733] Sweigart, D. A., and Turner, D. W. Lone pair orbitals and their interactions studied by photoelectron spectroscopy. II. Equivalent orbitals in saturated oxygen and sulfur heterocycles, *J. Am. Chem. Soc.* **94**, 5599 (1972).
- [3734] Thomas, R. K. Photoelectron spectroscopy of hydrogen-bonded systems: spectra of monomers, dimers and mixed complexes of carboxylic acids, *Proc. Roy. Soc. (London)* **A331**, 249 (1972).
- [3735] Gross, M. L. Ion cyclotron resonance spectrometry. A means of evaluating 'kinetic shifts', *Org. Mass Spectrom.* **6**, 827 (1972).
- [3736] Salmona, Y. F., and Vincent, E.-J. Études expérimentales et théoriques de potentiels d'ionisation de dérivés de la série de l'isothiazole, *C. R. Acad. Sci., Ser. C* **273**, 863 (1971).
- [3737] Lageot, C. Étude des états excités de l'ion HCN^+ , *J. Chim. Phys. Phys.-Chim. Biol.* **68**, 214 (1972).
- [3738] Wanczek, K.-P., Lebert, K.-H., and Hartmann, H. Untersuchung der Ion-Molekül-Reaktionen des Thiothionylfluorids mit Hilfe der Ionen-Cyclotronresonanz-Spektrometrie, *Z. Naturforsch.* **27a**, 155 (1972).
- [3739] Mason, D. C., Kuppermann, A., and Mintz, D. M. Angular distribution of electrons from the photoionization of ethylene, in *Electron Spectroscopy*, ed. D. A. Shirley (North Holland, Amsterdam, 1972) p. 269.
- [3740] Fridh, C., Åsbrink, L., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules XVIII. Photoelectron, UV, mass, and electron impact spectra of *s*-tetrazine, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 485 (1972).
- [3741] Haselbach, E., Heilbronner, E., Musso, H., and Schmelzer, A. Notiz über die Photoelektronen-Spektren des Nortricyclens und des Triasterans, *Helv. Chim. Acta* **55**, 302 (1972).
- [3742] Donovan, R. J., Little, D. J., and Konstantatos, J. Vacuum ultraviolet spectra of transient molecules and radicals, *J. Chem. Soc. Faraday Trans. II* **68**, 1812 (1972).
- [3743] Gole, J. L., and Margrave, J. L. The vacuum ultraviolet spectrum of molecular fluorine, *J. Mol. Spectry.* **43**, 65 (1972).
- [3744] Sugar, J., and Reader, J. Ionization energies of doubly and triply ionized rare earths, *J. Opt. Soc. Am.* **62**, 1371 (1972).
- [3745] Cabaud, B., Hoareau, A., Nounou, P., and Uzan, R. Étude des processus d'ionisation à haute température des vapeurs métalliques par couplage d'une cellule de knudsen et d'une source fox. II. Interprétation des processus d'autoionisation des vapeurs métalliques monoatomiques et influence de la température sur les courbes d'efficacité d'ionisation, *Int. J. Mass*

- Spectrom. Ion Phys. **8**, 181 (1972).
- [3746] Wittel, K., Hass, A., and Bock, H. Photoelektronenspektren und Moleküleigenschaften, XVI. Thiocarbonylhalogenide-Orbitale und Ladungen, Chem. Ber. **105**, 3865 (1972).
- [3747] Barz, P., and Fritz, H. P. Untersuchungen an biochemischen Ligandensystemen, V. Komplexchemische und physikalisch-chemische Untersuchungen am 1,2-Dimethylhydrazin, Z. Naturforsch. **27b**, 1131 (1972).
- [3748] Boschi, R. A., and Salahub, D. R. The far ultra-violet spectra of some 1-iodoalkanes, Mol. Phys. **24**, 289 (1972).
- [3749] Doucet, J., Sauvageau, P., and Sandorfy, C. The vacuum ultraviolet spectrum of tetrahydrofuran, Chem. Phys. Letters **17**, 316 (1972).
- [3750] Fridh, C., Åsbrink, L., Jonsson, B. Ö., and Lindholm, E. Rydberg series in small molecules. XV. Photoelectron, UV, mass and electron impact spectra of pyrazine, Intern. J. Mass Spectrom. Ion Phys. **8**, 101 (1972).
- [3751] Salahub, D. R., and Boschi, R. A. The far ultraviolet spectrum of iodoacetylene, Chem. Phys. Letters **16**, 320 (1972).
- [3752] Sergeev, Yu. L., Akopyan, M. E., and Vilesov, F. I. Photoionization of the phenyl radical, Opt. Spektrosk. **32**, 230 (1972) [Engl. transl.: Opt. Spectry. (USSR) **32**, 121 (1972)].
- [3753] Stebbings, W. L., and Taylor, J. W. Photoionization mass spectrometry. II. Contrasting fragmentation of toluene by photons and by electrons, Intern. J. Mass Spectrom. Ion Phys. **9**, 471 (1972).
- [3754] Kaufman, V., and Minnhagen, L. Accurate ground-term combinations in NeI, J. Opt. Soc. Am. **62**, 92 (1972).
- [3755] Narayan, B. Spectra and ionization potential of cyanoacetylene, Proc. Indian Acad. Sci. A **75**, 92 (1972).
- [3756] Radziemski, L. J., and Kaufman, V. New wavelengths and energy levels in the spectrum of singly ionized chlorine (Cl II), J. Opt. Soc. Am. **62**, 1371 (1972).
- [3757] Raymond, J. W. Rydberg states in cyclic alkanes, J. Chem. Phys. **56**, 3912 (1972).
- [3758] Pitt, C. G., Carey, R. N., and Toren, E. C. Nature of the electronic interactions in aryl-substituted polysilanes, J. Am. Chem. Soc. **94**, 3806 (1972).
- [3759] Nishida, S., Moritani, I., and Teraji, T. Ionization potentials of cyclopropylethylenes, J. Chem. Soc. Chem. Commun., 1114 (1972).
- [3760] Ogawa, M., and Ogawa, S. Absorption spectrum of CO in the Hopfield helium continuum region, 600–1020 Å, J. Mol. Spectry. **41**, 393 (1972).
- [3761] Narayana, B., and Price, W. C. Ionization of the σ^*2s orbital of NO and configuration interaction effects on the spin-split states arising from inner orbital ionization in paramagnetic molecules, J. Phys. B **5**, 1784 (1972).
- [3762] Ackermann, F., Lefebvre-Brion, H., and Roche, A. L. Calculated Rydberg states of the PO molecule, Can. J. Phys. **50**, 692 (1972).
- [3763] Takezawa, S., and Tanaka, Y. Absorption spectrum of HD in the vacuum-uv region. Rydberg states and ionization energy, J. Chem. Phys. **56**, 6125 (1972).
- [3764] Gilbert, R., Sauvageau, P., and Sandorfy, C. Far-UV and photoelectron spectra of 1,3,5-trifluorobenzene, Chem. Phys. Letters **17**, 465 (1972).
- [3765] Vilesov, F. I. The photoionization of vapors of compounds whose molecules contain carbonyl groups, Dokl. Akad. Nauk SSSR **132**, 1332 (1960) [Engl. transl.: Dokl. Phys. Chem. **132**, 521 (1960)].
- [3766] Akopyan, M. E., and Loginov, Yu. V. Mass-spectrometric study of the photoionization of free α -aminoacids, Khim. Vys. Energ. **1**, 97 (1967) [Engl. transl.: High Energy Chem. **1**, 83 (1967)].
- [3767] Polyakova, A. A., Zimina, K. I., Petrov, A. A., and Khmel'nitskii, R. A. Mass spectra and the structure of vinylacetylenes, Dokl. Akad. Nauk SSSR **127**, 386 (1959) [Engl. transl.: Dokl. Phys. Chem. **127**, 597 (1959)].
- [3768] Velasco, R. Espectro ultravioleta de la molecula Li₂, An. R. Soc. Esp. Fis. Quim. **175**, (1960).
- [3769] Gil'burd, M. M., Syrvatka, B. G., Shevchuk, V. U., Bel'ferman, A. L., and Moin, F. B. Mass spectrometric study of fluorine-containing compounds. I. Comparative study of methylacetylene and difluoromethylacetylene, Khim. Vys. Energ. **1**, 411 (1967) [Engl. transl.: High Energy Chem. **1**, 359 (1967)].
- [3770] Herzberg, G., and Jungen, Ch. Rydberg series and ionization potential of the H₂ molecule, J. Mol. Spectry. **41**, 425 (1972).
- [3771] Marr, G. V., and Wherrett, S. R. The ionization of caesium vapour by the method of space charge amplification, J. Phys. B **5**, 1735 (1972).
- [3772] Scheps, R., Florida, D., and Rice, S. A. Comments on the Rydberg spectrum of pyrazine, J. Mol. Spectry. **44**, 1 (1972).
- [3773] Iverson, A. A., and Russell, B. R. A medium resolution study of allene in the vacuum ultraviolet. I. Spectra and a preliminary ionization potential, Spectrochim. Acta **28A**, 447 (1972).
- [3774] Neckel, A., and Sodeck, G. Bestimmung der Dissoziationsenergien der gasförmigen Moleküle CuGe, AgGe and AuGe, Monatsh. Chem. **103**, 367 (1972).
- [3775] Scott, J. D., and Russell, B. R. Vacuum-ultraviolet spectral studies of several chlorofluoroethylenes, J. Am. Chem. Soc. **94**, 2634 (1972).
- [3776] Tajima, S., and Tsuchiya, T. The effects of the repeller voltage and the shield voltage on appearance potential measurements by electron impact, Shitsurgo Bunseki **20**, 117 (1972).
- [3777] Bock, H., and Stafast, H. Photoelektronenspektren und Moleküleigenschaften, IX. Die π -Systeme der *cis*- und *trans*-Dicyan-äthylene, Chem. Ber. **105**, 1158 (1972).
- [3778] Ferreira, M. A. A., and Costa, M. L. Impacto electrónico no óxi-sulfureto de carbono: potenciais de aparecimento de iões positivos, calores de formação e energias de dissociação, Rev. Port. Quim., **14**, 21 (1972).
- [3779] Brogli, F., Heilbronner, E., and Ipaktschi, J. Die Wechselwirkung zwischen Walsh- und π -Orbitalen im 7-Cyclopropylen-norbornadien, Helv. Chem. Acta **55**, 2447 (1972).
- [3780] Bock, H., Wagner, G., and Kroner, J. Photoelektronenspektren und Moleküleigenschaften, XIV. Die Delokalisation des Schwefel-Elektronenpaares in CH₃S-substituierten Aromaten, Chem. Ber. **105**, 3850 (1972).

- [3782] Schmidbaur, H., and Vornberger, W. Die Organosiliciumchemie der Phosphor-Ylide, XVI. Si-Si-Struktureinheiten als Carbanion-Substituenten in Yliden, *Chem. Ber.* **105**, 3173 (1972).
- [3783] Preiss, H. Massenspektrometrische Untersuchungen an einigen Halogeniden der 5. Haupt- und Nebengruppe, *Z. Anorg. Allg. Chem.* **389**, 280 (1972).
- [3784] Bentley, T. W., Johnstone, R. A. W., and McMaster, B. N. Appearance potentials of metastable and normal ions and the kinetic shift, *J. Chem. Soc. Chem. Commun.*, 510 (1973).
- [3785] Foner, S. N., and Hudson, R. L. Mass spectrometric studies of tetrafluorohydrazine and the difluoroamino radical, *J. Chem. Phys.* **58**, 581 (1973).
- [3786] Gaivoronskii, P. E., Larin, N. V., Sirotkin, N. I., Artemov, A. N., and Shushunov, N. V. Study of arenechromium tricarbonyl complexes by mass spectrometry, *Izv. Akad. Nauk SSSR, Ser. Khim.* **11**, 2618 (1973) [Engl. transl.: *Bull. Acad. Sci. USSR, Div. Chem. Sci.* **22**, 2557 (1973)].
- [3787] Aloisi, G. G., and Pignataro, S. Molecular complexes of substituted thiophenes with σ and π acceptors, *J. Chem. Soc. Faraday Trans. I* **69**, 534 (1973).
- [3788] Gilbert, J. R., Leach, W. P., and Miller, J. R. Ionisation and appearance potential measurements in arene chromium tricarbonyls, *J. Organometal. Chem.* **49**, 219 (1973).
- [3789] Hvistendahl, G., Undheim, K., and Györösi, P. Mass spectrometry of tropylium halides, *Org. Mass Spectrom.* **7**, 903 (1973).
- [3790] Gross, M. L., and Aerni, R. J. The unusual loss of hydrogen from ionized 1,5-hexadiyne, *J. Am. Chem. Soc.* **95**, 7875 (1973).
- [3791] Flesch, G. D., and Svec, H. J. Fragmentation reactions in the mass spectrometer for C_2-C_5 alkanes, *J. Chem. Soc. Faraday Trans. II* **69**, 1187 (1973).
- [3792] Benoit, F. The benzoyl cation: The participation of isolated electronic excited states in the dissociation of molecular ions of the form $[C_6H_5COX]^+$, *Org. Mass Spectrom.* **7**, 1407 (1973).
- [3793] Begun, G. M., and Compton, R. N. Electron impact ionization studies of ferrocene, cobaltocene, nickelocene, and magnesocene, *J. Chem. Phys.* **58**, 2271 (1973).
- [3794] Branton, G. R., and Pua, C. K. N. Low energy electron impact ionization and fragmentation—cyclobutanone, *Can. J. Chem.* **51**, 624 (1973).
- [3795] Ackermann, R. J., and Rauh, E. G. The preparation and characterization of the metastable monoxides of thorium and uranium, *J. Inorg. Nucl. Chem.* **35**, 3787 (1973).
- [3796] Cuthill, A. M., Fabian, D. J., and Shu-Shou-Shen, S. Bond dissociation energies of the metallic vapor species aluminum-silver and aluminum-gold measured by Knudsen-cell mass spectrometry, *J. Phys. Chem.* **77**, 2008 (1973).
- [3797] Crowe, A., and McConkey, J. W. Dissociative ionization by electron impact II. N^+ and N^{++} from N_2 , *J. Phys. B (Proc. Phys. Soc.)* **6**, 2108 (1973).
- [3798] Cocke, D. L., Gingerich, K. A., and Kordis, J. Mass spectrometric observation of gaseous EuCN and the determination of its atomization energy, *J. Chem. Soc. Chem. Commun.* 561 (1973).
- [3799] Crowe, A., and McConkey, J. W. Dissociative ionization by electron impact. I. Protons from H_2 , *J. Phys. B (Proc. Phys. Soc.)* **6**, 2088 (1973).
- [3800] Ciach, S., Knowles, D. J., Nicholson, A. J. C., and Swingler, D. L. Vaporization of tin(II) halides. I. Stannous chloride and stannous bromide, *Inorg. Chem.* **12**, 1443 (1973).
- [3801] Farber, M., and Srivastava, R. D. Effusion-mass spectrometric study of thermodynamic properties of vanadium and vanadium nitride, *J. Chem. Soc. Faraday Trans. I* **69**, 390 (1973).
- [3802] Ciach, S., Nicholson, A. J. C., Swingler, D. L., and Thistlethwaite, P. J. Mass spectrometric study of the vapor phase over neodymium chloride and gadolinium chloride, *Inorg. Chem.* **12**, 2072 (1973).
- [3803] Jalonen, J., Pasanen, P., and Pihlaja, K. Ionisation and appearance potentials in the evaluation of nonbonded interactions. IV: Conformational effects in methyl-substituted 1,3-oxathianes, *Org. Mass Spectrom.* **7**, 949 (1973).
- [3804] Distefano, G., Pignataro, S., Innorta, G., Fringuelli, F., Marino, G., and Taticchi, A. Ionization energies of selenophen, tellurophen and some of their derivatives, *Chem. Phys. Letters* **22**, 132 (1973).
- [3805] Rakita, P. E., Hoffman, M. K., Andrews, M. N., and Bursey, M. M. σ - π Conjugation in group IVA compounds of indene and indane, *J. Organometal. Chem.* **49**, 213 (1973).
- [3806] Pignataro, S., Mancini, V., Innorta, G., and Distefano, G. Ionization energies and ring orbital interaction in diarylmethanes and diarylethanes, *Z. Naturforsch.* **27**, 534 (1972).
- [3807] Innorta, G., Torroni, S., Pignataro, S., and Mancini, V. The activation energy as guiding factor in the fragmentation of substituted diphenylmethanes, *Org. Mass Spectrom.* **7**, 1399 (1973).
- [3808] Sen Sharma, D. K., and Franklin, J. L. Heats of formation of free radicals by mass spectrometry, *J. Am. Chem. Soc.* **95**, 6562 (1973).
- [3809] Smolinsky, G., and Vasile, M. J. Mass spectra of vinyltrimethylsilane and vinyltri(methyl-d₃)silane, *Org. Mass Spectrom.* **7**, 1069 (1973).
- [3810] Muenow, D. W. Mass spectrometric evidence for the gaseous silicon oxide nitride molecule and its heat of atomization, *J. Phys. Chem.* **77**, 970 (1973).
- [3811] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. II. NH_3 and PH_3 , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 277 (1973).
- [3812] Momigny, J., Mathieu, G., Wankenne, H., and Ferreira, M. A. A. Collision- and non-collision-induced predissociation in the appearance of S^+ and CS^+ ions from CS_2 under electron impact, *Chem. Phys. Letters* **21**, 606 (1973).
- [3813] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. III. CH_4 and SiH_4 , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 289 (1973).
- [3814] Saalfeld, F. E., McDowell, M. V., DeCorpo, J. J., Berry, A. D., and MacDiarmid, A. G. Mass spectral studies of some manganese carbonyls, *Inorg. Chem.* **12**, 48 (1973).
- [3815] Glockling, F., Morrison, R. J., and Wilson, J. W. Diphenylberyllium: electron impact and calorimetric studies, *J. Chem. Soc. Dalton Trans.* 94 (1973).

- [3816] Hildenbrand, D. L. Dissociation energies of the molecules AlO and Al_2O , *Chem. Phys. Letters* **20**, 127 (1973).
- [3817] Henion, J. D., and Kingston, D. G. I. Mass spectrometry of organic compounds. VII. Energetics of substituent isomerization in diphenyl sulfide and diphenyl ether, *J. Am. Chem. Soc.* **95**, 8358 (1973).
- [3818] Hildenbrand, D. L. Mass spectrometric studies of some gaseous sulfur fluorides, *J. Phys. Chem.* **77**, 897 (1973).
- [3819] Drowart, J., Myers, C. E., Szwarc, R., Vander Auwera-Mahieu, A., and Uy, O. M. Determination by the mass spectrometric Knudsen cell method of the atomization energies of the molecules PO and PO_2 , *J. Chem. Soc. Faraday Trans. II* **68**, 1749 (1972).
- [3820] Hirayama, C., and Castle, P. M. Mass spectra of rare earth triiodides, *J. Phys. Chem.* **77**, 3110 (1973).
- [3821] Panchenkov, I. G., Gusarov, A. V., and Gorokhov, L. N. Dissociation energy of the barium oxide molecule, *Zh. Fiz. Khim.* **47**, 101 (1973) [Engl. transl. *Russ. J. Phys. Chem.* **47**, 55 (1973)].
- [3822] Condorelli, G., Fragalà, I., Centineo, G., and Tondello, E. The electronic structure and photoelectron spectra of Ni^{II} , Cu^{II} and Pd^{II} complexes with N,N' -ethylene-bis(acetylacetoniminato) dianion, *Inorg. Chim. Acta* **7**, 725 (1973).
- [3823] Scheppele, S. E., Mitchum, R. K., Kinneberg, K. F., Meisels, G. G., and Emmel, R. H. Internal energy distributions and the fragmentation of gaseous organic ions. Dissociation of ions produced by electron impact on 4-methylbenzil, *J. Am. Chem. Soc.* **95**, 5105 (1973).
- [3824] Cowling, S. A., Johnstone, R. A. W., Gorman, A. A., and Smith, P. G. Photoelectron spectrum of 5-methylenenorborn-2-ene and through-space interactions (homobutadiene conjugation), *J. Chem. Soc. Chem. Commun.* 627 (1973).
- [3825] Cowley, A. H., Dewar, M. J. S., Goodman, D. W., Schweiger, J. R. Stereochemical dependence of lone pair interactions in the photoelectron spectra of nitrogen-phosphorus compounds, *J. Am. Chem. Soc.* **95**, 6506 (1973).
- [3826] Bain, A. D., and Frost, D. C. Studies of the carbonyl group in some five-membered ring compounds by photoelectron spectroscopy, *Can. J. Chem.* **51**, 1245 (1973).
- [3827] Cradock, S., Ebsworth, E. A. V., and Robertson, A. Photoelectron spectra of some silyl and germyl transition-metal carbonyls and related species, *J. Chem. Soc. Dalton Trans.* 22 (1973).
- [3828] Boyd, R. J., Bünzli, J. C., Snyder, J. P., and Heyman, M. L. Photoelectron spectra of 2,3-diazabicyclo[2.2. n]alk-2-enes ($n = 1,2,3,4$), *J. Am. Chem. Soc.* **95**, 6478 (1973).
- [3829] Eley, D. D., Hazeldine, D. J., and Palmer, T. F. Mass spectra, ionisation potentials and related properties of metal-free and transition metal phthalocyanines, *J. Chem. Soc. Faraday Trans. II* **69**, 1808 (1973).
- [3830] Evans, S., Green, J. C., and Jackson, S. E. He-(I) photoelectron spectra of some metal complexes containing the ligands trimethylsilylmethyl and neopentyl, *J. Chem. Soc. Faraday Trans. II* **69**, 191 (1973).
- [3831] Berkowitz, J., Dehmer, J. L., and Appelman, E. H. Photoelectron spectrum of hypofluorous acid, HOF , *Chem. Phys. Letters* **19**, 334 (1973).
- [3832] Batich, C., Heilbronner, E., Hornung, V., Ashe, A. J., Clark, D. T., Cobley, U. T., Kilcast, D., and Scanlan, I. Photoelectron spectra of phosphabenzene, arsabenzene, and stibabenzene, *J. Am. Chem. Soc.* **95**, 928 (1973).
- [3833] Cocksey, B. G., Eland, J. H. D., and Danby, C. J. Photoelectron spectra of the zinc and cadmium halides, *J. Chem. Soc. Faraday Trans. II* **69**, 1558 (1973).
- [3834] Dromey, R. G., Morrison, J. D., and Peel, J. B. Time-averaged and deconvoluted photoelectron spectrum of the first band of O_2 , *Chem. Phys. Letters*, **23**, 30 (1973).
- [3835] Bünzli, J. C., Frost, D. C., and McDowell, C. A. Photoelectron spectra of phosphoryl and thiophosphoryl chlorides and bromides, *J. Electron Spectrosc. Relat. Phenom* **1**, 481 (1972/73).
- [3836] Foster, S., Felps, S., Cusachs, L. C., and McGlynn, S. P. Photoelectron spectra of osmium and ruthenium tetroxides, *J. Am. Chem. Soc.* **95**, 5521 (1973).
- [3837] Frost, D. C., Herring, F. G., Katrib, A., and McDowell, C. A. The photoelectron spectrum of ethylene sulphide, *Chem. Phys. Letters* **20**, 401 (1973).
- [3838] Diemann, E., and Müller, A. The He(I) photoelectron spectra of OsO_4 and RuO_4 , *Chem. Phys. Letters* **19**, 538 (1973).
- [3839] Delwiche, J., Natalis, P., Momigny, J., and Collin, J. E. On the photoelectron spectra of HBr and DBr , *J. Electron Spectrosc. Relat. Phenom.* **1**, 219 (1972/73).
- [3840] Frost, D. C., Lee, S. T., and McDowell, C. A. The photoelectron spectrum of HCP and comments on the first photoelectron band of HCN , *Chem. Phys. Letters* **23**, 472 (1973).
- [3841] Frost, D. C., Lee, S. T., and McDowell, C. A. The HeI photoelectron spectrum of S_2O , *Chem. Phys. Letters* **22**, 243 (1973).
- [3842] Bünzli, J. C., Frost, D. C., and Weiler, L. Photoelectron spectrum of 7-thiabicyclo[2.2.1]heptane, *J. Am. Chem. Soc.* **95**, 7880 (1973).
- [3843] Bain, A. D., Bünzli, J. C., Frost, D. C., and Weiler, L. Photoelectron spectra of cyclic ethers, *J. Am. Chem. Soc.* **95**, 291 (1973).
- [3844] Bock, H., Mollère, P., Becker, G., and Fritz, G. Photoelectron spectra and molecular properties. XX. Dimethyl ether, methoxysilane, and disiloxane, *J. Organometal. Chem.* **61**, 113 (1973).
- [3845] Cooks, R. G., Bertrand, M., Beynon, J. H., Rennekamp, M. E., and Setser, D. W. Energy partitioning data as an ion structure probe. Substituted anisoles, *J. Am. Chem. Soc.* **95**, 1732 (1973).
- [3846] Boschi, R., and Schmidt, W. The photoelectron spectrum and structure of sulfur in the gas phase at 140°C , *Inorg. Nucl. Chem. Lett.* **9**, 643 (1973).
- [3847] Beez, M., Bieri, G., Bock, H., and Heilbronner, E. The ionization potentials of butadiene, hexatriene, and their methyl derivatives: evidence for through space interaction between double bond π -orbitals and non-bonded pseudo- π orbitals of methyl groups?, *Helv. Chim. Acta* **56**, 1028 (1973).
- [3848] Houk, K. N., Davis, L. P., Newkome, G. R., Duke, Jr., R. E., and Nauman, R. V. Photoelectron spectroscopy of cyclic β -diketones and their enolone tautomers, *J. Am. Chem. Soc.* **95**, 8364 (1973).

- [3849] Heilbronner, E., Gleiter, R., Hoshi, T., and Meijere, A. The interaction of Walsh-orbitals in diademane and related hydrocarbons, *Helv. Chim. Acta* **56**, 1594 (1973).
- [3850] Schweig, A., Weidner, U., and Manuel, G. Theory and application of photoelectron spectroscopy. XVI. Photoelectron spectroscopy and molecular conformations: Ge-C and Sn-C hyperconjugation and the conformation of allylgermanes and -stannanes, *J. Organometal. Chem.* **54**, 145 (1973).
- [3851] Miller, L. L., Koch, V. R., Koenig, T., Tuttle, M. Photoelectron spectroscopy and the anodic fragmentation of adamantane derivatives, *J. Am. Chem. Soc.* **95**, 5075 (1973).
- [3852] Johnstone, R. A. W., and Mellon, F. A. Photoelectron spectroscopy of sulphur-containing heteroaromatics and molecular orbital calculations, *J. Chem. Soc. Faraday Trans. II* **69**, 1155 (1973).
- [3853] Haselbach, E., and Eberbach, W. The photolysis of tricyclo[4.2.1.0^{2,5}] nonadiene: support of a Dougherty 'Type N' mechanism from photoelectron spectroscopical studies, *Helv. Chim. Acta* **56**, 1944 (1973).
- [3854] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy. Part 2. Phenylethylenes, *J. Chem. Soc. Faraday Trans. II* **69**, 196 (1973).
- [3855] Schmidt, W., Wilkins, B. T., Fritz, G., and Huber, R. Energy level trends in 1,3,5,7-tetrasilaadamantanes ("carborundanes") and related molecules from photoelectron spectroscopy, *J. Organometal. Chem.* **59**, 109 (1973).
- [3856] Khalil, O. S., Meeks, J. L., and McGlynn, S. P. Electronic spectroscopy of highly polar aromatics. VII. Photoelectron spectra of nitroanilines, *J. Am. Chem. Soc.* **95**, 5876 (1973).
- [3857] Koch, E. E., Otto, A., and Radler, K. The absorption spectrum of the anthracene molecule in the vacuum ultraviolet, *Chem. Phys. Letters* **21**, 501 (1973).
- [3858] Schäfer, W., Schweig, A., and Gronowitz, S. Reversal in the sequence of two highest occupied molecular orbitals in the series thiophen, selenophen, and tellurophen, *J. Chem. Soc. Chem. Commun.*, 541 (1973).
- [3859] Schmidt, H., Schweig, A., and Manuel, G. Preliminary communication. Theory and application of photoelectron spectroscopy. XXX. Hg-C hyperconjugation, *J. Organometal. Chem.* **55**, C1 (1973).
- [3860] Haselbach, E., Lanyiova, Z., and Rossi, M. On the correlation between ionization potentials and excitation energies, part III: pyrazine, *Helv. Chim. Acta* **56**, 2889 (1973).
- [3861] Schweig, A., and Thiel, W. Photoionization cross sections: He I and He II photoelectron spectra of saturated three-membered rings, *Chem. Phys. Letters* **21**, 541 (1973).
- [3862] Osafune, K., Katsumata, S., and Kimura, K. Photoelectron spectroscopic study of hydrazine, *Chem. Phys. Letters* **19**, 369 (1973).
- [3863] Mines, G. W., and Thompson, H. W. Photoelectron spectra of vinyl and allyl halides, *Spectrochim. Acta* **29A**, 1377 (1973).
- [3864] Katrib, A., and Rabalais, J. W. Electronic interaction between the vinyl group and its substituents, *J. Phys. Chem.* **77**, 2358 (1973).
- [3865] Lloyd, D. R., Roberts, P. J. The assignment of the photoelectron spectrum of sulphur dioxide, *Mol. Phys.* **26**, 225 (1973).
- [3866] Lichtenberger, D. L., Sarapu, A. C., and Fenske, R. F. Photoelectron spectra and electronic structure of pentacarbonylmanganese halides, *Inorg. Chem.* **12**, 702 (1973).
- [3867] Mollère, P., Bock, H., Becker, G., Fritz, G. Photoelectron spectra and molecular properties. XXI. Dimethyl sulfide, methyl silyl sulfide, and disilyl sulfide, *J. Organometal. Chem.* **61**, 127 (1973).
- [3868] McLean, R. A. N. The bonding of a silicon atom with a phenyl ring: the photoelectron spectrum of phenylsilane, *Can. J. Chem.* **51**, 2089 (1973).
- [3869] Jones, R. W., Koski, W. S. Photoelectron spectrum of pentaborane, *J. Chem. Phys.* **59**, 1228 (1973).
- [3870] Higginson, B. R., Lloyd, D. R., and Roberts, P. J. Variable temperature photoelectron spectroscopy. The adiabatic ionization potential of the iodine molecule, *Chem. Phys. Letters* **19**, 480 (1973).
- [3871] Fehlner, T. P., and Turner, D. W. Photoelectron spectrum of HBS, *J. Am. Chem. Soc.* **95**, 7175 (1973).
- [3872] Goodman, D. W., Dewar, M. J. R., Schweiger, J. R., and Cowley, A. H. The photoelectron spectrum of phosphorus pentafluoride, *Chem. Phys. Letters* **21**, 474 (1973).
- [3873] Streets, D. G., and Ceasar, G. P. Inductive and mesomeric effects on the π orbitals of halobenzenes, *Mol. Phys.* **26**, 1037 (1973).
- [3874] Watanabe, I., Yokoyama, Y., and Ikeda, S. Lone pair ionization potentials of carboxylic acids determined by He(I) photoelectron spectroscopy, *Bull. Chem. Soc. Japan* **46**, 1959 (1973).
- [3875] Sugar, J. Ionization energies of the neutral actinides, *J. Chem. Phys.* **59**, 788 (1973).
- [3876] Evans, K., Scheps, R., Rice, S. A., and Heller, D. Primary photochemical and photophysical processes in chloro- and bromo-acetylene, *J. Chem. Soc. Faraday Trans. II* **69**, 856 (1973).
- [3877] Aihara, J., and Inokuchi, H. Ionization potentials of anthracene, *Chem. Letters*, 421 (1973).
- [3878] Collins, R. J., Husain, D., and Donovan, R. J. Kinetic and spectroscopic studies of O₂($a^1\Delta_g$) by time-resolved absorption spectroscopy in the vacuum ultra-violet, *J. Chem. Soc. Faraday Trans. II* **69**, 145 (1973).
- [3879] Chadwick, D., Frost, D. C., Herring, F. G., Katrib, A., McDowell, C. A., and McLean, R. A. N. Photoelectron spectra of sulfuryl and thionyl halides, *Can. J. Chem.* **51**, 1893 (1973).
- [3880] Jonas, A. E., Schweitzer, G. K., Grimm, F. A., and Carlson, T. A. The photoelectron spectra of the tetrafluoro and tetramethyl compounds of the group IV elements, *J. Electron Spectrosc. Relat. Phenom.* **1**, 29 (1972/73).
- [3881] Chaghtai, M. S. Z., and Hassan, V. The ionization potential and the 4s4p⁶nl levels of ⁸⁶Kr I, *J. Phys. B* **6**, 433 (1973).
- [3882] Basco, N., and Morse, R. D. Analysis of the Rydberg transitions in ethylene sulphide, *Chem. Phys. Letters* **20**, 404 (1973).

- [3883] Watanabe, I., Yokoyama, Y., and Ikeda, S. Vibrational structures in the photoelectron spectrum of formic acid, *Chem. Phys. Letters* **19**, 406 (1973).
- [3884] Zverev, V. V., Vovna, V. I., Él'man, M. S., Kitaev, Yu. P., and Vilesov, F. I. Photoelectron spectra and structure of hydrazones, *Dokl. Akad. Nauk SSSR* **213**, 1319 (1973) [Engl. Transl.: *Dokl. Phys. Chem.* **213**, 945 (1973)].
- [3885] Gompper, R., Holsboer, F., Schmidt, W., and Seybold, G. Rapid double bond shift in a donor acceptor substituted cyclobutadiene. Evidence from 584-Å and X-ray photoelectron spectroscopy, *J. Am. Chem. Soc.* **95**, 8479 (1973).
- [3886] Worley, S. D., Mateescu, G. D., McFarland, C. W., Fort, R. C., Jr., and Sheley, C. F. Photoelectron spectra and MINDO-SCF-MO calculations for adamantane and some of its derivatives, *J. Am. Chem. Soc.* **95**, 7580 (1973).
- [3887] Nelsen, S. F., Buschek, J. M., and Hintz, P. J. Photoelectron spectra of hydrazines. II. Conformations of hexahydropyridazines, *J. Am. Chem. Soc.* **95**, 2013 (1973).
- [3888] Haselback, E., Mannschreck, A., and Seitz, W. 'Lone pair' electronic structure, conformation and oxidation behaviour of diaziridines, *Helv. Chim. Acta* **56**, 1614 (1973).
- [3889] Nelsen, S. F., and Buschek, J. M. Photoelectron spectra of hydrazines. I. Dependence of the lone pair-lone pair splitting on dihedral angle for tetraalkylhydrazines, *J. Am. Chem. Soc.* **95**, 2011 (1973).
- [3890] Maier, J. P., and Turner, D. W. Steric inhibition of resonance studied by molecular photoelectron spectroscopy, *J. Chem. Soc. Faraday Trans. II* **69**, 521 (1973).
- [3891] Gronneberg, T., and Undheim, K. Mass spectrometry of onium compounds - XV. ionization potentials of amino pyridines, *Tetrahedron Letters*, 3193 (1973).
- [3892] Sustmann, R., and Schubert, R. Photoelektronenspektroskopische Bestimmung von Substituenten-Effekten. I. Substituierte butadiene, *Tetrahedron Letters* **27**, 2739 (1972).
- [3893] Ekberg, J. O., Hansen, J. E., and Reader, J. Analysis of the spectrum of seven-times-ionized molybdenum (Mo VIII) and isoelectronic comparison of the spectra Y V-Mo VIII, *J. Opt. Soc. Am.* **62**, 1143 (1972).
- [3894] Ekberg, J. O., Hansen, J. E., and Reader, J. Analysis of the spectrum of six-times-ionized niobium (Nb VII), *J. Opt. Soc. Am.* **62**, 1139 (1972).
- [3895] Ekberg, J. O., Hansen, J. E., and Reader, J. Analysis of the Spectrum of five-times-ionized zirconium (Zr VI), *J. Opt. Soc. Am.* **62**, 1134 (1972).
- [3896] Schäfer, W., Schweig, A., Bickelhaupt, F., and Vermeer, H. Photoelectron spectroscopy and conjugation-direct proof of the unusual sequence of the two highest occupied π -molecular orbitals in the phosphorin (phosphabenzene) and the arsenin (arsabenzene) system, *Angew. Chem. Intern. Ed.* **11**, 924 (1972).
- [3897] Turk, J., and Shapiro, R. H. Formation of benzoyl ions: a complicated cleavage reaction, *Org. Mass Spectrom* **6**, 189 (1972).
- [3898] Bock, H., and Wanger, G. "Electron lone pairs" in organic sulfides and disulfides, *Angew. Chem. Intern. Ed.* **11**, 150 (1972).
- [3899] Sugar, J., Kaufman, V. Fourth spectrum of lutetium, *J. Opt. Soc. Am.* **62**, 562 (1972).
- [3900] Tomer, K. B., Turk, J., and Shapiro, R. H. Anchimeric assistance in electron-impact reactions: homoallylic systems, *Org. Mass. Spectrom.* **6**, 235 (1972).
- [3901] Guido, M., Gigli, G., and Balducci, G. Dissociation energy of CuCl and Cu₂Cl₂ gaseous molecules, *J. Chem. Phys.* **57**, 3731 (1972).
- [3902] Cocke, D. L., Gingerich, K. A. Determination of the heats of atomization of the molecules RhC₂, RhC, and TiC₂ by high temperature mass spectrometry, *J. Chem. Phys.* **57**, 3654 (1972).
- [3903] Conde-Caprace, G., and Collin, J. E. Electron-impact induced fragmentation of 1,3,6-dioxathiocane, *Org. Mass Spectrom.* **6**, 341 (1972).
- [3904] Fuchs, R. Die kinetische Energie ionisierter Molekülfragmente. VII > H₃⁺ als Fragment-Ion bei der Elektronenstossionisierung von Kohlenwasserstoffen, *Intern. J. Mass Spectrom. Ion Phys.* **8**, 193 (1972).
- [3905] Holmstrom, J.-E. The spectrum of doubly ionized scandium, Sc III, *Physica Scripta* **5**, 249 (1972).
- [3906] Appell, J., and Durup, J. The formation of protons by impact of low energy electrons on water molecules, *Intern. J. Mass Spectrom. Ion Phys.* **10**, 247 (1972/73).
- [3907] Mateescu, G. D., and Worley, S. D. Electron spectroscopy. II. Photoelectron spectra of adamantane and 1-bromoadamantane, *Tetrahedron Letters* **52**, 5285 (1972).
- [3908] Weidner, U., Schweig, A. Nature of the "silicon β -effect" in allyltrimethylsilane, *Angew. Chem. Intern. Ed.* **11**, 146 (1972).
- [3909] Hildenbrand, D. L. Thermochemistry of the molecular species LiO, LiO⁺, and Li₂O⁺, *J. Chem. Phys.* **57**, 4556 (1972).
- [3910] Klebe, K. J., Houde, J. J. v., and Thuijl, J. v. Loss of HCN and H from the molecular ion of imidazole, *Org. Mass Spectrom* **6**, 1363 (1972).
- [3911] Rabalais, J. W., Werme, L. O., Bergmark, T., Karlsson, L., and Siegbahn, K. The high resolution electron spectra of thiophene, 2-bromothiophene and 3-bromothiophene, *Intern. J. Mass Spectrom. Ion Phys.* **9**, 185 (1972).
- [3912] Ekberg, J. O., Hansen, J. E., and Reader, J. Analysis of the spectrum of five-times-ionized zirconium (Zr VI), *J. Opt. Soc. Am.* **62**, 1134 (1972).
- [3913] Berkowitz, J. Photoelectron spectroscopy of high-temperature vapors. I. TiCl, TiBr, and TiI, *J. Chem. Phys.* **56**, 2766 (1972).
- [3914] Doucet, J., Sauvageau, P., and Sandorfy, C. Vacuum ultraviolet and photoelectron spectra of fluoro-chloro derivatives of methane, *J. Chem. Phys.* **58**, 3708 (1973).
- [3915] Van Der Helm, D., Christian, S. D., and Lin, L.-N. Charge transfer complexes of purines and pyrimidines. 9-Cyclohexyladenine-iodine in organic solvents and in the solid state, *J. Am. Chem. Soc.* **95**, 2410 (1973).
- [3916] McLafferty, F. W., Bente, P. F., III., Kornfeld, R., Tsai, S.-C., and Howe, I. Collisional activation spectra of organic ions, *J. Am. Chem. Soc.* **95**, 2120 (1973).
- [3917] Chaghtai, M. S. Z., Ali, Z., and Khatoon, S. The emission spectrum of yttrium VI, *J. Phys. B* **6**, 232 (1973).

- [3918] Fedorova, M. S., Denisov, Yu. V., and Potapov, V. K. Mass-spectrometric study of the photoionisation processes of tricyclo[5.2.1.0^{2,6}] decane and its alkyl derivatives, *Zh. Fiz. Khim.* **47**, 2667 (1973) [Engl. transl.: *Russ. J. Phys. Chem.* **47**, 1498 (1973)].
- [3919] Stockbauer, R. Threshold electron-photoion coincidence mass spectrometric study of CH₄, CD₄, C₂H₆, and C₂D₆, *J. Chem. Phys.* **58**, 3800 (1973).
- [3920] Berkowitz, J., Dehmer, P. M., and Chupka, W. A. Photoionization mass spectrometry of F₂O, *J. Chem. Phys.* **59**, 925 (1973).
- [3921] Dibeler, V. H., and Walker, J. A. Photoionization of acetylene near threshold, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 49 (1973).
- [3922] Pitt, C. G. Hyperconjugation and its role in group IV chemistry, *J. Organometal. Chem.* **61**, 49 (1973).
- [3923] Minnhagen, L. Spectrum and the energy levels of neutral argon, Ar I, *J. Opt. Soc. Am.* **63**, 1185 (1973).
- [3924] Reader, J., and Epstein, G. Zeeman effect and revised analysis of singly ionized rubidium (Rb II), *J. Opt. Soc. Am.* **63**, 1153 (1973).
- [3925] McCulloh, K. E. Photoionization of carbon dioxide, *J. Chem. Phys.* **59**, 4250 (1973).
- [3926] Persson, W., and Valind, S. The spectrum of doubly ionized strontium (Sr III), *Physica Scripta* **5**, 187 (1972).
- [3927] Killgoar, P. C., Jr., Leroi, G. E., Chupka, W. A., and Berkowitz, J. Photoionization study of NO₂. I. The ionization potential, *J. Chem. Phys.* **59**, 1370 (1973).
- [3928] Berkowitz, J., and Wahl, A. C. The dissociation energy of fluorine, *Advan. Fluorine Chem.* **7**, 147 (1973).
- [3929] Okabe, H., and Dibeler, V. H. Photon impact studies of C₂HCN and CH₃CN in the vacuum ultraviolet; heats of formation of C₂H and CH₃CN, *J. Chem. Phys.* **59**, 2430 (1973).
- [3930] Reinke, D., Kraessig, R., and Baumgärtel, H. Photoreactions of small organic molecules, *Z. Naturforsch.* **28a**, 1021 (1973).
- [3931] Dibeler, V. H., Walker, J. A., and McCulloh, K. E. Observations on hot bands in the molecular and dissociative photoionization of acetylene and the heat of formation of the ethynyl ion, *J. Chem. Phys.* **59**, 2264 (1973).
- [3932] Berkowitz, J., Appelman, E. H., and Chupka, W. A. Photoionization of HOF with mass analysis, *J. Chem. Phys.* **58**, 1950 (1973).
- [3933] Hoffmann, R. W., Schüttler, R., Schäfer, W., and Schweig, A. Methylen-norbornadien, ein Bicycloheptafulven, *Angew. Chem.* **84**, 533 (1972).
- [3934] Oehling, H., Schäfer, W., and Schweig, A. Sequence of highest occupied molecular orbitals in the phosphorin system, *Angew. Chem. Intern. Ed.* **10**, 656 (1971).
- [3935] Lloyd, D. R. Calibration of a He(I) photoelectron spectrometer, *J. Phys. E* **3**, 629 (1972).
- [3936] Cowan, D. O., Gleiter, R., Hashmall, J. A., Heilbronner, E., and Hornung, V. Interaction between the orbitals of lone pair electrons in dicarbonyl compounds, *Angew. Chem. Intern. Ed.* **10**, 401 (1971).
- [3937] Sustmann, R., and Trill, H. Photoelektronenspektroskopische Bestimmung von Substituenten-Effekten. II. α,β -ungesättigte Carbonester, *Tetrahedron Letters* **42**, 4271 (1972).
- [3938] Rabalais, J. W., and Colton, R. J. Electronic interaction between the phenyl group and its unsaturated substituents, *J. Electron Spectrosc. Relat. Phenom.* **1**, 83 (1972/73).
- [3939] Tamás, J., Czira, G., Maltsev, A. K., and Nefedov, O. M. Electron impact studies on some organochlorogermanes: mass spectra and bond dissociation energies, *J. Organometal. Chem.* **40**, 311 (1972).
- [3940] Weidner, U., and Schweig, A. Theory and application of photoelectron spectroscopy. V. The nature of bonding in vinyl- and allylsilanes: the effects of $\sigma-\pi$ (hyperconjugation) and $p_\pi-d_\pi$ conjugation in these compounds, *J. Organometal. Chem.* **39**, 261 (1972).
- [3941] Robin, M. B., and Kuebler, N. A. Excited electronic states of the simple alcohols, *J. Electron Spectrosc. Relat. Phenom.* **1**, 13 (1972/73).
- [3942] Golob, L., Jonathan, N., Morris, A., Okuda, M., and Ross, K. J. The first ionization potential of the methyl radical as determined by photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **1**, 506 (1972/73).
- [3943] Brundle, C. R., and Jones, G. R. The high resolution photoelectron spectra and the electronic structure of XeOF₄, *J. Electron Spectrosc. Relat. Phenom.* **1**, 403 (1972/73).
- [3944] Kroner, J., Proch, D., Fuss, W., and Bock, H. Ionisierungs- und Anregungsenergien methyl- und fluor-substituierter Borazine, *Tetrahedron* **28**, 1585 (1972).
- [3945] Dông, P., and Bizot, M. Dissociation uni- et bi-moléculaire des ions NO⁺, *Intern. J. Mass Spectrom. Ion Phys.* **10**, 227 (1972/73).
- [3946] Pitt, C. G., and Bock, H. $\sigma-\pi$ Mixing in phenylpentamethyldisilane, *J. Chem. Soc. Chem. Commun.*, 28 (1972).
- [3947] Piacente, V., and Malaspina, L. Dissociation energy of the TlAs molecule, *J. Chem. Phys.* **56**, 1780 (1972).
- [3948] Boekelheide, V., Murrell, J. N., and Schmidt, W. The photoelectron spectrum of *trans*-15,16-dimethyldihydropyrene, *Tetrahedron Letters* **7**, 575 (1972).
- [3949] De Maria, G., Malaspina, L., and Piacente, V. Dissociation energy of the gaseous TlBi molecule, *J. Chem. Phys.* **56**, 1978 (1972).
- [3950] Mollère, P., Bock, H., Becker, G., and Fritz, G. Photoelectron spectra and molecular properties. XV. The effects of α - and β -silyl substituents on π -systems, *J. Organometal. Chem.* **46**, 89 (1972).
- [3951] Boschi, R., and Schmidt, W. Photoelectron spectra of polycyclic aromatic hydrocarbons. Pyrene and coronene, *Tetrahedron Letters* **25**, 2577 (1972).
- [3952] Saalfeld, F. E., DeCorpo, J. J., and McDowell, M. V. The mass spectra of some metal carbonyl complexes of tris(dimethylamino)phosphine, *J. Organometal. Chem.* **44**, 333 (1972).
- [3953] Boschi, R., Schmidt, W., and Gfeller, J.-C. The electronic structure of 1,6-methanocyclodecapentaene, *Tetrahedron Letters*, 4107 (1972).
- [3954] Schaaf, D. W., and Gregory, N. W. Mass spectrometric study of the vaporization of cuprous bromide, *J. Phys. Chem.* **76**, 3271 (1972).
- [3955] Debies, T. P., and Rabalais, J. W. Photoelectron spectra of substituted benzenes. II. Seven valence electron substituents, *J. Electron Spectrosc. Relat. Phenom.* **1**, 355 (1972/73).

- [3956] Cabaud, B., Hoareau, A., Nounou, P., and Uzan, R. High temperature mass spectrometric study of polyatomic antimony species by electron impact. Direct evidence for the existence of Sb_3 molecules, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 157 (1973).
- [3957] Masclet, P., Grosjean, D., and Mouvier, G. Alkene ionization potentials. Part I. Quantitative determination of alkyl group structural effects, *J. Electron Spectrosc. Relat. Phenom.* **2**, 225 (1973).
- [3958] Berkowitz, J., Dehmer, J. L., and Walker, T. E. H. PES of high-temperature vapors. IV. The cesium halides. Effect of spin-orbit interaction on the photoelectron and mass spectra of the alkali halides, *J. Chem. Phys.* **59**, 3645 (1973).
- [3959] Van Den Ham, D. M. W., and Van Der Meer, D. Photoelectron spectra of some fluorine substituted diazanaphthalenes, *J. Electron Spectrosc. Relat. Phenom.* **2**, 247 (1973).
- [3960] Berkowitz, J., Dehmer, J. L., Shimada, K., and Szwarc, M. Photoelectron spectroscopic studies of (α -naphthyl)- $(\text{CH}_2)_4$ -(α -naphthyl) vapor: open chain or cyclic conformation?, *J. Elec. Spectrosc. Relat. Phenom.* **2**, 211 (1973).
- [3961] Kordis, J., and Gingerich, K. A. Mass spectroscopic investigation of the equilibrium dissociation of gaseous Sb_2 , Sb_3 , Sb_4 , SbP , SbP_3 , and P_2 , *J. Chem. Phys.* **58**, 5141 (1973).
- [3962] Ackermann, R. J., and Rauh, E. G. High temperature properties of the thorium-oxygen system: a revision of the thermodynamic properties of ThO(g) and $\text{ThO}_2(\text{g})$, *High Temp. Sci.* **5**, 463 (1973).
- [3963] Boggess, G. W., Allen, J. D., Jr., and Schweitzer, G. K. The photoelectron spectra of gaseous zinc(II) and cadmium(II) chlorides, bromides, and iodides, *J. Electron Spectrosc. Relat. Phenom.* **2**, 467 (1973).
- [3964] Kobayashi, T., Yokota, K., and Nagakura, S. Photoelectron spectra of styrenes, *J. Electron Spectrosc. Relat. Phenom.* **3**, 449 (1973).
- [3965] Frost, D. C., Lee, S. T., and McDowell, C. A. Photoelectron spectra of OCSe , SCSe , and CSe_2 , *J. Chem. Phys.* **59**, 5484 (1973).
- [3966] Gingerich, K. A., Cocke, D. L., Finkbeiner, H. C., and Chang, C.-A. High temperature Knudsen cell mass spectrometric determination of the heats of atomization of AlAu_2 and Al_2Au , *Chem. Phys. Letters* **18**, 102 (1973).
- [3967] Morrison, J. D., and Traeger, J. C. Ionization and dissociation by electron impact. I. H_2O and H_2S , *Intern. J. Mass Spectrom. Ion Phys.* **11**, 77 (1973).
- [3968] Gingerich, K. A. Mass spectrometric evidence for the very high stability of gaseous ThIr and ThPt and method of calculating dissociation energies of diatomic intermetallic compounds with multiple bonds, *Chem. Phys. Letters* **23**, 270 (1973).
- [3969] Guido, M., Gigli, G. Mass spectrometric study of the CeSiC molecules, *J. Chem. Phys.* **59**, 3437 (1973).
- [3970] Scott, J. D., Causley, G. C., and Russell, B. R. Vacuum ultraviolet absorption spectra of dimethylsulfide, dimethylselenide, and dimethyltelluride, *J. Chem. Phys.* **59**, 6577 (1973).
- [3971] Dehmer, J. L., Berkowitz, J., and Cusachs, L. C. Photoelectron spectroscopy of high-temperature vapors. III. Monomer and dimer spectra of thallos fluoride, *J. Chem. Phys.* **58**, 5681 (1973).
- [3972] Gunkel, E., Unpublished results reported in: Sustmann, R., and Trill, H., *Photoelektronenspektroskopische Bestimmung von Substituenten-Effekten. II. α,β -Ungesättigte Carbonester*, *Tetrahedron Letters* **42**, 4271 (1972).
- [3973] Benoit, F. Substituent effects in mass spectrometry. III. Substituent effects in the dissociation of the molecular ions of *para* and *meta* substituted benzoic acids, *Org. Mass Spectrom.* **7**, 295 (1973).
- [3974] Kaufman, V., and Sugar, J. One-electron spectrum of singly ionized ytterbium (Yb II), *J. Opt. Soc. Am.* **63**, 1168 (1973).
- [3975] Gardner, J. L., and Samson, J. A. R. 304. Å photoelectron spectra of CO , N_2 , O_2 and CO_2 , *J. Electron Spectrosc. Relat. Phenom.* **2**, 259 (1973).
- [3976] Work, D. E., and Eick, H. A. An investigation of the incongruent sublimation of some lanthanide (III) oxobromides, *High Temp. Sci.* **5**, 313 (1973).
- [3977] Fjeldstad, P. E., and Undheim, K. Mass spectrometry of onium compounds. XXX. Ionisation potential in structural assignment of some gaseous molecules, *Org. Mass Spectrom.* **7**, 639 (1973).
- [3978] Cocke, D. L., Gingerich, K. A., and Kordis, J. Determination of the high bond dissociation energy of the molecule LaRh , *High Temp. Sci.* **5**, 474 (1973).
- [3979] Higginson, B. R., Lloyd, D. R., Burroughs, P., Gibson, D. M., and Orchard, A. F. Photoelectron studies of metal carbonyls. Part 2. The valence region photoelectron spectra of the Group VIA hexacarbonyls, *J. Chem. Soc. Faraday Trans. II* **1659** (1973).
- [3980] Mollere, P. D. The photoelectron spectrum of oxetane: non-degenerate Walsh orbitals in a four-membered heterocycle, *Tetrahedron Letters*, 2791 (1973).
- [3981] Gleiter, R., Schmidt, E., Cowan, D. O., and Ferraris, J. P. The electronic structure of tetrathiofulvalene, *J. Electron Spectrosc. Relat. Phenom.* **2**, 207 (1973).
- [3982] Kroto, H. W., Suffolk, R. J., and Westwood, N. P. C. The photoelectron spectrum of thioborane, *HBS*, *Chem. Phys. Letters* **22**, 495 (1973).
- [3983] Katayama, D. H., Huffman, R. E., and O'Bryan, C. L. Absorption and photoionization cross sections for H_2O and D_2O in the vacuum ultraviolet, *J. Chem. Phys.* **59**, 4309 (1973).
- [3984] Yamazaki, T., Katsumata, S., and Kimura, K. Photoelectron spectra and orbital assignments by sum rule consideration: ethyl and *n*-propyl fluorides, *J. Electron Spectrosc. Relat. Phenom.* **2**, 335 (1973).
- [3985] Thompson, K. R. Mass spectrometric determination of the atomization energies of AlSiO(g) and $\text{Al}_2\text{O(g)}$, *High Temp. Sci.* **5**, 62 (1973).
- [3986] Piacente, V., Bardi, G., Malaspina, L., and Desideri, A. Dissociation energy of CeO_2 and Ce_2O_2 molecules, *J. Chem. Phys.* **59**, 31 (1973).
- [3987] Leavell, S., Steichen, J., and Franklin, J. L. Photoelectron spectra of intramolecularly hydrogen bonded compounds, *J. Chem. Phys.* **59**, 4343 (1973).
- [3988] Cowling, S. A., and Johnstone, R. A. W. Photoelectron spectroscopy: the effects of steric inhibition to resonance in anilines, *J. Electron Spectrosc. Relat. Phenom.* **2**, 161 (1973).
- [3989] Santoro, E. The fragmentation of some alkyl thiophosphate esters by electron-impact, *Org. Mass Spectrom.* **7**, 589 (1973).

- [3990] Boschi, R., Schmidt, W., Suffolk, R. J., Wilkins, B. T., Lempka, H. J., and Ridyard, J. N. A. Complete valence shell electronic structure of adamantane from He I and He II photoelectron spectroscopy, *J. Electron Spectrosc. Relat. Phenom.* **2**, 377 (1973).
- [3991] Goldstein, M. J., Natowsky, S., Heilbronner, E., and Hornung, V. Near cancellation of through space and through bond interaction in bicyclo[3.2.2]nona-6,8-diene, *Helv. Chim. Acta* **56**, 294 (1973).
- [3992] Schmidt, H., and Schweig, A. C-Hal Hyperkonjugation, *Tetrahedron Letters*, 981 (1973).
- [3993] Müller, C., and Schweig, A. Konjugation in Sulfonen, *Tetrahedron* **29**, 3973 (1973).
- [3994] Schweig, A., Weidner, U., Berger, J. G., and Grahn, W. Spirokonjugation, *Tetrahedron Letters*, 557 (1973).
- [3995] Schmidt, H., and Schweig, A. Ausschluss transanularer Wechselwirkung in 2,5-Dihydrothiophen, *Tetrahedron Letters*, 1437 (1973).
- [3996] Mathar, W., Bohlmann, F., and Schwarz, H. Massenspektrometrische Untersuchung von Amidinen. V. Über den Einfluss der N-Donatorstärke auf die Aktivierungs-Energie der Methyl-Abspaltung aus Crotonsäureamiden, *Tetrahedron Letters*, 4583 (1973).
- [3997] Bruckmann, P., and Klessinger, M. Photoelektronenspektren organischer Verbindungen. III. Photoelektronenspektren acetylen-substituierter kleiner Ringe, *J. Electron Spectrosc. Relat. Phenom.* **2**, 341 (1973).
- [3998] Eland, J. H. D. Predissociation of N_2O^+ and COS^+ ions studied by photoelectron-photoion coincidence spectroscopy, *Intern. J. Mass Spectrom. Ion Phys.* **12**, 389 (1973).
- [3999] Batich, C., Bischof, P., and Heilbronner, E. The photoelectron spectra of cyclooctatetraene and its hydrogenated derivatives, *J. Electron Spectrosc. Relat. Phenom.* **1**, 333 (1972/73).
- [4000] Schmidt, W. Photoelectron spectra of diamondoid molecules, adamantane, silamantane and urotropine, *Tetrahedron* **29**, 2129 (1973).
- [4001] Drowart, J., Myers, C. E., Szwarc, R., Vander Auwera-Mahieu, A., and Uy, O. M. The dissociation energies of the molecules PS, PSe, and PTe, *High Temp. Sci.* **5**, 482 (1973).
- [4002] Bieri, G., Brogli, F., Heilbronner, E., and Kloster-Jensen, E. A photoelectron spectroscopic investigation of the electronic structure of trimethylsilylhaloacetylenes, *J. Electron Spectrosc. Relat. Phenom.* **1**, 67 (1972/73).
- [4003] Botter, R., Menes, F., Gounelle, Y., Pechine, J. M., and Solgadi, D. The ionization potentials of geometrical isomers: the *cis* and *trans* 2-substituted cyclopentyl and cyclohexyl bromides, *Intern. J. Mass Spectrom. Ion Phys.* **12**, 188 (1973).
- [4004] Bünzli, J. C., Frost, D. C., Weiler, L. The photoelectron spectrum of triquinacene, *Tetrahedron Letters*, 1159 (1973).
- [4005] Stearns, C. A., and Kohl, F. J. Mass spectrometric determination of the dissociation energies of gaseous Al_2 , AlSi , and AlSiO , *High Temp. Sci.* **5**, 113 (1973).
- [4006] Gleiter, R., Heilbronner, E., Paquette, L. A., Thompson, G. L., and Wingard, R. E., Jr. Photoelectron spectra of polyunsaturated [4,4,2]propellanes, *Tetrahedron* **29**, 565 (1973).
- [4007] Van Deurzen, C. H. H., Conway, J. G., and Davis, S. P. Spectrum and energy levels of doubly ionized scandium (Sc III), *J. Opt. Soc. Am.* **63**, 158 (1973).
- [4008] Ceasar, G. P., Green, J., Paquette, L. A., and Wingard, R. E., Jr. Orbital interaction in 2a,8b-dihydrocyclopent[cd]azulene, *Tetrahedron Letters*, 1721 (1973).
- [4009] Craddock, S., Findlay, R. H., and Palmer, M. H. The molecular energy levels of the azoles: a study by photoelectron spectroscopy and ab initio molecular orbital calculations, *Tetrahedron* **29**, 2173 (1973).
- [4010] Bünzli, J. C., Burak, A. J., and Frost, D. C. Through-space interaction in non-conjugated acyclic dienes studied by photoelectron spectroscopy, *Tetrahedron* **29**, 3735 (1973).
- [4011] Tondello, G. Absorption spectrum of Cu I in the vacuum ultraviolet, *J. Opt. Soc. Am.* **63**, 346 (1973).
- [4012] Kordis, J., and Gingerich, K. A. Dissociation energies and heats of formation of the gaseous Eu_2 and EuAg molecules, *J. Phys. Chem.* **77**, 700 (1973).
- [4013] Rabeneck, H., Rinke, K., and Schäfer, H. ReO_3J_g Bildung, Massenspektrum, Ionisierungsenergie und Bildungsenthalpie, *Z. Anorg. Allg. Chem.* **397**, 112 (1973).
- [4014] Stearns, C. A., and Kohl, F. J. Mass spectrometric determination of the dissociation energies of AlC_2 , Al_2C_2 , and AlAuC_2 , *J. Phys. Chem.* **77**, 136 (1973).
- [4015] Müller, J., and Goll, W. Ion-Molekül-Reaktionen von (Cyclopentadienyl)nitrosylnickel mit σ - und π -Donatoren in der Gasphase, *Chem. Ber.* **106**, 1129 (1973).
- [4016] Skinner, H. B., and Searcy, A. W. Mass spectrometric studies of gaseous oxides of rhenium, *J. Phys. Chem.* **77**, 1573 (1973).
- [4017] Clark, P. A., Gleiter, R., and Heilbronner, E. Photoelectron spectra of planar sulfur heterocycles, *Tetrahedron* **29**, 3085 (1973).
- [4018] Fortin, C. J., and Rousseau, Y. Spectrométrie de masse des cyclohexanones *gem*-diphénylées. II. Chaleurs de formation et structures possibles des principaux ions fragmentaires, *Can. J. Chem.* **51**, 3457 (1973).
- [4019] Brogli, F., Crandall, J. K., Heilbronner, E., Kloster-Jensen, E., and Sojka, S. A. The photoelectron spectra of methyl-substituted allenes and of tetramethyl-bisallenyl, *J. Electron Spectrosc. Relat. Phenom.* **2**, 455 (1973).
- [4020] Tanaka, K., and Tanaka, I. Photoelectron spectra from some autoionizing states of O_2 near the ionization threshold, *J. Chem. Phys.* **59**, 5042 (1973).
- [4021] Nixon, J. F. Photoelectron spectra and bonding in metal-trifluorophosphine complexes, *J. Chem. Soc. Dalton Trans.* **21**, 2226 (1973).
- [4022] Katrib, A., Debies, T. P., Colton, R. J., Lee, T. H., and Rabalais, J. W. The use of differential photoionization cross sections as a function of excitation energy in assigning photoelectron spectra, *Chem. Phys. Letters* **22**, 196 (1973).
- [4023] Berkosky, J. L., Ellison, F. O., Lee, T. H., and Rabalais, J. W. Model for calculating spin-orbit interactions with applications to photoelectron spectroscopy, *J. Chem. Phys.* **59**, 5342 (1973).
- [4024] Kroner, J., Strack, W., Holsboer, F., and Kosbahn, W. Zur Elektronenstruktur der Thiokumulene, *Z. Naturforsch.* **28b**, 188 (1973).

- [4025] Akopyan, M. E., Sergeev, Yu. L., and Vilesov, F. I. Photoionization in vapors of aliphatic sulfides. I. Methylmercaptan, dimethyl and diethyl sulfides, *Khim. Vys. Energ.* **4**, 305 (1970) [Engl. transl.: *High Energy Chem.* **4**, 265 (1970)].
- [4026] Cradock, S., Ebsworth, E. A. V., and Whiteford, R. A. Photoelectron spectra of some simple fluorosilanes, *J. Chem. Soc. Dalton Trans.* **22**, 2401 (1973).
- [4027] Venkateswarlu, P. The vacuum ultraviolet spectrum of ICl, *Can. J. Phys.* **53**, 812 (1975).
- [4028] Potapov, V. K., and Isakov, L. I. Electronic structure and photoionization of aromatic amines, *Khim. Vys. Energ.* **5**, 264 (1971) [Engl. transl.: *High Energy Chem.* **5**, 237 (1971)].
- [4029] Kobayashi, H., Kobayashi, M., and Kaizu, Y. Molecular complexes of arenetricarbonylchromium, *Bull. Chem. Soc. Japan* **46**, 3109 (1973).
- [4030] Antonova, N. L., Kutsev, V. S. Mass-spectrometric investigation of the thermal dissociation of neodymium dicarbide, *Zh. Fiz. Khim.* **47**, 2446 (1973) [Engl. transl.: *Russ. J. Phys. Chem.* **47**, 1385 (1973)].
- [4031] Isakov, L. I., Potapov, V. K. Photoionization and decomposition of benzaldehyde, acetophenone, and benzophenone, *Khim. Vys. Energ.* **5**, 265 (1971) [Engl. transl.: *High Energy Chem.* **5**, 238 (1971)].
- [4032] Ogata, H., Onizuka, H., Nihei, Y., Kamada, H. The photoelectron spectra of alcohols, mercaptans and amines, *Bull. Chem. Soc. Japan* **46**, 3036 (1973).
- [4033] Hoshino, H., Tajima, S., and Tsuchiya, T. The effect of the temperature on the mass spectra of aliphatic primary alcohols and 1-alkenes. I. *Bull. Chem. Soc. Japan* **46**, 3043 (1973).
- [4034] Askani, R., Gleiter, R., Heilbronner, E., Hornung, V., and Musso, H. The orbital sequence in semibullvalene, barbaralene and dihydrobullvalene, *Tetrahedron Letters*, 4461 (1971).
- [4035] Pozharskii, A. F., Kashparov, I. S., Holls, P. J., and Zaletov, V. G. Heterocyclic pleiadene analogs. VI. Electronic properties of perimidine, *Khim. Geterotsikl. Soedin.* **4**, 543 (1971) [Engl. transl.: *Chem. Heterocycl. Compd.* **4**, 507 (1971)].
- [4036] Shen, K.-W., and Kuebler, N. A. Synthesis, reactions, and photoelectron spectrum of 8,11-dimethylenepentacyclo [5.4.0.0^{2,6}.0^{3,10}.0^{5,9}] tridecane, *Tetrahedron Letters*, 2145 (1973).
- [4037] Bischof, P., Haselbach, E., and Heilbronner, E. Photoelectron spectrum of cyclobutane, *Angew. Chem. Intern. Ed.* **9**, 953 (1970).
- [4038] Heilbronner, E., and Muszkat, K. A. On the relative importance of through-space vs. through-bond interaction between the lone pairs in 1,4-diazabicyclo[2.2.2]octane, *J. Am. Chem. Soc.* **92**, 3818 (1970).
- [4039] Brogli, F., and Heilbronner, E. The photoelectron spectra of benzenoid hydrocarbons C₁₈H₁₂, *Angew. Chem. Intern. Ed.* **11**, 538 (1972).
- [4040] Brogli, F., Eberbach, W., Haselbach, E., Heilbronner, E., Hornung, V., and Lemal, D. M. 199. Die Photoelektronen-Spektren des Tricyclo[4.2.1.0^{2,5}]nonadiens und seines 3,4-Diaza-Analogons. Ein Beitrag zur Kenntnis der Wechselwirkung zwischen den einsamen Elektronenpaaren der *cis*-konfigurierten Azogruppe, *Helv. Chim. Acta* **56**, 1933 (1973).
- [4041] Schwarz, H., Bohlmann, F., and Russ, B. Elektronenstossinduzierte Fragmentierung von Polymethylbenzaldehyden. II. Mechanismus der Methyl-Abspaltung aus dem Molekül-Ion von tri- und Pentamethylbenzaldehyden, *Org. Mass Spectrom.* **7**, 1001 (1973).
- [4042] Smith, D. H., Cameron, A. E., and Dean, J. A. Mass spectrometric investigation of surface ionization. IV. Desorption of Th⁺, Np⁺, and Pu⁺ from tungsten surfaces, *J. Chem. Phys.* **54**, 170 (1971).
- [4043] Zverev, V. V., Vovna, V. I., Él'man, M. S., Kitaev, Yu. P., and Vilesov, F. I. Photoelectronic spectra and electronic and three-dimensional structures of acyclic azines, *Dokl. Akad. Nauk. SSSR* **213**, 1117 (1973) [Engl. transl.: *Dokl. Phys. Chem.* **213**, 1100 (1973)].
- [4044] Schwarz, H., and Bohlmann, F. Elektronenstossinduzierte Fragmentierung von Acetylenverbindungen. VI. Struktur und Bildungsenthalpie der Ionen [C₁₁H₉]⁺ und [C₉H₇]⁺, *Org. Mass Spectrom.* **7**, 395 (1973).
- [4045] Gleiter, R., Heilbronner, E., Hekman, M., and Martin, H.-D. π -Orbital-Wechselwirkungen "through space" and "through bond" in tricyclo[4.2.0.0^{2,5}]octadienen, *Chem. Ber.* **106**, 28 (1973).
- [4046] Schwarz, H., and Bohlmann, F. Massenspektrometrische Untersuchung von Amidinen. I. Energetische Betrachtungen zur elektronenstossinduzierten Fragmentierung von Piperidin- und Piperidinein-Amiden, *Org. Mass Spectrom.* **7**, 1197 (1973).
- [4047] Heilbronner, E., and Martin, H.-D. Über die Orbitalsequenz in aliphatischen Diazoverbindungen, *Chem. Ber.* **106**, 3376 (1973).
- [4048] Brogli, F., Heilbronner, E., Hornung, V., and Kloster-Jensen, E. 230. Die Photoelektronen-Spektren methyl-substituierter Acetylene, *Helv. Chim. Acta* **56**, 2171 (1973).
- [4049] Batich, C., Heilbronner, E., and Semmelhack, M. F. 225. Bemerkung zur Gleichheit der Aufspaltungen ΔI (zwischen den ersten beiden π -Ionisationspotentialen) und ΔE (zwischen den entsprechenden $\pi^* \leftarrow \pi$ Übergangsenergien) des Spiro[4,4] nonatetraens, *Helv. Chim. Acta* **56**, 2110 (1973).
- [4050] Schmidt, W., and Wilkins, B. T. Das "Equivalent Orbital" (EO)-Verfahren zur Interpretation von Photoelektronen(PE)-Spektren: Neopentan, *Angew. Chem.* **84**, 168 (1972).
- [4051] Schwarz, H., Bohlmann, F., and Vorlaender, W. Elektronenstossinduzierte Fragmentierung von Polymethylbenzaldehyden. III. Bildung und Zerfall des Formyltropylium-Ions aus Dimethylbenzaldehyd, *Org. Mass Spectrom.* **7**, 1005 (1973).
- [4052] Paulus, J.-M., and Abbé, J.-C. Potentiel d'apparition de I₂²⁺ a partir de I₂, *J. Chim. Phys.* **70**, 690 (1973).
- [4053] Schweig, A., Schäfer, W., and Dimroth, K. Unusual sequence of the two highest occupied π -molecular orbitals in the phosphorin system, *Angew. Chem. Intern. Ed.* **11**, 631 (1972).
- [4054] Uy, O. M., Srivastava, R. D., and Farber, M. Mass spectrometric determination of the heats of formation of gaseous BO₂ and BOF₂, *High Temp. Sci.* **3**, 462 (1971).
- [4055] Rodionov, A. N., Potapov, V. K., and Rogozhin, K. L. Photoionization of certain aromatic heteroorganic compounds, *Khim. Vys. Energ.* **7**, 278 (1973) [Engl. transl.: *High Energy Chem.* **7**, 249 (1973)].

- [4056] Ikuta, S., Yoshihara, K., Shiokawa, T., Jinno, M., Yokoyama, Y., and Ikeda, S. Photoelectron spectroscopy of cyclohexane, cyclopentane, and some related compounds, *Chem. Letters*, 1237 (1973).
- [4057] Iskakov, L. I., and Potapov, V. K. Photoionization and decomposition of benzaldehyde, acetophenone, and benzophenone, *Khim. Vys. Energ.* **5**, 265 (1971) [Engl. transl.: *High Energy Chem.* **5**, 238 (1971)].
- [4058] Potapov, V. K., and Bazhenov, B. A. The photoionization of pyrrole, furan, and thiophene, *Khim. Vys. Energ.* **4**, 553 (1970) [Engl. transl.: *High Energy Chem.* **4**, 505 (1970)].
- [4059] Borgström, A. Extended analysis of Ca III, *Phys. Scr.* **3**, 157 (1971).
- [4060] Camus, P., and Tomkins, F. S. Absorption-line series in Lu I, *J. Phys. (Paris)* **33**, 197 (1972).
- [4061] Ackermann, R. J., and Rauh, E. G. A high-temperature study of the stoichiometry, phase behavior, vaporization characteristics, and thermodynamic properties of the cerium + oxygen system, *J. Chem. Thermodyn.* **3**, 609 (1971).
- [4062] Schwarz, H., Praefcke, K., and Martens, J. Organische Schwefelverbindungen. III. Elektronenstossinduzierte Untersuchungen von Arylestern der Monothio- und Dithiophthalsäure und der isomeren 3,3-substituierten Phthalide, *Tetrahedron* **29**, 2877 (1973).
- [4063] Brogli, F., Giovannini, E., Heilbronner, E., and Schurter, R. Die Photoelektronen-Spektren der Benzocycloalkene, *Chem. Ber.* **106**, 961 (1973).
- [4064] Smitt, R. The spectrum of three times ionized scandium, Sc IV, *Physica Scripta* **8**, 292 (1973).
- [4065] Kroner, J., Nölle, D., and Nöth, H. Photoelektronenspektroskopische Untersuchungen an Bor-Verbindungen. I. Orbitalreihenfolgen und Ladungsdichten in Methylthio- und Methoxyborane, *Z. Naturforsch. Teil. B* **28**, 416 (1973).
- [4066] Schäfer, W., Schweig, A., Märkl, G., and Heier, K.-H. Zur Elektronenstruktur der λ_3 - und λ_5 -Phosphanaphthaline—ungewöhnlich grosse MO Destabilisierungen, *Tetrahedron Letters* 3743 (1973).
- [4067] Stafast, H., Bock, H. Photoelectron spectra and molecular properties. XVII. Hyperconjugation in dicyano methane and 2,2-dicyano propane, *Z. Naturforsch.* **28b**, 746 (1973).
- [4068] Katsumata, S., Iwai, T., and Kimura, K. Photoelectron spectra and sum rule consideration. Higher alkyl amines and alcohols, *Bull. Chem. Soc. Japan* **46**, 3391 (1973).
- [4069] Parr, G. R., and Taylor, J. W. A photoionization mass spectrometer utilizing a high intensity molecular beam sampling system and synchrotron radiation, *Rev. Sci. Instrum.* **44**, 1578 (1973).
- [4070] Syrvatka, B. G., Gil'burd, M. M., Bel'ferman, A. L. Mass spectrometric study of chlorofluoro-substituted ethylenes, *Zh. Org. Khim.* **8**, 1553 (1972) [Engl. transl.: *J. Org. Chem. USSR* **8**, 1587 (1972)].
- [4071] Ivko, A. A. Use of mass spectroscopy and isotope labelling for determining the structure of ions and molecules, *Org. Katal.*, 20 (1970).
- [4072] Puttemans, J.-P., and Hanson, A. Etude énergétique du ferrocène et du cobaltocène par impact électronique. Enthalpie de formation du radical cyclopentadiényle, *Ing. Chim. (Brussels)* **53**, 17 (1971).
- [4073] Natalis, P. Contribution à la spectroscopie photoélectronique. Effets de l'autoionisation dans les spectres photoélectroniques de molécules diatomiques et triatomiques, *Acad. R. Belg. Mem. Cl. Sci. Collect. 8°-2° Ser. T* **41(1)**, (1973).
- [4074] Fortin, C. J., Forest, M., Vaziri, C., Gravel, D., and Rousseau, Y. Spectrométrie de masse des cyclohexanones gem-diphénylées. I. Localisation de la charge positive, *Can. J. Chem.* **51**, 3445 (1973).
- [4075] Rosenstock, H. M., Larkins, J. T., and Walker, J. A. Interpretation of photoionization thresholds: quasiequilibrium theory and the fragmentation of benzene, *Intern. J. Mass Spectrom. Ion Phys.* **11**, 309 (1973).
- [4076] Kimura, K., Katsumata, S., Achiba, Y., Matsumoto, H., and Nagakura, S. Photoelectron spectra and orbital structures of higher alkyl chlorides, bromides, and iodides, *Bull. Chem. Soc. Japan* **46**, 373 (1973).
- [4077] Cundy, C. S., Lappert, M. F., Pedley, J. B., Schmidt, W., and Wilkins, B. T. Bonding studies of compounds of boron and the Group IV elements. XI. Photoelectron spectra of strained cyclic organosilicon compounds, *J. Organometal. Chem.* **51**, 99 (1973).
- [4078] Sergeev, Yu. L., Akopyan, M. E., Vilesov, F. I., and Chizhov, Yu. V. Photoionization processes in gaseous cyclohexane, and chloro- and bromocyclohexane, *Khim. Vys. Energ.* **7**, 418 (1973) [Engl. transl.: *High Energy Chem.* **7**, 369 (1973)].
- [4079] Poltorakov, A. P., Pirnazarova, F. N., But, P. G., Piruzyan, L. A., Chibrikov, V. M., Vikhlyaev, Yu. I., and Ul'yanova, O. V. Ionization potentials of phenothiazine derivatives and their correlation with the pharmacological effect, *Izv. Akad. Nauk SSSR, Ser. Khim.* 2106 (1973) [Engl. transl.: *Bull. Acad. Sci. USSR, Div. Chem. Sci.* **22**, 2050 (1973)].
- [4080] Mines, G. W., Thomas, R. K., and Thompson, H. The photoelectron spectra of thiocarbonyl fluoride and thiocarbonyl chloride, *Proc. Roy. Soc. Lond. A* **333**, 171 (1973).
- [4081] Schweig, A., Weidner, U., Hellwinkel, D., and Krapp, W. Spiroconjugation, *Angew. Chem. Intern. Ed.* **12**, 310 (1973).
- [4082] Kobayashi, T., and Nagakura, S. Photoelectron spectra of tetrahydropyran, 1,3-dioxane, and 1,4-dioxane, *Bull. Chem. Soc. Japan* **46**, 1558 (1973).
- [4083] Schweig, A., Weidner, U., Hill, R. K., and Cullison, D. A. A quantitative account of spiroconjugation, *J. Am. Chem. Soc.* **95**, 5426 (1973).
- [4084] Robin, M. B., Taylor, G. N., Kuebler, N. A., and Bach, R. D. Planarity of the carbon skeleton in various alkylated olefins, *J. Org. Chem.* **38**, 1049 (1973).
- [4085] Rademacher, P. Photoelectron spectra and conformation of hydrazine derivatives, *Angew. Chem. Intern. Ed.* **12**, 408 (1973).
- [4086] Vovna, V. I., Lopatin, S. N., Pettsold, R., Vilesov, F. I., and Akopyan, M. E. Photoelectron spectra of thiophosphorylchloride and some of its aminosubstituted derivatives, *Opt. i Spektrosk.* **34**, 868 (1973) [Engl. transl.: *Opt. Spectry.* **34**, 501 (1973)].
- [4087] Ogata, H., Onizuka, H., Nihei, Y., and Kamada, H. On the first bands of the photoelectron spectra of amines, alcohols, and mercaptans, *Chem. Letters* 895 (1972).

- [4088] Boschi, R., and Schmidt, W. Transannular π - π interaction in cyclophanes, *Angew. Chem. Intern. Ed.* **12**, 402 (1973).
- [4089] Johnstone, R. A. W., and Mellon, F. A. Effects of induction and resonance in the calculation of ionization potentials of substituted benzenes by perturbation molecular orbital theory, *J. Chem. Soc. Faraday Trans. II* **69**, 36 (1973).
- [4090] Schäfer, W., Schweig, A., Märkl, G., Hauptmann, H., and Mathey, F. Direct proof of the non-aromaticity of phospholes and arsoles, *Angew. Chem. Intern. Ed.* **12**, 145 (1973).
- [4091] Schmidt, H., and Schweig, A. Semiquantitative proof of hyperconjugation, *Angew. Chem. Intern. Ed.* **12**, 307 (1973).
- [4092] Bock, H., Solouki, B., Rosmus, P., and Steudel, R. Photoelectron spectra and molecular properties: SSO and OSO, *Angew. Chem. Intern. Ed.* **12**, 933 (1973).
- [4093] Gutmann, F., and Crooker, A. M. Extensions in the spark spectra of Tl III and Pb IV, *Can. J. Phys.* **51**, 1823 (1973).
- [4094] Reetz, M. T., Hoffmann, R. W., Schäfer, W., and Schweig, A. Methylenebicyclo [4.2.1]nona-2,4,7-triene, *Angew. Chem. Intern. Ed.* **12**, 81 (1973).
- [4095] Samson, J. A. R., and Gardner, J. L. Fluorescence excitation and photoelectron spectra of CO₂ induced by vacuum ultraviolet radiation between 185 and 716 angstroms, *J. Geophys. Res.* **78**, 3663 (1973).
- [4096] Bagarat'yan, N. V., Il'in, M. K., and Nikitin, O. T. Mass-spectrometric study of thallium metaborate, *Teplofiz. Vysokikh Temperatur* **11**, 995 (1973) [Engl. transl.: *High Temp. (USSR)* **11**, 888 (1973)].
- [4097] Benito, I., Seidl, H., and Bock, H. Efectos electronicos y estericos de sustituyentes alqulicos y silicicos sobre el sistema electronico π del estireno, *Rev. Fac. Cienc. Univ. Oviedo* **14**, 95 (1973).
- [4098] Smoes, S., and Drowart, J. Atomization energies of phosphorus oxides, *Faraday Symp. Chem. Soc.* 139 (1973).
- [4099] Tan, H.-S., and Lampe, F. W. The reaction of ethyl radicals with nitric oxide. Nitrosoethane and triethylhydroxylamine formation, *J. Phys. Chem.* **76**, 3303 (1972).
- [4100] Ames, L. L., Wang, J. L.-F., and Margrave, J. L. The vaporization of cesium nitrate, *Inorg. Nucl. Chem. Letters* **9**, 1243 (1973).
- [4101] Meijer, F. G., and Klinkenberg, P. F. A. The structure of the spectrum of Ta V, *Physica* **69**, 111 (1973).
- [4102] Smoes, S., Depière, D., and Drowart, J. The atomization energies of the gaseous molecules, *Rev. Int. Hautes Temp. Refract.* **9**, 171 (1972).
- [4103] Wu, H. Y., and Wahlbeck, P. G. Vapor pressures of TiO(g) in equilibrium with Ti₂O₃(s) and Ti₃O₅(s, β); dissociation energy of TiO(g), *J. Chem. Phys.* **56**, 4534 (1972).
- [4104] Schäfer, W., and Schweig, A. Evidence against the significance of C-S hyperconjugation in determining the conformation of allyl methyl sulphide, *J. Chem. Soc. Chem. Commun.*, 824 (1972).
- [4105] Guido, M., and Balducci, G. Dissociation energy of Yb₂, *J. Chem. Phys.* **57**, 5611 (1972).
- [4106] Kobayashi, T., and Nagakura, S. Photoelectron spectra of anilines, *Chem. Letters*, 1013 (1972).
- [4107] Kobayashi, T., and Nagakura, S. Photoelectron spectra of nitro-compounds, *Chem. Letters*, 903 (1972).
- [4108] Semenov, G. A., Nikolaev, E. N., and Opendak, I. G. Mass-spectrometric investigation of the vaporisation of barium and magnesium per-rhenates, *Zh. Neorg. Khim.* **17**, 1819 (1972) [Engl. transl.: *Russ. J. Inorg. Chem.* **17**, 943 (1972)].

5. Author Index

- Abbé, J.-C., 4052
 Achiba, Y., 4076
 Ackermann, F., 3762
 Ackermann, R. J., 3795, 3962, 4061
 Adamchuk, V. K., 3729
 Adams, G. P., 3570
 Aerni, R. J., 3790
 Aihara, J., 3877
 Akopyan, M. E., 3752, 3766, 4025, 4078, 4086
 Ali, Z., 3591, 3917
 Allen, J. D., Jr., 3963
 Aloisi, G. G., 3787
 Ames, L. L., 4100
 Anderson, C. P., 3507, 3528
 Andrews, M. N., 3805
 Antonova, N. L., 4030
 Appell, J., 3521, 3906
 Appelman, E. H., 3831, 3932
 Armstrong, D. R., 3680
 Artemov, A. N., 3786
 Åsbrink, L., 3516, 3530, 3531, 3639, 3651, 3720, 3740, 3750
 Ashe, A. J., 3832
 Askani, R., 4034
 Audier, H. E., 3590
 Bach, R. D., 4084
 Bafus, D. A., 3442
 Bagarat'yan, N. V., 4096
 Bain, A. D., 3826, 3843
 Baker, A. D., 3520
 Balducci, G., 3455, 3594, 3611, 3618, 3901, 4105
 Bardi, G., 3986
 Barz, P., 3747
 Basch, H., 3643, 3649
 Basco, N., 3882
 Basset, P. J., 3641
 Batich, C., 3832, 3999, 4049
 Baumgärtel, H., 3930
 Baylis, A. B., 3441
 Bazhenov, B. A., 4058
 Beauchamp, J. L., 3632, 3633
 Becker, G., 3844, 3867, 3950
 Beez, M., 3847
 Begun, G. M., 3793
 Bel'ferman, A. L., 3539, 3769, 4070
 Benezra, S. A., 3480, 3483, 3631
 Benito, I., 4097
 Benoit, F., 3792, 3973
 Bente, P. F., III, 3916
 Bentley, T. W., 3443, 3784
 Berger, J. G., 3994
 Bergmark, T., 3529, 3645, 3725, 3728, 3911
 Berkosky, J. L., 4023
 Berkowitz, J., 3500, 3525, 3536, 3640, 3650, 3831, 3913, 3920, 3927, 3928, 3932, 3958, 3960, 3971
 Berry, A. D., 3814
 Bertorello, H. E., 3454
 Bertrand, M., 3845
 Bethke, H., 3580
 Beynon, J. H., 3845
 Bickelhaupt, F., 3896
 Bidinasti, D. R., 3572
 Bieri, G., 3847, 4002
 Bischof, P., 3509, 3999, 4037
 Bizot, M., 3945
 Blackburn, P. E., 3595
 Blake, A. J., 3672
 Bock, H., 3504, 3584, 3646, 3648, 3673, 3746, 3778, 3781, 3844, 3847, 3867, 3898, 3944, 3946, 3950, 4067, 4092, 4097
 Boekelheide, V., 3647, 3948
 Boggess, G. W., 3963
 Bogolyubov, G. M., 3674
 Bohlmann, F., 3996, 4041, 4044, 4046, 4051
 Bonati, F., 3497
 Bonnier, J. -M., 3588
 Borgström, A., 4059
 Borossay, J., 3444
 Boschi, R., 3644, 3846, 3951, 3953, 3990, 4088
 Boschi, R. A., 3748, 3751
 Botter, R., 4003
 Bouchoux, G., 3590
 Boyd, R. J., 3828
 Branton, G. R., 3794
 Breeze, A., 3666, 3680
 Briegleb, G., 3577
 Briggs, P. R., 3549
 Brion, C. E., 3492
 Brogli, F., 3532, 3638, 3668, 3780, 4002, 4019, 4039, 4040, 4048, 4063
 Brown, P., 3446, 3447
 Bruckmann, P., 3997
 Brundle, C. R., 3501, 3520, 3637, 3642, 3643, 3649, 3727, 3943
 Büchler, A., 3613
 Budhiraja, C. J., 3592, 3593
 Bull, W. E., 3507
 Bünzli, J. C., 3828, 3835, 3842, 3843, 4004, 4010
 Burak, A. J., 4010
 Burroughs, P., 3979
 Bursey, M. M., 3480, 3483, 3496, 3631, 3805
 Buschek, J. M., 3887, 3889
 But, P. G., 4079
 Cabaud, B., 3574, 3745, 3956
 Cameron, A. E., 4042
 Campbell, B. E., 3621
 Camus, P., 4060
 Cantone, B., 3453
 Cardin, D. J., 3495
 Carey, R. N., 3758
 Carlson, K. D., 3491, 3599
 Carlson, T. A., 3507, 3528, 3880
 Carmichael, P. J., 3602, 3654
 Carver, J. C., 3507
 Castle, P. M., 3820
 Cater, E. D., 3448
 Causley, G. C., 3970
 Ceasar, G. P., 3873, 4008
 Centineo, G., 3822
 Čermák, V., 3537
 Cetinkaya, B., 3512
 Chadwick, D., 3517, 3659, 3667, 3694, 3879
 Chaghtai, M. S. Z., 3591, 3881, 3917
 Chang, C.-A., 3966
 Chibrikov, V. M., 4079
 Chizhov, Yu. V., 3658, 4078
 Chondromatidis, G., 3580
 Christian, S. D., 3915
 Chupka, W. A., 3525, 3920, 3927, 3932
 Ciach, S., 3800, 3802

- Clark, D. T., 3832
 Clark, I. D., 3522
 Clark, P. A., 3668, 4017
 Cleff, B., 3542
 Coble, U. T., 3832
 Cocke, D. L., 3440, 3597, 3798, 3902, 3966, 3978
 Cocksey, B. G., 3833
 Collin, J. E., 3598, 3664, 3839, 3903
 Collins, G. A. D., 3666
 Collins, R. J., 3878
 Colton, R. J., 3938, 4022
 Comes, J., 3519
 Compton, R. N., 3793
 Conde-Caprace, G., 3598, 3903
 Condorelli, G., 3822
 Conway, J. G., 4007
 Cooks, R. G., 3479, 3845
 Cornford, A. B., 3499, 3671, 3694
 Costa, M. L., 3779
 Cowan, D. O., 3518, 3660, 3936, 3981
 Cowan, R. D., 3566
 Cowley, A. H., 3825, 3872
 Cowling, S. A., 3824, 3988
 Cox, P. A., 3669
 Cradock, S., 3502, 3508, 3510, 3656, 3661, 3662, 3663, 3670, 3827, 4009, 4026
 Crandall, J. K., 4019
 Crooker, A. M., 4093
 Crowe, A., 3625, 3797, 3799
 Cruickshank, D. W. J., 3666, 3680
 Csákvári, B., 3444
 Cullen, W. R., 3589
 Cullison, D. A., 4083
 Cundy, C. S., 4077
 Cusachs, L. C., 3836, 3971
 Cuthill, A. M., 3796
 Czekalla, J., 3577
 Czira, G., 3939
 Daisey, J. M., 3730
 Daly, N. R., 3445, 3452
 Danby, C. J., 3833
 Danielson, P. M., 3595
 Davis, L. P., 3848
 Davis, S. P., 4007
 Dean, J. A., 4042
 Debies, T. P., 3955, 4022
 DeCorpo, J. J., 3442, 3814, 3952
 Dehmer, J. L., 3640, 3831, 3958, 3960, 3971
 Dehmer, P. M., 3920
 DeKock, R. L., 3655, 3666, 3675, 3680
 Delwiche, J., 3664, 3839
 De Maria, G., 3594, 3611, 3618, 3949
 de Meijere, A., 3576
 Denisov, Yu. V., 3918
 Depière, D., 4102
 Desideri, A., 3608, 3986
 Dewar, M. J. R., 3872
 Dewar, M. J. S., 3657, 3825
 Dibeler, V. H., 3921, 3929, 3931
 Diemann, E., 3838
 DiLonardo, G., 3731
 Dimroth, K., 4053
 Distefano, G., 3497, 3498, 3804, 3806
 Dixit, M. N., 3560
 Dixon, D. A., 3633
 Dixon, R. N., 3665
 Dmitriev, A. B., 3729
 Donovan, R. J., 3567, 3742, 3878
 Dông, P., 3945
 Doucet, J., 3749, 3914
 Dougherty, R. C., 3454
 Drake, J. E., 3511, 3514
 Dromey, R. G., 3834
 Drowart, J., 3458, 3557, 3819, 4001, 4098, 4102
 Duke, Jr., R. E., 3848
 Durup, J., 3906
 Duxbury, G., 3665
 Eberbach, W., 3853, 4040
 Ebsworth, E. A. V., 3502, 3661, 3670, 3827, 4026
 Edqvist, O., 3516
 Edwards, J. G., 3449
 Ehlert, T. C., 3623
 Eick, H. A., 3459, 3460, 3612, 3614, 3976
 Ekberg, J. O., 3893, 3894, 3895, 3912
 Eland, J. H. D., 3684, 3833, 3998
 Eley, D. D., 3829
 Ellison, F. O., 4023
 Ellison, G. B., 3727
 Él'man, M. S., 3884, 4043
 Emma, V., 3453
 Emmel, R. H., 3823
 Enrione, R. E., 3540, 3547
 Ensslin, W., 3504
 Epstein, G., 3924
 Evans, K., 3876
 Evans, S., 3527, 3669, 3676, 3677, 3681, 3682, 3683, 3686, 3688, 3830
 Fabian, D. J., 3796
 Farber, M., 3462, 3463, 3465, 3606, 3617, 3620, 3801, 4054
 Farmer, J. S. H., 3492
 Feather, D. H., 3613
 Fedorova, M. S., 3918
 Fehlner, T. P., 3871
 Felps, S., 3836
 Fenderl, K., 3578, 3579
 Fenske, R. F., 3866
 Ferraris, J. P., 3981
 Ferré, Y., 3587
 Ferreira, M. A. A., 3779, 3812
 Fetizon, M., 3590
 Findlay, R. H., 3724, 4009
 Finkbeiner, H. C., 3471, 3966
 Fischer, E. O., 3582
 Fischer, R. D., 3582
 Fishel, N. A., 3614
 Fjeldstad, P. E., 3977
 Fleming, G. R., 3665
 Flesch, G. D., 3628, 3791
 Florida, D., 3773
 Foffani, A., 3498
 Foner, S. N., 3785
 Forest, M., 4074
 Fort, R. C., Jr., 3886
 Fortin, C. J., 4018, 4074
 Foster, M. S., 3632
 Foster, R., 3543
 Foster, S., 3836
 Fragalà, I., 3822

- Franklin, J. L., 3442, 3487, 3490, 3808, 3987
 Franzen, H. F., 3449
 Fridh, C., 3639, 3651, 3720, 3740, 3750
 Fringuelli, F., 3804
 Fritz, G., 3844, 3855, 3867, 3950
 Fritz, H. P., 3747
 Frost, D. C., 3499, 3511, 3514, 3515, 3517, 3522, 3533, 3589,
 3659, 3671, 3678, 3690, 3694, 3826, 3835, 3837,
 3840, 3841, 3842, 3843, 3879, 3965, 4004, 4010
 Fuchs, R., 3904
 Fuss, W., 3584, 3673, 3944
 Gaidis, J. M., 3549
 Gaivoronskii, P. E., 3786
 Galloni, G., 3731
 Gamble, A. A., 3484
 Gardner, J. L., 3975, 4095
 Gelus, M., 3588
 George, S., 3562
 Gfeller, J.-C., 3953
 Gibson, D. M., 3979
 Giessner, B. G., 3493
 Gigli, G., 3455, 3901, 3969
 Gilbert, J. R., 3484, 3788
 Gilbert, R., 3764
 Gil'burd, M. M., 3539, 3769, 4070
 Gilles, P. W., 3449
 Gingerich, K. A., 3440, 3468, 3469, 3471, 3472, 3473, 3596,
 3597, 3609, 3619, 3621, 3798, 3902, 3961, 3966,
 3968, 3978, 4012
 Giovannini, E., 4063
 Gleiter, R., 3513, 3518, 3569, 3576, 3660, 3679, 3849, 3936,
 3981, 4006, 4017, 4034, 4045
 Glemser, O., 3660, 3518
 Glenn, K. G., 3695, 3700
 Glockling, F., 3474, 3815
 Goldstein, M. J., 3991
 Gole, J. L., 3743
 Goll, W., 4015
 Golob, L., 3942
 Gompper, R., 3885
 Goodman, D. W., 3657, 3825, 3872
 Gopalaraman, C. P., 3568
 Gorman, A. A., 3824
 Gorokhov, L. N., 3821
 Gounelle, Y., 4003
 Gowenlock, B. G., 3602, 3654
 Gräber, P., 3622
 Grahn, W., 3994
 Grasso, F., 3453
 Gravel, D., 4074
 Green, J., 4008
 Green, J. C., 3677, 3686, 3830
 Green, M. C., 3503
 Green, M. L. H., 3688
 Gregory, N. W., 3954
 Greiss, G., 3545
 Grimley, R. T., 3605
 Grimm, F. A., 3507, 3880
 Gronneberg, T., 3635, 3636, 3891
 Gronowitz, S., 3858
 Grosjean, D., 3957
 Gross, M. L., 3544, 3735, 3790
 Grützmacher, H. F., 3552, 3553, 3583
 Guest, M. F., 3709
 Guido, M., 3455, 3594, 3611, 3618, 3901, 3969, 4105
 Gunkel, E., 3972
 Gupta, S. K., 3450, 3451
 Gusarov, A. V., 3821
 Gutbier, H., 3555
 Gutmann, F., 4093
 Guyon, P. M., 3525
 Györösi, P., 3789
 Hall, M. B., 3709
 Hamnett, A., 3681, 3682
 Haney, M. A., 3487, 3490
 Hansen, J. E., 3893, 3894, 3895, 3912
 Hanson, A., 4072
 Hariharan, A. V., 3459, 3612, 3614
 Harris, M. M., 3477
 Hartmann, H., 3738
 Haselbach, E., 3505, 3741, 3853, 3860, 4037, 4040
 Haselback, E., 3888
 Hashmall, J. A., 3936
 Hass, A., 3746
 Hassan, V., 3881
 Hauptmann, H., 4090
 Hayakawa, T., 3538
 Hazeldine, D. J., 3829
 Hedaya, E., 3476
 Heier, K.-H., 4066
 Heil, H. F., 3545
 Heilbronner, E., 3505, 3509, 3513, 3518, 3532, 3576, 3638, 3660,
 3668, 3679, 3685, 3687, 3741, 3780, 3832, 3847,
 3849, 3936, 3991, 3999, 4002, 4006, 4017, 4019,
 4034, 4037, 4038, 4039, 4040, 4045, 4047, 4048,
 4049, 4063
 Hekman, M., 4045
 Heller, D., 3876
 Hellwinkel, D., 4081
 Henion, J. D., 3817
 Herberich, G. E., 3545
 Herring, F. G., 3499, 3511, 3514, 3671, 3678, 3693, 3694, 3837,
 3879
 Hertzberg, M., 3634
 Herzberg, G., 3770
 Heyman, M. L., 3828
 Hickling, R. D., 3488
 Higginson, B. R., 3655, 3680, 3870, 3979
 Highsmith, R. E., 3653
 Hildenbrand, D. L., 3610, 3616, 3816, 3818, 3909
 Hill, R. K., 4083
 Hillier, I. H., 3675, 3709
 Hillig, H., 3542
 Hintz, P. J., 3887
 Hirayama, C., 3820
 Hoareau, A., 3745, 3956
 Hoffman, M. K., 3805
 Hoffmann, R. W., 3933, 4094
 Högberg, S., 3569
 Holls, P. J., 4035
 Holmes, J. L., 3535
 Holmstrom, J.-E., 3905
 Holsboer, F., 3885, 4024
 Holtz, D., 3633
 Hornung, V., 3513, 3569, 3679, 3685, 3832, 3936, 3991, 4034,
 4040, 4048
 Hoshi, T., 3849
 Hoshino, H., 4033

- Hotop, H., 3541
 Houk, K. N., 3848
 Houte, J. J. v., 3910
 Howe, I., 3479, 3916
 Hsia, M., 3623
 Huber, R., 3855
 Hübner, J., 3552, 3553, 3583
 Hudson, R. L., 3785
 Huffman, R. E., 3983
 Hugo, J. M. V., 3665
 Husain, D., 3878
 Hussain, M., 3725, 3728
 Hvistendahl, G., 3494, 3627, 3630, 3789
 Ikeda, S., 3874, 3883, 4056
 Ikuta, S., 4056
 Il'in, M. K., 4096
 Innorta, G., 3497, 3498, 3804, 3806, 3807
 Inokuchi, H., 3877
 Ipaktschi, J., 3780
 Iskakov, L. I., 4028, 4031, 4057
 Iverson, A. A., 3774
 Ivko, A. A., 4071
 Iwai, T., 4068
 Jackson, S. E., 3686, 3830
 Jalonen, J., 3481, 3803
 Jenkins, F. A., 3561
 Jennings, K. R., 3488
 Jewitt, B., 3688
 Jinno, M., 4056
 Joachim, P. J., 3677, 3683
 Johnson, C. A. F., 3602, 3654
 Johnstone, R. A. W., 3443, 3485, 3626, 3784, 3824, 3852, 3988, 4089
 Jois, S. S., 3560
 Jonas, A. E., 3880
 Jonathan, N., 3534, 3691, 3701, 3717, 3942
 Jones, G. R., 3501, 3642, 3943
 Jones, R. W., 3869
 Jonsson, B. Ö., 3639, 3651, 3720, 3740, 3750
 Joshi, Y. N., 3562, 3592, 3593
 Joyce, T. E., 3603
 Judge, D. L., 3573
 Jungen, Ch., 3770
 Junk, G. A., 3628
 Kaizu, Y., 4029
 Kamada, H., 4032, 4087
 Karlsson, L., 3529, 3645, 3725, 3728, 3911
 Kashparov, I. S., 4035
 Katayama, D. H., 3983
 Katrib, A., 3511, 3514, 3515, 3659, 3678, 3694, 3837, 3864, 3879, 4022
 Katsumata, S., 3862, 3984, 4068, 4076
 Kaufman, V., 3563, 3754, 3756, 3899, 3974
 Kent, M. E., 3476
 Keppie, S. A., 3495
 Khalil, O. S., 3856
 Khatoon, S., 3917
 Khmel'nitskii, R. A., 3767
 Kilcast, D., 3832
 Killgoar, P. C., Jr., 3927
 Kimura, K., 3862, 3984, 4068, 4076
 King, G. H., 3512, 3696, 3704, 3707
 Kingston, D. G. I., 3817
 Kinneberg, K. F., 3823
 Kitaev, Yu. P., 3884, 4043
 Klebe, K. J., 3910
 Kleimenov, V. I., 3658
 Klessinger, M., 3713, 3997
 Klinkenberg, P. F. A., 4101
 Kloster-Jensen, E., 4002, 4019, 4048
 Knowles, D. J., 3800
 Kobayashi, H., 4029
 Kobayashi, M., 4029
 Kobayashi, T., 3638, 3964, 4082, 4106, 4107
 Koch, E. E., 3857
 Koch, V. R., 3851
 Koenig, T., 3851
 Kohl, F. J., 3457, 3470, 4005, 4014
 Kollmeier, H. J., 3582
 Konstantatos, J., 3742
 Kordis, J., 3596, 3798, 3961, 3978, 4012
 Kornfeld, R., 3916
 Kosbahn, W., 4024
 Koski, W. S., 3869
 Kraessig, R., 3930
 Krapp, W., 4081
 Kreiter, C. G., 3582
 Krenmayr, P., 3556
 Krishnamurthy, S. S., 3512, 3704
 Kroner, J., 3781, 3944, 4024, 4065
 Kroto, H. W., 3696, 3697, 3708, 3982
 Kubach, C., 3521
 Kuebler, N. A., 3637, 3643, 3649, 3727, 3941, 4036, 4084
 Kuppermann, A., 3739
 Kutsev, V. S., 3456, 4030
 Kuzmenko, N. E., 3558
 Kuznetsova, L. A., 3558
 Kuzyakov, Yu. Ya., 3558
 Lageot, C., 3575, 3581, 3737
 Lakshman, S. V. J., 3564
 Lampe, F. W., 4099
 Lanyiova, Z., 3860
 Lappert, M. F., 3495, 3503, 3512, 3548, 3704, 4077
 Larin, N. V., 3786
 Larkins, J. T., 4075
 Lawless, E. W., 3551
 Leach, W. P., 3788
 Leavell, S., 3987
 Lebert, K.-H., 3738
 Lee, S. T., 3690, 3840, 3841, 3965
 Lee, T. H., 4022, 4023
 Leeder, W. R., 3589
 Lefebvre-Brion, H., 3762
 Lemal, D. M., 4040
 Lempka, H. J., 3666, 3990
 Leroi, G. E., 3927
 Lichtenberger, D. L., 3866
 Lightner, D. A., 3629
 Lin, L.-N., 3915
 Linda, P., 3482
 Lindberg, B., 3569
 Lindholm, E., 3516, 3639, 3651, 3720, 3740, 3750
 Little, D. J., 3742
 Litzow, M. R., 3495
 Lloyd, D. R., 3506, 3641, 3655, 3666, 3675, 3680, 3682, 3699, 3709, 3711, 3865, 3870, 3935, 3979
 Loginov, M. V., 3526
 Loginov, Yu. V., 3766

- Lopatin, S. N., 4086
 Lossing, F. P., 3476, 3732
 Loudon, A. G., 3477
 Lozac'h, N., 3569
 Lynaugh, N., 3506, 3699, 3709, 3711
 Lynch, D. A., 3491
 MacDiarmid, A. G., 3653, 3814
 Maier, J. P., 3677, 3702, 3703, 3854, 3890
 Majer, J. R., 3550
 Majeti, S., 3629
 Makowiecki, D. M., 3491
 Malaspina, L., 3947, 3949, 3986
 Maltsev, A. K., 3939
 Mamantov, G., 3507
 Mancini, V., 3806, 3807
 Mannschreck, A., 3505, 3888
 Manuel, G., 3850, 3859
 Marek, B. C., 3467
 Maretina, I. A., 3674
 Margrave, J. L., 3570, 3615, 3743, 4100
 Marino, G., 3482, 3804
 Märkl, G., 4066, 4090
 Marr, G. V., 3772
 Martens, J., 4062
 Martin, H. D., 3509, 3687
 Martin, H.-D., 4045, 4047
 Martínez de Bertorello, M., 3454
 Masclet, P., 3957
 Mason, D. C., 3739
 Mateescu, G. D., 3886, 3907
 Mathar, W., 3996
 Mathey, F., 4090
 Mathieu, G., 3812
 Matsumoto, A., 3538
 Matsumoto, H., 3712, 4076
 Mazengo, R. Z., 3477
 McAllister, T., 3476
 McConkey, J. W., 3625, 3797, 3799
 McCulloh, K. E., 3925, 3931
 McDiarmid, R., 3565
 McDowell, C. A., 3499, 3515, 3659, 3671, 3678, 3689, 3690, 3692, 3694, 3835, 3837, 3840, 3841, 3879, 3965
 McDowell, M. V., 3653, 3814, 3952
 McFarland, C. W., 3886
 McGillivray, D., 3535
 McGlynn, S. P., 3836, 3856
 McIntyre, N. S., 3572
 McLafferty, F. W., 3916
 McLean, R. A. N., 3511, 3514, 3515, 3659, 3678, 3694, 3868, 3879
 McMaster, B. N., 3784
 McNeil, D. W., 3476
 Medynskii, G. S., 3658
 Meeks, J. L., 3856
 Mehlhorn, W., 3542
 Meijer, F. G., 4101
 Meijere, A., 3849
 Meisels, G. G., 3493, 3823
 Mellon, F. A., 3443, 3485, 3626, 3852, 4089
 Menes, F., 4003
 Merimson, V. G., 3571
 Miller, J. R., 3788
 Miller, L. L., 3851
 Mines, G. W., 3705, 3863, 4080
 Minghetti, G., 3497
 Minnhagen, L., 3754, 3923
 Mintz, D. M., 3739
 Mitchum, R. K., 3823
 Mittsev, M. A., 3526
 Moin, F. B., 3539, 3769
 Mollère, P., 3844, 3867, 3950
 Mollere, P. D., 3980
 Momigny, J., 3812, 3839
 Morishima, I., 3712
 Moritani, I., 3759
 Morris, A., 3534, 3691, 3698, 3701, 3942
 Morrison, J. D., 3811, 3813, 3834, 3967
 Morrison, R. J., 3815
 Morse, R. D., 3882
 Mouvier, G., 3957
 Muenow, D. W., 3615, 3810
 Müller, A., 3838
 Müller, C., 3993
 Müller, J., 3545, 3578, 3579, 3582, 4015
 Munir, Z. A., 3475
 Murdoch, J. D., 3670
 Murphy, C. B., 3547
 Murphy, Jr., C. B., 3540
 Murrell, J. N., 3644, 3707, 3710, 3948
 Musso, H., 3741, 4034
 Muszkat, K. A., 4038
 Myers, C. E., 3458, 3819, 4001
 Nagakura, S., 3964, 4076, 4082, 4106, 4107
 Nagaraj, S., 3560
 Narayan, B., 3755
 Narayana, B., 3761
 Natalis, P., 3664, 3839, 4073
 Natowsky, S., 3991
 Nauman, R. V., 3848
 Neckel, A., 3775
 Nefedov, O. M., 3939
 Nelsen, S. F., 3887, 3889
 Newkome, G. R., 3848
 Ni, R. Y., 3600
 Nicholson, A. J. C., 3524, 3800, 3802
 Nicoletti, R., 3629
 Niehaus, A., 3541
 Nihei, Y., 4032, 4087
 Nikitin, O. T., 4096
 Nikolaev, E. N., 4108
 Nishida, S., 3759
 Nixon, J. F., 4021
 Nölle, D., 4065
 Nöth, H., 4065
 Nounou, P., 3574, 3588, 3745, 3956
 O'Bryan, C. L., 3983
 Oehling, H., 3934
 Ogata, H., 4032, 4087
 Ogawa, M., 3573, 3760
 Ogawa, S., 3760
 Okabe, H., 3929
 Okuda, M., 3691, 3701, 3714, 3942
 Okudaira, S., 3486
 Olavesen, C., 3550
 Olfky, R. S., 3634
 Onizuka, H., 4032, 4087
 Opendak, I. G., 4108
 Orchard, A. F., 3527, 3669, 3677, 3681, 3682, 3683, 3688, 3979

- Osafune, K., 3862
 Otto, A., 3857
 Paine, R. T., 3652
 Palmer, M. H., 3724, 4009
 Palmer, T. F., 3829
 Panchenkov, I. G., 3821
 Paquette, L. A., 4006, 4008
 Parr, G. R., 4069
 Pasanen, P., 3803
 Pattoret, A., 3557
 Paulus, J.-M., 4052
 Pechine, J. M., 4003
 Pedley, J. B., 3503, 3512, 3548, 3704, 4077
 Peel, J. B., 3834
 Persson, W., 3926
 Petrov, A. A., 3674, 3767
 Pettsold, R., 4086
 Piacente, V., 3472, 3594, 3608, 3609, 3947, 3949, 3986
 Pignataro, S., 3482, 3497, 3498, 3787, 3804, 3806, 3807
 Pihlaja, K., 3481, 3803
 Pincock, R. E., 3492
 Pinkerton, F. H., 3685
 Pirnazarova, F. N., 4079
 Piruzyan, L. A., 4079
 Pitt, C. G., 3546, 3758, 3922, 3946
 Plotnikov, V. F., 3674
 Poltorakov, A. P., 4079
 Polyakova, A. A., 3767
 Porter, R. F., 3461, 3464
 Potapov, V. K., 3523, 3918, 4028, 4031, 4055, 4057, 4058
 Potts, A. W., 3695, 3700, 3715, 3716, 3719
 Powell, R. E., 3452
 Pozharskii, A. F., 4035
 Praefcke, K., 4062
 Praet, M. -Th., 3585
 Preiss, H., 3783
 Pressley, G. A., Jr., 3441
 Preston, J. A., 3625
 Price, W. C., 3695, 3700, 3715, 3716, 3719, 3761
 Prinzbach, H., 3509
 Proch, D., 3944
 Prudnikova, G. V., 3729
 Prusaczyk, J. E., 3599
 Pua, C. K. N., 3794
 Pupp, C., 3473, 3621
 Puttemans, J.-P., 4072
 Pygall, C. F., 3688
 Rabalais, J. W., 3529, 3530, 3645, 3721, 3725, 3728, 3864, 3911, 3938, 3955, 4022, 4023
 Rabeneck, H., 4013
 Rademacher, P., 4085
 Radler, K., 3857
 Radziemski, L. J., 3756, Jr., 3566
 Rakita, P. E., 3805
 Rankin, D. W. H., 3662
 Rao, T. V. R., 3564
 Rauh, E. G., 3448, 3795, 3962, 4061
 Raymonda, J. W., 3559, 3757
 Reader, J., 3744, 3893, 3894, 3895, 3912, 3924
 Redhead, P. A., 3489, 3568
 Reetz, M. T., 4094
 Reinke, D., 3930
 Rennekamp, M. E., 3845
 Reuss, G., 3577
 Rice, S. A., 3773, 3876
 Richardson, N. V., 3669
 Ridyard, J. N. A., 3990
 Rinke, K., 4013
 Robb, J. C., 3550
 Roberts, J. A., Jr., 3607
 Roberts, P. J., 3669, 3865, 3870
 Robertson, A., 3827
 Robin, M. B., 3637, 3643, 3649, 3727, 3941, 4084
 Roche, A. L., 3762
 Rodionov, A. N., 4055
 Rogerson, P. F., 3496
 Rogozhin, K. L., 4055
 Rolinski, E. J., 3603
 Rosenstock, H. M., 4075
 Rosmus, P., 4092
 Ross, K. J., 3534, 3691, 3942
 Rossi, M., 3860
 Rousseau, Y., 4018, 4074
 Russ, B., 4041
 Russell, B. R., 3774, 3776, 3970
 Saalfeld, F. E., 3634, 3653, 3814, 3952
 Sadovskaya, V. L., 3571
 Salahub, D. R., 3748, 3751
 Salmona, G., 3587
 Salmona, Y. F., 3736
 Samson, J. A. R., 3975, 4095
 Sandhu, J. S., 3533
 Sandorfy, C., 3749, 3764, 3914
 Santoro, E., 3989
 Sarapu, A. C., 3866
 Saunders, V. R., 3675
 Sauvageau, P., 3749, 3764, 3914
 Savage, W., 3663
 Savage, W. J., 3661
 Scanlan, I., 3832
 Schaaf, D. W., 3954
 Schäfer, H., 4013
 Schäfer, W., 3858, 3896, 3933, 3934, 4053, 4066, 4090, 4094, 4104
 Schäublin, J., 3518
 Scheppele, S. E., 3823
 Scheps, R., 3773, 3876
 Schmelzer, A., 3741
 Schmidbaur, H., 3782
 Schmidt, E., 3981
 Schmidt, H., 3859, 3992, 3995, 4091
 Schmidt, W., 3503, 3644, 3647, 3710, 3846, 3855, 3885, 3948, 3951, 3953, 3990, 4000, 4050, 4077, 4088
 Schoonmaker, R. C., 3461, 3464
 Schubert, R., 3892
 Schurter, R., 4063
 Schüttler, R., 3933
 Schwarz, H., 3996, 4041, 4044, 4046, 4051, 4062
 Schweig, A., 3850, 3858, 3859, 3861, 3896, 3908, 3933, 3934, 3940, 3992, 3993, 3994, 3995, 4053, 4066, 4081, 4083, 4090, 4091, 4094, 4104
 Schweiger, J. R., 3825, 3872
 Schweitzer, G. K., 3880, 3963
 Scott, J. D., 3776, 3970
 Searcy, A. W., 3466, 3607, 3613, 4016
 Seidl, H., 4097
 Seitz, W., 3505, 3888
 Seiver, R. L., 3460

- Semenov, G. A., 4108
 Semmelhack, M. F., 4049
 Sen Sharma, D. K., 3808
 Sergeev, Yu. L., 3752, 4025, 4078
 Setser, D. W., 3845
 Seybold, G., 3885
 Shannon, T. W., 3549
 Shapiro, R. H., 3897, 3900
 Sheley, C. F., 3886
 Shen, K.-W., 4036
 Shevchuk, V. U., 3769
 Shimada, K., 3960
 Shimizu, Y., 3624
 Shiokawa, T., 4056
 Shu-Shou-Shen, S., 3796
 Shushunov, N. V., 3786
 Siegbahn, K., 3911, 3529, 3645, 3725, 3728
 Simmie, J. M., 3478
 Simpson, J., 3548
 Singhal, S. R., 3560
 Singleton, D. L., 3604
 Sirotkin, N. I., 3786
 Sizoy, V. F., 3571
 Skinner, H. B., 3466, 4016
 Smagina, E. I., 3456
 Smith, D. H., 4042
 Smith, D. J., 3534, 3691, 3701
 Smith, D. R., 3559
 Smith, P. G., 3824
 Smitt, R., 4064
 Smoes, S., 3458, 3557, 4098, 4102
 Smolinsky, G., 3809
 Snyder, J. P., 3828
 Sodeck, G., 3652, 3775
 Sojka, S. A., 4019
 Solgadi, D., 4003
 Solouki, B., 3646, 4092
 Sonnessa, A. J., 3730
 Sorokin, L. S., 3729
 Sorokin, V. V., 3523
 Spalding, T. R., 3495, 3548
 Spohr, R., 3525
 Spoliti, M., 3455
 Srivastava, R. D., 3462, 3463, 3465, 3606, 3617, 3620, 3801, 4054
 Stafast, H., 3778, 4067
 Stafford, F. E., 3441, 3601, 3604, 3652
 Stalherm, D., 3542
 Stearns, C. A., 3457, 3470, 4005, 4014
 Stebbings, W. L., 3753
 Steichen, J., 3987
 Steiger, R. P., 3570
 Steinhaus, D. W., 3566
 Steudel, R., 4092
 Stewart, W. B., 3492
 Stockbauer, R., 3919
 Strachan, P., 3567
 Strack, W., 4024
 Strafford, R. G., 3474
 Street, G. B., 3475
 Streets, D. G., 3873
 Sucrow, W., 3580
 Suffolk, R. J., 3696, 3697, 3707, 3708, 3982, 3990
 Sugar, J., 3563, 3744, 3875, 3899, 3974
 Sullivan, C. L., 3599
 Sustmann, R., 3892, 3937
 Svec, H. J., 3628, 3791
 Sweigart, D. A., 3718, 3733
 Swingler, D. L., 3800, 3802
 Syrvatka, B. G., 3539, 3769, 4070
 Szepes, L., 3444
 Szwarc, M., 3960
 Szwarc, R., 3819, 4001
 Tajima, S., 3777, 3624, 4033
 Takezawa, S., 3763
 Tamás, J., 3939
 Tan, H.-S., 4099
 Tanaka, I., 4020
 Tanaka, K., 4020
 Tanaka, Y., 3763
 Taniguchi, S., 3538
 Taticchi, A., 3804
 Taylor, G. N., 4084
 Taylor, J. W., 3753, 4069
 Teraji, T., 3759
 Terenin, A., 3586
 Thames, S. F., 3685
 Thiel, W., 3861
 Thistlethwaite, P. J., 3802
 Thomas, R. K., 3705, 3726, 3734, 4080
 Thommen, E., 3629
 Thompson, G. L., 4006
 Thompson, H., 3705, 3726, 4080
 Thompson, H. W., 3863
 Thompson, K. R., 3985
 Thorn, R. J., 3448
 Thuijl, J. v., 3910
 Tillett, J. G., 3484
 Tomer, K. B., 3900
 Tomkins, F. S., 4060
 Tondello, E., 3822
 Tondello, G., 4011
 Toren, E. C., 3758
 Torroni, S., 3807
 Traeger, J. C., 3811, 3813, 3967
 Trill, H., 3937
 Trombetti, A., 3731
 Tsai, S.-C., 3916
 Tschuikow-Roux, E., 3478
 Tsuchiya, T., 3624, 3777, 4033
 Turk, J., 3897, 3900
 Turner, D. W., 3520, 3527, 3677, 3683, 3702, 3703, 3718, 3733, 3854, 3871, 3890
 Tuttle, M., 3851
 Ul'yanova, O. V., 4079
 Undheim, K., 3494, 3627, 3630, 3635, 3636, 3789, 3891, 3977
 Uy, O. M., 3463, 3606, 3617, 3620, 3819, 4001, 4054
 Uzan, R., 3574, 3745, 3956
 Valind, S., 3926
 Van Den Ham, D. M. W., 3722, 3723, 3959
 Vander Auwera-Mahieu, A., 3819, 4001
 Van Der Helm, D., 3915
 Van Der Meer, D., 3722, 3723, 3959
 Van Deurzen, C. H. H., 4007
 Varmuza, K., 3556
 Vasile, M. J., 3809
 Vaziri, C., 4074
 Velasco, R., 3768

- Venkateswarlu, P., 4027
 Verma, R. D., 3560
 Vermeer, H., 3896
 Vikhlyayev, Yu. I., 4079
 Vilesov, F. I., 3658, 3752, 3765, 3884, 4025, 4043, 4078, 4086
 Vincent, E. J., 3587
 Vincent, E.-J., 3736
 Visnapuu, A., 3467
 Vorlaender, W., 4051
 Vornberger, W., 3782
 Vovna, V. I., 3884, 4043, 4086
 Wagner, G., 3781
 Wagner, L. C., 3605
 Wahl, A. C., 3928
 Wahlbeck, P. G., 3600, 4103
 Walker, J. A., 3921, 3931, 4075
 Walker, T. E. H., 3958
 Wanczek, K.-P., 3738
 Wang, J. L.-F., 4100
 Wanger, G., 3898
 Wankenne, H., 3812
 Ward, S. D., 3485
 Warneck, P., 3554
 Watanabe, I., 3874, 3883
 Weidner, U., 3850, 3908, 3940, 3994, 4081, 4083
 Weil, K. G., 3622
 Weiler, L., 3517, 3842, 3843, 4004
 Weissler, G. L., 3573
 Werme, L. O., 3529, 3645, 3725, 3728, 3911
 Westwood, N. P. C., 3511, 3514, 3982
 Wherrett, S. R., 3772
 White, G., 3634
 Whiteford, R. A., 3510, 3656, 3661, 4026
 Wiberg, K. B., 3727
 Wilkins, B. T., 3503, 3855, 3990, 4050, 4077
 Wilkins, C. L., 3544
 Williams, D. H., 3479
 Williams, T. A., 3715
 Wilson, J. W., 3815
 Wilson, P. W., 3570
 Wingard, R. E., Jr., 4006, Jr., 4008
 Winters, H. F., 3475
 Wittel, K., 3648, 3746
 Work, D. E., 3976
 Worley, R. E., 3561
 Worley, S. D., 3886, 3907
 Wu, H. Y., 4103
 Wulfson, N. S., 3571
 Wyatt, J. R., 3601
 Yamazaki, T., 3984
 Yokota, K., 3964
 Yokoyama, Y., 3874, 3883, 4056
 Yonezawa, T., 3712
 Yoshihara, K., 4056
 Yoshikawa, K., 3712
 Zaletov, V. G., 4035
 Zaretskii, V. I., 3571
 Zauli, C., 3731
 Zimina, K. I., 3767

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET		1. PUBLICATION OR REPORT NO. NSRDS-NBS 63, Part I		2. Gov't. Accession No.		3. Recipient's Accession No.	
4. TITLE AND SUBTITLE Ion Energetics Measurements Part I. 1971-1973						5. Publication Date Sept. 1980	
						6. Performing Organization Code	
7. AUTHOR(S) H. M. Rosenstock, D. Sims, S. S. Schroyer, W. J. Webb						8. Performing Organ. Report No.	
9. PERFORMING ORGANIZATION NAME AND ADDRESS NATIONAL BUREAU OF STANDARDS DEPARTMENT OF COMMERCE WASHINGTON, DC 20234						10. Project/Task/Work Unit No.	
						11. Contract/Grant No.	
12. SPONSORING ORGANIZATION NAME AND COMPLETE ADDRESS (Street, City, State, ZIP) National Institute of General Medical Sciences National Institutes of Health Bethesda, MD 20014						13. Type of Report & Period Covered N/A	
						14. Sponsoring Agency Code	
15. SUPPLEMENTARY NOTES Library of Congress Catalog Card Number: 80-607942 <input type="checkbox"/> Document describes a computer program; SF-185, FIPS Software Summary, is attached.							
16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.) The present publication tabulates measurement information on energetics of gaseous positive ions published in 1972 and 1973 along with some information from 1971. It is intended to supplement the information previously compiled and evaluated in "Energetics of Gaseous Ions." Approximately five thousand measurements are tabulated, drawn from over six hundred published papers.							
17. KEY WORDS (six to twelve entries; alphabetical order; capitalize only the first letter of the first key word unless a proper name; separated by semicolons) Appearance potential; electron impact; electron spectroscopy; gaseous ion; ionization potential; photoionization; spectroscopy.							
18. AVAILABILITY <input type="checkbox"/> For Official Distribution. Do Not Release to NTIS <input checked="" type="checkbox"/> Order From Sup. of Doc., U.S. Government Printing Office, Washington, DC 20402 <input type="checkbox"/> Order From National Technical Information Service (NTIS), Springfield, VA, 22161				19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED		21. NO. OF PRINTED PAGES 379	
				20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED		22. Price \$8.50	

**Where can you find
all the reference data
you need?**


**Right in the
Journal of Physical
and Chemical
Reference Data!**

Now in its sixth year, this valuable publication has proved that it fills the important gaps for you in the literature of the physical sciences.

Published by the American Institute of Physics and the American Chemical Society for the National Bureau of Standards, this quarterly gives you quantitative numerical data, with recommended values and uncertainty limits chosen by experts in the field.

Critical commentary on methods of measurement and sources of error, as well as full references to the original literature, is an integral part of each of your four issues a year.

Can you afford to be without this prime source of reliable data on physical and chemical properties? To start receiving your copies, just fill in the order form and drop into the mail. If you do use a purchase order, please attach the printed form as this will help us to expedite your order. Send for complete list of reprints!



Journal of Physical and Chemical Reference Data
American Chemical Society
1155 Sixteenth Street, N.W., Washington, D.C. 20036

Yes, I would like to receive the JOURNAL OF PHYSICAL AND CHEMICAL REFERENCE DATA at the one-year rate checked below:

Name
☐ Home
☐ Business
Street
City State Zip
Bill me ☐ Bill company or school ☐ Payment enclosed ☐

	Members	Nonmembers
U.S., Canada, Mexico	<input type="checkbox"/> \$25.00	<input type="checkbox"/> \$100.00
Other Countries	<input type="checkbox"/> \$29.00	<input type="checkbox"/> \$104.00

Please Attach This Order Form To Purchase Order.

Important Additions

TO THE JOURNAL OF PHYSICAL AND CHEMICAL REFERENCE DATA

Three comprehensive reference volumes, each, as the Journal itself, published by the American Institute of Physics and the American Chemical Society for the National Bureau of Standards . . . your triple assurance of their accuracy, immediacy, and usefulness.

Supplement No. 1 to Vol. 2

"PHYSICAL AND THERMODYNAMIC PROPERTIES OF ALIPHATIC ALCOHOLS"

by R. C. Wilhoit and B. J. Zwolinski, *Thermodynamics Research Center, Department of Chemistry, Texas A & M University*

Represents the most exhaustive review and critical analysis of selected physical and thermodynamic properties of aliphatic alcohols that has been published in the world literature of chemistry.

Supplement No. 1 to Vol. 3

"THERMAL CONDUCTIVITY OF THE ELEMENTS: A COMPREHENSIVE REVIEW"

by C. Y. Ho, R. W. Powell, and P. E. Liley, *Thermophysical Properties Research Center, Purdue University, West Lafayette, Indiana*

This comprehensive review of the world's thermal conductivity data presents recommended or estimated values for all 105 elements.

Supplement No. 1 to Vol. 6

ENERGETICS OF GASEOUS IONS

by H. M. Rosenstock, K. Draxl, B. Steiner, and J. T. Herron, *National Bureau of Standards*

Provides a comprehensive body of critically evaluated information on ionization potentials, appearance potentials, electron affinities and heats of formation of gaseous positive and negative ions. It is a complete revision and extension of the earlier reference work, "Ionization Potentials, Appearance Potentials and Heats for Formation of Gaseous Positive Ions," NSRDS-NBS 26.

Business Operations—Books and Journals Dept.
American Chemical Society
1155 16th Street, N.W.
Washington, D.C. 20036

Please send _____ copies of _____ at \$ _____

A. "PHYSICAL AND THERMODYNAMIC PROPERTIES OF ALIPHATIC ALCOHOLS." (First supplement to Vol. 2 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$33.00. Soft Cover: \$30.00.

B. "THERMAL CONDUCTIVITY OF THE ELEMENTS. A COMPREHENSIVE REVIEW." (First supplement to Vol. 3 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$60.00. Soft Cover: \$55.00.

C. "ENERGETICS OF GASEOUS IONS." (First supplement to Vol. 6 of the *Journal of Physical and Chemical Reference Data*.) Hard Cover: \$70.00. Soft Cover: \$65.00.

☐ I am enclosing a check ☐ I am enclosing a money order


Name _____

Address _____

City _____ State _____ Zip Code _____


Title _____ Employer _____

Please add \$1.50 extra for foreign postage and handling.



JOURNAL OF RESEARCH

of the National Bureau of Standards



For a review copy, write Journal of Research, National Bureau of Standards, U.S. DEPARTMENT OF COMMERCE Washington, D.C. 20234

Subscribe now — The new National Bureau of Standards Journal

The expanded Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology, and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent NBS publications in NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$17.00; foreign \$21.25. Single copy, \$3.00 domestic; \$3.75 foreign.

- Note: The Journal was formerly published in two sections: Section A "Physics and Chemistry" and Section B "Mathematical Sciences."

NBS Board of Editors
Churchill Eisenhart,
Executive Editor (Mathematics)
John W. Cooper (Physics)
Donald D. Wagman (Chemistry)
Andrew J. Fowell (Engineering)
Joseph O. Harrison (Computer Science)
Stephen J. Smith (Boulder Labs.)

Subscription Order Form

Enter my subscription to NBS Journal of Research at \$17.00. Add \$4.25 for foreign mailing. No additional postage is required for mailing within the United States or its possessions. (SJR—File Code 2Q)

Send Subscription to:

- ☐ Remittance Enclosed
(Make checks payable
to Superintendent of
Documents)
- ☐ Charge to my Deposit
Account No.

Name-First, Last																			
Company Name or Additional Address Line																			
Street Address																			
City										State					Zip Code				

MAIL ORDER FORM TO:
Superintendent of Documents
Government Printing Office
Washington, D.C. 20402

**Announcement of New Publications in
National Standard Reference Data Series**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued in the series: National Standard Reference Data Series—National Bureau of Standards.

Name_____

Company_____

Address_____

City_____ State_____ Zip Code_____

(Notification Key N-519)

**Announcement of New Publications in
National Standard Reference Data Series**

Superintendent of Documents,
Government Printing Office,
Washington, D.C. 20402

Dear Sir:

Please add my name to the announcement list of new publications to be issued
in the series: National Standard Reference Data Series—National Bureau of
Standards.

Name_____

Company_____

Address_____

City_____ State_____ Zip Code_____

(Notification Key N-519)

NBS TECHNICAL PUBLICATIONS

PERIODICALS

JOURNAL OF RESEARCH—The Journal of Research of the National Bureau of Standards reports NBS research and development in those disciplines of the physical and engineering sciences in which the Bureau is active. These include physics, chemistry, engineering, mathematics, and computer sciences. Papers cover a broad range of subjects, with major emphasis on measurement methodology and the basic technology underlying standardization. Also included from time to time are survey articles on topics closely related to the Bureau's technical and scientific programs. As a special service to subscribers each issue contains complete citations to all recent Bureau publications in both NBS and non-NBS media. Issued six times a year. Annual subscription: domestic \$13; foreign \$16.25. Single copy, \$3 domestic; \$3.75 foreign.

NOTE: The Journal was formerly published in two sections: Section A "Physics and Chemistry" and Section B "Mathematical Sciences."

DIMENSIONS/NBS—This monthly magazine is published to inform scientists, engineers, business and industry leaders, teachers, students, and consumers of the latest advances in science and technology, with primary emphasis on work at NBS. The magazine highlights and reviews such issues as energy research, fire protection, building technology, metric conversion, pollution abatement, health and safety, and consumer product performance. In addition, it reports the results of Bureau programs in measurement standards and techniques, properties of matter and materials, engineering standards and services, instrumentation, and automatic data processing. Annual subscription: domestic \$11; foreign \$13.75.

NONPERIODICALS

Monographs—Major contributions to the technical literature on various subjects related to the Bureau's scientific and technical activities.

Handbooks—Recommended codes of engineering and industrial practice (including safety codes) developed in cooperation with interested industries, professional organizations, and regulatory bodies.

Special Publications—Include proceedings of conferences sponsored by NBS, NBS annual reports, and other special publications appropriate to this grouping such as wall charts, pocket cards, and bibliographies.

Applied Mathematics Series—Mathematical tables, manuals, and studies of special interest to physicists, engineers, chemists, biologists, mathematicians, computer programmers, and others engaged in scientific and technical work.

National Standard Reference Data Series—Provides quantitative data on the physical and chemical properties of materials, compiled from the world's literature and critically evaluated. Developed under a worldwide program coordinated by NBS under the authority of the National Standard Data Act (Public Law 90-396).

NOTE: The principal publication outlet for the foregoing data is the Journal of Physical and Chemical Reference Data (JPCRD) published quarterly for NBS by the American Chemical Society (ACS) and the American Institute of Physics (AIP). Subscriptions, reprints, and supplements available from ACS, 1155 Sixteenth St., NW, Washington, DC 20056.

Building Science Series—Disseminates technical information developed at the Bureau on building materials, components, systems, and whole structures. The series presents research results, test methods, and performance criteria related to the structural and environmental functions and the durability and safety characteristics of building elements and systems.

Technical Notes—Studies or reports which are complete in themselves but restrictive in their treatment of a subject. Analogous to monographs but not so comprehensive in scope or definitive in treatment of the subject area. Often serve as a vehicle for final reports of work performed at NBS under the sponsorship of other government agencies.

Voluntary Product Standards—Developed under procedures published by the Department of Commerce in Part 10, Title 15, of the Code of Federal Regulations. The standards establish nationally recognized requirements for products, and provide all concerned interests with a basis for common understanding of the characteristics of the products. NBS administers this program as a supplement to the activities of the private sector standardizing organizations.

Consumer Information Series—Practical information, based on NBS research and experience, covering areas of interest to the consumer. Easily understandable language and illustrations provide useful background knowledge for shopping in today's technological marketplace.

Order the above NBS publications from: Superintendent of Documents, Government Printing Office, Washington, DC 20402.

Order the following NBS publications—FIPS and NBSIR's—from the National Technical Information Services, Springfield, VA 22161.

Federal Information Processing Standards Publications (FIPS PUB)—Publications in this series collectively constitute the Federal Information Processing Standards Register. The Register serves as the official source of information in the Federal Government regarding standards issued by NBS pursuant to the Federal Property and Administrative Services Act of 1949 as amended, Public Law 89-306 (79 Stat. 1127), and as implemented by Executive Order 11717 (38 FR 12315, dated May 11, 1973) and Part 6 of Title 15 CFR (Code of Federal Regulations).

NBS Interagency Reports (NBSIR)—A special series of interim or final reports on work performed by NBS for outside sponsors (both government and non-government). In general, initial distribution is handled by the sponsor; public distribution is by the National Technical Information Services, Springfield, VA 22161, in paper copy or microfiche form.

BIBLIOGRAPHIC SUBSCRIPTION SERVICES

The following current-awareness and literature-survey bibliographies are issued periodically by the Bureau:

Cryogenic Data Center Current Awareness Service. A literature survey issued biweekly. Annual subscription: domestic \$35; foreign \$45.

Liquefied Natural Gas. A literature survey issued quarterly. Annual subscription: \$30.

Superconducting Devices and Materials. A literature survey issued quarterly. Annual subscription: \$45. Please send subscription orders and remittances for the preceding bibliographic services to the National Bureau of Standards, Cryogenic Data Center (736) Boulder, CO 80303.

U.S. DEPARTMENT OF COMMERCE
National Bureau of Standards
Washington, D.C. 20234

OFFICIAL BUSINESS

Penalty for Private Use, \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF COMMERCE
COM-215



SPECIAL FOURTH-CLASS RATE
BOOK
